

Cinerific Android App Work Log - September 21, 2026 (U.S. EST)

Compiled summary for Monday, September 21, 2026 (U.S. Eastern Time) - focus: resuming the post-September-19 Cinerific Android pass by reviewing the current project snapshot and every prior worklog, diagnosing an unreliable Galaxy Tab A USB path and a macOS kernel panic, separating hub and cable behavior from Android authorization state, identifying Android emulator rendering as the dominant host load, rebuilding the Standard tablet AVD around a lower-pixel QA profile, restoring a representative rounded bezel, creating a guarded standalone launcher, redesigning the settled intro specifically for portrait phones and tablets, presenting one swipeable profile at a time, enlarging and rebalancing the logo, avatar, name, and account-link stacks, preserving landscape behavior, replacing low-resolution avatar artwork with Figma-derived high-resolution renders, validating repeated builds on the standalone emulator and USB Samsung phone, committing the completed source pass as d0a9047, refreshing the project snapshot, and generating this latest Cinerific PDF worklog artifact.

Generated in continuity with the established Cinerific worklog cadence from July 12, July 14, July 15 Part 1, July 15, July 16, July 18, July 19, July 20, July 22, July 23, July 24, July 25, July 27, July 28 Part 1, July 28 Part 2, July 29, August 1, August 3, August 4, August 5, and September 19: compact opening summary, source material review, baseline state, goals, themed work completed sections, validation, files touched, follow-up context, and output artifact close.

No September 21 Part 1 PDF existed in the repository, so this artifact follows the no-part filename convention for the first September 21 worklog. Eastern Time was verified from the host as Monday, September 21, 2026 at 8:05 PM EDT, UTC-04:00. The title retains the repository's established U.S. EST label while the body records the seasonally accurate EDT verification. This artifact records the current source state on main through HEAD d0a9047, Refined the portrait intro and stabilized the standard tablet QA environment, plus the refreshed snapshot and generated worklog artifact from this documentation pass.

Source Materials Reviewed

- Reviewed every pre-existing Cinerific worklog PDF at the repository root: July 12, July 14, July 15 Part 1, July 15, July 16, July 18, July 19, July 20, July 22, July 23, July 24, July 25, July 27, July 28 Part 1, July 28 Part 2, July 29, August 1, August 3, August 4, August 5, and September 19.
- Converted all twenty-one prior PDFs with pdftotext and inspected title cadence, summary rhythm, source-review language, baseline and goals sections, themed work-completed sections, validation phrasing, file lists, follow-up close, and output-artifact wording.
- Ran pdftinfo and pdffonts across the worklog set, with the closest comparison against September 19, to preserve the four-page U.S. Letter layout, Helvetica body font, PDF 1.4 output, text-extractable structure, Codex metadata, and right-aligned page footer convention.
- Ran ./read_project.sh and reviewed the refreshed cinerific_PROJECT_SNAPSHOT.txt for the current source tree, Android source dump, drawable inventory, emulator skin inventory, launcher files, generated-file policy, and September 21 timestamp.
- Reviewed git status, git log, git show --stat, git show --name-status, and commit d0a9047 against the September 19 worklog commit fa1ca6a.
- Reviewed README.md, CinerificApp.kt, CinerificIntroView.kt, the four active avatar drawables, the custom emulator skin, LaunchAgent property list, guarded AVD launcher, read_project.sh, and regenerated project snapshot.
- Reviewed runtime evidence from the Standard tablet emulator and Samsung SM-G990U phone, including ADB inventories, repeated streamed APK installs, activity launches, screenshots, cache inspection, system-bar behavior, and all four swipe-selected profiles.
- Reviewed the macOS panic report, Activity Monitor captures, USB hub experiments, Android USB mode behavior, emulator process usage, and the last-loaded AppleUSBHostIOSDevice kernel extension without treating correlation as proof of a single crash cause.
- Reviewed the open Figma file's Animations (Original) section, Logo, Slide & Sign-In Components subsection, exact Steve, Martin, Janny, and Guest avatar/name component nodes, available design context, exported vectors, and Starter-plan MCP quota response.

Baseline Status Before September 21 Work

- Cinerific entered September 21 with the September 19 authentication navigation, destination reset, hero crop, playback feedback, and spinner correction committed and documented.
- The intro remained optimized primarily around its landscape sign-in composition: all four profiles appeared in a horizontal row and the three account routes shared a horizontal prompt row.
- Portrait phones and tablets inherited that composition rather than receiving a full-height layout designed around their safe top and bottom system areas.
- The active avatar resources were only 254 by 254 pixels and the nameplates were roughly 220 by 72 pixels, so aggressive portrait enlargement exposed visible softness.
- The Standard tablet AVD could run at 1920 by 1200 and 240 dpi with four guest CPU cores, causing the qemu process to oscillate at high host CPU and occasionally exceed 300 percent during active rendering.
- The Galaxy Tab A charging port still accepted power, but the tablet did not consistently expose an ADB or MTP data device through the tested cable and Atolla hub path.
- The connected Samsung phone remained available as the reliable native portrait QA target, while the standalone AVD remained the reliable tablet target.

- The local Figma Dev Mode MCP path required a paid seat that was not present, while the cloud Starter connector imposed a finite tool-call quota.

Main Goals for September 21

- Establish a stable, persistent Standard tablet QA profile with fewer rendered pixels and fewer guest CPU cores while preserving the same Android layout space.
- Keep the AVD independent of VS Code, verify its configuration before every launch, and restore a realistic rounded tablet frame.
- Build a dedicated portrait intro for phones and tablets without changing the accepted landscape layout.
- Scale, center, and vertically distribute the logo, selected profile, nameplate, and three account routes around real visible asset edges and system-bar insets.
- Show one profile at a time in portrait and support cyclic left/right profile selection without breaking profile activation.
- Improve enlarged avatar clarity from exact Figma source artwork while preserving the approved hollow gradient-bubble treatment.
- Keep portrait touch regions synchronized with every visual move and preserve the selected profile across state restoration.
- Validate the same debug APK on both the standalone tablet emulator and USB Samsung phone, then refresh documentation and generate the next convention-matched worklog.

Work Completed - USB, Hub, and macOS Runtime Diagnosis

- Repeated ADB inventories while swapping known data cables, hub ports, hub power, direct-phone connections, and Mac-to-hub upstream connections.
- Confirmed that the Samsung phone could enumerate through USB and accept file-transfer authorization, proving that at least one cable and host path carried data.
- Distinguished the hub's upstream Mac connection from downstream device ports and clarified that a phone connected only to the hub cannot reach ADB unless the hub's upstream data path reaches the Mac.
- Confirmed the Atolla hub's separate DC 5V input could be powered by a compatible regulated 5V adapter, then retested enumeration after external power was attached.
- Walked through Android USB control, File Transfer/MTP, USB debugging, authorization prompts, charging-only indicators, and the meaning of a failed Connected device control switch.
- Recorded that the Galaxy Tab A reported USB Connected and slow charging but did not expose the expected file-transfer notification or appear in ADB during the tested paths.
- Interpreted the macOS panic as a kernel-level bounds-safety trap in `kernel_task` and noted that `AppleUSBHostIODevice` was the last-started extension, while avoiding an unsupported claim that one device or hub definitively caused the panic.
- Inspected Activity Monitor after reboot and identified `qemu-system-aarch64-headless`, not an unknown second emulator, as the running Standard tablet AVD process.

Work Completed - Low-Load Standard Tablet QA Profile

- Changed the Standard AVD rendering target from 1920 by 1200 at 240 dpi to 1280 by 800 at 160 dpi, preserving the same 1280 by 800 Android density-independent layout space while rendering about 56 percent fewer pixels.
- Reduced the emulator from four guest CPU cores to two and retained host GPU acceleration to limit sustained `qemu` CPU pressure on the Mac.
- Confirmed the active AVD name as `Cinerific_Standard_Tablet` and kept it separate from VS Code's embedded emulator controls.
- Added a repository-owned rounded tablet bezel and mask so the reduced-resolution emulator still represents a physical tablet instead of an unframed rectangle.
- Added `start_cinerific_android_standard.sh` as a guarded launcher that verifies the AVD name, skin, device frame, physical size, density, and guest core count before opening Cinerific.
- Added a `LaunchAgent` definition for the standalone AVD and centralized logs under the user's Cinerific log directory.
- Made the launcher reuse a correct running instance, reject the wrong AVD on emulator-5554, wait for Android boot completion, recheck connectivity, and launch Cinerific when installed.
- Documented the low-load launcher in `README.md` and expanded `read_project.sh` so future snapshots include launcher files and emulator skin inventories.

Work Completed - Portrait Intro Layout and Profile Carousel

- Added a dedicated portrait branch that expands the design stage to the full screen width and reads top and bottom system-bar insets.
- Kept the accepted landscape intro path intact while transitioning only portrait devices into the new full-height composition.
- Enlarged and visually centered the Cinerific logo using its visible artwork rather than its transparent bitmap bounds, including a small rightward optical correction.
- Built a single-profile portrait stack that draws the selected avatar and nameplate at the horizontal center instead of showing all four profiles at once.
- Added cyclic left and right swipe handling with direction checks, touch-slop protection, a 56 dp commit threshold, and tap navigation for the selected profile.
- Persisted the portrait profile index through `CinerificIntroSnapshot` and its Compose saver so rotation or view restoration does not silently return to Steve.
- Added portrait-specific circular avatar hit testing and resized account-route hit regions so interactions follow the enlarged artwork.
- Renamed `Forgot Username/Password` to `Forgot User/Password` across portrait and landscape to

balance the route-label length.

- Guarded form-label animation checks until an authentication form has actually started, preventing idle-state animation work from being treated as active.

Work Completed - Portrait Scale, Spacing, and Safe Areas

- Iteratively tuned the logo, profile, nameplate, and account-link scales against screenshots from both the 800 by 1280 emulator and 1080 by 2340 Samsung phone.
- Matched the avatar stack's visible width to the logo stack by accounting for the logo PNG's transparent horizontal padding rather than equating nominal bitmap rectangles.
- Reduced the avatar-to-name gap by compensating for transparent nameplate padding and centered each profile stack vertically between the surrounding groups.
- Calculated vertical gaps from measured alpha bounds, kept the final logo position fixed, and reduced the spaces above and below the avatar stack to 40 percent of their original size.
- Enlarged the portrait account-route text to 2.904 times its base size and maintained corresponding touch targets.
- Increased spacing between Create My Account, Sign In, and Forgot User/Password to 1.5 times the responsive base spacing while anchoring the first route on taller screens.
- Added a safe-bottom clamp that preserves the requested inter-link spacing but lifts the entire link stack only when the compact tablet's native bottom toolbar would cover the final line.
- Preserved responsive compact and comfortable spacing ranges so the same portrait logic adapts between tablet and tall-phone aspect ratios.

Work Completed - Figma Avatar Restoration

- Located the exact source nodes under Animations (Original), Logo, Slide & Sign-In Components for all four avatar components and all four name components.
- Retrieved design context for Steve, Martin, Janny, and Guest, including the avatar vectors and the Broadway nameplate typography/effect specifications.
- Documented that local Dev Mode context was unavailable without a paid seat and that the cloud Starter connector reached its tool-call limit before all nameplate exports completed.
- Rendered the four clean avatar vectors at 1270 by 1270 pixels, five times the prior raster dimensions.
- Preserved the approved dark ring and hollow 50-to-zero percent gradient-bubble treatment by combining the high-resolution vector character/ring geometry with the accepted interior treatment.
- Replaced the four active *_avatar_bubble_edge50_body0_test.png resources without changing their Android resource identifiers or profile wiring.
- Archived the recovered vector sources locally under the existing generated avatar experiment area for future provenance and re-rendering.
- Left the low-resolution nameplates unchanged rather than substituting an inexact font; the remaining visible name softness is isolated and explicitly tracked for a later exact export pass.

Work Completed - Device QA, Cache Check, and Commit State

- Rebuilt the debug APK repeatedly with ./gradlew :app:assembleDebug; every final iteration reported BUILD SUCCESSFUL.
- Installed and relaunched the same APK on emulator-5554 and USB phone R5CRC33MGNZ after each significant portrait scale or spacing adjustment.
- Captured and inspected portrait screenshots for Steve, Martin, Janny, and Guest to confirm clean vector rendering, centered stacks, cyclic selection, and unchanged landscape behavior.
- Verified the final 800 by 1280 tablet layout retained link readability above the native bottom toolbar and the 1080 by 2340 phone retained the requested first-link anchor.
- Cleared the phone app cache and code cache, confirmed both were already effectively empty, force-stopped Cinerific, and relaunched the installed native APK.
- Confirmed that Android does not separately cache the Kotlin layout constants and that the measured phone movement came from the live build rather than a stale tunnel.
- Committed the completed implementation as d0a9047, Refined the portrait intro and stabilized the standard tablet QA environment, and pushed main to origin/main.
- Refreshed cinerific_PROJECT_SNAPSHOT.txt after the commit so the generated project record reflects the final September 21 source, launcher, skin, and drawable inventory.

Validation and Checks Performed

- Verified host Eastern Time with TZ=America/New_York; the system reported Monday, September 21, 2026 in EDT at UTC-04:00.
- Used pdftotext on every earlier worklog and pdfinfo/pdffonts across the set before generating this artifact.
- Confirmed all twenty-one prior worklogs used four U.S. Letter pages and that the latest file used Helvetica, text-extractable PDF 1.4 output, Codex metadata, and right-aligned footers.
- Confirmed the running standalone AVD reported Cinerific_Standard_Tablet, physical size 1280 by 800, physical density 160, and two guest processors.
- Confirmed ADB currently listed both emulator-5554 and Samsung SM-G990U R5CRC33MGNZ as connected devices.
- Verified the guarded launcher, LaunchAgent, custom skin, README guidance, and snapshot inventory were included in commit d0a9047.
- Inspected final portrait captures at both QA aspect ratios after the 10 percent text enlargement and 25 percent inter-link spacing increase.
- Rendered this generated PDF to PNG pages and inspected it for clipping, footer placement, page

count, and readable density.

Files Touched During September 21

- README.md: documented the guarded standalone Standard tablet emulator workflow and persistent low-load QA settings.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt: persisted the selected portrait profile index through the intro snapshot saver.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificIntroView.kt: added the portrait layout, safe-area calculations, profile carousel, optical alignment, responsive scales and gaps, account-link layout, hit testing, copy update, and idle-label guard.
- app/src/main/res/drawable-nodpi/steve_avatar_bubble_edge50_body0_test.png, martin_avatar_bubble_edge50_body0_test.png, janny_avatar_bubble_edge50_body0_test.png, and guest_avatar_bubble_edge50_body0_test.png: replaced the active 254-pixel resources with high-resolution Figma-derived renders.
- emulator/skins/cinerific_pixel_tablet_1280/back.png, mask.png, and layout: added the rounded repository-owned tablet frame.
- launchd/com.cinerific.standardavd.plist: added the standalone emulator LaunchAgent definition.
- start_cinerific_android_standard.sh: added guarded launch, boot wait, runtime verification, app start, and log reporting.
- read_project.sh: included launcher files and emulator skins in future project snapshots.
- cinerific_PROJECT_SNAPSHOT.txt: refreshed the generated timestamp, source dump, tree, launcher content, and binary inventories.
- cinerific_worklog_september 21.pdf: added this root-level September 21 worklog using the established no-part naming convention.

Follow-Up Context

- The Galaxy Tab A USB data path remains unresolved; charging success does not prove that its port, negotiated USB mode, hub route, or current cable path exposes ADB/MTP data.
- The Samsung phone and standalone AVD remain the verified portrait QA pair until the tablet enumerates again or wireless debugging can be established from an authorized connection.
- The high-resolution avatar pass is complete, but exact Martin, Janny, and Guest nameplate vectors still require renewed Figma connector quota or manual SVG exports from the source file.
- The raw nameplates should not be replaced with a lookalike font; their outlined Broadway styling and shadow should be preserved from the original components.
- The LaunchAgent contains machine-specific Android SDK and repository paths. Moving the checkout or sharing the launcher with another Mac requires updating those paths or generating the property list dynamically.
- Portrait-only constants should remain isolated from landscape unless a future request explicitly changes both orientations.
- The bottom safety clamp should remain in place when link text or spacing grows further; removing it can place Forgot User/Password behind the emulator toolbar.
- Authentication screens remain prototype UI and are not yet connected to production identity, account creation, recovery, or backend services.
- The low-load AVD materially reduces rendering work, but qemu and WindowServer can still consume visible CPU while the emulator stream is active.

Output Artifact

- Generated cinerific_worklog_september 21.pdf at the repository root using the first-log-of-the-day no-part filename convention.
- Preserved the established four-page U.S. Letter layout, Helvetica text, PDF 1.4 compatibility, Codex metadata, right-aligned page footers, and plain-text-readable structure.
- Used the verified September 21, 2026 U.S. Eastern date and documented the host's actual EDT offset while retaining the historical U.S. EST title label.
- Recorded main through d0a9047 and the refreshed project snapshot; the generated snapshot and this PDF are the only expected post-commit documentation changes.
- The artifact is intended to be committed after review alongside cinerific_PROJECT_SNAPSHOT.txt and no additional source edits.