

Cinerific Android App Work Log - July 14, 2026

Compiled summary for Tuesday, July 14, 2026 - focus: turning the imported Cinerific Figma artwork into a continuous Android boot/intro animation, restoring visible assets in Android Studio and the emulator, replacing stopped onboarding-frame behavior with time-based motion, adding avatar/name artwork, removing the gray final background, improving splash/startup styling, profiling animation stutter, and correcting the final logo/eyes slide-in direction against the Figma prototype intent.

Generated in continuity with the established Alla Vostra, Cinerific, and Prahlin Portfolio daily worklog cadence: compact opening summary, source-material section, baseline section, goal list, work-completed sections, validation section, files-touched list, follow-up context, and output-artifact close.

This artifact intentionally covers Cinerific work performed and committed on July 14, 2026, plus the immediately adjacent Codex/Figma/MCP discussion needed to explain the implementation state. Alla Vostra and Portfolio material was used only as naming, structure, length, and style reference.

Source Materials Reviewed

- Studied the local Alla Vostra root-level worklog PDF corpus in /Users/prahlin/gh/alla_vostra, including mature July artifacts such as alla_vostra_worklog_july9.pdf and alla_vostra_worklog_july11.pdf, to preserve the established title cadence, daily-log section order, compact technical bullet style, validation language, and output-artifact close.
- Reviewed the existing Cinerific baseline artifact, /Users/prahlin/gh/cinerific/cinerific_worklog_july12.pdf, as the closest project-specific template. That July 12 log established the Cinerific filename convention, Figma-to-Android framing, MCP/plugin source-material language, and four-page root-level PDF shape.
- Reviewed /Users/prahlin/gh/portfolio/portfolio_worklog_july11.pdf to compare how another Prahlin project adapted the Alla Vostra convention while keeping project-specific scope, commits, deployment facts, and follow-up context separate from unrelated work.
- Reviewed the active Cinerific repository at /Users/prahlin/gh/cinerific, current branch main tracking origin/main, current clean Git state, and July 14 Git history.
- Reviewed the three July 14 Cinerific commits: ecee9e9 for imported Figma artwork and the first Cinerific worklog, 121d253 for the native Figma intro animation implementation, and cde7f12 for the logo/eyes opposite-direction slide correction.
- Reviewed app/src/main/java/com/prahlin/cinerific/MainActivity.kt, app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt, app/src/main/java/com/prahlin/cinerific/ui/CinerificIntroView.kt, theme resources, splash resources, drawable-nodpi assets, and screenshots/intro.png plus screenshots/intro.jpg.
- Reviewed the recovered Cinerific Figma/MCP chatflow at /Users/prahlin/Desktop/cinerific_figma_mcp_chatflow.md for file key qbpfnwBirp0WoOHSqw1TN, Intro & Sign-in node 485:7118, cached Home & Default section 485:7119, and the MCP quota context that affected later design extraction.
- Used git log, git status, git diff/stat history, pdfinfo, pdftotext, file/resource inspection, Gradle build output, adb/emulator screenshot checks from the session, and Android gfxinfo profiling notes. No external PDF package was installed for this worklog.

Baseline Status Before July 14 Work

- Cinerific already had a native Android/Kotlin/Compose scaffold and, from the July 12 pass, imported Cinerific logo and promotional background assets wired into the intro/sign-in Compose screens.
- The user still could not see a faithful animated Figma experience in Android Studio because the app was rendering a partial code implementation, not a live Figma projection. Figma images, buttons, boxes, fonts, and motion still had to be explicitly imported or translated into Android code.
- The intro flow still behaved too much like discrete frames. The user specifically needed the animation to continue without manual stops until the main logo settled and the four avatar icons appeared below it.
- Early runtime behavior included a stuck frame state after pressing Run, visible mismatch between Figma placement and Android placement, missing avatar/name assets, a gray final-state background, and motion that did not yet match the black-to-red prototype transition.
- The app needed a better startup path: Android default splash behavior and gray system surfaces were leaking into the perceived intro experience before the Cinerific animation took over.
- The active Figma/MCP access path was fragile. The Figma connector existed and had previously provided useful design context, but the limited Starter-plan MCP quota later blocked fresh live extraction for motion and Home/Default work.

Goals for July 14

- Make the Cinerific intro animation continuous instead of stopping at frame-style checkpoints.
- Preserve the Figma-derived black-to-burgundy-to-red-gradient progression rather than falling back to a gray final background.
- Animate the main Cinerific logo and eyes as separate layers that enter from opposite vertical directions, bounce briefly, and settle before the avatar row is fully established.

- Import and display the four avatar icons and their name labels: Steve, Martin, Janny, and Guest.
- Move the runtime intro away from expensive per-frame Compose layout work where needed, while keeping the visual output aligned with the imported Figma artwork.
- Build, install, relaunch, screenshot-check, and profile the app often enough to distinguish visual correctness problems from emulator/rendering performance problems.
- Keep commit messages and worklog naming aligned with the user preference for concise, past-tense descriptions and pre-existing Prahlin project conventions.

Work Completed - Runtime Orientation and Figma Context

- Reopened and ran the Cinerific Android app through Android Studio/emulator workflows so the user could inspect the actual compiled Android surface rather than expecting Android Studio to mirror the Figma file automatically.
- Clarified that Android Studio only shows assets and behavior present in the Android project; the Figma file, MCP channel, and Android app remain separate until assets and motion are imported or implemented.
- Reused the recovered Figma context from the July 12 work: file key qbpfnwBirp0WoOHSqw1TN, Intro & Sign-in node 485:7118, and frame structure around the four intro/sign-in screens.
- Later checked the cached chatflow for the Home & Default section and confirmed cached metadata includes section 485:7119, while noting that the detailed child-frame design context could not be freshly pulled once the Figma MCP Starter-plan quota was exhausted.
- Explained the MCP call limit and upgrade implications after Figma returned the Starter-plan rate-limit response, preserving the reason Home/Default scaffolding could only proceed from cached metadata or screenshots until quota resets or the seat is upgraded.

Work Completed - Assets, Splash, and Startup Surface

- Added Figma-derived avatar and name PNG resources under app/src/main/res/drawable-nodpi: steve_avatar.png, martin_avatar.png, janny_avatar.png, guest_avatar.png, steve_name.png, martin_name.png, janny_name.png, and guest_name.png.
- Added app/src/main/res/drawable/splash_transparent.xml and updated day, night, and Android 12+ theme resources so the startup surface is black/transparent instead of showing an Android default gray slab before the Cinerific intro.
- Updated MainActivity.kt to capture bootStartMillis at activity creation and pass it into CinerificApp, giving the animation a stable wall-clock reference tied to app startup.
- Preserved edge-to-edge transparent system bar styling so the intro reads as a full-screen Cinerific experience inside the tablet emulator.
- Captured and committed screenshots/intro.png and screenshots/intro.jpg as visual evidence of the updated running app state after the major July 14 intro pass.

Work Completed - Native Intro Animation Implementation

- Added CinerificIntroView.kt as a native Android View renderer for the boot intro, hosted from Compose through AndroidView in CinerificApp.kt.
- Drew the whole intro on a time-based animation clock using SystemClock uptimeMillis and postInvalidateOnAnimation, so the sequence no longer depends on manual frame buttons or stopped carousel state.
- Implemented the background transition from black to burgundy and then into the final black/red vertical gradient using the Figma-derived frame colors and gradient stops.
- Implemented separate logo-simple and logo-eyes layers with a bouncy easing segment, a final settle segment, and a combined settled-logo bitmap path to reduce later duplicate draw work.
- Added circular avatar presentation and name-label reveal for the final state, placing Steve, Martin, Janny, and Guest below the settled main logo in the 1194 by 834 Figma coordinate system.
- Pre-masked avatar bitmaps and pre-combined the final logo layers so the renderer avoids repeated per-frame clip paths and duplicate settled-logo composition work.
- Left older Compose Figma-intro helper code in CinerificApp.kt as a fallback/reference surface while routing the live app through CinerificIntroView.

Work Completed - Visual Correction and Motion Refinement

- Fixed the intro so it no longer stops until the logo has settled into place and the four avatar icons are visible underneath.
- Removed the gray background from the intro final state and replaced it with the black/red gradient seen in the Figma prototype direction.
- Adjusted logo placement, avatar spacing, and name-label placement through repeated emulator screenshot checks until the final composition read as the Cinerific intro rather than a generic Android placeholder.
- Investigated a view-group/layer-based optimization idea, discovered it produced a wrong visual state with a blown-up avatar/background layer, and backed it out rather than preserving a faster-looking but visually incorrect renderer.
- Corrected the final logo/eyes entry direction in commit cde7f12 so the main Cinerific text/body rises

from below while the eyes drop in from above, matching the user callout that the two layers should enter from opposite vertical directions before settling.

- Kept the active renderer and the dormant Compose settling-layer fallback directionally consistent for the final slide-in correction.

Work Completed - Performance Diagnostics

- Used Android gfxinfo/framestats to separate subjective animation stutter from measured renderer behavior. Early Compose/layout-heavy versions showed severe jank, with median frame times around 250 ms in the emulator.
- Tried intermediate optimizations through Compose graphics transforms and Compose Canvas before moving the live intro into a native View renderer to reduce per-frame recomposition and layout work.
- Confirmed the native renderer improved measured frame pacing but did not make the emulator smooth: the corrected renderer later reported a median around 133 ms, still far above the roughly 16 ms needed for 60 fps.
- Identified the remaining bottleneck as Android/Skia OpenGL draw-command submission and large transparent PNG scaling/blending in the emulator, not simply Kotlin animation timing.
- Explained that further smoothness work should focus on asset-side optimization, especially exporting/cropping smaller logo PNGs closer to their displayed bounds and validating on a physical Android device or better emulator graphics backend.
- Avoided overfitting the code to a broken optimization when visual validation showed the view-group approach distorted the final composition.

Work Completed - Commits and User-Facing Guidance

- Supplied commit-message wording for the Figma-to-code intro work and revised it into past tense at the user request.
- Recorded and pushed/normalized the July 14 work into Cinerific Git history across three commits: ecee9e9, 121d253, and cde7f12.
- Guided the user through Android Studio run/restart expectations, including why the green Run action restarts the app but does not imply that Figma prototype motion automatically exists in Android.
- Explained why MCP calls were consumed, why the Starter-plan quota was too small for broad design-to-code extraction, and why a broader design-map call plus targeted frame pulls would have been a better quota strategy.
- Confirmed from cached metadata that Home & Default exists as section 485:7119, but did not claim pixel-accurate Home scaffolding access while the live Figma connector remained rate-limited.

Validation and Checks Performed

- Ran ./gradlew :app:assembleDebug --no-daemon after the July 14 source state was reviewed for this worklog; the build completed successfully.
- Built and installed debug app iterations during the implementation session, then relaunched com.prahlincinerific.MainActivity on the Cinerific_Standard_Tablet emulator for visual checks.
- Captured mid-entry and final-state emulator screenshots during the logo-direction correction; the mid-entry capture showed the main logo body rising from below, and the final capture showed the logo and four avatars settled correctly.
- Used adb shell dumpsys gfxinfo com.prahlincinerific.framestats to profile animation stutter and record the remaining emulator-side jank characteristics.
- Confirmed git status --short --branch before PDF generation showed a clean main branch tracking origin/main.
- Confirmed git log for July 14 contains the three Cinerific commits that match this worklog scope.
- Confirmed drawable-nodpi currently contains the July 12 logo/promo resources plus the July 14 avatar/name resources.
- Confirmed the existing July 12 Cinerific worklog, the Alla Vostra worklog corpus, and the Portfolio July 11 worklog were readable with pdfinfo and pdftotext before this artifact was generated.

Files Touched During July 14 Cinerific Work

- app/src/main/java/com/prahlin/cinerific/MainActivity.kt: captures bootStartMillis, applies transparent dark system bar styling, and passes the boot timestamp into the app surface.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt: hosts the native intro renderer through AndroidView and preserves older Compose Figma-intro/reference helpers.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificIntroView.kt: implements the native time-based Cinerific intro renderer, background transition, logo/eyes motion, avatar/name reveal, bitmap precomposition, and direction correction.
- app/src/main/res/drawable/splash_transparent.xml: defines the transparent/black startup splash drawable used to avoid a gray launch surface.
- app/src/main/res/values/themes.xml, app/src/main/res/values-night/themes.xml, and app/src/main/res/values-v31/themes.xml: update splash/window behavior for the intro experience.
- app/src/main/res/drawable-nodpi/steve_avatar.png, martin_avatar.png, janny_avatar.png, guest_avatar.png, steve_name.png, martin_name.png, janny_name.png, and guest_name.png: add the

final-state avatar and name artwork.

- screenshots/intro.png and screenshots/intro.jpg: capture the updated intro visual state from the running emulator.
- cinerific_worklog_july 14.pdf: this daily worklog artifact generated at the repository root.

Follow-Up Context

- The Home & Default section should be scaffolded next either from a fresh MCP pull after the Figma quota resets/upgrades, from a specific node screenshot/export supplied by the user, or from a deliberately approximate Android scaffold based on cached section knowledge.
- The Figma MCP quota should be budgeted as a scarce resource: first map sections/screens, then pull only the exact frames/components needed for the next implementation pass.
- The intro renderer still depends on large transparent PNG assets. Cropped or size-specific exports would likely improve animation smoothness more than additional Kotlin timing tweaks.
- The older unused Compose intro helper code in CinerificApp.kt can be trimmed later once the native renderer is accepted, reducing maintenance confusion and stale direction/timing risk.
- A physical Android device check remains useful because the tablet emulator reports severe Skia/OpenGL jank even after meaningful app-side optimizations.
- Future Figma motion work should use authoritative motion context when available, but the current Figma MCP plan limit blocked fresh motion extraction during the later July 14 pass.

Output Artifact

- Filename: cinerific_worklog_july 14.pdf
- Created at the repository root in /Users/prahlin/gh/cinerific.
- Follows the Cinerific filename convention established by cinerific_worklog_july 12.pdf, including the space before the day number.
- Follows the established Alla Vostra/Prahlín daily worklog structure while keeping the body content specific to Cinerific work.
- No external PDF dependency was installed; this artifact was generated with a small standard-library PDF writer in the same plain-text-readable spirit as the prior Cinerific worklog.
- Created this daily worklog PDF: cinerific_worklog_july 14.pdf.