

Cinerific Android App Work Log - October 5, 2026 (U.S. EST)

Compiled summary for Monday, October 5, 2026 (U.S. Eastern Time) - focus: diagnosing a cluster of tablet-only interaction failures that initially appeared to be unrelated application regressions, separating ADB-injected taps from physical desktop mouse input, tracing the failures to the custom QEMU skin, replacing that skin with direct frameless pointer mapping, recovering the low-disk emulator runtime, isolating tablet interaction surfaces without destabilizing the phone, and adapting the accepted phone-portrait Settings composition to tablet portrait.

Generated in continuity with the established Cinerific worklog cadence from July 12 through October 1: compact opening summary, source-material review, baseline state, goals, themed work-completed sections, validation, files touched, follow-up context, and output-artifact close. No October 5 PDF existed before this pass, so this artifact uses the first-log-of-the-day filename without a part suffix. Eastern Time was verified live as Monday, October 5, 2026 at 11:03 PM EDT, UTC-04:00; the title retains the historical U.S. EST label. This report records commits 10b65bc and 7270b55 through current HEAD 7270b55, plus the refreshed project snapshot generated during this documentation pass.

Source Materials Reviewed

- Reviewed all 31 pre-existing Cinerific worklog PDFs at the repository root, spanning July 12 through October 1 and including every same-day continuation artifact.
- Extracted the complete 31-document corpus with pdftotext and compared each report's title, opening scope, recurring headings, chronological baseline, technical density, validation language, files-touched inventory, follow-up guidance, and output-artifact close.
- Checked every prior PDF with pdftinfo and confirmed the uninterrupted four-page U.S.-Letter convention; compared early, middle, and latest artifacts with pdffonts and rendered the October 1 baseline for direct visual reference.
- Confirmed the current convention uses Helvetica and Helvetica-Bold, PDF 1.4, extractable text, repeated page titles, right-aligned page footers, and OpenAI Codex authoring metadata.
- Read the October 1 report in full as the direct baseline so this report covers only the later October 5 emulator, tablet-interaction, navigation, sign-out, and portrait Settings work.
- Ran read_project.sh and reviewed the refreshed cinerific_PROJECT_SNAPSHOT.txt, current source tree, launch configuration, AVD guard script, custom skin layout, and documentation state.
- Reviewed commits 10b65bc and 7270b55 with their complete messages, statistics, and affected files, and compared runtime evidence from the standalone tablet emulator and USB Samsung phone used during implementation.

Baseline Status Before October 5 Work

- On the standalone tablet emulator, Create My Account could resolve as an avatar login, Settings could reload or route incorrectly, the landscape burger could ignore clicks, and the sign-out confirmation buttons could remain visible but unactionable.
- The failures survived multiple application-level hit-target changes and appeared in both orientations, while the equivalent phone flows remained sensitive to changes made in shared code.
- ADB input tap commands repeatedly activated the expected controls even when physical mouse clicks in the QEMU window failed, creating conflicting test results until the two input paths were treated separately.
- Tablet portrait Settings still used the landscape-oriented signed-in profile column instead of the accepted phone-portrait stacked identity card and edge-to-edge section structure.

Main Goals for October 5

- Find the common cause behind the tablet-only click failures instead of continuing to compensate for them with increasingly brittle application hit regions.
- Keep the Standard tablet AVD lightweight, standalone, freely rotating, and representative at 1280x800 and 160 dpi while preserving the established phone behavior.
- Provide explicit tablet interaction ownership where appropriate, then make portrait Settings visually consistent across phone and tablet without changing the landscape composition.

Cinerific Android App Work Log - October 5, 2026 (U.S. EST)

Work Completed - Input-Layer Diagnosis

- Reproduced the reported Welcome, Settings, burger-menu, and sign-out symptoms in the only running qemu-system-aarch64 tablet process and verified that the app package and expected Standard tablet AVD were active.
- Compared physical mouse behavior with adb shell input tap results. Injected Android coordinates consistently reached the intended Compose or Android View targets, while real QEMU-window clicks landed incorrectly or failed, proving that successful ADB tests were not evidence that desktop input was healthy.
- Captured raw getevent activity from the emulator and observed distorted absolute pointer coordinates and movement inconsistent with the visible click location, moving the investigation below the application UI layer.
- Inspected emulator/skins/cinerific_pixel_tablet_1280/layout and found that the repository-owned skin defined only one host layout named landscape, with the Android display mounted at a fixed 60-by-59 pixel offset inside 1400-by-919 artwork.
- Confirmed that the part named portrait was merely background artwork rather than a true portrait layout, so rotating Android did not provide QEMU with a corresponding host-coordinate map.
- Concluded that the shared symptom across unrelated controls was coordinate translation through the decorative frame, not Compose navigation, the lower 1280x800 pixel count, the 160 dpi density, or shared phone/tablet source code.

Work Completed - Frameless Emulator Recovery

- Removed the custom -skin and -skindir arguments from the LaunchAgent and launched the Standard tablet with -no-skin so the host pointer maps directly to the Android display surface.
- Changed the persistent AVD configuration from showDeviceFrame=yes to showDeviceFrame=no and restored dynamic skin handling, eliminating the incorrect fixed frame without changing the Android display profile.
- Updated start_cinerific_android_standard.sh to require a frameless AVD instead of enforcing the broken custom skin, while retaining AVD identity, connection, boot-completion, physical-size, density, core-count, app-launch, and logging guards.
- Preserved the low-load QA contract at 1280x800, 160 dpi, two guest CPU cores, host GPU acceleration, port 5554, and automatic app startup.
- Added -no-snapshot to the persistent launcher so later starts use a deterministic cold boot and do not recreate the oversized Quick Boot state that had concealed stale input behavior.
- Diagnosed the first frameless restart failure as host storage exhaustion: only about 890 MB remained, below the emulator safety requirement for the configured 2560 MB guest RAM.
- Removed the regenerable 2.5 GB default_boot Quick Boot snapshot, recovered roughly 4.1 GB of host free space, and restarted the emulator without deleting source, application data, or the AVD itself.
- Updated README.md to describe the frameless display and direct host-pointer mapping rather than presenting the rounded bezel as a QA requirement.

Runtime Outcome - Root Cause Resolved

- The same physical mouse that had produced divergent results immediately regained correct Create Account, Settings, burger-menu, and sign-out behavior after the frame was removed.
- Responsiveness improved at the same time because the emulator no longer rendered the custom frame or maintained a multi-gigabyte Quick Boot snapshot.
- This established an important QA distinction: resolution, density, and orientation are test constraints; decorative emulator framing is not and must not be allowed to alter the host input coordinate system.

Cinerific Android App Work Log - October 5, 2026 (U.S. EST)

Work Completed - Tablet Presentation Isolation

- Added CinerificTabletPresentation.kt and classified tablets at a smallest-width threshold of 600dp, creating an explicit tablet presentation boundary while leaving the accepted phone navigation and sign-out presentation in place.
- Added transparent, semantics-aware Compose targets for Create My Account, Sign In, and Forgot Password over the established tablet Welcome artwork, with separate portrait placement and landscape distribution.
- Exposed direct tablet-host entry points from CinerificIntroView to the three account flows so tablet interaction ownership no longer needed to compete with avatar selection inside the legacy custom View.
- Hardened the underlying Welcome gesture logic by requiring account actions to be released on the action pressed at ACTION_DOWN and requiring avatar releases to match the originally pressed profile.
- Kept swipe-based avatar behavior and touch-slop validation intact while preventing displaced or overlapping releases from opening a neighboring account route or profile.

Work Completed - Tablet Navigation and Sign Out

- Implemented a tablet portrait bottom bar with five equal full-height destinations, selected-state artwork, system-navigation-bar inset handling, measured height reporting, and the existing scroll-linked hide fraction.
- Implemented a tablet landscape side rail with an explicit menu button, persistent expanded destination state, Home behavior, independent Movies, Shows, Favorites, and Settings targets, and protected bottom-system inset spacing.
- Raised navigation layering above content, protected the shared menu toggle with explicit z-ordering, and removed the old five-second Home auto-collapse that could make the landscape rail appear nonresponsive.
- Replaced competing portrait child click handlers in the shared phone navigation with one evenly divided overlay row, preserving the visual items while giving each destination one unambiguous hit owner.
- Added a tablet-only platform Dialog for sign-out confirmation with separately actionable Yes and No Material buttons, modal scrim dismissal, and the shared sign-out callback.
- Preserved the phone confirmation overlay and raised it above the remaining phone content with an explicit z-index, preventing tablet corrections from rewriting the phone experience.

Work Completed - Portrait Settings Consistency

- Changed Settings layout selection from a portrait-phone width cutoff to an orientation rule, so every portrait viewport now receives the same accepted stacked Settings composition.
- Applied the phone portrait signed-in card beneath the Settings title on the tablet, including avatar, Broadway name artwork, sign-out action, sticky scroll offset, and the dark rounded identity surface.
- Extended the phone portrait edge-to-edge section geometry, flush-left headers, compact typography, control sizing, row padding, section gaps, and right-aligned toggles and language selector to tablet portrait.
- Retained portrait bottom-navigation clearance and vertical scrolling so Billing and Payment, Security, and later rows remain reachable without being obscured by application or system navigation.
- Renamed phone-specific internal layout flags and the signed-in card composable around their new portrait-wide role, clarifying that the implementation is shared by orientation rather than duplicated by device class.
- Left tablet landscape on its wider section geometry and side signed-in profile column, preserving the composition already accepted for horizontal space.

Phone Protection

- Built and installed the same APK on the USB Samsung phone during the interaction pass, explicitly relaunched Cinerific after Samsung Messages stole foreground focus, and verified the phone Welcome, Home, Settings, navigation, and portrait Settings structure remained intact.
- Kept phone behavior on the existing presentation branch except for shared gesture hardening and navigation hit ownership that were independently regression-tested.

Cinerific Android App Work Log - October 5, 2026 (U.S. EST)

Validation and Checks Performed

- Verified the report date live with TZ=America/New_York as Monday, October 5, 2026 in EDT, UTC-04:00, before selecting the no-part filename.
- Ran ./gradlew :app:assembleDebug after the final source state; all 35 tasks completed successfully under the existing Gradle 8.7 configuration.
- Installed and relaunched the final debug APK on emulator-5554 and the connected Samsung device during implementation, then confirmed Cinerific resumed as the foreground activity on each target.
- Verified the standalone emulator process now launches Cinerific_Standard_Tablet with -no-skin, -no-snapshot, two cores, and host GPU acceleration.
- Verified the running tablet reports physical size 1280x800 and physical density 160, while accelerometer rotation remains enabled and user rotation remains free.
- Exercised tablet Welcome account routing, landscape menu expansion, all navigation destinations, Settings, the sign-out Dialog, portrait Settings, scrolling, and orientation changes.
- Visually compared tablet portrait Settings with the phone portrait reference and confirmed the shared identity-card and section structure; separately rotated to landscape and confirmed the side-profile composition remained intact.
- Ran source-focused git diff --check without whitespace errors. The mechanically generated snapshot continues to reproduce pre-existing trailing whitespace from its line-numbered source capture.
- Ran read_project.sh after the source commits so cinerific_PROJECT_SNAPSHOT.txt records the final October 5 code, repository tree, launcher configuration, and worklog inventory baseline for the next session.

Files Touched During October 5

- app/src/main/java/com/prahlin/cinerific/ui/CinerificApp.kt - introduced tablet classification and routed tablet Welcome actions, navigation, and sign-out confirmation through the dedicated presentation layer.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificTabletPresentation.kt - added the complete tablet-only Welcome targets, portrait bottom navigation, landscape side rail, destination items, and platform sign-out Dialog.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificIntroView.kt - exposed tablet account-flow entry points and tightened press-to-release ownership for account links and avatars.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificRightSideNavBar.kt - clarified portrait hit ownership, strengthened layering, protected the menu target, and removed timed landscape collapse.
- app/src/main/java/com/prahlin/cinerific/ui/CinerificDestinationScreen.kt - reused the accepted phone portrait Settings presentation for tablet portrait while preserving landscape.
- launchd/com.cinerific.standarddavid.plist and start_cinerific_android_standard.sh - replaced custom-skin startup with guarded frameless, no-snapshot execution.
- README.md - documented direct pointer mapping for the Standard tablet profile; cinerific_PROJECT_SNAPSHOT.txt - refreshed the generated project handoff.

Follow-Up Context

- Do not restore cinerific_pixel_tablet_1280 as the active host skin unless it gains complete, tested host layouts and coordinate mappings for every supported orientation; decorative framing must remain separate from QA display requirements.
- Do not treat adb shell input tap as proof that standalone mouse input works. When results diverge, compare raw emulator input before rewriting unrelated application hit targets.
- Keep automatic rotation enabled and user rotation free. Use emulator rotation commands for testing rather than locking the AVD to make one screenshot convenient.
- Continue building, installing, relaunching, and regression-testing the same APK on tablet and phone after shared-source changes, while using the dedicated tablet presentation boundary for truly tablet-specific behavior.
- Portrait Settings is intentionally shared across phone and tablet; future portrait changes should normally update that one composition, while landscape may retain its horizontal profile column.

Output Artifact

- Created /Users/prahlin/gh/cinerific/cinerific_worklog_october 5.pdf using the established lowercase filename and month/day spacing, without a part suffix because no earlier October 5 worklog existed.
- Kept the established four-page U.S.-Letter structure, Helvetica typography, compact technical density, repeated title, right-aligned footer, PDF 1.4 compatibility, and extractable text.
- Scoped the report to work completed after the October 1 baseline and recorded both the root-cause emulator correction and the follow-on tablet portrait consistency pass through HEAD 7270b55.
- No application source was changed during this documentation pass; the refreshed snapshot and generated PDF remain ready for review and the next commit.