[redacted]

1. How long is level 1 (free) license valid?

- ○ A. 24 hours
- ○ B. 1 year
- ○ C. 1 month
- ◉ D. Infinite time

2. Which port does SSTP use by default?

- ◉ A. TCP 443
- ○ B. UDP 80
- ○ C. UDP 443
- ○ D. TCP 80

3. NAT rule is going to catch SMTP traffic and send it to a specific mail server.
What is the correct action for a NAT rule?

- ○ A. redirect
- ◉ B. dst-nat
- ○ C. passthrough
- ○ D. tarpit

4. What is necessary for PPPoE client configuration?

- ◉ A. Interface (on which PPPoE client is going to work)
- ○ B. ip firewall nat masquerade rule
- ○ C. Wireless interface configured as an access point
- ○ D. Static IP address on PPPoE client interface

5. In RouterOS queue configurations the word "total" usually represents

- ○ A. upload
- ◉ B. upload + download
- ○ C. download
- ○ D. download - upload

6. What does the firewall action "Redirect" do? Select all true statements.

- ☐ A. Redirects a packet to a specified port on a host in the network
- ☑ B. Redirects a packet to the router
- ☑ C. Redirects a packet to a specified port on the router
- ☐ D. Redirects a packet to a specified IP

7. Besides enabling the interface what is the minimal required wifi configuration needed to be set (after interface configuration is reset) to create an access point?

- ◉ A. SSID
- ○ B. frequency
- ○ C. DFS mode
- ○ D. radio name
- ○ E. band
- ○ F. scan-list
- ○ G. WDS
- ○ H. mode

8. MikroTik RouterOS commands can be run once a day by:

- ○ A. /system watchdog
- ○ B. /system log
- ◉ C. /system scheduler
- ○ D. /system cron

9. Router has wireless and ethernet client interfaces, all client interfaces are bridged. To create a DHCP service for a
be configured on:

00:43:21

last save: 2026-03-12 12:34:32

- ○ A. Ethernet and wireless interfaces
- ○ B. Every bridge port
- ○ C. DHCP service is not possible in this setup
- ◉ D. Only on the bridge interface

10. The 'check-gateway' option is enabled for one route. Select all statements that are true:

- ☐ A. Gateway is checked every 10 seconds and after a single failure, the gateway is considered unreacheable
- ☑ B. In case of failure of the gateway, routes pointing to that gateway will become inactive
- ☑ C. Gateway is checked every 10 seconds and after 2 failures, the gateway is considered unreacheable
- ☐ D. Check gateway option can be configured for Ping, ARP and RARP (reverse ARP)

11. Why is it useful to set a Radio Name on a wireless interface?

- ◉ A. To identify a station in Neighbor discovery
- ○ B. To identify a RouterOS station in a list of connected clients
- ○ C. To identify a station in the Access List
- ○ D. To identify a wireless access point on your mobile device

12. For static routing functionality, additionally to the RouterOS 'system' package, you will also need the following software package:

- ◉ A. no extra package required
- ○ B. routing
- ○ C. advanced-tools
- ○ D. dhcp

13. Choose the correct PCQ argument values to allow 256kbps maximum download and upload for each client:

- ☐ A. kind=pcq pcq-rate=5000000 pcq-classifier=src-address
- ☐ B. kind=pcq pcq-rate=5000000 pcq-classifier=dst-address
- ☐ C. kind=pcq pcq-rate=1256000 pcq-classifier=dst-address
- ☑ D. kind=pcq pcq-rate=256000 pcq-classifier=src-address
- ☑ E. kind=pcq pcq-rate=256000 pcq-classifier=dst-address

14. What action should be used to inform source that packets reached destination, but was not accepted ?

- ○ A. action=drop
- ○ B. action=accept
- ◉ C. action=reject
- ○ D. action=tarpit

15. Possible actions of ip firewall filter are:

- ☑ A. tarpit
- ☐ B. bounce
- ☑ C. accept
- ☑ D. log
- ☐ E. tarp
- ☐ F. netmap

16. What is possible with Netinstall?

- ☐ A. MikroTik RouterOS password reset with saving router's configuration
- ☑ B. MikroTik RouterOS configuration reset
- ☑ C. MikroTik RouterOS reinstall

17. A DHCP server is configured on a LAN interface which is a port on a bridge. The DHCP server does not start. What could be the reason(s)?

- (●) A. There might not be an IP address assigned to the LAN Interface
- ( ) B. There may be multiple IP addresses set on the LAN interface
- ( ) C. The DHCP server can not run on an interface which is also a bridge port
- ( ) D. The IP address pool could be incorrectly defined

00:43:21

last save: 2026-03-12 12:34:32

18. What is the meaning of the status letter "R" on a PPPoE client interface in RouterOS Interfaces menu?

- ( ) A. Radius
- (●) B. Running
- ( ) C. Remote
- ( ) D. Reconnecting

19. Consider the following diagram. Assuming that all the necessary configuration has already been done on R2 (proxy-arp is disabled), to communicate from a device on LAN1 to a device on LAN2, which of the following configurations on R1 would enable this?

- [ ] A. /ip route add dst-address=192.168.0.0/24 gateway=192.168.0.1
- [ ] B. /ip route add dst-address=0.0.0.0/0 gateway=192.168.99.2
- [ ] C. /ip route add dst-address=0.0.0.0/0 gateway=Ether1
- [ ] D. /ip route add dst-address=192.168.1.0/24 src-address=192.168.0.0/24 gateway=192.168.99.2
- [x] E. /ip route add dst-address=192.168.1.0/24 gateway=192.168.99.2

20. A RouterBOARD clock is configured in '/system clock'. The clock resets to default after each reboot.

Select the best solution for the problem.

- ( ) A. Open the router and ensure the CMOS battery is fine
- (●) B. Configure '/system ntp client' and set a valid and reachable NTP server address
- ( ) C. Write a script in '/system script' to set the clock
- ( ) D. Configure '/system ntp server' and set a valid and reachable NTP client address

21. Select statements that are true regarding the following command:

/ip route add dst-address=172.16.4.0/24 gateway=192.168.4.2

- [ ] A. The command is used to configure the default route
- [x] B. The subnet mask for the destination network is 255.255.255.0
- [ ] C. The default administrative distance of 100 is used
- [x] D. The command is used to establish a static route

22. Select how many different priority values are available for queues in MikroTik RouterOS:

- ( ) A. 1
- (●) B. 8
- ( ) C. 0
- ( ) D. 16

23. What is the correct action for a NAT rule on a router that should intercept SMTP traffic and send it over to a specified mail server?

- (●) A. dst-nat
- ( ) B. passthrough
- ( ) C. redirect
- ( ) D. tarpit

24. In which order are the entries in Access List and Connect List processed?

- ( ) A. In a random order
- ( ) B. By Signal Strength Range
- ( ) C. By interface name
- (●) D. In sequence order

25. Mark all the features that can be used for limiting client registrations to your access point:

- [x] A. access-list
- [x] B. connect-list

- [x] C. Require authentication (e.g. WPA/WPA2/WPA3)
- [ ] D. registration-table

Finish

[Back To Main Menu]

00:43:21

last save: 2020-03-12 12:54:52