

15Z010 – Open Source Systems

Assignment Presentation Report

Academic Year: 2020 – 2021 (EVEN)

“FOOD SHARING REVOLUTION”

By

PRAJA S S (18Z237)

BE CSE III Year G1

CONTENTS

1. Problem Statement
2. Modules and their description
 - 2.1 List of Modules
 - 2.2 Module Description
 - 2.2.1 Homepage
 - 2.2.2 Signup, Login
 - 2.2.3 Contact Us
 - 2.2.4 Restaurant
 - 2.2.5 NGO
 - 2.2.6 Logistics
 - 2.2.7 Admin
 - 2.2.8 Common Functionalities
3. Front End and Back End Description
 - 3.1 Front End
 - 3.2 Back End
 - 3.3 Web Server
 - 3.4 Food Share - Database
4. Coding and Results
 - 4.1 Module 1- Home Page code, Screenshot with Explanation
 - 4.2 Module 2 - Sign up, Login code Screenshot with Explanation
 - 4.3 Module 3 – Contact Us code, Screenshot with Explanation
 - 4.4 Module 4 – Admin code, Screenshot with Explanation
 - 4.5 Module 5 – Restaurant code, Screenshot with Explanation
 - 4.6 Module 6 – NGO code, Screenshot with Explanation
 - 4.7 Module 7 – Logistics code, Screenshot with Explanation
 - 4.8 Module 8 – Other common functionalities code, Screenshot with Explanation

1. PROBLEM STATEMENT

Every year nearly 1.3 billion tons of food is wasted and at the same time on the other side about 800 million people do not have access to sufficient and nutritious food. Food can be either lost or wasted through the supply chain process i.e., from initial agricultural production down to final household consumption. One third of all food produced in the world goes to waste. Food wastage has become a massive problem in today's world. Some restaurants have a policy to not serve food from previous day, despite being perfectly edible.

FSR (Food Sharing Revolution) is a Food Waste Management System that bridges the gap between restaurants, functions and events (excess food) and NGOs that run orphanages (deficit food). The excess food is directed to the needy people. This system enables restaurants, event managers, NGOs and logistics to work together in order to use the excess food efficiently. The restaurants and event managers can upload the details of the excess food and its consumption period. The NGOs can view these details and request the logistics within the feasible distance to pick up and deliver the food. The logistics can charge the requesting. In addition to this the restaurant can also generate a report of amount of food wasted so they can analyse the pattern and reduce wastage.

2. Modules and Their Description

2.1 List Of Modules:

Module 1	Homepage
Module 2	Signup, Login
Module 3	Contact Us
Module 4	Restaurant
Module 5	NGO
Module 6	Logistics
Module 7	Admin
Module 8	Common Functionalities

2.2 Module Description:

2.2.1 Homepage:

This is an introductory page web page where the users can view and get an idea of how this application works. It consists of the roles played by each group, how the system works and the vision. From this the user will be able to navigate through login and contact us page also.

2.2.2 Signup, Login:

Sign-up: This is for creation of user's account. The details entered by the user such as organization name, mail id, phone, address, user type and password is inputted and stored in the database.

Login: The user inputs the email and password, if the credentials matches, the user is allowed to login else it's redirected to login page.

2.2.3 Contact Us:

This provides an environment for the users to contact the admin and send them a message regarding any difficulties faced

2.2.4 Admin:

The admin can view all the transactions happening in the application. This module includes various functionalities such as

Add Article: To add blogs that can be viewed by the user in their page.

Feedbacks: The messages sent by the users to the admin can be viewed here.

Dashboard: It consists of two main functionalities, view-user to view the list of users and view database to view various tables.

2.2.5 Restaurant:

The restaurants can upload the details of the excess food and the quantity. This detail can be viewed by the NGOs who in return can request for the food. This module includes various functionalities such as

Add Item: To add the leftover food details

View Requests: The user can view the list of NGOs that has requested the food item.

Report: A record of the amount of food wasted so they can analyse the pattern and reduce wastage.

2.2.6 NGO:

The NGOs can view these details of available food, request the restaurant and assign the logistics within the feasible distance to pick up and deliver the food. This module includes various functionalities such as

View and Request Item: The user can view the food available and request the corresponding restaurant.

View Status: Here, the user can view the status of their requests

Assign Logistics: In this, the user can assign work to a logistic

Report: A records of complete activity is displayed.

2.2.7 Logistics:

The work assigned to a particular user is displayed for his to carry out.

2.2.8 Common Functionalities:

The list of functionalities under this are listed below.

Profile view: This displays the details for the user when he/she is logged in.

Update profile: Here, the user will be able to update the details.

Blogs: Articles about food waste management can be viewed here.

FAQ: Helps to view answers for frequently asked questions.

3 Frontend and Backend Description

Front end:

- **HTML:** The HyperText Markup Language is the standard markup language for documents designed to be displayed in a web browser.
- **CSS:** Cascading Style Sheets is a style sheet language used for describing the presentation of a document written in a markup language such as HTML.
- **JSP:** Java Server Pages is a server-side programming technology that enables the creation of dynamic, platform-independent method for building Web-based applications.
- **Materialize:** Materialize is a modern responsive CSS framework based on Material Design by Google.

Backend:

- **MySQL:** MySQL is a database system that runs on a server. It is ideal for both small and large applications. It uses standard SQL. It's developed, distributed, and supported by Oracle Corporation
- **PHP:** It's a server scripting language, and a powerful tool for making dynamic and interactive Web pages. PHP files can contain text, HTML, CSS, JavaScript, and PHP code. It is executed on the server, and the result is returned to the browser as plain HTML. It can create, open, read, write, delete, close files on the server, collect form data and can add, delete, modify data in your database.

Webserver: XAMPP

It is a free and open-source cross-platform web server solution stack package developed by Apache Friends,^[2] consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages

MySQL - Food Share Database

The screenshot shows the phpMyAdmin interface for the 'foodshare' database. The left sidebar lists the database structure, including tables like 'article', 'contact_us', 'food', 'ngo_log', 'register', and 'reqfood'. The main panel displays the 'Structure' tab for the 'foodshare' database, showing a list of tables with their respective actions (Browse, Structure, Search, Insert, Empty, Drop). The table 'register' is highlighted.

Table	Action	Rows	Type	Collation	Size	Overhead
article	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci	32.0 KIB	-
contact_us	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci	16.0 KIB	-
food	Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	16.0 KIB	-
ngo_log	Browse Structure Search Insert Empty Drop	1	InnoDB	utf8mb4_general_ci	16.0 KIB	-
register	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_general_ci	16.0 KIB	-
reqfood	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci	16.0 KIB	-
6 tables	Sum	15	InnoDB	utf8mb4_general_ci	112.0 KIB	0 B

Tables in Foodshare.sql

The screenshot shows the phpMyAdmin interface for the 'register' table. The left sidebar lists the database structure, including tables like 'article', 'contact_us', 'food', 'ngo_log', 'register', and 'reqfood'. The main panel displays the 'Browse' tab for the 'register' table, showing the table structure and the data rows. The table has columns: id, name, address, city, phone, mail, password, and type.

	id	name	address	city	phone	mail	password	type
<input type="checkbox"/>	1	ABC Hotel	Ganapathy	Coimbatore	9095570707	abchotel@gmail.com	112233	Restaurant
<input type="checkbox"/>	2	XYX Foods	RS Puram	Coimbatore	9999999999	xyzfoods@gmail.com	12344321	Restaurant
<input type="checkbox"/>	3	For People	Peelamedu	Coimbatore	9090909090	forpeople@gmail.com	12341234	NGO
<input type="checkbox"/>	4	Success@OurHands	RS Puram	Coimbatore	9898989898	successatourhands@gmail.com	123123	NGO
<input type="checkbox"/>	5	Sreeni	Ganapathy	Coimbatore	9868799090	sreeni@gmail.com	121212	Logistics

Register Table

Showing rows 0 - 2 (3 total, Query took 0.0017 seconds.)

```
SELECT * FROM `food`
```

Options: ☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	fid	foodname	qty	restaurant
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	Chapatti	10	ABC Hotel
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	Idly-Dosa	15	ABC Hotel
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	3	Roti with Gravy	10	XYZ Foods

Query results operations: [Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

Bookmark this SQL query: ☐ Let every user access this bookmark

Food table

Showing rows 0 - 1 (2 total, Query took 0.0013 seconds.)

```
SELECT * FROM `reqfood`
```


Options: ☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	r_id	foodname	qty	restaurant	ngo	status
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	Chappati	10	ABC Hotel	For People	Delivered
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	Idly and Dosa	15	ABC Hotel	For People	Request Confirmed


Query results operations: [Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

Bookmark this SQL query: ☐ Let every user access this bookmark

Reqstatus Table



Ngo_log Table



Contact_us Table

localhost / 127.0.0.1 / foodshare x +

localhost/phpmyadmin/sql.php?server=1&db=foodshare&table=article&pos=0

Server: 127.0.0.1 » Database: foodshare » Table: article

Browse Structure SQL Search Insert Export Import Privileges Operations More

Showing rows 0 - 1 (2 total, Query took 0.0027 seconds.)

SELECT * FROM `article`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

		a_id	article_type	title	description	img1	img2	img3	img4	status
<input type="checkbox"/>	Edit Copy Delete	3	Blog	Food Sharing Revolution	Food wastage is a massive problem in today's world...	FSR.jfif				active
<input type="checkbox"/>	Edit Copy Delete	8	Blog	Food Waste Management	An insight into what food waste really means and t...	FM.jfif				active

Check all With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Console ☐ Let every user access this bookmark

Article Table

4 Coding and Results

1. Module 1 – Home Page

This is an introductory page web page where the users can view and get an idea of how this application works. It consists of the roles played by each group, how the system works and the vision.

Index.html

```
<!DOCTYPE html>
<html style="font-size: 16px;">
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta charset="utf-8">
<meta name="description" content="">
<meta name="page_type" content="np-template-header-footer-from-plugin">
<title>Home</title>
<link rel="stylesheet" href="nicepage.css" media="screen">
<link rel="stylesheet" href="Home1.css" media="screen">
<script class="u-script" type="text/javascript" src="jquery.js" defer=""></script>
<script class="u-script" type="text/javascript" src="nicepage.js" defer=""></script>
<meta name="generator" content="Nicepage 3.9.3, nicepage.com">
<link id="u-theme-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400i,500,500i,
700,700i,900,900i|Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i">
<link id="u-page-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto+Slab:100,200,300,400,500,600,700,8
00,900">
<script type="application/ld+json">{
"@context": "http://schema.org",
"@type": "Organization",
"name": "",
"url": "index.html",
"logo": "images/food-sharing-donating.jpg"
}</script>
<meta property="og:title" content="Home">
<meta property="og:type" content="website">
<meta name="theme-color" content="#478ac9">
<link rel="canonical" href="index.html">
<meta property="og:url" content="index.html">
</head>
<body data-home-page="Home.html" data-home-page-title="Home" class="u-
body"><header class="u-align-center u-clearfix u-header u-header" id="sec-5f00"><div
class="u-clearfix u-sheet u-sheet-1">
<nav class="u-menu u-menu-dropdown u-offcanvas u-menu-1">
```

```

<div class="menu-collapse" style="font-size: 1rem; letter-spacing: 0px; font-weight: 500;">
<a class="u-button-style u-custom-active-border-color u-custom-active-color u-custom-
border u-custom-border-color u-custom-borders u-custom-hover-border-color u-custom-
hover-color u-custom-left-right-menu-spacing u-custom-padding-bottom u-custom-text-
active-color u-custom-text-color u-custom-text-hover-color u-custom-top-bottom-menu-
spacing u-nav-link u-text-active-palette-1-base u-text-hover-palette-2-base" href="#"
style="padding: 4px 0px; font-size: calc(1em + 8px);">
<svg><use xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#menu-
hamburger"></use></svg>
<svg version="1.1" xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink"><defs><symbol id="menu-hamburger"
viewBox="0 0 16 16" style="width: 16px; height: 16px;"><rect y="1" width="16"
height="2"></rect><rect y="7" width="16" height="2"></rect><rect y="13" width="16"
height="2"></rect>
</symbol>
</defs></svg>
</a>
</div>
<div class="u-custom-menu u-nav-container">
<ul class="u-nav u-spacing-2 u-unstyled u-nav-1"><li class="u-nav-item"><a class="u-
active-grey-5 u-border-active-palette-1-base u-border-hover-palette-1-base u-button-style u-
hover-grey-10 u-nav-link u-text-active-grey-90 u-text-grey-90 u-text-hover-grey-90"
href="Home.html" style="padding: 10px 20px;">Home</a>
</li><li class="u-nav-item"><a class="u-active-grey-5 u-border-active-palette-1-base u-
border-hover-palette-1-base u-button-style u-hover-grey-10 u-nav-link u-text-active-grey-90
u-text-grey-90 u-text-hover-grey-90" href="Login.html" style="padding: 10px
20px;">Login</a>
</li><li class="u-nav-item"><a class="u-active-grey-5 u-border-active-palette-1-base u-
border-hover-palette-1-base u-button-style u-hover-grey-10 u-nav-link u-text-active-grey-90
u-text-grey-90 u-text-hover-grey-90" href="Contact.html" style="padding: 10px
20px;">Contact</a>
</li></ul>
</div>
<div class="u-custom-menu u-nav-container-collapse">
<div class="u-black u-container-style u-inner-container-layout u-opacity u-opacity-95 u-
sidenav">
<div class="u-sidenav-overflow">
<div class="u-menu-close"></div>
<ul class="u-align-center u-nav u-popupmenu-items u-unstyled u-nav-2">
<li class="u-nav-item"><a class="u-button-style u-nav-link" href="Home.html"
style="padding: 10px 20px;">Home</a></li>
<li class="u-nav-item"><a class="u-button-style u-nav-link" href="Login.html"
style="padding: 10px 20px;">Login</a></li>
<li class="u-nav-item"><a class="u-button-style u-nav-link" href="Contact.html"
style="padding: 10px 20px;">Contact US</a></li>
</ul>
</div>
</div>
</div>
<div class="u-black u-menu-overlay u-opacity u-opacity-70"></div>
</div>
</nav>
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">


```

```

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-30 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<h3 class="u-text u-text-palette-2-base u-text-1">Food Sharing</h3>
<h1 class="u-text u-text-palette-1-base u-title u-text-2">Revolution</h1>
</div>
</div>
<div class="u-container-style u-image u-layout-cell u-right-cell u-size-30 u-image-1">
<div class="u-container-layout u-valign-middle u-container-layout-2"></div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
<section class="u-clearfix u-palette-2-base u-section-2" id="carousel_5bcd">
<div class="u-clearfix u-sheet u-sheet-1">
<div class="u-container-style u-expanded-width u-group u-group-1">
<div class="u-container-layout u-container-layout-1">
<h1 class="u-align-center u-text u-text-1">How it Works?</h1>
<p class="u-align-center u-text u-text-2">Food Sharing Revolution,<br>This system
enables restaurants, event managers, NGOs and logistics to work together in order to use the
excess food efficiently.
</p>
</div>
</div>
</div>
<div class="u-clearfix u-expanded-width u-gutter-30 u-layout-wrap u-layout-wrap-1">
<div class="u-gutter-0 u-layout">
<div class="u-layout-row">
<div class="u-size-20 u-size-30-md">
<div class="u-layout-col">
<div class="u-align-center u-container-style u-image u-layout-cell u-left-cell u-size-30 u-
image-1" data-image-width="243" data-image-height="207">
<div class="u-container-layout u-container-layout-2"></div>
</div>
<div class="u-container-style u-layout-cell u-left-cell u-size-30 u-white u-layout-cell-2">
<div class="u-container-layout u-valign-middle"><span class="u-icon u-icon-circle u-icon-
1"><svg class="u-svg-link" preserveAspectRatio="xMidYMin slice" viewBox="0 0 512 512"
style="undefined"><use xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#svg-
48e7"></use></svg><svg class="u-svg-content" viewBox="0 0 512 512" x="0px" y="0px"
id="svg-48e7" style="enable-background:new 0 0 512 512;"><g><g><path d="
"></path>
</g>
</g><g><g><path d=" "></path>
</g>
</g>
</g><g><g><path d=" "></path>
</g>
</g>

```

```


</g><g><g><path d=" "></path>
</g>
</g></svg></span>
<h4 class="u-align-center u-text u-text-3">Restaurant</h4>
<p class="u-align-center u-text u-text-4">The restaurants can upload the details of the
excess food and its consumption period.</p>
</div>
</div>
</div>
</div>
<div class="u-size-20 u-size-30-md">
<div class="u-layout-col">
<div class="u-border-no-bottom u-border-no-left u-border-no-right u-border-no-top u-
container-style u-layout-cell u-size-30 u-white u-layout-cell-3">
<div class="u-container-layout u-valign-middle"><span class="u-icon u-icon-circle u-icon-
2"><svg class="u-svg-link" preserveAspectRatio="xMidYMin slice" viewBox="0 0 512 512"
style="undefined"><use xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#svg-
ae2c"></use></svg><svg class="u-svg-content" viewBox="0 0 512 512" id="svg-
ae2c"><path d=" " fill="#046b74"></path><path d"></path>
</g></svg></span>
<h4 class="u-align-center u-text u-text-5">NGO</h4>
<p class="u-align-center u-text u-text-6">The NGOs can view these details and request the
logistics within the feasible distance to pick up and deliver the food.</p>
</div>
</div>
<div class="u-align-center u-container-style u-image u-layout-cell u-size-30 u-image-2"
data-image-width="620" data-image-height="464">
<div class="u-container-layout u-container-layout-5"></div>
</div>
</div>
</div>
</div>
<div class="u-size-20 u-size-60-md">
<div class="u-layout-col">
<div class="u-align-center u-container-style u-image u-layout-cell u-right-cell u-size-30 u-
image-3" data-image-width="800" data-image-height="450">
<div class="u-container-layout u-container-layout-6"></div>
</div>
<div class="u-align-center-lg u-container-style u-layout-cell u-right-cell u-size-30 u-white u-
layout-cell-6">
<div class="u-container-layout u-valign-middle u-container-layout-7"><span class="u-icon
u-icon-circle u-icon-3"><svg class="u-svg-link" preserveAspectRatio="xMidYMin slice"
viewBox="0 0 612 612" style="undefined"><use
xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#svg-b061"></use></svg><svg
class="u-svg-content" viewBox="0 0 612 612" x="0px" y="0px" id="svg-b061"
style="enable-background:new 0 0 612 612;"><g><g><path d=" "></path>
</g>
</g></svg></span>
<h4 class="u-align-center-md u-align-center-sm u-align-center-xl u-align-center-xs u-text u-
text-7">Logistics<br>
</h4>
<p class="u-align-center-md u-align-center-sm u-align-center-xl u-align-center-xs u-text u-
text-8">The logistics can charge the requesting NGO for deliveries by sending them invoices
which is later paid by the NGO.</p>
</div>
</div>


```

```

</div>
</div>
</div>
</div>
</div>
</div>
</section>
<section class="u-clearfix u-grey-5 u-section-3" id="carousel_c82b">
<div class="u-clearfix u-expanded-width u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-container-style u-image u-layout-cell u-left-cell u-size-30 u-image-1">
<div class="u-container-layout u-container-layout-1"></div>
</div>
<div class="u-align-left u-container-style u-layout-cell u-opacity u-opacity-90 u-right-cell u-size-30 u-white u-layout-cell-2">
<div class="u-container-layout u-container-layout-2">
<h2 class="u-text u-text-palette-1-base u-text-1">Our Vision</h2>
<p class="u-large-text u-text u-text-variant u-text-2">
<br>FSR (Food Sharing Revolution) is a Food Waste Management System that bridges the
gap between restaurants, functions and events (excess food) and NGOs that run orphanages
(deficit food). The excess food is directed to the needy people. This system enables
restaurants, event managers, NGOs and logistics to work together in order to use the excess
food efficiently.
</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
<footer class="u-align-center u-clearfix u-footer u-grey-80 u-footer" id="sec-7f8c"><div
class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<p class="u-small-text u-text u-text-variant u-text-1">The New Everyday
Revolution<br>Copyright © 2021 Created by Praja<br>
</p>
</div></footer>
</body>
</html>

```



2. Module 2 – Login, Sign Up

Login: The user inputs the email and password, if the credentials matches, the user is allowed to login else it's redirected to login page.

Sign-up: This is for creation of user's account. The details entered by the user such as organization name, mail id, phone, address, user type and password is inputted and stored in the database.

Login.html

```
<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-gutter-100 u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-30 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<h3 class="u-text u-text-palette-2-base u-text-1">Login </h3>
<div class="u-expanded-width u-form u-form-1">
<form action="logintest.php" method="POST" style="padding: 15px;" source="custom"
name="form">
<div class="u-form-email u-form-group">
<label for="email-6797" class="u-form-control-hidden u-label">Email</label>
<input type="email" placeholder="Email" id="email-6797" name="email" class="u-
border-1 u-border-grey-30 u-input u-input-rectangle" required="">
```




```

$_SESSION['freeshare']='true';
$rslogin = mysqli_fetch_array($result);
$_SESSION['id'] = $rslogin['id'];
$_SESSION['name']= $rslogin['name'];

if($type=='Restaurant')
echo '<script>location.href="restaurant.php"</script>';
else if($type=='NGO')
echo '<script>location.href="ngo.php"</script>';
else
echo '<script>location.href="logistics.php"</script>';
}
else {
echo '<script>window.alert("Incorrect Email or Password !");</script>';
}
}
}
?>

```



Register.html

```

<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-gutter-100 u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-30 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<h3 class="u-text u-text-palette-2-base u-text-1">Register </h3>
<div class="u-expanded-width u-form u-form-1">

```



Regtest.php

```
<!DOCTYPE html>
<html>
<body>
<center>
<?php
$conn = mysqli_connect("localhost", "root", "", "foodshare");

// Check connection
if($conn === false){
die("ERROR: Could not connect. "
. mysqli_connect_error());
}
$city = $_REQUEST['city'];
$type = $_REQUEST['type'];
$address = $_REQUEST['address'];
$email = $_REQUEST['email'];
$phone=$_REQUEST['phone'];
$pwd=$_REQUEST['password'];
$name = $_REQUEST['name'];
// Performing insert query execution
// here our table name is college
$sql = "insert into register(name, mail, password, address, city, phone, type)
values('$name','$email','$pwd','$address', '$city', '$phone', '$type')";

if(mysqli_query($conn, $sql)){
echo '<script>window.alert("Farmer account created succesfully!");</script>';
echo '<script>location.href="login.php"</script>';
} else{
echo "ERROR: Hush! Sorry $sql. "
. mysqli_error($conn);
}

// Close connection
mysqli_close($conn);
?>
</center>
</body>
</html>
```



3. Module 3 – Contact Us

This provides an environment for the users to contact the admin and send them a message regarding any difficulties faced

Contact.html


```
<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-gutter-100 u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-30 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<h3 class="u-text u-text-palette-2-base u-text-1">Contact Us </h3>
<div class="u-expanded-width u-form u-form-1">
<form action="insertcontact.php" method="POST" lass="u-clearfix u-form-spacing-15 u-
form-vertical u-inner-form" style="padding: 15px;" source="custom" name="form">
<div class="u-form-group u-form-name">
<label for="name-6797" class="u-form-control-hidden u-label">Name</label>
<input type="text" placeholder="Name" id="name-6797" name="name" class="u-border-1
u-border-grey-30 u-input u-input-rectangle" required="">
</div>
<div class="u-form-email u-form-group">
<label for="email-6797" class="u-form-control-hidden u-label">Email</label>
<input type="email" placeholder="Email" id="email-6797" name="email" class="u-
border-1 u-border-grey-30 u-input u-input-rectangle" required="">
</div>
<div class="u-form-group u-form-message">
<label for="message-6797" class="u-form-control-hidden u-label">Address</label>
```



```

}
else
{
echo "all fields are required";
die();
}
?>

```



4. Module 4 - Admin

The admin can view all the transactions happening in the application. This module includes various functionalities such as

Add Article: To add blogs that can be viewed by the user in their page.

Feedbacks: The messages sent by the users to the admin can be viewed here.

Dashboard: It consists of two main functionalities, view-user to view the list of users and view database to view various tables.

Admin.php

```

<body>
<!-- side navbar -->
<ul id="sidenav-1 grey darken" class="sidenav sidenav-fixed">

```


```

<li class="sidenav-header red">
<div class="row">
<div class="col s8">
<a href="#" class="dropdown-trigger btn-flat waves-effect waves-light white-text" data-
target="dropdown" data-activates="dropdown">
<?php echo "Admin"; ?> </a>
</div>
</div>
</li>
<li class="white"><a href="admin.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">home</i> Home</a></li>
<li class="white"><a href="addarticle.html" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i> Add
Article</a></li>
<li class="white"><a href="dashboard.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>
Dashboard</a></li>
<li class="white"><a href="feeds.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>
Feedbacks</a></li>

</ul>
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Admin</h2>
</section>
</div>
</div>
</div>

```



Addarticle.html

```

<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-gutter-100 u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-60 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<div class="u-expanded-width u-form u-form-1">
<div class="container">
<header>
<h3 class="u-text-palette-2-base ">Add An Article</h3>
</header>
<form method="post" action="insert.php">
<table border="2">
<tbody>
<tr>
<th height="32" scope="row" align="right">Title    <font color="#FF0000">*</font>
</th>
<td><input type="text" name="title" required></td>
</tr>
<tr>
<th scope="row" style="vertical-align:top;" align="right">Description  </th>
<td><textarea name="description" rows="15" cols="48" required></textarea></td>
</tr>
<tr>
<th height="36" scope="row" align="right">Image1 (Primary image) <font
color="#FF0000">*</font></th>
<td><input type="file" name="img1" required></td>
</tr>
<tr>

```

```

<th height="31" scope="row" align="right">Image2 </th>
<td><input type="file" name="img2"></td>
</tr>
<tr>
<th height="33" scope="row" align="right">Image3 </th>
<td><input type="file" name="img3" ></td>
</tr>
<tr>
<th height="36" scope="row" align="right">Image4 </th>
<td><input type="file" name="img4"></td>
</tr>
<tr>
<th height="56" scope="row" align="right"><p>&nbsp;</p></th>
<td><input name="submit" type="submit" id="submit" value="Add Article"></td>
</tr>
</tbody>
</table>
</form>
</section>

```

Insert.php

```


<?php
$title = $_POST['title'];
$description = $_POST['description'];
$img1 = $_POST['img1'];
$img2 = $_POST['img2'];
$img3 = $_POST['img3'];
$img4 = $_POST['img4'];
if (!empty($publishdate) || !empty($title) || !empty($description) || !empty($img1)) {
    $host = "localhost";
    $dbUsername = "root";
    $dbPassword = "";
    $dbname = "foodshare";
    //create connection
    $conn = new mysqli($host, $dbUsername, $dbPassword, $dbname);
    if (mysqli_connect_error()) {
        die('Connect Error('. mysqli_connect_errno().').': mysqli_connect_error());
    } else {
        $SELECT = "SELECT title From article Where title = ? Limit 1";
        $INSERT = "INSERT Into article (title,description,img1,img2,img3,img4)
        values(?,?,?, ?,?, ?)";
        //Prepare statement
        $stmt = $conn->prepare($SELECT);
        $stmt->bind_param("s", $title);
        $stmt->execute();
        $stmt->bind_result($title);
        $stmt->store_result();
        $rnum = $stmt->num_rows;
        if ($rnum==0) {
            $stmt->close();
            $stmt = $conn->prepare($INSERT);
            $stmt->bind_param("sssss", $title, $description, $img1, $img2, $img3, $img4);
            $stmt->execute();

```

```

echo "New record inserted sucessfully";
} else {
echo "Title Used";
}
$stmt->close();
$conn->close();
}
} else {
echo "All field are required";
die();
}
?>

```



The screenshot shows a web browser window with the address bar displaying 'localhost/foodshare/addarticle.html'. The page has a header with a logo of two hands holding an apple and the text 'FOOD SHARING'. Below the header is a light blue section titled 'Add An Article'. The form contains the following elements:

- Title ***: A text input field.
- Description**: A text area.
- Image1 (Primary image) ***: A file upload field with a 'Choose File' button and the text 'No file chosen'.
- Image2**: A file upload field with a 'Choose File' button and the text 'No file chosen'.
- Image3**: A file upload field with a 'Choose File' button and the text 'No file chosen'.
- Image4**: A file upload field with a 'Choose File' button and the text 'No file chosen'.
- Add Article**: A button at the bottom of the form.

Dashboard.php

```


<section >
<div class="content-wrapper">
<div class="container">
<div class="row pad-botm">
<div class="col-md-12">
<h4 class="center">Admin Dashboard</h4><br><br>
</div>
</div>
<div class="row">
<div class="col-md-3 col-sm-3 col-xs-6">
<table class='center'>
<tr>
<td>
<div class="alert alert-danger back-widget-set text-center">
<i class="large material-icons">visibility</i><br>
<a href="viewuser.php"> View Users</a>

```

```

</div>
</div>
</td>
<td>
<div class="col-md-3 col-sm-3 col-xs-6">
<div class="alert alert-danger back-widget-set text-center">
<i class="large material-icons">ac_unit</i><br>
<a href="viewdb.php">View DataBase</a>
</div>
</div>
</td>
</td></tr>
</table>
</div>
</div>
</section>

```



Viewuser.php

```

<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<h4 style="text-align:center;"><strong>Users</strong></h4>
<div class="container">
<div class="row">
<div class="col l4 s12"></div>
<ul class="collapsible">
<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">1.Restaurant</div>
<div class="collapsible-body"><?php
if(!isset($_SESSION)) { session_start(); }

```

```
{include("dbconnection.php");
```

```
$sql1 = "SELECT * FROM register where type='Restaurant'";
```

```
$qsql1 = mysqli_query($con,$sql1);
```

```
echo "<table class='center'>
```

```
<tr>
```

```
<th>S.No</th>
```

```
<th>Restaurant</th>
```

```
<th>Email</th>
```

```
<th>City</th>
```

```
<th>Phone</th>
```

```
</tr>";
```

```
$cnt=1;
```

```
while($rs = mysqli_fetch_array($qsql1))
```

```
{
```

```
echo "<tr>";
```

```
echo "<td>".$cnt."</td>";
```

```
echo "<td>".$rs[name]."</td>";
```

```
echo "<td>".$rs[mail]."</td>";
```

```
echo "<td>".$rs[city]."</td>";
```

```
echo "<td>".$rs[phone]."</td>";
```

```
echo "</tr>";
```

```
$cnt=$cnt+1;
```

```
}
```

```
echo "</table>";
```

```
}
```

```
?>
```

```
</div>
```

```
</li>
```

```
<li><div class="collapsible-header u-text-palette-2-base text-darken-1">1.NGOs</div>
```

```
<div class="collapsible-body"><?php
```

```
if(!isset($_SESSION)) { session_start(); }
```

```
{include("dbconnection.php");
```

```
$sql1 = "SELECT * FROM register where type='NGO'";
```

```
$qsql1 = mysqli_query($con,$sql1);
```

```
echo "<table class='center'>
```

```
<tr>
```

```
<th>S.No</th>
```

```
<th>NGO</th>
```

```
<th>Email</th>
```

```
<th>City</th>
```

```
<th>Phone</th>
```

```
</tr>";
```

```
$cnt=1;
```

```
while($rs = mysqli_fetch_array($qsql1))
```

```
{
```

```
echo "<tr>";
```

```
echo "<td>".$cnt."</td>";
```

```
echo "<td>".$rs[name]."</td>";
```

```
echo "<td>".$rs[mail]."</td>";
```

```
echo "<td>".$rs[city]."</td>";
```

```
echo "<td>".$rs[phone]."</td>";
```

```
echo "</tr>";
```

```
$cnt=$cnt+1;
```

```

}
echo "</table>";
}
?>
</div>
</li>
<li><div class="collapsible-header u-text-palette-2-base text-darken-1">3.Logistics</div>
<div class="collapsible-body"><?php
if(!isset($_SESSION)) { session_start(); }
{include("dbconnection.php");
$sql1 = "SELECT * FROM register where type='Logistics'";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>S.No</th>
<th>Logistics</th>
<th>Email</th>
<th>City</th>
<th>Phone</th>
</tr>";
$cnt=1;
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$cnt."</td>";
echo "<td>".$rs[name]."</td>";
echo "<td>".$rs[mail]."</td>";
echo "<td>".$rs[city]."</td>";
echo "<td>".$rs[phone]."</td>";
echo "</tr>";
$cnt=$cnt+1;
}
echo "</table>";
}
?>
</div>
</li>
<li>
</ul>
</div>
</div>
</div>
</div>
</div>
</div>

```




FOOD SHARING

Users

1.Restaurant				
S.No	Restaurant	Email	City	Phone
1	ABC Hotel	abchotel@gmail.com	Coimbatore	9095570707
2	XYX Foods	xyzfoods@gmail.com	Coimbatore	9999999999
1.NGOs				
3.Logistics				

Viewdb.php

```
<h4 style="text-align:center;"><strong>DataBase</strong></h4>
<div class="container">
<div class="row">
<div class="col l4 s12"></div>
<ul class="collapsible">
<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">1.Food</div>
<div class="collapsible-body"><?php
if(!isset($_SESSION)) { session_start(); }
{include("dbconnection.php");
$sql1 = "SELECT * FROM food";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>S.No</th>
<th>Restaurant</th>
<th>Food</th>
<th>Quantity</th>
</tr>";
$cnt=1;
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$cnt."</td>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "</tr>";
$cnt=$cnt+1;
}
}
```


```
echo "</table>";
```

```
}
?>
</div>
</li>
<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">2.Request_Food</div>
<div class="collapsible-body"><?php
if(!isset($_SESSION)) { session_start(); }
{include("dbconnection.php");
$sql1 = "SELECT * FROM reqfood";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>S.No</th>
<th>Restaurant</th>
<th>Food</th>
<th>Quantity</th>
<th>NGO</th>
<th>Status</th>
</tr>";
$cnt=1;
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$cnt."</td>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "<td>".$rs[ngo]."</td>";
echo "<td>".$rs[status]."</td>";
echo"<td>";
echo "</tr>";
$cnt=$cnt+1;
}
echo "</table>";
}
?>
</div>
</li><li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">3.NGO_Logistics</div>
<div class="collapsible-body"><?php
if(!isset($_SESSION)) { session_start(); }
{include("dbconnection.php");
$sql1 = "SELECT * FROM ngo_log";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>S.No</th>
<th>Restaurant</th>
<th>Food</th>
<th>Quantity</th>
```

```

<th>NGO</th>
<th>Logistics</th>
</tr>";
$cnt=1;
while($rs = mysqli_fetch_array($sql1))
{
echo "<tr>";
echo "<td>".$cnt."</td>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "<td>".$rs[ngo]."</td>";
echo "<td>".$rs[logistics]."</td>";
echo"<td>";
echo "</tr>";
$cnt=$cnt+1;
}
echo "</table>";
}
?>
</div>
</li>
</ul>
</div>
</div>
</div>
</div>
</div>
</div>

```




FOOD SHARING

DataBase

1.Food			
S.No	Restaurant	Food	Quantity
1	ABC Hotel	Chapatti	10
2	ABC Hotel	Idly-Dosa	15
3	XYZ Foods	Roti with Gravy	10
2.Request_Food			
3.NGO_Logistics			

Feeds.php

```
<section >
<h2 class="center">Feedback</h2><br><br>
<div class="container1">
<?php
if(!isset($_SESSION)) { session_start(); }
{include("dbconnection.php");
$sql1 = "SELECT name,email,message FROM contact_us";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>Name</th>
<th>Email ID</th>
<th>Message</th>
</tr>";
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$rs[name]."</td>";
echo "<td>".$rs[email]."</td>";
echo "<td>".$rs[message]."</td>";
echo "</tr>";
}
echo "</table>";
}
?>
<br><br>
</div>
<center>
<form>
<input type="button" onclick="window.location.href='mail.php'" value="Send
Mail"></center>
</form>
</section>
```



5. Module 5 - Restaurant

The restaurants can upload the details of the excess food and the quantity. This detail can be viewed by the NGOs who in return can request for the food. This module includes various functionalities such as

Add Item: To add the leftover food details

View Requests: The user can view the list of NGOs that has requested the food item.

Report: A record of the amount of food wasted so they can analyse the pattern and reduce wastage.

Restaurant.php

```
<body>
<!-- side navbar -->
<ul id="sidenav-1 grey darken" class="sidenav sidenav-fixed">
<li class="sidenav-header red">
<div class="row">
<div class="col s8">
<a href="#" class="dropdown-trigger btn-flat waves-effect waves-light white-text" data-
target="dropdown" data-activates="dropdown">
<?php echo $rsedit[name]; ?> <i class="material-icons">arrow_drop_down</i></a>
<ul id="dropdown" class="dropdown-content">
<li><a href="rprofile.php"><i class="material-icons">person</i>Profile</a></li>
<li><a href="rupdate.php"><i class="material-icons">create</i>Update
profile</a></li>
<li><a href="rchangePASS.php"><i class="material-icons">help</i>Change
password</a></li>
```

```

<li class="divider"></li>
<li><a href="logout.php"><i class="material-
icons">power_settings_new</i>Logout</a></li>
</ul>
</div>
</div>
</li>
<li class="white"><a href="additem.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>Add
Item</a></li>
<li class="white"><a href="viewrequest.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i> View
Request</a></li>
<li class="white"><a href="viewarticle.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Blogs</a></li>
<li class="white"><a href="faq.html" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>FAQ</a></li>
<li class="white"><a href="rest_report.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Report</a></li>

</ul>
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Restaurant</h2>


</section>
</div>
</div>
</div>
<div class="u-align-center u-clearfix u-footer u-grey-80 u-footer" id="sec-7f8c"><div
class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<p class="u-small-text u-text u-text-variant u-text-1">The New Everyday
Revolution<br>Copyright © 2021 Food Sharing<br>
</p>
</div></div>
<script src="https://code.jquery.com/jquery-3.3.1.min.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.1/jquery.min.js"></script>

```

```

<script src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0-beta/js/materialize.min.js"></script>
<script>
$(document).ready(function(){
$('.modal').modal();
$('.dropdown-trigger').dropdown();
$('.sidenav').sidenav();
});
</script>

```



Additem.php

```

<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Add Food</h2>
<form method="post" action="foodinsert.php" name="Food" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container1">
<table class="center">
<tbody>
<tr>
<td width="246">Food </td>
<td><input type="text" name="food" id="food" value="Food"></td>
</tr>
<tr>
<td>Quantity </td>
<td><input type="number" name="qty" id="qty" value="Quantity"></td>
</tr>
</tbody>
</table>
</div>

```

```

<section>
<center>
<button class=" black red-text waves-effect waves-light btn submitbtn" type="submit"
name="submit" id="submit" value="Submit">Submit</button></center>
</section>
</form>
</section>


```

Insertfood.php

```

<?php
include("fa1.php");
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");
if($_SESSION[randnumber] == $_POST[randnumber])
{
if(isset($_POST[submit]))
{
$food=$_POST['food'];
$qty=$_POST['qty'];
$name=$rsedit[name];
$sql="insert into food (foodname,qty,restaurant) values ('$food','$qty','$name');";
if(!mysqli_query($con,$sql))
{
echo "Error in mysqli query";
}
else
{
echo '<script>window.alert("Food Added successfully !");</script>';
echo '<script>location.href="additem.php"</script>';
}
}
}
$randnumber = rand();
$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql = "SELECT * FROM register WHERE id='$_SESSION[id]'";
$qsql = mysqli_query($con,$sql);
$rsedit = mysqli_fetch_array($qsql);
}
?>


```

Viewrequest.php

```
<section >
<br><br>
<h2 class="center">Requests</h2>
<form method="post" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");
$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT * FROM reqfood where restaurant='$rsedit[name]' ";
$query1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>NGO</th>
<th>Food Item</th>
<th>Quantity</th>
</tr>";
while($rs = mysqli_fetch_array($query1))
{
echo "<tr>";
echo "<td>".$rs[ngo]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "</tr>";
}
echo "</table>";
}
}
```

```
?>
</div>
<br><br>
</div>
</form>
</section>
```



Rest_report.php

```
<section >
<br><br>
<h2 class="center">Report</h2>
<form method="post" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");


$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT foodname,qty FROM food where restaurant='$_SESSION[name]' ";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>Food Item</th>
<th>Quantity</th>
</tr>";
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$rs[foodname]."</td>";
```

```

echo "<td>".$rs[qty]."</td>";
echo "</tr>";
}
echo "</table>";
}

?>
</div>
<br><br>
</div>
</form>
</section>

```



6. Module 6 – NGO

The NGOs can view these details of available food, request the restaurant and assign the logistics within the feasible distance to pick up and deliver the food. This module includes various functionalities such as

View and Request Item: The user can view the food available and request the corresponding restaurant.

View Status: Here, the user can view the status of their requests

Assign Logistics: In this, the user can assign work to a logistic

Report: A records of complete activity is displayed.

ngo.php

```
<body>

<!-- side navbar -->
<ul id="sidenav-1 grey darken" class="sidenav sidenav-fixed">
<li class="sidenav-header red">
<div class="row">
<div class="col s8">
<a href="#" class="dropdown-trigger btn-flat waves-effect waves-light white-text" data-
target="dropdown" data-activates="dropdown">
<?php echo $rsedit[name]; ?> <i class="material-icons">arrow_drop_down</i></a>
<ul id="dropdown" class="dropdown-content">
<li><a href="nprofile.php"><i class="material-icons">person</i>Profile</a></li>
<li><a href="nupdate.php"><i class="material-icons">create</i>Update
profile</a></li>
<li><a href="nchangePASS.php"><i class="material-icons">help</i>Change
password</a></li>
<li class="divider"></li>
<li><a href="logout.php"><i class="material-
icons">power_settings_new</i>Logout</a></li>
</ul>
</div>
</div>
</li>
<li class="white"><a href="requestitem.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>View and
Request Item</a></li>
<li class="white"><a href="viewstatus.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i> View
Status</a></li>
<li class="white"><a href="assignlogistics.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i> Assign
Logistics</a></li>
<li class="white"><a href="viewarticle.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Blogs</a></li>
<li class="white"><a href="faq.html" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>
FAQ</a></li>
<li class="white"><a href="ngo_report.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>
Report</a></li>

</ul>
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">


</a>
```

```

<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">NGO</h2>

</section>
</div>
</div>
</div>

```



Requestitem.php

```

<section >
<br><br>
<h2 class="center">View/Request Food</h2>
<form method="post" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");

$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT restaurant,foodname,qty FROM food";
$qsql1 = mysqli_query($con,$sql1);


```

```

echo "<table class='center'>
<tr>
<th>Restaurant</th>
<th>Food Item</th>
<th>Quantity</th>
<th>Request</th>
</tr>";
while($rs = mysqli_fetch_array($sql1))
{
echo "<tr>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "<td>
<button class='black red-text waves-effect waves-light btn submitbtn' type='submit'
name='submit' id='submit' value='Submit'>Request</button>
</td>";
echo "</tr>";
}
echo "</table>";
}
?>
</div>
<br><br>

</div>
</form>
</section>


```



Viewstatus.php

```
<section >
<br><br>
<h2 class="center">View Status</h2>
<form method="post" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");

$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT restaurant,foodname,qty,status FROM reqfood where
ngo='$rsedit[name]'";
$sql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>Restaurant</th>
<th>Food Item</th>
<th>Quantity</th>
<th>Status</th>
</tr>";
while($rs = mysqli_fetch_array($sql1))
{
echo "<tr>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "<td>".$rs[status]."</td>";
echo "</tr>";
}
echo "</table>";
}
?>
</div>
<br><br>
</div>
</form>
</section>
```



Assignlogistics.php

```

<section>
<br><br>
<h2 class="center">Available Logistics</h2>
<form method="post">
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");

$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT *from register where type='Logistics'";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>Name</th>
<th>City</th>
<th>Email</th>
<th>Phone</th>
</tr>";
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$rs[name]."</td>";
echo "<td>".$rs[city]."</td>";
echo "<td>".$rs[mail]."</td>";
echo "<td>".$rs[phone]."</td>";
echo "</tr>";
}
}


```



```

}
echo "</table>";
}
?>
</div>
<br><br>
</div>
form>
<center>
<a href="assign.php"><button class=" black red-text waves-effect waves-light btn
submitbtn" type="submit" name="submit" value="Assign Logistics">Assign
Logistics</button></a>
</center>
</section>

```



Assign.php

```

<section >
<br><br>
<h2 class="center">Assign Logistics</h2>
<form method="post" action="insertlog.php" name="insertlogistics" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container1">
<table class="center">
<tbody>
<tr>
<td width="246">Logistics </td>
<td><input type="text" name="logi" id="logi" value="Logistics"></td>
</tr>
<tr>
<td>Restaurant </td>

```

```

<td><input type="text" name="restaurant" id="restaurant" value="Restaurant"></td>
</tr>
<tr>
<td>
<td width="246">Food </td>
<td><input type="text" name="food" id="food" value="Food"></td>
</tr>
<td>Quantity </td>
<td><input type="number" name="qty" id="qty" value="Quantity"></td>
</tr>
</tbody>
</table>
</div>
<section>
<center>
<button class="black red-text waves-effect waves-light btn submitbtn" type="submit"
name="submit" id="submit" value="Assign">Assign</button></center>
</section>
</form>
</section>

```

Insertlog.php

```

<section >
<br><br>
<h2 class="center">Assign Logistics</h2>
<form method="post" action="insertlog.php" name="insertlogistics" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container1">
<table class="center">
<tbody>
<tr>
<td width="246">Logistics </td>
<td><input type="text" name="logi" id="logi" value="Logistics"></td>
</tr>
<tr>
<td>Restaurant </td>
<td><input type="text" name="restaurant" id="restaurant" value="Restaurant"></td>
</tr>
<tr>
<td>
<td width="246">Food </td>
<td><input type="text" name="food" id="food" value="Food"></td>
</tr>
<td>Quantity </td>
<td><input type="number" name="qty" id="qty" value="Quantity"></td>
</tr>
</tbody>
</table>
</div>
<section>
<center>
<button class="black red-text waves-effect waves-light btn submitbtn" type="submit"
name="submit" id="submit" value="Assign">Assign</button></center>

```

```

</section>
</form>
</section>

```

Ngo_rep.php

```

<section >
<br><br>
<h2 class="center">Report</h2>
<form method="post" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(isset($_SESSION)) { session_start(); }
include("dbconnection.php");

$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT * FROM ngo_log where ngo='$_SESSION[name]'";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>Restaurant</th>
<th>Food Item</th>
<th>Quantity</th>
<th>Logistics</th>
</tr>";
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";

```

```


echo "<td>".$rs[qty]."</td>";
echo "<td>".$rs[logistics]."</td>";
echo "</tr>";
}
echo "</table>";

```

```

}
?>
</div>
<br><br>
</div>
</form>
</section>

```



7. Module 7 – Logistics

The work assigned to a particular user is displayed for his to carry out.

Logistics.php

```

<body>
<!-- side navbar -->
<ul id="sidenav-1 grey darken" class="sidenav sidenav-fixed">
<li class="sidenav-header red">
<div class="row">

```

```

<div class="col s8">
<a href="#" class="dropdown-trigger btn-flat waves-effect waves-light white-text" data-
target="dropdown" data-activates="dropdown">
<?php echo $rsedit[name]; ?> <i class="material-icons">arrow_drop_down</i></a>
<ul id="dropdown" class="dropdown-content">
<li><a href="lprofile.php"><i class="material-icons">person</i>Profile</a></li>
<li><a href="lupdate.php"><i class="material-icons">create</i>Update profile</a></li>
<li><a href="lchangepass.php"><i class="material-icons">help</i>Change
password</a></li>
<li class="divider"></li>
<li><a href="logout.php"><i class="material-
icons">power_settings_new</i>Logout</a></li>
</ul>
</div>
</div>
</li>
<li class="white"><a href="viewworks.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>View
Works</a></li>
<li class="white"><a href="viewarticle.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Blogs</a></li>
<li class="white"><a href="faq.html" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>FAQ</a></li>
</ul>
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Logistics</h2>
</section>
</div>
</div>
</div>

```

Viewwork.php

```

<section >
<br><br>
<h2 class="center">Logistics</h2>
<h3 class="center">Work for Today</h3>


```

```

<form method="post">
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container">
<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");

$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql1 = "SELECT *from ngo_log where logistics='$rsedit[name]' ";
$qsql1 = mysqli_query($con,$sql1);
echo "<table class='center'>
<tr>
<th>NGO</th>
<th>Restaurant</th>
<th>Food Item</th>
<th>Quantity</th>
</tr>";
while($rs = mysqli_fetch_array($qsql1))
{
echo "<tr>";
echo "<td>".$rs[ngo]."</td>";
echo "<td>".$rs[restaurant]."</td>";
echo "<td>".$rs[foodname]."</td>";
echo "<td>".$rs[qty]."</td>";
echo "</tr>";
}
echo "</table>";
}
?>
</div>
<br><br>
</div>
</form>
</section>

```



8. Module 8 – Other Common Functionalities

The list of functionalities under this are listed below.

Profile view: This displays the details for the user when he/she is logged in.

Update profile: Here, the user will be able to update the details.

Blogs: Articles about food waste management can be viewed here.

FAQ: Helps to view answers for frequently asked questions.

Profile.php

```
<body>
<!-- side navbar -->
<ul id="sidenav-1 grey darken" class="sidenav sidenav-fixed">
<li class="sidenav-header red">
<div class="row">
<div class="col s8">
<a href="#" class="dropdown-trigger btn-flat waves-effect waves-light white-text" data-
target="dropdown" data-activates="dropdown">
<?php echo $rsedit[name]; ?> <i class="material-icons">arrow_drop_down</i></a>
<ul id="dropdown" class="dropdown-content">
<li><a href="rprofile.php"><i class="material-icons">person</i>Profile</a></li>
<li><a href="rupdate.php"><i class="material-icons">create</i>Update
profile</a></li>
<li><a href="rchangePASS.php"><i class="material-icons">help</i>Change
password</a></li>
<li class="divider"></li>
```

```

<li><a href="logout.php"><i class="material-
icons">power_settings_new</i>Logout</a></li>
</ul>
</div>
</div>
</li>
<li class="white"><a href="additem.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i>Add
Item</a></li>
<li class="white"><a href="viewrequest.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-right:0;">keyboard_arrow_right</i> View
Request</a></li>
<li class="white"><a href="viewarticle.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Blogs</a></li>
<li class="white"><a href="faq.html" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>FAQ</a></li>
<li class="white"><a href="rest_report.php" class="waves-effect waves-blue"><i
class="material-icons right style="margin-
right:0;">keyboard_arrow_right</i>Report</a></li>

</ul>
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Profile</h2>
<form method="post" action="fa1.php" name="Profile" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<div class="container1">
<table class="center">

<tbody>
<tr>
<td><i class="material-icons red-text
left">account_circle</i><span><strong>Name</strong></span></td>
<td><?php echo $rsedit[name]; ?></td>
</tr>
<tr>
<td><i class="material-icons red-text
left">location_on</i><span><strong>Address</strong></span> </td>
<td><?php echo $rsedit[address]; ?></td>


```



```

</tr>
<tr>
<td><i class="material-icons red-text
left">domain</i><span><strong>City</strong></span> </td>
<td><?php echo $rsedit[city]; ?></td>
</tr>
<tr>
<td><i class="material-icons red-text
left">phone</i><span><strong>Phone</strong></span></td>
<td><?php echo $rsedit[phone]; ?></td>
</tr>
<tr>
<td><i class="material-icons red-text left">email</i><span><strong>Email
ID</strong></span> </td>
<td><?php echo $rsedit[mail]; ?></td>
</tr>
<tr>
<td><i class="material-icons red-text
left">transform</i><span><strong>Type</strong></span> </td>
<td><?php echo $rsedit[type]; ?></td>
</tr>
</tbody>
</table>
</div>
</form>
</section>
</div>
</div>
</div>
</body>

```



Update.php

```
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page-content -->
<section >
<br><br>
<h2 class="center">Update Information</h2>
<form method="post" action="fa2.php" name="updateprofile" >
<input type="hidden" name="randnumber" value="<?php echo $randnumber; ?>" >
<p><pre></pre></p><table width="451" height="564" border="2">
<table class="responsive-table ">
<tbody>
<tr>
<td width="246">Name </td>
<td><?php echo $rsedit[name]; ?></td>
</tr>
<tr>
<td>Address </td>
<td><textarea name="address" id="address"><?php echo $rsedit[address];
?></textarea></td>
</tr>
<tr>
<td width="246">City </td>
<td width="187"><input type="text" name="city" id="city" value="<?php echo
$rsedit[city]; ?>" autofocus></td>
</tr>
<tr>
<td>Phone </td>
<td><input type="number" name="phone" id="phone" value="<?php echo $rsedit[phone];
?>"></td>
</tr>
<tr>
<td>Email ID </td>
<td><?php echo $rsedit[mail]; ?></td>
</tr>
<tr>
<td>Type </td>
<td><?php echo $rsedit[type]; ?></td>
</tr>
</tbody>
</table><br>
<section>
<center>
```

```

<button class=" black red-text waves-effect waves-light btn submitbtn" type="submit"
name="submit" id="submit" value="Submit">Submit</button></center>
</section>
</form>
<p>&nbsp;</p>
</section>
</div>
</div>
</div>

```

Fa2.php

```

<?php
if(!isset($_SESSION)) { session_start(); }
include("dbconnection.php");
if($_SESSION[randnumber] == $_POST[randnumber])
{
if(isset($_POST[submit]))
{
$sql = "UPDATE register SET
address='$_POST[address]',city='$_POST[city]',phone='$_POST[phone]',area='$_POST[area]' WHERE
id='$_SESSION[id]";
if(!mysqli_query($con,$sql))
{
echo "Error in mysqli query";
}
else
{
echo '<script>window.alert("Account updated successfully !");</script>';
echo '<script>location.href="Login.php"</script>';
}
}
}
$randnumber = rand();
$_SESSION[randnumber] = $randnumber;
if(isset($_SESSION[id]))
{
$sql = "SELECT * FROM register WHERE id='$_SESSION[id]";
$qsql = mysqli_query($con,$sql);
$rsedit = mysqli_fetch_array($qsql);
}
?>

```


Logged in

localhost/foodshare/rupdate.php

ABC HOTEL

- Add Item
- View Request
- Blogs
- FAQ
- Report

FOOD SHARING



Update Information

Name	ABC Hotel
Address	Ganapathy
City	Coimbatore
Phone	9095570707
Email ID	abchotel@gmail.com
Type	Restaurant

SUBMIT

Changepass.php

```
<body class="u-body"><header class="u-align-center u-clearfix u-header u-header"
id="sec-5f00"><div class="u-clearfix u-sheet u-sheet-1">
<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-
image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD
SHARING</h1>
</div></header>
<div id="page-container">
<div class="content">
<div id="content-wrap">
<!-- all other page content -->
<div class="imagebg"></div>
<div class="form-container z-depth-5">
<center><h3 u-font-roboto-slab><b>RESET PASSWORD</b></h3></center>
<div class="row">
<form class="col s12" id="reused_form" action="reset_pass.php" method="post">
<div class="row">
<div class="input-field col s12">
<input id="email" type="email" name="email_id" required class="validate">
<label for="email">Email</label>
</div>
</div>
<div class="row">
<div class="input-field col s12">
<input id="password" type="password" name="new_pass" required class="validate">
<label for="new_pass">New password</label>
</div>
</div>
```

```

</div>
<div class="row">
<div class="input-field col s12">
<input id="password" type="password" name="new_pass_c" required class="validate">
<label for="new_pass_c">Confirm new password</label>
</div>
<div>
<center> <button class="black red-text waves-effect waves-light btn"
type="submit">Change PASSWORD</button></center>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```

Reset_pass.php

```

<?php
if($_POST)
{
$email= $_POST['email_id'];
$new_pass = $_POST['new_pass'];
$new_pass_c = $_POST['new_pass_c'];
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "foodshare";


// Create connection
$conn = new mysqli($servername, $username, $password, $dbname);
// Check connection
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
$sql = "SELECT * from register where mail ='$email'";
$result1 = $conn->query($sql);
if($result1->num_rows == 1)
{
if($new_pass==$new_pass_c)
{
$sql = "UPDATE ares.register set password= '$new_pass' where email ='$email'";
$result = $conn->query($sql);
if($result==1)
{
echo '<script>window.alert("Password changed!");</script>';
echo '<script>location.href="login.php"</script>';
}
}
else
{
echo '<script>window.alert("Incorrect Password !");</script>';
}
}
}

```

```

echo '<script>location.href="forgotpass.php"</script>';
}
}
else {
echo '<script>window.alert("Incorrect Email !");</script>';
echo '<script>location.href="forgotpass.php"</script>';
}
$conn->close();
}
?>

```



Logout.php

```

<?php
session_start();
session_unset();
session_destroy();
echo '<script>window.alert("You have logged out!");</script>';
echo '<script>location.href="login.html"</script>';
?>

```

FAQ.html

```

<body data-home-page="Home.html" data-home-page-title="Home" class="u-
body"><header class="u-align-center u-clearfix u-header u-header" id="sec-5f00"><div
class="u-clearfix u-sheet u-sheet-1">

```

```

<a href="#" class="u-align-left u-image u-logo u-image-1" data-image-width="995" data-image-height="469">

</a>
<h1 class="u-align-center u-custom-font u-font-roboto-slab u-text u-title u-text-1">FOOD SHARING</h1>
</div></header>
<section class="u-clearfix u-image u-section-1" id="carousel_09ab">
<div class="u-clearfix u-sheet u-valign-middle u-sheet-1">
<div class="u-clearfix u-expanded-width u-gutter-100 u-layout-wrap u-layout-wrap-1">
<div class="u-layout">
<div class="u-layout-row">
<div class="u-align-left u-container-style u-layout-cell u-left-cell u-size-60 u-layout-cell-1">
<div class="u-container-layout u-container-layout-1">
<h3 class="u-text u-text-palette-2-base u-text-1">FAQ </h3>
<div class="u-expanded-width u-form u-form-1">

<div class="container">

<div class="row">
<div class="col l4 s12"></div>
<ul class="collapsible">
<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">1. what is the vision of Food Sharing Revolution?</div>
<div class="collapsible-body">FSR (Food Sharing Revolution) is a Food Waste Management System that bridges the gap between restaurants, functions and events (excess food) and NGOs that run orphanages (deficit food). The excess food is directed to the needy people. This system enables restaurants, event managers, NGOs and logistics to work together in order to use the excess food efficiently.</div>
</li>

<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">2. How it Works?</div>
<div class="collapsible-body">Food Sharing Revolution, This system enables restaurants, event managers, NGOs and logistics to work together in order to use the excess food efficiently.</div> </li>

<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">3. What is the role of Restaurant?</div>
<div class="collapsible-body">The restaurants can upload the details of the excess food and its consumption period. </div></li>

<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">4. What is the role of NGOs? </div>
<div class="collapsible-body">The NGOs can view these details and request the logistics within the feasible distance to pick up and deliver the food.</div></li>

<li>
<div class="collapsible-header u-text-palette-2-base text-darken-1">5. What is role of Logistics?</div>
<div class="collapsible-body"> The logistics can charge the requesting NGO for deliveries by sending them invoices which is later paid by the NGO.</div></li>
</li>

```

```

</ul>
</div>
</div>
</div>
<script src="js/materialize.min.js"></script>
<script>
document.addEventListener("DOMContentLoaded", function(){
let faq_1 = document.querySelector(".collapsible");
M.Collapsible.init(faq_1,{});
});
</script>
</body>

```



Viewarticles.php

```

<div class="container">

<header>
<center><h3 class=" u-text-palette-2-base ">Blog</h3></center>

</header>
<div id="featured">
<div class="container">
<div class="row">

<div class="col s12 l12 xl12">
<div class='9u'>
<?php
$sql = "SELECT * FROM article WHERE article_type='Blog' order by a_id desc ";
$qsql = mysqli_query($con,$sql);
while($rs = mysqli_fetch_array($qsql))

```



```

{
echo "<section><header style='height:150px;'><a
href='displayarticlesdetailed.php?articleid=$rs[a_id]'><img src='$rs[img1]' align='left'
width='250' height='150' style='padding-right: 10px;'></a>
<h2><a href='displayarticlesdetailed.php?articleid=$rs[a_id]'>$rs[title]</a></h2><br>
<p> ";
echo substr($rs[description], 0, 200). ".....";
echo "<br></p></header></section><br><br>";
echo "<br><br><br>";
}
?>

```

```

</div>
</div>

```

```

</div>
</div>
</section>
</div>

```

displayarticlesdetailed.php

```

<header>
<center><h3 class=" u-text-palette-2-base ">Blog</h3></center>

</header>
<div id="featured">
<div class="container">
<div class="row">

<div class='9u' >
<?php
$sql = "SELECT * FROM article where a_id='$_GET[articleid]'";
$qsql = mysqli_query($con,$sql);
while($rs = mysqli_fetch_array($qsql))
{
echo "<section><header ><h2><u>$rs[title]</u></h2>";
if($rs[img1] != "" && file_exists($rs[img1]))
{
echo "<img src='$rs[img1]' align='left' style='padding-right: 10px;width: 100%;'>";
}
echo "<p>" . $rs[description] . "</p>";
if($rs[article_img2] != "" && file_exists($rs[img2]))
{
echo "<img src='$rs[img2]' align='left' style='padding-right: 10px;width: 100%;'>";
}
if($rs[img3] != "" && file_exists($rs[img3]))
{
echo "<img src='$rs[img3]' align='left' style='padding-right: 10px;width: 100%;'>";
}
if($rs[img4] != "" && file_exists($rs[img4]))
{
echo "<img src='$rs[img4]' align='left' style='padding-right: 10px;width: 100%;'>";
}

echo "

</header></section>";

```

```


}
?>

</div>

</div>
</div>
</div>
</section>
</div>

```





Github Link: <https://github.com/Prajjjah/Food-Sharing>

