

Module 1: Introduction & Setup

Assignment 1.2 – First Angular Application

Objective:

Create and run your first Angular app.

Tasks:

1. Create a new project:

```
ng new student-app
```

2 Update app.component.html:


Heading: **Welcome to Angular**

Paragraph: **My First Angular App**

3 Change the title variable in [app.component.ts](#).

Submission:

Screenshot of terminal output.



```
ng serve (student-app)
Microsoft Windows [Version 10.0.18362.356]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\Users\YASH>ng new student-app
? Which stylesheet system would you like to use? CSS [
https://developer.mozilla.org/docs/Web/CSS
]
? Do you want to enable Server-Side Rendering (SSR) and Static Site Generation
(SSR/Prerendering)? No
? Which AI tools do you want to configure with Angular best practices?
https://angular.dev/ai/develop-with-ai
CREATE student-app/angular.json (1091 bytes)
CREATE student-app/package.json (958 bytes)
CREATE student-app/README.md (1522 bytes)
CREATE student-app/tsconfig.json (990 bytes)
CREATE student-app/.editorconfig (331 bytes)
CREATE student-app/.gitignore (647 bytes)
CREATE student-app/tsconfig.app.json (444 bytes)
CREATE student-app/tsconfig.spec.json (456 bytes)
CREATE student-app/.vscode/extensions.json (134 bytes)
CREATE student-app/.vscode/launch.json (490 bytes)
CREATE student-app/.vscode/tasks.json (1020 bytes)
CREATE student-app/src/main.ts (228 bytes)
CREATE student-app/src/index.html (309 bytes)
CREATE student-app/src/styles.css (81 bytes)
CREATE student-app/src/app/app.spec.ts (701 bytes)
CREATE student-app/src/app/app.ts (305 bytes)
CREATE student-app/src/app/app.css (0 bytes)
CREATE student-app/src/app/app.html (20446 bytes)
CREATE student-app/src/app/app.config.ts (324 bytes)
CREATE student-app/src/app/app.routes.ts (80 bytes)
CREATE student-app/public/favicon.ico (15086 bytes)
? Packages installed successfully.
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
Successfully initialized git.

C:\Users\YASH>cd student-app

C:\Users\YASH\student-app>ng serve
Initial chunk files | Names | Raw size
main.js | main | 48.30 kB |
```


```
ng serve (student-app)
CREATE student-app/.gitignore (647 bytes)
CREATE student-app/tsconfig.app.json (444 bytes)
CREATE student-app/tsconfig.spec.json (456 bytes)
CREATE student-app/.vscode/extensions.json (134 bytes)
CREATE student-app/.vscode/launch.json (498 bytes)
CREATE student-app/.vscode/tasks.json (1020 bytes)
CREATE student-app/src/main.ts (228 bytes)
CREATE student-app/src/index.html (309 bytes)
CREATE student-app/src/styles.css (81 bytes)
CREATE student-app/src/app/app.spec.ts (701 bytes)
CREATE student-app/src/app/app.ts (305 bytes)
CREATE student-app/src/app/app.css (0 bytes)
CREATE student-app/src/app/app.html (20446 bytes)
CREATE student-app/src/app/app.config.ts (324 bytes)
CREATE student-app/src/app/app.routes.ts (80 bytes)
CREATE student-app/public/favicon.ico (15086 bytes)
/ Packages installed successfully.
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
Successfully initialized git.

C:\Users\YASH>cd student-app


C:\Users\YASH\student-app>ng serve
Initial chunk files | Names | Raw size
main.js | main | 48.30 kB
styles.css | styles | 95 bytes
| Initial total | 48.40 kB

Application bundle generation complete. [5.211 seconds] - 2025-12-30T12:14:00.717Z


Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
@ Local: http://localhost:4200/
@ press h + enter to show help
```



2 Update app.component.html:



```
src > app > app.html > main.main > div.content > div.right-side > div.pill-group
185 <main class="main">
186 <div class="content">
187 <div class="left-side">
188 <svg
204 <defs>
226 <stop offset="0" stop-color="#F0070C" />
227 <stop offset=".526" stop-color="#CC26D5" />
228 <stop offset="1" stop-color="#7702FF" />
229 </linearGradient>
230 <clipPath id="a"><path fill="#fff" d="M0 0h982v239H0z" /></clipPath>
231 </defs>
232 </svg>
233 <h1>Hello, {{ title() }}</h1>
234 <p>Congratulations! Your app is running. 🎉</p>
235
236 <h1>Welcome to Angular</h1>
237
238 <p>My First Angular App</p>
239 </div>
240 <div class="divider" role="separator" aria-label="Divider"></div>
241 <div class="right-side">
242 <div class="pill-group">
243   @for (item of [
244     { title: 'Explore the Docs', link: 'https://angular.dev' },
245     { title: 'Learn with Tutorials', link: 'https://angular.dev/tutorials' },
246     { title: 'Prompt and best practices for AI', link: 'https://angular.dev/ai/develop-with-ai' },
247     { title: 'CLI Docs', link: 'https://angular.dev/tools/cli' },
248     { title: 'Angular Language Service', link: 'https://angular.dev/tools/language-service' },
249     { title: 'Angular DevTools', link: 'https://angular.dev/tools/devtools' },
250   ]; track item.title) {
```



3 Change the title variable in [app.component.ts](#).

