

Evidences:

```
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ sudo modprobe can
[sudo] password for prajakta-dhole:
sudo: modprobe can: command not found
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ sudo modprobe can_raw
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ sudo modprobe vcan
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ sudo ip link add dev vcan0 type vcan
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ sudo ip link set up vcan0
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~$ ip link show vcan0
4: vcan0: <NOARP,UP,LOWER_UP> mtu 72 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/can
```

Figure 1: vcan0_interface

```
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ ./vehicle_ecu
Vehicle ECU started...
Sending CAN messages on vcan0

Sent -> Speed: 40 km/h | RPM: 1500 | Temperature: 70 C
Sent -> Speed: 45 km/h | RPM: 1700 | Temperature: 71 C
Sent -> Speed: 50 km/h | RPM: 1900 | Temperature: 72 C
Sent -> Speed: 55 km/h | RPM: 2100 | Temperature: 73 C
Sent -> Speed: 60 km/h | RPM: 2300 | Temperature: 74 C
Sent -> Speed: 65 km/h | RPM: 2500 | Temperature: 75 C
Sent -> Speed: 70 km/h | RPM: 2700 | Temperature: 76 C
Sent -> Speed: 75 km/h | RPM: 2900 | Temperature: 77 C
Sent -> Speed: 80 km/h | RPM: 3100 | Temperature: 78 C
Sent -> Speed: 85 km/h | RPM: 3300 | Temperature: 79 C
Sent -> Speed: 90 km/h | RPM: 3500 | Temperature: 80 C
Sent -> Speed: 95 km/h | RPM: 3700 | Temperature: 81 C
Sent -> Speed: 100 km/h | RPM: 3900 | Temperature: 82 C
Sent -> Speed: 105 km/h | RPM: 4100 | Temperature: 83 C
Sent -> Speed: 110 km/h | RPM: 4300 | Temperature: 84 C
Sent -> Speed: 115 km/h | RPM: 4500 | Temperature: 85 C
Sent -> Speed: 120 km/h | RPM: 4700 | Temperature: 86 C
Sent -> Speed: 40 km/h | RPM: 4900 | Temperature: 87 C
Sent -> Speed: 45 km/h | RPM: 1500 | Temperature: 88 C
Sent -> Speed: 50 km/h | RPM: 1700 | Temperature: 89 C
Sent -> Speed: 55 km/h | RPM: 1900 | Temperature: 90 C
Sent -> Speed: 60 km/h | RPM: 2100 | Temperature: 91 C
Sent -> Speed: 65 km/h | RPM: 2300 | Temperature: 92 C
Sent -> Speed: 70 km/h | RPM: 2500 | Temperature: 93 C
Sent -> Speed: 75 km/h | RPM: 2700 | Temperature: 94 C
```

Figure 2 : vehicle_ecu_transmission

```

prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ candump vcan0
vcan0 100 [2] 00 28
vcan0 101 [2] 05 DC
vcan0 102 [1] 46
vcan0 100 [2] 00 2D
vcan0 101 [2] 06 A4
vcan0 102 [1] 47
vcan0 100 [2] 00 32
vcan0 101 [2] 07 6C
vcan0 102 [1] 48
vcan0 100 [2] 00 37
vcan0 101 [2] 08 34
vcan0 102 [1] 49
vcan0 100 [2] 00 3C
vcan0 101 [2] 08 FC
vcan0 102 [1] 4A
vcan0 100 [2] 00 41
vcan0 101 [2] 09 C4
vcan0 102 [1] 4B
vcan0 100 [2] 00 46
vcan0 101 [2] 0A 8C
vcan0 102 [1] 4C
vcan0 100 [2] 00 4B
vcan0 101 [2] 0B 54
vcan0 102 [1] 4D
vcan0 100 [2] 00 50
vcan0 101 [2] 0C 1C
vcan0 102 [1] 4E
vcan0 100 [2] 00 55

```

Figure 3: candump_traffic

```

prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ ./dashboard_ecu all
Dashboard filter: ALL messages
Dashboard ECU started...

Speed received: 65 km/h
RPM received: 4300 rpm
Temperature received: 75 C
Speed received: 70 km/h
RPM received: 4500 rpm
Temperature received: 76 C
Speed received: 75 km/h
RPM received: 4700 rpm
Temperature received: 77 C
Speed received: 80 km/h
RPM received: 4900 rpm
Temperature received: 78 C
Speed received: 85 km/h
RPM received: 1500 rpm
Temperature received: 79 C
Speed received: 90 km/h
RPM received: 1700 rpm
Temperature received: 80 C
Speed received: 95 km/h
RPM received: 1900 rpm
Temperature received: 81 C
Speed received: 100 km/h
RPM received: 2100 rpm

```

Figure 4: dashboard_output

```

prajakta-dhole@prajakta-dhole-HP-205-G1-AiO-Business-PC:~/socketcan_project$ ./logger_ecu
Logger ECU started...
Logging CAN traffic to can_log.csv

Logged -> 2026-08-16 23:50:05 | ID: 0x100 | DLC: 2 | Data: 00 2D
Logged -> 2026-08-16 23:50:05 | ID: 0x101 | DLC: 2 | Data: 13 24
Logged -> 2026-08-16 23:50:05 | ID: 0x102 | DLC: 1 | Data: 69
Logged -> 2026-08-16 23:50:06 | ID: 0x100 | DLC: 2 | Data: 00 32
Logged -> 2026-08-16 23:50:06 | ID: 0x101 | DLC: 2 | Data: 05 DC
Logged -> 2026-08-16 23:50:06 | ID: 0x102 | DLC: 1 | Data: 6A
Logged -> 2026-08-16 23:50:07 | ID: 0x100 | DLC: 2 | Data: 00 37
Logged -> 2026-08-16 23:50:07 | ID: 0x101 | DLC: 2 | Data: 06 A4
Logged -> 2026-08-16 23:50:07 | ID: 0x102 | DLC: 1 | Data: 6B
Logged -> 2026-08-16 23:50:08 | ID: 0x100 | DLC: 2 | Data: 00 3C
Logged -> 2026-08-16 23:50:08 | ID: 0x101 | DLC: 2 | Data: 07 6C
Logged -> 2026-08-16 23:50:08 | ID: 0x102 | DLC: 1 | Data: 6C
Logged -> 2026-08-16 23:50:09 | ID: 0x100 | DLC: 2 | Data: 00 41
Logged -> 2026-08-16 23:50:09 | ID: 0x101 | DLC: 2 | Data: 08 34
Logged -> 2026-08-16 23:50:09 | ID: 0x102 | DLC: 1 | Data: 6D
Logged -> 2026-08-16 23:50:10 | ID: 0x100 | DLC: 2 | Data: 00 46
Logged -> 2026-08-16 23:50:10 | ID: 0x101 | DLC: 2 | Data: 08 FC
Logged -> 2026-08-16 23:50:10 | ID: 0x102 | DLC: 1 | Data: 6E
Logged -> 2026-08-16 23:50:11 | ID: 0x100 | DLC: 2 | Data: 00 4B
Logged -> 2026-08-16 23:50:11 | ID: 0x101 | DLC: 2 | Data: 09 C4
Logged -> 2026-08-16 23:50:11 | ID: 0x102 | DLC: 1 | Data: 6F
Logged -> 2026-08-16 23:50:12 | ID: 0x100 | DLC: 2 | Data: 00 50
Logged -> 2026-08-16 23:50:12 | ID: 0x101 | DLC: 2 | Data: 0A 8C
Logged -> 2026-08-16 23:50:12 | ID: 0x102 | DLC: 1 | Data: 70
Logged -> 2026-08-16 23:50:13 | ID: 0x100 | DLC: 2 | Data: 00 55

```

Figure 5: Logger_output

```

prajakta-dhole@prajakta-dhole-HP-205-G1-AiO-Business-PC:~/socketcan_project$ cat can_log.csv
Timestamp,CAN_ID,DLC,Data
2026-08-16 23:50:05,0x100,2,00 2D
2026-08-16 23:50:05,0x101,2,13 24
2026-08-16 23:50:05,0x102,1,69
2026-08-16 23:50:06,0x100,2,00 32
2026-08-16 23:50:06,0x101,2,05 DC
2026-08-16 23:50:06,0x102,1,6A
2026-08-16 23:50:07,0x100,2,00 37
2026-08-16 23:50:07,0x101,2,06 A4
2026-08-16 23:50:07,0x102,1,6B
2026-08-16 23:50:08,0x100,2,00 3C
2026-08-16 23:50:08,0x101,2,07 6C
2026-08-16 23:50:08,0x102,1,6C
2026-08-16 23:50:09,0x100,2,00 41
2026-08-16 23:50:09,0x101,2,08 34
2026-08-16 23:50:09,0x102,1,6D
2026-08-16 23:50:10,0x100,2,00 46
2026-08-16 23:50:10,0x101,2,08 FC
2026-08-16 23:50:10,0x102,1,6E
2026-08-16 23:50:11,0x100,2,00 4B
2026-08-16 23:50:11,0x101,2,09 C4
2026-08-16 23:50:11,0x102,1,6F
2026-08-16 23:50:12,0x100,2,00 50
2026-08-16 23:50:12,0x101,2,0A 8C
2026-08-16 23:50:12,0x102,1,70
2026-08-16 23:50:13,0x100,2,00 55
2026-08-16 23:50:13,0x101,2,0B 54
2026-08-16 23:50:13,0x102,1,71

```

Figure 6: CSV_log

```

prajakta-dhole@prajakta-dhole-HP-205-G1-AiO-Business-PC:~/socketcan_project$ ./dashboard_ecu speed
Dashboard filter: SPEED only (0x100)
Dashboard ECU started...

Speed received: 85 km/h
Speed received: 90 km/h
Speed received: 95 km/h
Speed received: 100 km/h
Speed received: 105 km/h
Speed received: 110 km/h
Speed received: 115 km/h
Speed received: 120 km/h
Speed received: 40 km/h
Speed received: 45 km/h
Speed received: 50 km/h
Speed received: 55 km/h
Speed received: 60 km/h
Speed received: 65 km/h
Speed received: 70 km/h
Speed received: 75 km/h
Speed received: 80 km/h
Speed received: 85 km/h
Speed received: 90 km/h
Speed received: 95 km/h
Speed received: 100 km/h
Speed received: 105 km/h
Speed received: 110 km/h
Speed received: 115 km/h
Speed received: 120 km/h

```

Figure 7: Speed_filter

```

prajakta-dhole@prajakta-dhole-HP-205-G1-AiO-Business-PC:~/socketcan_project$ ./dashboard_ecu rpm
Dashboard filter: RPM only (0x101)
Dashboard ECU started...

RPM received: 2700 rpm
RPM received: 2900 rpm
RPM received: 3100 rpm
RPM received: 3300 rpm
RPM received: 3500 rpm
RPM received: 3700 rpm
RPM received: 3900 rpm
RPM received: 4100 rpm
RPM received: 4300 rpm
RPM received: 4500 rpm
RPM received: 4700 rpm
RPM received: 4900 rpm
RPM received: 1500 rpm

```

Figure 8: RPM_filter

```

vcan0 102 [1] 4D
vcan0 200 [4] 12 34 56 78
vcan0 100 [2] 00 50
vcan0 101 [2] 10 CC
vcan0 102 [1] 4E
vcan0 100 [2] 00 55
vcan0 101 [2] 11 94
vcan0 102 [1] 4F

```

Figure 9: unknown_msg_candump

```

Logged -> 2026-08-17 00:33:53 | ID: 0x101 | DLC: 2 | Data: 10 04
Logged -> 2026-08-17 00:33:53 | ID: 0x102 | DLC: 1 | Data: 4D
Logged -> 2026-08-17 00:33:54 | ID: 0x200 | DLC: 4 | Data: 12 34 56 78
Logged -> 2026-08-17 00:33:54 | ID: 0x100 | DLC: 2 | Data: 00 50
Logged -> 2026-08-17 00:33:54 | ID: 0x101 | DLC: 2 | Data: 10 CC
Logged -> 2026-08-17 00:33:54 | ID: 0x102 | DLC: 1 | Data: 4E
Logged -> 2026-08-17 00:33:55 | ID: 0x100 | DLC: 2 | Data: 00 55

```

Figure 10: unknown_msg_logger

```

Temperature received: 76 C
Speed received: 75 km/h
RPM received: 4100 rpm
Temperature received: 77 C
Unknown CAN ID: 0x200
Speed received: 80 km/h
RPM received: 4300 rpm
Temperature received: 78 C

```

Figure 11: unknown_msg_dashboard

```

prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ candump -t d vcan0
(000.000000) vcan0 100 [2] 00 41
(000.000159) vcan0 101 [2] 10 04
(000.000028) vcan0 102 [1] 5C
(001.000212) vcan0 100 [2] 00 46
(000.000274) vcan0 101 [2] 10 CC
(000.000054) vcan0 102 [1] 5D
(001.000429) vcan0 100 [2] 00 4B
(000.000606) vcan0 101 [2] 11 94
(000.000741) vcan0 102 [1] 5E
(001.000563) vcan0 100 [2] 00 50
(000.000167) vcan0 101 [2] 12 5C
(000.000026) vcan0 102 [1] 5F
(001.000193) vcan0 100 [2] 00 55
(000.001161) vcan0 101 [2] 13 24
(000.001581) vcan0 102 [1] 60
(001.000226) vcan0 100 [2] 00 5A
(000.000768) vcan0 101 [2] 05 DC
(000.000302) vcan0 102 [1] 61
(001.000438) vcan0 100 [2] 00 5F
(000.000763) vcan0 101 [2] 06 A4
(000.000078) vcan0 102 [1] 62
(001.000183) vcan0 100 [2] 00 64
(000.000099) vcan0 101 [2] 07 6C
(000.000022) vcan0 102 [1] 63
(001.000227) vcan0 100 [2] 00 69
(000.000737) vcan0 101 [2] 08 34
(000.000365) vcan0 102 [1] 64
(001.000469) vcan0 100 [2] 00 6E
(000.000101) vcan0 101 [2] 09 55

```

Figure 12: transmission_rate_100ms

```
vcan0 102 [1] 5F
vcan0 100 [2] 00 55
vcan0 101 [2] 09 C4
vcan0 102 [1] 60
vcan0 100 [2] 00 5A
vcan0 101 [2] 0A 8C
vcan0 102 [1] 61
vcan0 100 [2] 00 5F
vcan0 101 [2] 0B 54
vcan0 102 [1] 62
vcan0 100 [2] 00 64
vcan0 101 [2] 0C 1C
vcan0 102 [1] 63
vcan0 100 [2] 00 69
vcan0 101 [2] 0C E4
vcan0 102 [1] 64
vcan0 100 [2] 00 6E
vcan0 101 [2] 0D AC
vcan0 102 [1] 65
vcan0 100 [2] 00 73
vcan0 101 [2] 0E 74
vcan0 102 [1] 66
vcan0 100 [2] 00 78
vcan0 101 [2] 0F 3C
vcan0 102 [1] 67
vcan0 100 [2] 00 28
vcan0 101 [2] 10 04
vcan0 102 [1] 68
```

Figure 13: node_failure

```
Temperature received: 95 C
Speed received: 85 km/h
RPM received: 2500 rpm
Temperature received: 96 C
Speed received: 90 km/h
RPM received: 2700 rpm
Temperature received: 97 C
Speed received: 95 km/h
RPM received: 2900 rpm
Temperature received: 98 C
Speed received: 100 km/h
RPM received: 3100 rpm
Temperature received: 99 C
Speed received: 105 km/h
RPM received: 3300 rpm
Temperature received: 100 C
Speed received: 110 km/h
RPM received: 3500 rpm
Temperature received: 101 C
Speed received: 115 km/h
RPM received: 3700 rpm
Temperature received: 102 C
Speed received: 120 km/h
RPM received: 3900 rpm
Temperature received: 103 C
Speed received: 40 km/h
RPM received: 4100 rpm
Temperature received: 104 C
```

Figure 14: node_failure


```

Logged -> 2026-08-17 01:07:33 | ID: 0x102 | DLC: 1 | Data: 5F
Logged -> 2026-08-17 01:07:34 | ID: 0x100 | DLC: 2 | Data: 00 55
Logged -> 2026-08-17 01:07:34 | ID: 0x101 | DLC: 2 | Data: 09 C4
Logged -> 2026-08-17 01:07:34 | ID: 0x102 | DLC: 1 | Data: 60
Logged -> 2026-08-17 01:07:35 | ID: 0x100 | DLC: 2 | Data: 00 5A
Logged -> 2026-08-17 01:07:35 | ID: 0x101 | DLC: 2 | Data: 0A 8C
Logged -> 2026-08-17 01:07:35 | ID: 0x102 | DLC: 1 | Data: 61
Logged -> 2026-08-17 01:07:36 | ID: 0x100 | DLC: 2 | Data: 00 5F
Logged -> 2026-08-17 01:07:36 | ID: 0x101 | DLC: 2 | Data: 0B 54
Logged -> 2026-08-17 01:07:36 | ID: 0x102 | DLC: 1 | Data: 62
Logged -> 2026-08-17 01:07:37 | ID: 0x100 | DLC: 2 | Data: 00 64
Logged -> 2026-08-17 01:07:37 | ID: 0x101 | DLC: 2 | Data: 0C 1C
Logged -> 2026-08-17 01:07:37 | ID: 0x102 | DLC: 1 | Data: 63
Logged -> 2026-08-17 01:07:38 | ID: 0x100 | DLC: 2 | Data: 00 69
Logged -> 2026-08-17 01:07:38 | ID: 0x101 | DLC: 2 | Data: 0C E4
Logged -> 2026-08-17 01:07:38 | ID: 0x102 | DLC: 1 | Data: 64
Logged -> 2026-08-17 01:07:39 | ID: 0x100 | DLC: 2 | Data: 00 6E
Logged -> 2026-08-17 01:07:39 | ID: 0x101 | DLC: 2 | Data: 0D AC
Logged -> 2026-08-17 01:07:39 | ID: 0x102 | DLC: 1 | Data: 65
Logged -> 2026-08-17 01:07:40 | ID: 0x100 | DLC: 2 | Data: 00 73
Logged -> 2026-08-17 01:07:40 | ID: 0x101 | DLC: 2 | Data: 0E 74
Logged -> 2026-08-17 01:07:40 | ID: 0x102 | DLC: 1 | Data: 66
Logged -> 2026-08-17 01:07:41 | ID: 0x100 | DLC: 2 | Data: 00 78
Logged -> 2026-08-17 01:07:41 | ID: 0x101 | DLC: 2 | Data: 0F 3C
Logged -> 2026-08-17 01:07:41 | ID: 0x102 | DLC: 1 | Data: 67
Logged -> 2026-08-17 01:07:42 | ID: 0x100 | DLC: 2 | Data: 00 28
Logged -> 2026-08-17 01:07:42 | ID: 0x101 | DLC: 2 | Data: 10 04
Logged -> 2026-08-17 01:07:42 | ID: 0x102 | DLC: 1 | Data: 68

```

Figure 15: node_failure

```

prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ ./dashboard_ecu all
Dashboard filter: ALL messages
Dashboard ECU started...

Speed received: 70 km/h
RPM received: 2700 rpm
Temperature received: 76 C
Speed received: 75 km/h
RPM received: 2900 rpm
Temperature received: 77 C
Speed received: 80 km/h
RPM received: 3100 rpm
Temperature received: 78 C
Speed received: 85 km/h
RPM received: 3300 rpm
Temperature received: 79 C
Speed received: 90 km/h
RPM received: 3500 rpm
Temperature received: 80 C
Speed received: 95 km/h
RPM received: 3700 rpm
Temperature received: 81 C

=====
WARNING: Vehicle ECU Offline
No Speed message received for 2 seconds.
=====

```

Figure 16: diagnostic warning

```

prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ candump vcanfd0
vcanfd0 123 [1] 11
read: Network is down
prajakta-dhole@prajakta-dhole-HP-205-G1-Ai0-Business-PC:~/socketcan_project$ candump vcanfd0
vcanfd0 123 [04] 11 22 23 33
vcanfd0 123 [16] 11 22 23 33 44 45 55 66 67 77 88 89 99 00 00 00
vcanfd0 123 [16] 11 22 23 33 44 45 55 66 67 77 88 89 99 AA BB 00
vcanfd0 123 [20] 11 22 23 33 44 45 55 66 67 77 88 89 99 AA BB CC DD 00 00 00
vcanfd0 123 [20] 11 22 23 33 44 45 55 66 67 77 88 89 99 AA BB CC DD EE 00 00
vcanfd0 123 [20] 11 22 23 33 44 45 55 66 67 77 88 89 99 AA BB CC DD EE FF 00
vcanfd0 123 [20] 11 22 23 33 44 45 55 66 67 77 88 89 99 AA BB CC DD EE FF 00

```

Figure 17: CAN_FD_16Bytes

```

prajakta-dhole@prajakta-dhole-HP-205-G1-A10-Business-PC:~/socketcan_project$ gcc canfd_senderr.c -o canfd_sender
prajakta-dhole@prajakta-dhole-HP-205-G1-A10-Business-PC:~/socketcan_project$ ls
canfd_receiver  canfd_sender  can_log.csv  dashboard_ecu_backup.c  dashbopard_ecu_backup.c  logger_ecu  vehicle_ecu
canfd_receiver.c  canfd_senderr.c  dashboard_ecu  dashboard_ecu.c  evidence  logger_ecu.c  vehicle_ecu.c
prajakta-dhole@prajakta-dhole-HP-205-G1-A10-Business-PC:~/socketcan_project$ ./canfd_receiver
CAN FD Receiver started on vcanfd0...
Waiting for CAN FD frames...

CAN FD Frame Received
CAN ID : 0x123
DLC   : 20
Data  : 11 22 33 44 55 66 77 88 99 AA BB CC DD EE FF 00 12 34 56 78
-----

```

Figure 18 : CAN_receiver

```

prajakta-dhole@prajakta-dhole-HP-205-G1-A10-Business-PC:~/socketcan_project$ ./canfd_sender
=====
          CAN FD Sender Started
=====
Interface : vcanfd0
CAN ID    : 0x123
Payload   : 20 bytes
=====

CAN FD frame transmitted successfully!
CAN ID : 0x123
Length : 20 bytes
Data   : 11 22 33 44 55 66 77 88 99 AA BB CC DD EE FF 00 12 34 56 78
prajakta-dhole@prajakta-dhole-HP-205-G1-A10-Business-PC:~/socketcan_project$

```

Figure 19: CAN_sender

```

(000.000129) vcan0 102 [1] 48
(000.010233) vcan0 100 [2] 00 37
(000.000418) vcan0 101 [2] 08 34
(000.000044) vcan0 102 [1] 49
(000.010150) vcan0 100 [2] 00 3C
(000.000350) vcan0 101 [2] 08 FC
(000.000045) vcan0 102 [1] 4A
(000.010159) vcan0 100 [2] 00 41
(000.000517) vcan0 101 [2] 09 C4
(000.000039) vcan0 102 [1] 4B
(000.010259) vcan0 100 [2] 00 46
(000.000384) vcan0 101 [2] 0A 8C
(000.000035) vcan0 102 [1] 4C
(000.010353) vcan0 100 [2] 00 4B
(000.000719) vcan0 101 [2] 0B 54
(000.000089) vcan0 102 [1] 4D
(000.010376) vcan0 100 [2] 00 50
(000.000128) vcan0 101 [2] 0C 1C
(000.000020) vcan0 102 [1] 4E
(000.010502) vcan0 100 [2] 00 55
(000.000039) vcan0 101 [2] 0C E4
(000.000013) vcan0 102 [1] 4F
(000.010395) vcan0 100 [2] 00 5A
(000.000351) vcan0 101 [2] 0D AC
(000.000039) vcan0 102 [1] 50
(000.010263) vcan0 100 [2] 00 5F
(000.000118) vcan0 101 [2] 0E 74
(000.000013) vcan0 102 [1] 51

```

Figure 20: Tx_rate_1000ms