

# TO PREDICT & ANALYSIS WHICH GENDER SURVIVE AT DISASTER

In [2]:

```
import numpy as np
import pandas as pd
from sklearn import preprocessing
import matplotlib.pyplot as plt
plt.rcParams["font", size=14]
import seaborn as sns
sns.set(style="white")
sns.set(style="whitegrid", color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

In [3]:

```
train_df = pd.read_csv(r"C:\Users\prajapath Arjun\Downloads\train.gender_submission.csv")
train_df
```

Out[3]:

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fa
0	1	0	3Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.25
1	2	1	1Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.28
2	3	1	3Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.92
3	4	1	1Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.10
4	5	0	3Allen, Mr. William Henry	male	35.0	0	0	373450	8.05
...	...	...	...	...	...	...	...	...	...
886	887	0	2Montvila, Rev. Juozas	male	27.0	0	0	211536	13.00
887	888	1	1Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.00
888	889	0	3Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.45
889	890	1	1Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.00
890	891	0	3Dooley, Mr. Patrick	male	32.0	0	0	370376	7.75

891 rows × 12 columns



In [4]:

```
test_df = pd.read_csv(r"C:\Users\prajapath Arjun\Downloads\test.gender_submission.csv")
test_df
```

Out[4]:

	PassengerId	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cat
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	N
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	N
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	N
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	N
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	N
...	...	...	...	...	...	...	...	...	...	...
413	1305	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	N
414	1306	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C1
415	1307	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	N
416	1308	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	N
417	1309	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	N

418 rows × 11 columns



In [5]:

```
train_df.shape
```

Out[5]:

(891, 12)

In [6]:

```
test_df.head()
```

Out[6]:

	PassengerId	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN	
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN	
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	NaN	
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	NaN	
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN	

In [7]:

```
test_df.shape
```

Out[7]:

(418, 11)

In [8]:

```
train_df.describe
```

Out[8]:

<bound method NDFrame.describe of				PassengerId	Survived	Pclass				
0	1	0	3	\						
1	2	1	1							
2	3	1	3							
3	4	1	1							
4	5	0	3							
..	...	...	...							
886	887	0	2							
887	888	1	1							
888	889	0	3							
889	890	1	1							
890	891	0	3							
					Name	Sex	Age	SibS		
p										
0					Braund, Mr. Owen Harris	male	22.0			
1	\									
1	Cumings, Mrs. John Bradley (Florence Briggs Th...				female	38.0				
1										
2	Heikkinen, Miss. Laina				female	26.0				
0										
3	Futrelle, Mrs. Jacques Heath (Lily May Peel)				female	35.0				
1										
4	Allen, Mr. William Henry				male	35.0				
0										
..	...				...	...				
...										
886	Montvila, Rev. Juozas				male	27.0				
0										
887	Graham, Miss. Margaret Edith				female	19.0				
0										
888	Johnston, Miss. Catherine Helen "Carrie"				female	NaN				
1										
889	Behr, Mr. Karl Howell				male	26.0				
0										
890	Dooley, Mr. Patrick				male	32.0				
0										
	Parch	Ticket		Fare	Cabin	Embarked				
0	0	A/5	21171	7.2500	NaN	S				
1	0	PC	17599	71.2833	C85	C				
2	0	STON/O2.	3101282	7.9250	NaN	S				
3	0		113803	53.1000	C123	S				
4	0		373450	8.0500	NaN	S				
..	...	...		...	...	...				
886	0		211536	13.0000	NaN	S				
887	0		112053	30.0000	B42	S				
888	2	W./C.	6607	23.4500	NaN	S				
889	0		111369	30.0000	C148	C				
890	0		370376	7.7500	NaN	Q				
[891 rows x 12 columns]>										

In [9]:

```
train_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
 #   Column          Non-Null Count  Dtype
---  -
 0   PassengerId     891 non-null    int64
 1   Survived        891 non-null    int64
 2   Pclass          891 non-null    int64
 3   Name            891 non-null    object
 4   Sex             891 non-null    object
 5   Age             714 non-null    float64
 6   SibSp           891 non-null    int64
 7   Parch           891 non-null    int64
 8   Ticket          891 non-null    object
 9   Fare            891 non-null    float64
10   Cabin           204 non-null    object
11   Embarked        889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

In [10]:

```
test_df.describe
```

Out[10]:

<bound method NDFrame.describe of

PassengerId					Pclass			
Name								
0	892	3	Kelly, Mr. James \					
1	893	3	Wilkes, Mrs. James (Ellen Needs)					
2	894	2	Myles, Mr. Thomas Francis					
3	895	3	Wirz, Mr. Albert					
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)					
..	...	...	...					
413	1305	3	Spector, Mr. Woolf					
414	1306	1	Oliva y Ocana, Dona. Fermina					
415	1307	3	Saether, Mr. Simon Sivertsen					
416	1308	3	Ware, Mr. Frederick					
417	1309	3	Peter, Master. Michael J					

	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embark
ed								
0	male	34.5	0	0	330911	7.8292	NaN	
Q								
1	female	47.0	1	0	363272	7.0000	NaN	
S								
2	male	62.0	0	0	240276	9.6875	NaN	
Q								
3	male	27.0	0	0	315154	8.6625	NaN	
S								
4	female	22.0	1	1	3101298	12.2875	NaN	
S								
..	...	...	...	...	...	...	...	
...								
413	male	NaN	0	0	A.5. 3236	8.0500	NaN	
S								
414	female	39.0	0	0	PC 17758	108.9000	C105	
C								
415	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN	
S								
416	male	NaN	0	0	359309	8.0500	NaN	
S								
417	male	NaN	1	1	2668	22.3583	NaN	
C								

[418 rows x 11 columns]>

In [11]:

test\_df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 418 entries, 0 to 417
Data columns (total 11 columns):
 #   Column          Non-Null Count  Dtype
---  -
 0   PassengerId     418 non-null    int64
 1   Pclass          418 non-null    int64
 2   Name            418 non-null    object
 3   Sex             418 non-null    object
 4   Age            332 non-null    float64
 5   SibSp           418 non-null    int64
 6   Parch          418 non-null    int64
 7   Ticket          418 non-null    object
 8   Fare            417 non-null    float64
 9   Cabin           91 non-null     object
10   Embarked        418 non-null    object
dtypes: float64(2), int64(4), object(5)
memory usage: 36.1+ KB
```

## To find Missing values

In [12]:

train\_df.isnull().sum()

Out[12]:

```
PassengerId      0
Survived          0
Pclass           0
Name             0
Sex              0
Age             177
SibSp            0
Parch            0
Ticket           0
Fare             0
Cabin           687
Embarked         2
dtype: int64
```



In [13]:


```
test_df.isnull().sum()
```

Out[13]:

```
PassengerId    0
Pclass         0
Name           0
Sex            0
Age           86
SibSp          0
Parch          0
Ticket         0
Fare           1
Cabin        327
Embarked       0
dtype: int64
```

In [14]:

```
ax=train_df["Age"].hist(bins=15, density=True, stacked=True,color='cyan',alpha=0.6)
train_df['Age'].plot(kind='density', color='teal')
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [15]:

```
print(train_df["Age"].mean(skipna=True))  
print(train_df["Age"].median(skipna=True))
```

```
29.69911764705882  
28.0
```

In [16]:

```
print((train_df['Cabin'].isnull().sum()/train_df.shape[0])*100)
```

```
77.10437710437711
```

In [17]:

```
print((train_df['Embarked'].isnull().sum()/train_df.shape[0])*100)
```

```
0.22446689113355783
```

In [18]:

```
print('Board passengers grouped by port of embarkation (c = cherbourg, Q = Queenstown,S  
print(train_df['Embarked'].value_counts())  
sns.countplot(x='Embarked', data=train_df, palette='Set2')  
plt.show()
```

Board passengers grouped by port of embarkation (c = cherbourg, Q = Queens  
town,S = southampton:)


Embarked

S 644

C 168

Q 77

Name: count, dtype: int64



In [19]:

```
train_data = train_df.copy()  
train_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)  
train_data["Embarked"].fillna(train_df['Embarked'].value_counts().idxmax(),inplace=True)  
train_data.drop('Cabin', axis=1, inplace=True)
```

In [20]:

```
print(train_df['Embarked'].value_counts().idxmax())
```

S

In [21]:

```
train_data = train_df.copy()
train_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
train_data["Embarked"].fillna(train_df['Embarked'].value_counts().idxmax(),inplace=True)
train_data.drop('Cabin', axis=1, inplace=True)
```

In [22]:

```
train_data.isnull().sum()
```

Out[22]:

PassengerId 0
Survived 0
Pclass 0
Name 0
Sex 0
Age 0
SibSp 0
Parch 0
Ticket 0
Fare 0
Embarked 0
dtype: int64

In [23]:


```
train_data.head()
```

Out[23]:

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare
0	1	0	3Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500
1	2	1	1Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833
2	3	1	3Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250
3	4	1	1Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000
4	5	0	3Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500

In [24]:

```
plt.figure(figsize=(15,8))
ax = train_df["Age"].hist(bins=15, density=True, stacked=True, color='teal', alpha=0.6)
train_df["Age"].plot(kind='density', color='teal')
ax = train_data["Age"].hist(bins=15, density=True, stacked=True, color='orange', alpha=0.6)
train_data["Age"].plot(kind='density', color='orange')
ax.legend(['Raw Age', 'Adjusted Age'])
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [25]:

```
train_data['TravelAlone']=np.where((train_data["SibSp"]+train_data["Parch"]>0,0,1)
train_data.drop('SibSp',axis=1, inplace=True)
train_data.drop('Parch',axis=1, inplace=True)
```

In [26]:

```

training=pd.get_dummies(train_data, columns=["Pclass", "Embarked", "Sex"])
training.drop('Sex_female', axis=1, inplace=True)
training.drop('PassengerId', axis=1, inplace=True)
training.drop('Name', axis=1, inplace=True)
training.drop('Ticket', axis=1, inplace=True)
final_train = training
final_train.head()

```

Out[26]:

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embark
0	0	22.0	7.2500	1	False	False	True	False	
1	1	38.0	71.2833	1	True	False	False	True	
2	1	26.0	7.9250	1	False	False	True	False	
3	1	35.0	53.1000	1	True	False	False	False	
4	0	35.0	8.0500	1	False	False	True	False	

In [27]:

```
test_df.isnull().sum()
```

Out[27]:

```

PassengerId    0
Pclass         0
Name           0
Sex            0
Age           86
SibSp          0
Parch          0
Ticket         0
Fare           1
Cabin         327
Embarked       0
dtype: int64

```

In [28]:

```

test_data = test_df.copy()
test_data["Age"].fillna(train_df["Age"].median(skipna=True), inplace=True)
test_data["Fare"].fillna(train_df["Fare"].median(skipna=True), inplace=True)
test_data.drop('Cabin', axis=1, inplace=True)
test_data['TravelAlone']=np.where((test_data["SibSp"]+test_data["Parch"])>0,0,1)
test_data.drop('SibSp', axis=1, inplace=True)
test_data.drop('Parch', axis=1, inplace=True)
testing = pd.get_dummies(test_data, columns=["Pclass", "Embarked", "Sex"])
testing.drop('Sex_female', axis=1, inplace=True)
testing.drop('PassengerId', axis=1, inplace=True)
testing.drop('Name', axis=1, inplace=True)
testing.drop('Ticket', axis=1, inplace=True)
final_test = testing
final_test.head()

```


Out[28]:

	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Em
0	34.5	7.8292	1	False	False	True	False	True	
1	47.0	7.0000	0	False	False	True	False	False	
2	62.0	9.6875	1	False	True	False	False	True	
3	27.0	8.6625	1	False	False	True	False	False	
4	22.0	12.2875	0	False	False	True	False	False	

## EXPLORATORY DATA ANALYSIS


In [29]:

```
plt.figure(figsize=(15,8))
ax = sns.kdeplot(final_train["Age"][final_train.Survived == 1], color="darkturquoise")
sns.kdeplot(final_train["Age"][final_train.Survived == 0], color="lightcoral", shade=True)
plt.legend(['Survived', 'Died'])
plt.title('Density Plot of Age for Surviving Population and Deceased Population')
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [30]:

```
plt.figure(figsize=(20,8))
avg_survival_byage = final_train[["Age", "Survived"]].groupby(['Age'], as_index=False).mean
g = sns.barplot(x='Age',y='Survived',data=avg_survival_byage,color="LightSeaGreen")
plt.show()
```





In [31]:

```
final_train['IsMinor']=np.where(final_train['Age']<=16, 1, 0)
print(final_train['IsMinor'])
```

```
0      0
1      0
2      0
3      0
4      0
```

..

```
886    0
887    0
888    0
889    0
890    0
```

Name: IsMinor, Length: 891, dtype: int32

In [32]:

```
final_test['IsMinor']=np.where(final_test['Age']<=16, 1, 0)
print(final_test['IsMinor'])
```

```
0      0
1      0
2      0
3      0
4      0
```


..

```
413    0
414    0
415    0
416    0
417    0
```

Name: IsMinor, Length: 418, dtype: int32

In [33]:

```
sns.barplot(x='TravelAlone',y='Survived',data=final_train,color="blue")  
plt.show()
```



In [34]:

```
import seaborn as sns
import matplotlib.pyplot as plt
sns.barplot(x='Sex',y='Survived',data=train_df,color='aquamarine')
plt.show()
```

