

1. INTRODUCTION

1.1 OVERVIEW OF THE SYSTEM

Travel in modern times may or may not be much easier depending upon the destination. Travel to Mount Everest, the Amazon rainforest, extreme tourism, and adventure travel are more difficult forms of travel. Travel can also be more difficult depending on the method of travel, such as by bus, cruise ship, or even by bullock cart.

A travel expense tracker is a tool designed to help individuals or organizations monitor, categorize, and control their travel-related expenditures. Coupled with visualization techniques, it provides a clear and comprehensible way to understand spending patterns and make informed financial decisions.

This idea proposes a function to calculate the total cost of your journey, taking into account factors like fuel expenses. You simply input the details of your vehicle, and it'll provide you with an estimate of how much you'll be spending on petrol. Also offer personalized recommendations for restaurants and hotels along your route. Whether you're craving a delicious meal or in need of a cozy place to rest, our app has got your back. It'll suggest the best options based on your preferences and budget.

The project includes modules by list, admin, rental/agents, user. Admin manages the user accounts, including registration, authentication, and user profile. The rental/agents module provides a real-time abstract of bikes & cars and their availability. User are the tourists or the ones that are journeying.

1.2 PROBLEM DEFINATION AND OBJECTIVE OF THE PROJECT

Travel expense trackers can help travelers and businesses manage their travel expenses in a variety of ways, including:

- Budgeting

Travelers can stay within their budget and avoid overspending. Businesses can track costs to ensure they stay within budget and make informed financial decisions.

- Reimbursement

Business travelers can accurately track expenses to submit expense reports and claim reimbursements from their employers.

- Tax deductions

Some travel expenses may be tax-deductible, so detailed records can be important for tax purposes.

- Financial planning

Understanding travel costs can help travelers plan future trips more effectively and save money.

Travel expense trackers can help individuals and organizations keep track of their spending. For businesses, they can help accurately record employee spending and other business-related expenses. This can help with processing reimbursements, managing budgets, and taking advantage of tax benefits. Travel expense reports can also help companies stay within budget by analyzing spending patterns and forecasting future travel budgets.

Some examples of expenses that can be tracked include:

- Transportation: Flights, trains, buses, taxis, car rentals, and fuel
- Accommodation: Hotels, Airbnbs, and hostels
- Meals: Restaurants, cafes, and groceries
- Entertainment: Tours, excursions, and event tickets
- Miscellaneous: Souvenirs, tips, and phone bills

The project includes modules by list, admin, rental/agents, user. Admin manages the user accounts, including registration, authentication, and user profile. The rental/agents module provides a real-time abstract of bikes & cars and their availability. User are the tourists or the ones that are journeying.

2. SYSTEM ANALYSIS

2.1 INTRODUCTION

System analysis of study is an important phase of any system development process. The system is studied to the minutest details and analysed. The system analyst plays the role of an interrogator and dwells deep into the working of the present system. The system is viewed as a whole and the inputs to the system are identified. The outputs from the organization are traced through the various processing that the input phases through in the organization. A detailed study of this process must be made by various techniques like interviews: questionnaires etc. The data collected by these sources must be scrutinized to arrive to a conclusion. The conclusion is an understanding of the system function. This system is called existing system. Now the existing system is close study and problem solver tries to sort out difficulties that the enterprise faces.

2.2 IDENTIFICATION OF NEED

Software engineering is the analysis, design, construction, verification and management of technical or social entities. The work associated with software engineering can be categorized into three generic phases. The system requirement analysis is done by the user in order to meet the required project is to introduce application that facilitates and provide faster dealings with the indexing data that we can regain our old methods

The system analyst plays a deeper role in developing software. It is the responsibility of a system analyst to identify, analyse and find satisfactory solutions or program of actions. System analysis refers to an orderly structured process for identifying and solving problem using computer. It is the process of gathering and interpreting facts, diagnosing problems adjusting the information to recommended improvement to the system. Training, experience and common sense are required for the collection of information needed to do the analysis. To analysis a system one has to study the system work in detail, before designing the appropriate computer-based system that will meet the requirements of the system. In other words system analysis specifies what the system analyst specifies what the system should do. This project basically includes the requirements for providing the internship vacancies and apply it, managing online internship training process.

2.3 EXISTING SYSTEM

There are numerous systems that support travels/journeys but not all of them perform the maintain a member circle, emergency chat and distress signals, zoned and limited-radius community/ member access actions. The features are limited and tricky in some cases. Some provide distress buttons but not other features.

2.3.1 LIMITATION OF EXISTING SYSTEM

The existing system has various limitations compared to the proposed system. some of the limitations are listed below

- 1.user couldn't often to know about nearest services
- 2.if didn't connect call with police station or fire station, they could not know about dangerous situation of users

2.4 PROPOSED SYSTEM

This project proposes a function to keep track of the flock, maintain a member circle, emergency chat and zoned and limited-radius community/ member access. To maintain the flock's safety from the start of a journey till the end of their adventure this idea can be implemented and keep them safe and sound. Also the distress signal can be sent to nearest police, fire or forest departments to make it easier for anyone available to come for the rescue

2.4.1 ADVANTAGES OF PROPOSING SYSTEM

1.fastest access

If they have connection , they can access app fastly, they can access app and communicate nearest sevicees.

2.communication

This app provide communicate to nearest sevicees like police fire station guard etc , they can find location fastly

2.5 FEASIBILITY STUDY

All projects are feasible when given unlimited resource and infinite time. It is both necessary and prudent to evaluate the feasibility of a project at the earliest possible time. An estimate is made of whether the identified user need may be satisfied using current software and hardware technologies. The study will decide if the proposed system will be cast effective for the business point of view and if it can be developed in the given existing budgetary constraints. The feasibility study should be relatively cheap and quick. The result should inform the decision of whether to go ahead with a more detailed analysis.

- o Technical feasibility
- o Economic feasibility
- o Operational feasibility
- o Behaviour feasibility

2.5.1. TECHNICAL FEASIBILITY

Technical feasibility study deals with the hardware as well as software requirements. The scope was whether the work for the project is done with the current equipment's and the existing software technology. One system requires high software requirements such as PHP, MYSQL, window 7 or higher OS. Since these are all available, this system is technically feasible.

2.5.2. ECONOMIC FEASIBILITY

The purpose of economic feasibility assessment is to determine the positive benefit to organization that the proposed system will provide. Our system economically feasible since it provides benefit to the organization. It is cost effective.

2.5.3. OPERATIONAL FEASIBILITY

The purpose of operational feasibility study is to determine whether the new system will be used if it is developed and implemented. Our system will operate after it is developed and be operative once it is installed. This type is operatable by the user easily. This system is operationally feasible.

2.5.4. SCHEDULE FEASIBILITY

Schedule feasibility is a measure of how reasonable is the project time table. Each phase of the system development should be done within a specific time frame to avoid delays in the implementation of testing of the final product.

2.6 SYSTEM SPECIFICATION

After the analyst has collected all required information regarding the software to be developed, and has removed all completeness, inconsistency, and anomalies from specification, he starts to systematically organize the requirements the form of an SRS document. The software developers refer to the SRS document to make sure that they developed exactly what the customer requires. The SRS document helps the maintenance engineers to understand the functionality of the system.

2.6.1 SOFTWARE SPECIFICATION

A software requirements specification (SRS) is a description of a software system to be developed. It is modelled after business requirement specification, also known as a stakeholder requirement specification. Software requirements specification establishes the basis for an agreement between customers and contractors or suppliers on how the software product should function. Software requirements specification is a rigorous assessment of requirements before the more specific system design stages, and its goal is to reduce later redesign. It should also provide a realistic basis for estimating product costs, risks, and schedules. Used appropriately, software requirements specifications can help prevent software project failure. The software requirements specification document lists sufficient and necessary requirements for the project development. To derive the requirements, the developer needs to have clear and thorough understanding of the products under development. This is achieved through detailed and continuous communications with the project team and customer throughout the software development process.

Front end

- **Hypertext Mark-up Language (HTML)**

It is the standard mark-up language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript. Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document. HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page.

HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by tags, written using angle brackets. Tags such as `<p>` and `<h1>` directly introduce content into the page. Other tags such as `<div>` and `<span>` provide information about document text and may include other tags as sub elements. Browsers do not display the HTML tags but use them to interpret the content of the page.

- **Cascading Style Sheets (CSS)**

It is a style sheet language used to describe the presentation of a document written in HTML or XML (including XML dialects such as SVG, Math or XHTML). CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.

Back end

- **PHP**

PHP (Hypertext Preprocessor) is a server-side scripting language used for web development. It is a mature, open-source language that has been widely adopted for building dynamic websites and web applications.

Features

PHP is a versatile language that offers a range of features that make it suitable for web development. Some of its key features include:

1. Server-side scripting: PHP is executed on the server, allowing developers to create dynamic web pages that can interact with databases, perform calculations, and more.
2. Loose typing: PHP is a dynamically-typed language, which means that you don't need to declare the data type of a variable before using it.
3. Object-oriented programming: PHP supports object-oriented programming (OOP) concepts such as classes, objects, inheritance, and polymorphism.
4. Extensive libraries: PHP has a vast collection of libraries and frameworks that make it easy to perform common tasks, such as database interactions, file uploads, and more.
5. Cross-platform compatibility: PHP can run on a variety of operating systems, including Windows, macOS, and Linux.

Advantages

PHP has several advantages that make it a popular choice for web development:

1. Easy to learn: PHP has a relatively low barrier to entry, making it easy for beginners to learn.
2. Fast development: PHP's syntax and nature make it ideal for rapid prototyping and development.
3. Large community: PHP has a massive community of developers, which means there are plenty of resources available for learning and troubleshooting.
4. Cost-effective: PHP is an open-source language, which means it's free to use and distribute.

Disadvantages

While PHP is a popular and versatile language, it also has some disadvantages:

1. Security concerns: PHP's loose typing and lack of memory safety features can make it vulnerable to security threats.
2. Performance issues: PHP's interpreted nature can lead to performance issues, especially when compared to compiled languages like C++ or Java.
3. Legacy code: PHP's age and widespread adoption mean that there's a lot of legacy code out there, which can be difficult to maintain and update.

In conclusion, PHP is a powerful and versatile language that's well-suited for web development. While it has its advantages and disadvantages, its ease of use, large community, and cost effectiveness make it a popular choice for building dynamic web applications.

• MYSQL

MySQL is an Oracle-backed opensource relational database management system (RDBMS) based on Structured Query Language (SQL). MySQL runs on virtually all platforms, including Linux, UNIX and Windows. Although it can be used in a wide range of applications, MySQL is most often associated with web applications and online publishing. MySQL is an important component of an open-source enterprise stack called WAMP. WAMP is a web development platform that uses Linux as the operating system, Apache as the web server, and MySQL as the relational database management system and PHP as the object-oriented scripting language. (Sometimes Perl or Python is used instead of PHP.)

Operating system

Windows 10 professional integrates the strengths of windows 2008 professional such as standards based security, manageability, and reliability, with the best business features of windows 98 and PULMODETECT 17 Department of computer science windows Millennium Edition, such as plug and play, simplified user interface, and innovative support services. This combination creates the best desktop operating system for business. It is more users friendly and a stable operating system equipped with much more added features. The operating system supports new technologies such as digital video disks, multiple monitors etc. along with plug and play and multi display features. It has a graphical user interface operating environment. Faster computing, easy access to remote information and control remote computers are some added features. Following are the common features of Windows 10. Faster computing, easy access to remote information and control remote computers. Built in networking and messaging facility.

FRONT END: : HTML, CSS

BACK END: MySQL, PHP

OPERATING SYSTEM: WINDOWS 8 or above for better performance

SOFTWARES USED:: XAMPP

Web Browser: Internet Explorer/Google Chrome

Web Server: Apache

2.6.2 TOOLS SPECIFICATION

Tools:- Google chrome, Internet Explorer

Platform:- Windows

2.6.3 HARDWARE SPECIFICATION

Processor: Intel Pentium or above.

Hard Disc: 320GB.

Display Type: PC Display. Keyboard: PC/AT Enhanced PS/2Keyboard (110/10Key).

Mouse: First/Pilot Mouse Serial (c48).

Input Device: Mouse, keyboard

Output Device: Monitor, Mobile Display

3. SYSTEM DESIGN

3.1 INTRODUCTION

System design is an interactive process through which requirements are transmitted to a “blue print” for constructing the software initial; the blue print depicts a holistic view of software that’s design is represented at a high-level abstraction. A level that can be directly traced to specific data, functional and behavioural requirement. As design interaction occur subsequent refinement leads to design representation at much lower level of abstraction. System design is a creative art of inventing and developing input, data bases, off line files, method and procedures, for processing data to get meaning full output that satisfy the organization objectives. Through the design phase consideration to the human factor, that is inputs to the users will have on the system. Some of the main factors that have to be noted using the design of the system are:

- Practicability System must be capable of being operated over a long period of time and must have ease of use.
- Efficiency Make better use of available resources. Efficiency involves accuracy, timeliness and Comprehensiveness system output.
- Cost Aim of minimum cost and better results.
- Security Ensure physical security of data.

3.2 INPUT DESIGN

Input design is the process of converting user-oriented input to a based format. Inaccurate input data are the most common cause of errors in data processing. Errors entered by data entry operators can be controlled by input design. The goal of designing input data is to make data entry as easy, logical and free from errors. When we approach input data design; we design the data source documents that capture the data and then select the media used to enter them into computer. User-friendly screen format can reduce the burden on end users, who are not highly proficient in computers. An important step in input design stage is a design of source document. Source document is the form in which the data can initially capture. The next step is the design of the document layout. In the layout organizes the document by placing information, where it will be noticed and establishes the appropriate sequence of items

3.3 OUTPUT DESIGN

Computer output is the most important and direct source of information to the user. Efficient and intelligent output design improves the system's relationship and helps user decision making. In the output design it is determine how the implementation is to be played for immediate need and also the hardcopy output. A major form of input is a hardcopy from the printer. Printouts should be designed around the output requirement of the user. Printers, CRT screen display are the examples for providing computer-based output. The output design associated with the system includes the various reports of the table generations and query executions. Output design is one of the, most important features of the information system. The logical design of an information system is analogous to an engineering blue print of an automobile. It shows the major features

and how they are related to one another. The outputs, inputs and databases are designed are in this phase.

3.4 DATABASE DESIGN

Database design, A most important part of the system design phase. In a database environment, data available are used by several users instead of each program managing its own data, authorized users share data across application with the database software managing the data as an entity.

Primary key is one of the candidate keys that are chosen to be the identifying key for the entire table.

Normalization is a process of organizing the data in database to avoid data redundancy, insertion anomaly, update anomaly & deletion anomaly.

Here are the most commonly used normal forms:

- First normal form (1NF)
- Second normal form(2NF)
- Third normal form(3NF)
- Boyce& Codd normal form (BCNF)

FIRST NORMAL FORM (1NF)

As per the rule of first normal form, an attribute (column) of a table cannot hold multiple values. It should hold only atomic values.

SECOND NORMAL FORM (2NF)

A table is said to be in 2NF if both the following conditions hold:

- Table is in 1NF (First normal form)
- No non-prime attribute is dependent on the proper subset of any candidate key of table.

THIRD NORMAL FORM (3NF)

Dependency of non-prime attribute on any super key should be removed. An attribute that is not part of any candidate key is known as non-prime attribute. In other words, 3NF can be explained like this: A table is in 3NF if it is in 2NF and for each functional dependency $X \rightarrow Y$ at least one of the following conditions hold:

X is a super key of table

Y is a prime attribute of table

An attribute that is a part of one of the candidate keys is known as prime attribute.

BOYCE CODD NORMAL FORM (BCNF)

It is an advance version of 3NF that's why it is also referred as 3.5NF. BCNF is stricter than 3NF. A table complies with BCNF if it is in 3NF and for every functional dependency $X \rightarrow Y$, X should be the super key of the table.

3.5 DATA FLOW DIAGRAM (DFD)

The Data flow diagram (DFD) also known as bubble chart. It is a simple graphical formalism that can be used to represent a system in terms of the input data to the system, various processing carried out on these data and the output data generated by the system. The main reason why this DFD technique is so popular is probably because of the fact that DFD iPro's a very simple formalism. It is simple to understand and use. A DFD model uses a very limited number of primitive symbols to represent the functions performed by a system and the data flow among these systems. Starting with a set of high-level functions that a system performance of DFD model in hierarchically it represents various sub functions. The Data Flow Diagramming technique also follows a simple set of intuitive concepts and rules. Data flow diagram (DFD) is used to show how data flows through the system and the processes that transform the input data into output. Data flow diagrams are a way of expressing system requirements in a graphical manner. DFD represents one of the most ingenious tools used for structured analysis.


BASIC DFD SYMBOLS

External Entity Symbol:




An external entity such as a user, project manager etc. is represented by a rectangle. The external entities are essentially those physical entities external to the application system, which interact with the system by inputting data to the system or by consuming the data produced by the system.

Process Symbol:




The functions are using circles. Bubbles are annotated with the names of the corresponding functions. They convert data into information.

Data Flow Symbol:



A directed arc or an arrow is used as a Data Flow Symbol. This represents the data flow occurring between two processes or between an external entity and a process: in direction of the Data Flow Arrow. Data flow Symbols are annotated with corresponding data names.


Data Store Symbol:




A Data Store represents a logical file; it is represented using two parallel lines. A logical file can represent either Data Store Symbol, which can represent either data structure or a physical file on disk. Each data store is connected to a process by means of a Data Flow Symbol

DFD FOR SARKIT


Level 0




LEVEL 1
ADMIN



RENTAL/AGENTS



USER




3.6 ENTITY RELATIONSHIP DIAGRAM


ER Diagram stands for Entity Relationship Diagram, also known as ERD is a diagram that displays the relationship of entity sets stored in a database. In other words, ER diagrams help to explain the logical structure of databases. ER diagrams are created based on three basic concepts: entities, attributes and relationships.

ER Diagrams contain different symbols that use rectangles to represent entities, ovals to define attributes and diamond shapes to represent relationships.


Attributes: Attributes are the properties which define the entity type. In ER diagram, attribute is represented by an oval.




Relationship: A relationship type represents the association between entity types. In ER diagram, relationship type is represented by a diamond.



Entity: An entity is an object or component of data. An entity is represented as rectangle in an ER diagram.



ER DIAGRAM




3.7 USE CASE DIAGRAM

A use case diagram is a graphical depiction of a user's possible interactions with a system. A use case diagram shows various use cases and different types of users the system has and will often be accompanied by other types of diagrams as well. The use cases are represented by either circles or ellipses.

Actor:


The users that interact with a system. An actor can be a person, an organization, or an outside system that interacts with your application or system. They must be external objects that produce or consume data.



ACTOR

System:

A box that sets a system scope to use cases. All use cases outside the box would be considered outside the scope of that system.




Association:

A line between actors and use cases. In complex diagrams, it is important to know which actors are associated with which use cases.




Use cases:

Horizontally shaped oval that represent the different uses that the system might have.



Use Case Diagram



4.SYSTEM DEVELOPMENT

4.1 MODULE DESCRIPTION

The Sarkit is an innovative solution that aims to simplify the travel planning process by providing a comprehensive platform for users to estimate their journey costs, including fuel expenses, and receive personalized recommendations for restaurants and hotels along their route. The website's modular design, comprising user, admin, rental/agents, and list modules, ensures a seamless and efficient experience for users. The inclusion of a travel expense tracker feature, which utilizes visualization techniques to monitor and control travel-related expenditures, adds significant value to the website. By catering to the diverse needs of travelers, including those engaging in extreme tourism, adventure travel, or traveling to remote destinations, the app has the potential to become an essential tool for anyone looking to plan and embark on a journey. With its user-friendly interface, personalized recommendations, and real-time information, the app is poised to revolutionize the way people travel, making it more enjoyable, efficient, and cost-effective. Ultimately, the website's goal is to provide a one-stop solution for travelers, empowering them to make informed decisions, save time, and create unforgettable experiences.

By developing this app, we can empower travelers to make informed decisions, reduce costs, and enhance their overall travel experience. The personalized recommendations feature will also support local businesses, such as restaurants and hotels, by promoting their services to a targeted audience.

MODULES

- Admin
- Rental/agent
- User

Admin

This module includes,

- i. Manage users
- ii. Manage locations
- iii. Manage destinations
- iv. Manage review
- v. Manage restaurants
- vi. Manage rental services

Rental/agents

This module includes,

- i. Manage vehicles
- ii. Manage restaurants
- iii. Manage payments

User

This module includes,

- i. View places
- ii. View destinations
- iii. View vehicles
- iv. Request vehicles
- v. View hotels
- vi. Expense tracker
- vii. Add/view payments

5. SYSTEM IMPLEMENTATION

5.1 TESTING

The term software testing is defined as to find for the errors in the application that might lead to fault or failure of the whole application. There are testing conditions that the system must pass to says that it is tested and working properly. The quality and reliability are also attained by going through the process of testing.

Unit testing

Unit testing is a level of a software testing where individual units/components of software are tested. The purpose is to validate that each unit of the software performs as designed. A unit is the smallest testable part of any software. It usually has one or a few inputs and usually a single output. In procedural programming, a unit may be an individual program, function, procedure, etc. In object-oriented programming, the smallest unit is a method, which may belong to a base/ super class, abstract class or derived/ child class. (Some treat a module of an application as a unit. This is to be discouraged as there will probably be many individual units within that module.) Unit testing frameworks, drivers, stubs, and mock/ fake objects are used to assist in unit testing.

Integration testing

Integration testing is a level of software testing where individual units are combined and tested as a group. The purpose of the level of testing is to expose faults in the interaction between integrated units. The purpose of this level of testing is to expose faults in the intersection between integrated units. The drivers and test stubs are used to assist in Integration Testing.

Systems testing

System testing is a level of software testing where complete and integrated software is tested. The purpose of this test is to evaluate the system's compliance with the specified requirements

Acceptance testing

Acceptance testing is performed to ensure that the functional, behavioural, and performance requirements of the software are met IEEE defines acceptance testing as a 'formal testing with respect to user needs, requirements, and business processes conducted to determine whether or not a system satisfies the acceptance criteria and to enable the user, customers or other authorized entity to determine whether or not to accept the system.' During acceptance testing, the software is tested and evaluated by a group of users either at the developer's site or user's site. This enables the users to test the software themselves and analyses whether it is meeting their requirements. To perform acceptance testing, a predetermined set of data is given to the software as input. It is important to know the expected output before performing acceptance testing so that outputs produced by the PULMODETECT 37 Department of computer science software as a result of testing can be compared with them. Based on the results of tests, users decide whether to accept or reject the software is correct and is accepted; otherwise, it is rejected.

Regression testing

Regression testing is the retesting of a software system to confirm that changes made to few parts of the codes has not any side effects on existing system functionalities. It is to ensure that old codes are still working as they were before introduction of the new change. The ideal process would be to create an extensive test suite and run it after each and every change.

5.2 VALIDATION CHECK

Validation is the process, whether we are building the right product i.e., to validate the product which we have developed is right or not. Activities involved in this is Testing the software application. In simple words, Validation is to validate the actual and expected output of the software. The process of evaluating software during or at the end of the development process to determine whether it satisfies specified requirements. It's a High-Level Activity. Validation is a dynamic process of testing the real product.

Validation is intended to ensure a product, service, or system (or portion thereof, or set thereof) results in a product, service, or system (or portion thereof, or set thereof) that meets the operational needs of the user. For a new development flow or verification flow, validation procedures may involve modelling either flow and using simulations to predict faults or gaps that might lead to invalid or incomplete verification or development of a product, service, or system (or portion thereof, or set thereof). A set of validation requirements (as defined by the user), specifications, and regulations may then be used as a basis for qualifying a development flow or verification flow for a product, service, or system (or portion thereof, or set thereof).

Additional validation procedures also include those that are designed specifically to ensure that modifications made to an existing qualified development flow or verification flow will have the effect of producing a product, service, or system (or portion thereof, or set thereof) that meets the initial design requirements, specifications, and regulations; these validations help to keep the flow qualified. It is a process of establishing evidence that provides a high degree of assurance that a product, service, or system accomplishes its intended requirements. This often involves acceptance of fitness for purpose with end users and other product stakeholders. This is often an external process.

5.3 SYSTEM IMPLEMENTATION

The implementation is the final state and it is an important phase. It involves the individual programming; system testing, user training and the operational running of developed proposed system that constitutes the application subsystems. A major task of preparing for implementation is education of users, which should really have been taken place much earlier in the project when they were being involved in the investigation and design work. During the implementation phase system actually takes physical shape. In order to develop a system implemented planning is very essential.

The implementation phase of the software development is concerned with translating design specification into source code. The user tests the developed system and changes are

made according to their needs. Our system has been successfully implemented. Before implementation several tests have been conducted to ensure that no errors are encountered during the operation. The implementation phase ends with an evaluation of the system after placing into the operation for a period of time. The process of putting the developed system in actual use is called system implementation. This includes all those activities that take place to convert from old system to new system. The system can be implemented only after testing is done and is found to be working to specifications. The implementation stage involves following tasks:

- Careful planning.
- Investigation of system and constraints.
- Design of method to achieve change over.
- Evaluation of the changeover method.

5.4 SECURITY

As technology advances, application environment become more complex and application development security becomes more challenging. Applications, systems, and networks are constantly under various security attacks such as malicious code or denial of service. Some of the challenges from the application development security point of view include Viruses, Trojan horses, Logic bombs, Worms and Agent.

6. SYSTEM MAINTANENCE AND FUTURE ENHANCEMENT

6.1 SYSTEM MAINTENANCE

The system maintenance for a travel expense tracker project is a crucial aspect of ensuring the smooth operation and accuracy of the system. To maintain the system, regular tasks such as daily backups, weekly software updates, and monthly security audits are performed to prevent data loss and ensure the system's security and integrity. Additionally, the system's performance is continuously monitored to identify and resolve any issues promptly, minimizing downtime and ensuring that users can access the system without interruption. The maintenance team also conducts regular code reviews, system testing, and disaster recovery planning to ensure that the system is reliable, efficient, and compliant with regulatory requirements and industry standards. Furthermore, the team provides timely and effective user support to address any questions or concerns, and uses tools such as monitoring software, backup tools, and security scanners to identify and mitigate potential risks. By following a comprehensive maintenance plan, the travel expense tracker project can ensure that the system remains stable, secure, and accurate, providing users with a reliable and efficient way to track and manage their travel expenses. Overall, the system maintenance plan is essential to the success of the project, and its implementation helps to build trust and confidence with users, while also ensuring the system's continued functionality and performance.

6.2 FUTURE ENHANCEMENTS

The travel expense tracker project has a promising future with several potential enhancements that can further improve its functionality and user experience. One potential enhancement is the integration of artificial intelligence and machine learning algorithms to automatically categorize and approve expenses, reducing the need for manual intervention and increasing the accuracy of expense tracking. Another enhancement could be the addition of a mobile app, allowing users to track and submit expenses on-the-go, and receive real-time notifications and updates. The project could also be enhanced by integrating with other financial systems, such as accounting software and credit card providers, to provide a more comprehensive view of expenses and streamline the reimbursement process. Additionally, the project could be expanded to include features such as travel booking and itinerary management, allowing users to plan and book their trips directly within the system. Furthermore, the project could be enhanced by incorporating more advanced analytics and reporting capabilities, providing users with detailed insights into their spending habits and trends, and enabling them to make more informed decisions about their travel expenses. Overall, the travel expense tracker project has a wide range of potential enhancements that can further improve its functionality, user experience, and overall value to users, and can help to establish it as a leading solution for travel expense management...

7. CONCLUSION

7.1 CONCLUSION

The conclusion of the project titled as “sarkit” is an application. This idea proposes a function to calculate the total cost of your journey, taking into account factors like fuel expenses. You simply input the details of your vehicle, and it'll provide you with an estimate of how much you'll be spending on petrol. Also offer personalized recommendations for restaurants and hotels along your route. Whether you're craving a delicious meal or in need of a cozy place to rest, our app has got your back. It'll suggest the best options based on your preferences and budget.

The project includes modules by list, admin, rental/agents, user. Admin manages the user accounts, including registration, authentication, and user profile. The rental/agents module provides a real-time abstract of bikes & cars and their availability. User are the tourists or the ones that are journeying. Travel in modern times may or may not be much easier depending upon the destination. Travel to Mount Everest, the Amazon rainforest, extreme tourism, and adventure travel are more difficult forms of travel. Travel can also be more difficult depending on the method of travel, such as by bus, cruise ship, or even by bullock cart.

A travel expense tracker is a tool designed to help individuals or organizations monitor, categorize, and control their travel-related expenditures. Coupled with visualization techniques, it provides a clear and comprehensible way to understand spending patterns and make informed financial decisions.

This idea proposes a function to calculate the total cost of your journey, taking into account factors like fuel expenses. You simply input the details of your vehicle, and it'll provide you with an estimate of how much you'll be spending on petrol. Also offer personalized recommendations for restaurants and hotels along your route. Whether you're craving a delicious meal or in need of a cozy place to rest, our app has got your back. It'll suggest the best options based on your preferences and budget.

The project includes modules by list, admin, rental/agents, user. Admin manages the user accounts, including registration, authentication, and user profile. The rental/agents module provides a real-time abstract of bikes & cars and their availability. User are the tourists or the ones that are journeying.

8.APPENDIX

8.1 APPENDIX A. TABLE DESIGNS

1.Agent

Table name: agent

Description: Details of agent

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	Id of the agent
name	varchar (30)	Name of the agent
email	varchar (100)	Email id of agent
place	varchar (50)	Place to visit
phone no	varchar (20)	Phone no of agent
password	varchar (50)	Password of agent

2. Destination

Table name: destination

Description: Details of destination

Primary key: i

Field Name	Field Type	Field Description
id	int (11)	Id of the user
loc_id	int (11)	Id of the location
location	varchar (50)	Locations to visit/travel
image	tinytext	Images of the places
description	text	Description about places

3. Location

Table name: location

Description: Details of location

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	Id of the location
location	varchar (50)	Location to travel
image	tinytext	Image of the location
description	text	Description about location

5. Payment

Table name: payment

Description: payment details

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	Id of the location
uid	varchar (225)	Id of the user
rental_id	varchar (225)	Id of the rental
amount	varchar (225)	Amount to pay
cardname	varchar (200)	Name in the users card
cardnumber	varchar (225)	Users card number
cardtype	varchar (225)	Type of the card
cardyear	varchar (225)	Card expiration year
cardmonth	varchar (225)	Card expiration month
cvv	varchar (225)	Card verification value
date	varchar (225)	Card expiration date

6.Rental**Table name:** rental**Description:** rental details**Primary key:** id

Field Name	Field Type	Field Description
id	int (11)	Rental id
user_id	int (11)	Id of the user
vehicle_id	int (11)	Id of the vehicle
rental_start date	date	Rental starting date
rental_end date	date	Rental ending date
rental_amount	int (11)	Amount to pay for rental
rental_status	varchar (50)	Status of the rental

7.Restaurants**Table name:** restaurant**Description:** restaurant details**Primary key:** id

Field Name	Field Type	Field Description
id	int (11)	Restaurant id
loc_id	int (11)	Id of the restaurant location
name	varchar (50)	Name of the restaurant
address	text	Address of the restaurant
phone	varchar (50)	Phone no of restaurant
image	tinytext	Image of the restaurant

8. Review

Table name: review

Description: user reviews

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	Rental id
user_id	int (11)	Id of the user
review	varchar (100)	Reviews of user
rating	int (11)	Ratings of user
date	timestrap	Date of review

9. User

Table name: user

Description: user details

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	User id
name	varchar (20)	User's name
email	varchar (200)	Email id
phone	varchar (200)	Phone number
password	varchar (200)	Password of user

10. Vehicles


Table name: vehicles

Description: vehicle details

Primary key: id

Field Name	Field Type	Field Description
id	int (11)	Vehicle id
vehicle_type	varchar (50)	Doctor id
model	varchar (50)	Vehicle model
year	varchar (10)	Vehicle model year
seating_capacity	int (11)	Seating capacity of vehicle
fuel_type	varchar (20)	Type of fuel needed
rental_price	int (20)	Rental prices
availability_status	varchar (20)	Availability of vehicles
image	tinytext	Image of vehicle
agent_id	int (11)	Id of the agent

8.1 APPENDIX B. SAMPLE INPUTS AND OUTPUT DESIGN



Create An Account

<input type="submit" value="Submit"/>

Already a User? [Login Now](#)

Contact Information

 K.M.M. College of Arts & Science,
Thrikakkara, Cochin- 682021

 [+91 8714402610](tel:+918714402610)
[+91 8129871064](tel:+918129871064)
[+91 9778339063](tel:+919778339063)

 sarkit@gmail.com

 sarkit.co

Login Now

Sarkit

User Type

User

Submit

Not a User? [Register Now](#)

Contact Information



K.M.M. College of Arts & Science,
Thrikakkara, Cochin- 682021



+91 8714402610

+91 8129871064

+91 9778339063



sarkit@gmail.com



sarkit.co

SARKIT

[Home](#)

[Destination](#)

[Vehicles](#)

[Vehicle Request](#)

[Payments](#)

[Expense Calculator](#)

[Direction](#)

[Profile](#)

[Logout](#)

Planning Trip To Anywhere in India?

Profile

My Profile

sainu

sainu10h@gmail.com

8714402610

123

update

Destination

Dignissimos asperiores vitae velit veniam totam fuga molestias accusamus
alias autem provident. Odit ab aliquam dolor eius.



Kochi

Kochi a vibrant coastal city in Kerala offers
a perfect blend of rich ...

Visit



Goa

Goa known for its golden beaches vibrant
nightlife and Portuguese heritage is the ...

Visit



Hyderabad

Hyderabad a city where the modern meets
the historic is famous for its ...

Visit



Choose your transportation



HONDA DIO 125

Rate: ₹ 1000

Request



BAJAJ PULSAR NS 400

Rate: ₹ 1500

Request



MARUTI SUZUKI SWIFT

Rate: ₹ 2000

Request

View Rental Requests


Your Perfect Rental, Just a Request Away!

#	Vehicle ID	Rental Start Date	Rental End Date	Rental Amount	Rental Status
1	Bajaj Pulsar NS 400	2024-09-17	2024-09-19	3000	paid

View Rental Payments

Track Your Transactions with Ease!

#	Rental ID	Amount	Card Name	Card Number	Card Type	Payment Date
1	1	3000	roshan	12345678906654	debit	2024-09-17 12:16:39




Choose your location

Select Your Desired Location for a Customized Experience

[GET YOUR LOCATION](#)

Start Location

End Location



SHOW

10

ENTRIES

SEARCH:

Add New

ID	NAME	EMAIL	PHONE	PASSWORD	UPDATE	DEL
1	mike Doe	mike@gmail.com	9876543456	123	update	Del
2	sainu	sainu10h@gmail.com	8714402610	123	update	Del
3	sainu	sainu10h@gmail.com	8714402610	Sainu10h	update	Del
4	231564	sainu@gmail.com	8714402610	Sainu10h	update	Del

Showing 1 to 4 of 4 entries

Previous
1
Next


SHOW

10

ENTRIES

SEARCH:

Add New

ID	LOCATION	IMAGE	DESCRIPTION	UPDATE	DEL
1	Kochi		Kochi, a vibrant coastal city in Kerala, offers a perfect blend of rich history, stunning backwaters, and vibrant culture, making it a must-visit travel destination for those seeking both relaxation and adventure.	update	Del
2	Goa		Goa, known for its golden beaches, vibrant nightlife, and Portuguese heritage, is the ultimate travel destination for sun-seekers and adventure lovers alike.	update	Del
3	Hyderabad		Hyderabad, a city where the modern meets the historic, is famous for its iconic Charminar, mouthwatering biryani, and vibrant markets, making it a captivating travel destination for culture and history enthusiasts.	update	Del
4	Mumbai		Mumbai, the bustling heart of India, is a dynamic travel destination known for its iconic landmarks like the Gateway of India, vibrant street life, and thriving Bollywood culture, offering an unforgettable urban adventure.	update	Del
5	Manali		Manali, nestled in the Himalayas, is a serene travel destination renowned for its breathtaking landscapes, adventure sports, and tranquil atmosphere, making it perfect for nature lovers and thrill-seekers alike.	update	Del

[Add New](#)

SHOW 10 ENTRIES
SEARCH:

ID	LOC ID	DESTINATION	DESCRIPTION	IMAGE	ADD MORE	UPDATE	DEL
1	Kochi	Santa Cruz Cathedral Basilica	The Santa Cruz Cathedral Basilica, also known as Kotta Palli or Kottepalli, is located in Fort Kochi, Kochi. It is one of the thirty-four basilicas in India and one of nine in Kerala. This heritage edifice of Kerala is renowned for its Indo-European and Gothic architectural style.		Add more images	update	Del
2	Kochi	Mattancherry Palace	The Mattancherry Palace, also known as the Dutch Palace, is a historic building in Kochi, Kerala. Originally constructed by the Portuguese in 1555 and later renovated by the Dutch in 1663, this stunning palace features traditional Kerala architecture and colonial influences. It is renowned for its beautiful murals depicting scenes from the Ramayana and houses a museum with royal artifacts, including costumes and jewelry. The palace's central courtyard and intricate ceiling paintings make it a captivating destination for visitors interested in Kerala's rich heritage.		Add more images	update	Del
3	Kochi	Marine Drive Kochi	Marine Drive in Kochi is a picturesque waterfront promenade along the Arabian Sea. It's one of the most popular and scenic spots in the city, offering a serene escape with stunning views of the water and skyline. The broad, well-maintained promenade is ideal for leisurely strolls, jogging, or simply relaxing by the water.		Add more images	update	Del
4	Goa	Dudhsagar Falls	Dudhsagar Falls is a spectacular waterfall located on the Mandovi River in the Western Ghats of Goa, India. It is one of the tallest and most impressive waterfalls in India, renowned for its breathtaking beauty and lush surroundings. The falls are surrounded by dense forests, creating a picturesque landscape that is especially vibrant during the monsoon season.		Add more images	update	Del

[Add New](#)

SHOW 10 ENTRIES
SEARCH:

ID	LOC ID	NAME	ADDRESS	PHONE	IMAGE	UPDATE	DEL
1	Kochi	Restaurant Chef Pillai Kochi	Le Méridien Kochi, Nettoor, Maradu, Kochi, Ernakulam, Kerala 682304	089438 50000		update	Del
2	Kochi	Roastown Global Grill-Cochin	37/3469A, Old, Cheranallur Rd, Edappally, Kochi, Kerala 682021	077360 58333		update	Del
3	Kochi	Kochi Kitchen	Lulu International Shopping Mall, 34/1111, Old NH 47, Edappally, Kochi, Kerala 682024	0484 717 7777		update	Del
4	Goa	Shivers Garden Bar & Restaurant Goa	H No 137/A, Lane, Fort Aguada Rd, opp. Kingfisher Villa, Dando, Candolim, Goa 403515	093705 74760		update	Del
5	Goa	Mama Miso	Arossim Beach Rd, Arossim, Goa 403712	091751 89149		update	Del

Showing 1 to 5 of 5 entries

[Previous](#)
1
[Next](#)

[Add New](#)

SHOW 10 ENTRIES
SEARCH:

ID	NAME	EMAIL	PLACE	PHONE	PASSWORD	UPDATE	DEL
1	john	john@gmail.com	Kochi	9876543456	123	update	Del

Showing 1 to 1 of 1 entries

[Previous](#)
1
[Next](#)

SHOW

10

ENTRIES

SEARCH:

Add New

ID	USER ID	REVIEW	RATING	DATE	UPDATE	DEL
1	1	good place	3	2024-09-17 19:43:30	update	Del
2	2	nice architecture	5	2024-09-24 16:43:28	update	Del
3	4	hgsafdiytFU	5	2024-09-26 14:54:00	update	Del

Showing 1 to 3 of 3 entries

Previous

1

Next

SHOW

10

ENTRIES

SEARCH:

Add New

ID	LOCATION	SUBLOCATION	DESCRIPTION	RATE	PEREFERANCES	LAT	LNG	SUB CATEGORY	UPDATE	DEL
1	Alappuzha	Indian Coffee House	CUISINES Indian, Cafe SPECIAL DIETS Vegetarian Friendly, Vegan Options MEALS Breakfast, Lunch, Brunch FEATURES Takeout, Seating, Table Service	200	Vegetarian	9.6138373	76.3307111	Restaurant	update	Del
4	Alappuzha	Thaff Delicacy	Restaurant		Vegetarian,Non-Vegetarian	9.5009201	76.338567	Restaurant	update	Del
7	Alappuzha	Cassia Restaurant	Try their seafood platter and enjoy the live music		Vegetarian ,Non-Vegetarian	9.51882215	76.32730090519068	Restaurant	update	Del
9	Alappuzha	Aramana Restaurant	Try their traditional Kerala thali.		Vegetarian , Non-Vegetarian	9.4712407	76.33837131875137	Restaurant	update	Del

Welcome

HOME

DESTINATION

PAYMENTS

LOG OUT

Welcome agent

Log out

Destination

Vehicles

Rental Details

Payment

SHOW

10

ENTRIES

SEARCH:

Add New

ID	LOC ID	DESTINATION	DESCRIPTION	IMAGE	ADD MORE	UPDATE	DEL
1	Kochi	Santa Cruz Cathedral Basilica	The Santa Cruz Cathedral Basilica, also known as Kotta Palli or Kottepalli, is located in Fort Kochi, Kochi. It is one of the thirty-four basilicas in India and one of nine in Kerala. This heritage edifice of Kerala is renowned for its Indo-European and Gothic architectural style.		Add more images	update	Del
2	Kochi	Mattancherry Palace	The Mattancherry Palace, also known as the Dutch Palace, is a historic building in Kochi, Kerala. Originally constructed by the Portuguese in 1555 and later renovated by the Dutch in 1663, this stunning palace features traditional Kerala architecture and colonial influences. It is renowned for its beautiful murals depicting scenes from the Ramayana and houses a museum with royal artifacts, including costumes and jewelry. The palace's central courtyard and intricate ceiling paintings make it a captivating destination for visitors interested in Kerala's rich heritage.		Add more images	update	Del
3	Kochi	Marine Drive Kochi	Marine Drive in Kochi is a picturesque waterfront promenade along the Arabian Sea. It's one of the most popular and scenic spots in the city, offering a serene escape with stunning views of the water and skyline. The broad, well-maintained promenade is ideal for leisurely strolls, jogging, or simply relaxing by the water.		Add more images	update	Del
4	Goa	Dudhsagar Falls	Dudhsagar Falls is a spectacular waterfall located on the Mandovi River in the Western Ghats of Goa, India. It is one of the tallest and most impressive waterfalls in India, renowned for its breathtaking beauty and lush surroundings. The falls are surrounded by dense forests, creating a picturesque landscape that is especially vibrant during the monsoon season.		Add more images	update	Del

SHOW

10

ENTRIES

SEARCH:

Add New

ID	VEHICLE TYPE	MODEL	YEAR	SEATING CAPACITY	FUEL TYPE	RENTAL PRICE	AVAILABILITY STATUS	IMAGE	AGENT ID	UPDATE	DEL
1	Bike	Honda Dio 125	2020	2	Petrol	1000	available		john	update	Del
2	Bike	Bajaj Pulsar NS 400	2021	2	Petrol	1500	available		john	update	Del
3	Car	maruti suzuki swift	2022	4	Petrol	2000	available		john	update	Del

Showing 1 to 3 of 3 entries

Previous

1

Next

Rental Details								
SHOW		10	ENTRIES		SEARCH:			
ID	USER ID	VEHICLE ID	RENTAL START DATE	RENTAL END DATE	RENTAL AMOUNT	RENTAL STATUS	ACTION	
1	1	2	2024-09-17	2024-09-19	3000	paid	Accept Reject	
2	4	1	2024-09-26	2024-10-30	34000	accepted	Accept Reject	
Showing 1 to 2 of 2 entries							Previous	1 Next

Payment Details										
SHOW		10	ENTRIES		SEARCH:					
ID	UID	RENTAL ID	AMOUNT	CARDNAME	CARDNUMBER	CARD TYPE	CARDYEAR	CARDMONTH	DATE	
2	mike Doe	1	3000	roshan	12345678906654	debit	2025	12	2024-09-17 12:16:39	
Showing 1 to 1 of 1 entries								Previous	1	Next

8.3 APPENDIX C. SOURCE CODE

1. Login.php

```
<?php
include('header.php');
?>

<header id="gtco-header" class="gtco-cover gtco-cover-sm" role="banner"
style="background-image: url(images/img_10.jpg)">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-left">
                <div class="row row-mt-15em">
                    <div class="col-md-7 mt-text animate-box" data-
animate-effect="fadeInUp">
                        <span class="intro-text-small">Explore
World With Us</span>
                        <h1>Login Now</h1>
                    </div>
                </div>
            </div>
        </div>
    </div>
</header>
```

```
<div class="gtco-section border-bottom">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12">
        <div class="col-md-6 animate-box">
          <h3>Sarkit</h3>
          <form action="redirect.php" method="POST">

            <div class="row form-group">
              <div class="col-md-12">
                <label class="sr-only"
for="email">Email</label>
                <input type="text" name="email"
class="form-control" placeholder="Email ID">
              </div>
            </div>

            <div class="row form-group">
              <div class="col-md-12">
                <label class="sr-only"
for="password">password</label>
                <input type="password"
name="password" class="form-control" placeholder="Password">
              </div>
            </div>

            <div>
              <label>select</label>
              <select name="type" id="select">
                <option value="user">User</option>
```

```
<option value="admin">Admin</option>
<option
value="accountant">Accountant</option>
<br><br>
</div>

<div class="form-group">
    <input type="submit" name="login"
class="btn btn-primary">
</div>

</form>
```

```
Not a User? <a href="register.php">Register Now</a>
</div>
```

```
<div class="col-md-5 col-md-push-1 animate-box">
```

```
<div class="gtco-contact-info">
    <h3>Contact Information</h3>
    <ul>
        <li class="address">K.M.M. College of
Arts & Science, <br> Thrikakkara,Cochin- 682021</li>
        <li class="phone"><a
href="tel://1234567920">+91 8714402610<br>+91 8129871064<br>+91 9778339063
</a></li>
        <li class="email"><a
href="mailto:info@yoursite.com">sarkit@gmail.com</a></li>
        <li class="url"><a
href="http://GetTemplates.co">sarkit.co</a></li>
    </ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
include('footer.php');
```

```
?>
```

2. Register.php

```
<?php
```

```
include('header.php');
```

```
?>
```

```
<header id="gtco-header" class="gtco-cover gtco-cover-sm role="banner"
style="background-image: url(images/img_13.jpg)">
```

```
<div class="overlay"></div>
```

```
<div class="gtco-container">
```

```
<div class="row">
```

```
<div class="col-md-12 col-md-offset-0 text-left">
```

```
<div class="row row-mt-15em">
```

```
<div class="col-md-7 mt-text animate-box" data-
animate-effect="fadeInUp">
```

World With Us

Explore

<h1>Register Now</h1>

</div>

</div>

</div>

</div>

</div>

</header>

<div class="gtco-section border-bottom">

<div class="gtco-container">

<div class="row">

<div class="col-md-12">

<div class="col-md-6 animate-box">

<h3>Create An Account</h3>

<form method="POST">

<div class="row form-group">

<div class="col-md-12">

<label class="sr-only"

for="name">name</label>

<input type="text" name="name"

class="form-control" placeholder="Name">

</div>

</div>

```
<div class="row form-group">
  <div class="col-md-12">
    <label class="sr-only"
for="email">email</label>
    <input type="email"
name="email" class="form-control" placeholder="Email ID">
  </div>
</div>
```

```
<div class="row form-group">
  <div class="col-md-12">
    <label class="sr-only"
for="phone">number</label>
    <input type="tel"
name="number" class="form-control" placeholder="Phone number">
  </div>
</div>
```

```
<div class="row form-group">
  <div class="col-md-12">
    <label class="sr-only"
for="password">password</label>
    <input type="password"
name="password" class="form-control" placeholder="Password">
  </div>
</div>
```

```
<div class="form-group">
```



```
class="btn btn-primary">
                                <input type="submit" name="register"
                                </div>
                                <?php
                                    include ("connection.php");
                                    if(isset($_POST['register']))
                                        {
                                            $name=$_POST['name'];
                                            $email=$_POST['email'];
                                            $number=$_POST['number'];
                                            $password=$_POST['password'];
                                            $ins="insert into
user(name,email,number,password) values('$name','$email','$number','$password')";
                                            mysqli_query($con,$ins);
                                        }
                                ?>
                                </form>
                                Already a User? <a href="login.php">Login Now</a>
                                </div>
                                <div class="col-md-5 col-md-push-1 animate-box">
```

```
<div class="gtco-contact-info">
    <h3>Contact Information</h3>
    <ul>
        <li class="address">K.M.M. College of
Arts & Science, <br> Thrikakkara,Cochin- 682021</li>
        <li class="phone"><a
href="tel://1234567920">+91 8714402610<br>+91 8129871064<br>+91 9778339063
</a></li>
        <li class="email"><a
href="mailto:info@yoursite.com">sarkit@gmail.com</a></li>
        <li class="url"><a
href="http://GetTemplates.co">sarkit.co</a></li>
    </ul>
</div>
```

```
</div>
</div>
</div>
</div>
</div>
```

```
<?php
include('footer.php');
?>
```

3. redirect.php

```
<?php
```

```
session_start();
```

```
include("connection.php");
```

```
if (isset($_POST['login']))
{
    $email = $_POST['email'];
    $password = $_POST['password'];
    $type = $_POST['type'];

    if($type=='admin')
    {

        if($email=='admin@gmail.com' and $password=='admin')
        {
            $_SESSION['user']='admin';
            header("location:admin/dashboard/dashboard.php");
        }
    }
    else if($type=='user')
    {
        $select="select * from user where email='$email' and
password='$password'";
        $res=mysqli_query($con,$select);
        $rows=mysqli_num_rows($res);
        if($rows>0)
        {
            $_SESSION['user']='user';
            header("location:index.php");
        }
        else{
```

```
                header("location:login.php");
            }
        }
        else if($type=='accountant')
        {
            $select="select * from user where email='$email' and
password='$password'";
            $res=mysqli_query($con,$select);
            $rows=mysqli_num_rows($res);
            if($rows>0)
            {
                $_SESSION['user']='accountant';
                header("location:admin/dashboard/dashboard.php");
            }
            else{
                header("location:login.php");
            }
        }
    }

?>
```

4. Connection.php

```
<?php
$con=mysqli_connect("localhost","root","","sarkit");
?>
```

5. index.php

```
<?php
include('header.php');
?>

<header id="gtco-header" class="gtco-cover gtco-cover-md" role="banner"
style="background-image: url(images/img_12.jpg)">
    <div class="overlay"></div>
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-12 col-md-offset-0 text-left">

                <div class="row row-mt-15em" >
                    <div class="col-md-10 mt-text animate-box"
data-animate-effect="fadeInUp">
                        <h1>Planning Trip To Anywhere in
India?</h1>

                    </div>

                </div>

            </div>

        </div>
    </div>
</header>

<div class="gtco-section">
    <div class="gtco-container">
        <div class="row">
            <div class="col-md-8 col-md-offset-2 text-center gtco-
heading">
```

```
<h2>Most Popular Destination</h2>

<p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>

</div>

</div>

<div class="row">

    <div class="col-lg-4 col-md-4 col-sm-6">

        <a href="images/img_kochi.jpg" class="fh5co-card-
item image-popup">

            <figure>

                <div class="overlay"><i class="ti-
plus"></i></div>

            </figure>

            <div class="fh5co-text">

                <h2>KOCHI</h2>

                <p>Far far away, behind the word
mountains, far from the countries Vokalia..</p>

                <p><span class="btn btn-
primary">Visit</span></p>

            </div>

        </a>

    </div>

    <div class="col-lg-4 col-md-4 col-sm-6">

        <a href="images/img_goa.jpg" class="fh5co-card-item
image-popup">

            <figure>

                <div class="overlay"><i class="ti-
plus"></i></div>
```

```

                                
                                </figure>
                                <div class="fh5co-text">
                                    <h2>GOA</h2>
                                    <p>Far far away, behind the word
mountains, far from the countries Vokalia..</p>
                                    <p><span          class="btn          btn-
primary">Visit</span></p>
                                </div>
                                </a>
                                </div>
                                <div class="col-lg-4 col-md-4 col-sm-6">
                                    <a href="images/img_hyderabad.jpg" class="fh5co-
card-item image-popup">
                                        <figure>
                                            <div class="overlay"><i class="ti-
plus"></i></div>
                                            
                                        </figure>
                                        <div class="fh5co-text">
                                            <h2>HYDERABAD</h2>
                                            <p>Far far away, behind the word
mountains, far from the countries Vokalia..</p>
                                            <p><span          class="btn          btn-
primary">Visit</span></p>
                                        </div>
                                    </a>
                                </div>

```

```

<div class="col-lg-4 col-md-4 col-sm-6">

    <a href="images/img_mumbai.jpg" class="fh5co-card-
item image-popup">

        <figure>

            <div class="overlay"><i class="ti-
plus"></i></div>

        </figure>

        <div class="fh5co-text">

            <h2>MUMBAI</h2>

            <p>Far far away, behind the word
mountains, far from the countries Vokalia..</p>

            <p><span class="btn btn-
primary">Schedule a Trip</span></p>

        </div>

    </a>

</div>

```

```

<div class="col-lg-4 col-md-4 col-sm-6">

    <a href="images/img_manali.jpg" class="fh5co-card-
item image-popup">

        <figure>

            <div class="overlay"><i class="ti-
plus"></i></div>

        </figure>

        <div class="fh5co-text">

            <h2>MANALI</h2>

            <p>Far far away, behind the word
mountains, far from the countries Vokalia..</p>

```



```

        <p><span          class="btn          btn-
primary">Schedule a Trip</span></p>
    </div>
</a>
</div>

<div class="col-lg-4 col-md-4 col-sm-6">
    <a href="images/img_bangalore.jpg" class="fh5co-card-
item image-popup">
        <figure>
            <div          class="overlay"><i          class="ti-
plus"></i></div>
            
        </figure>
        <div class="fh5co-text">
            <h2>BENGALURU</h2>
            <p>Far far away, behind the word
mountains, far from the countries Vokalia.</p>
            <p><span          class="btn          btn-
primary">Schedule a Trip</span></p>
        </div>
    </a>
</div>

</div>
</div>
</div>

```

```
<div class="gtco-cover gtco-cover-sm" style="background-image:
url(images/img_bg_1.jpg)" data-stellar-background-ratio="0.5">
  <div class="overlay"></div>
  <div class="gtco-container text-center">
    <div class="display-t">
      <div class="display-tc">
        <h1>We have high quality services that you will surely
love!</h1>
      </div>
    </div>
  </div>
</div>

<div id="gtco-counter" class="gtco-section">
  <div class="gtco-container">

    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-heading
animate-box">
        <h2>Our Success</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>

    <div class="row">
      <div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">
        <div class="feature-center">
```

```

        <span class="counter js-counter" data-from="0"
data-to="196" data-speed="5000" data-refresh-interval="50">1</span>

        <span class="counter-label">Destination</span>

    </div>

</div>

<div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">

    <div class="feature-center">

        <span class="counter js-counter" data-from="0"
data-to="97" data-speed="5000" data-refresh-interval="50">1</span>

        <span class="counter-label">Hotels</span>

    </div>

</div>

<div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">

    <div class="feature-center">

        <span class="counter js-counter" data-from="0"
data-to="12402" data-speed="5000" data-refresh-interval="50">1</span>

        <span class="counter-label">Travelers</span>

    </div>

</div>

<div class="col-md-3 col-sm-6 animate-box" data-animate-
effect="fadeInUp">

    <div class="feature-center">

        <span class="counter js-counter" data-from="0"
data-to="12202" data-speed="5000" data-refresh-interval="50">1</span>

        <span
            class="counter-label">Happy
Customer</span>

    </div>

</div>

```

```
        </div>
    </div>
</div>
```

```
<?php
include('footer.php');
?>
```

6. footer.php

```
<footer id="gtco-footer" role="contentinfo">
    <div class="gtco-container">
        <div class="row row-p          b-md">

            <div class="col-md-4">
                <div class="gtco-widget">
                    <h3>About Us</h3>
                    <p>you're all set for an exciting adventure, but
you need a little help getting everything sorted. That's where our SARKIT comes in! With our
website, you can effortlessly plan your trip from start to finish.
                    </p>
                </div>
            </div>

            <div class="col-md-2 col-md-push-1">
```

```
<div class="gtco-widget">
  <h3>Destination</h3>
  <ul class="gtco-footer-links">
    <li><a href="#">Delhi</a></li>
    <li><a href="#">Mumbai</a></li>
    <li><a href="#">Chennai</a></li>
    <li><a href="#">Bangalore</a></li>
    <li><a href="#">Kerala</a></li>
  </ul>
</div>
</div>
```

```
<div class="col-md-3 col-md-push-1">
  <div class="gtco-widget">
    <h3>Get In Touch</h3>
    <ul class="gtco-quick-contact">
      <li><a href="#"><i class="icon-
phone"></i>+91 8714402610</a></li>
      <li><a href="#"><i class="icon-
mail2"></i> sarkit@gmail.com</a></li>
      <li><a href="#"><i class="icon-
chat"></i> Live Chat</a></li>
    </ul>
  </div>
</div>
</div>
</div>
```

```
<div class="row copyright">
    <div class="col-md-12">
        <p class="pull-left">
            <small class="block">&copy; 2024 Explore The
World.</small>
            <small class="block">Designed by <a
href="http://GetTemplates.co/" target="_blank">sarkit.co</a> </small>
        </p>
        <p class="pull-right">
            <ul class="gtco-social-icons pull-right">
                <li><a href="#"><i class="icon-
twitter"></i></a></li>
                <li><a href="#"><i class="icon-
facebook"></i></a></li>
                <li><a href="#"><i class="icon-
linkedin"></i></a></li>
                <li><a href="#"><i class="icon-
dribbble"></i></a></li>
            </ul>
        </p>
    </div>
</div>

</div>

</footer>

<!-- </div> -->

</div>

<div class="gototop js-top">
    <a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
```

```
</div>

<!-- jQuery -->
<script src="js/jquery.min.js"></script>

<!-- jQuery Easing -->
<script src="js/jquery.easing.1.3.js"></script>

<!-- Bootstrap -->
<script src="js/bootstrap.min.js"></script>

<!-- Waypoints -->
<script src="js/jquery.waypoints.min.js"></script>

<!-- Carousel -->
<script src="js/owl.carousel.min.js"></script>

<!-- countTo -->
<script src="js/jquery.countTo.js"></script>

<!-- Stellar Parallax -->
<script src="js/jquery.stellar.min.js"></script>

<!-- Magnific Popup -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/magnific-popup-options.js"></script>

<!-- Datepicker -->
<script src="js/bootstrap-datepicker.min.js"></script>

<!-- Main -->
<script src="js/main.js"></script>
```

```
</body>
</html>
```

7. header.php

```
<!DOCTYPE HTML>
<!--
    Aesthetic by gettemplates.co
    Twitter: http://twitter.com/gettemplateco
    URL: http://gettemplates.co
-->
<html>
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>SARKIT &mdash; YOUR ULTIMATE TRAVEL EXPENSE TRACKER</title>
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta name="description" content="Free HTML5 Website Template by
GetTemplates.co" />
        <meta name="keywords" content="free website templates, free html5, free template,
free bootstrap, free website template, html5, css3, mobile first, responsive" />
        <meta name="author" content="GetTemplates.co" />

        <!-- Facebook and Twitter integration -->
        <meta property="og:title" content=""/>
        <meta property="og:image" content=""/>
        <meta property="og:url" content=""/>
        <meta property="og:site_name" content=""/>
        <meta property="og:description" content=""/>
        <meta name="twitter:title" content=""/>
        <meta name="twitter:image" content=""/>
```



```
<meta name="twitter:url" content="" />

<meta name="twitter:card" content="" />


<link                href="https://fonts.googleapis.com/css?family=Lato:300,400,700"
rel="stylesheet">


<!-- Animate.css -->
<link rel="stylesheet" href="css/animate.css">

<!-- Icomoon Icon Fonts-->
<link rel="stylesheet" href="css/icomoon.css">

<!-- Themify Icons-->
<link rel="stylesheet" href="css/themify-icons.css">

<!-- Bootstrap -->
<link rel="stylesheet" href="css/bootstrap.css">


<!-- Magnific Popup -->
<link rel="stylesheet" href="css/magnific-popup.css">


<!-- Magnific Popup -->
<link rel="stylesheet" href="css/bootstrap-datepicker.min.css">


<!-- Owl Carousel -->
<link rel="stylesheet" href="css/owl.carousel.min.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">


<!-- Theme style -->
<link rel="stylesheet" href="css/style.css">


<!-- Modernizr JS -->
```

```
<script src="js/modernizr-2.6.2.min.js"></script>

<!-- FOR IE9 below -->

<!--[if lt IE 9]>

<script src="js/respond.min.js"></script>

<![endif]-->

</head>

<body>

<div class="gtco-loader"></div>

<div id="page">

<!-- <div class="page-inner"> -->

<nav class="gtco-nav" role="navigation">
  <div class="gtco-container">

    <div class="row">
      <div class="col-sm-4 col-xs-12">
        <div id="gtco-logo"><a href="index.php">SARKIT
<em>.</em></a></div>
      </div>
      <div class="col-xs-8 text-right menu-1">
        <?php
          error_reporting(0);
          session_start();
          if($_SESSION['user']=='user')
          {
```

```

?>
<ul>
    <li><a
href="destination.php">Destination</a></li>
    <li class="has-dropdown">
        <a href="#">Travel</a>
        <ul class="dropdown">
            <li><a href="#">Delhi</a></li>
            <li><a
href="#">Mumbai</a></li>
            <li><a
href="#">Bangalore</a></li>
            <li><a href="#">Kerala</a></li>
        </ul>
    </li>
    <li><a href="vehicle.php">Vehicles</a></li>
    <li><a href="logout.php">Logout</a></li>
    <li><a href="profile.php">Profile</a></li>
</ul>
<?php
} else {

?>
<ul>
    <li><a
href="destination.php">Destination</a></li>
    <li class="has-dropdown">
        <a href="#">Travel</a>

```

```

                                <ul class="dropdown">
                                    <li><a href="#">Delhi</a></li>
                                    <li><a
href="#">Mumbai</a></li>
                                    <li><a
href="#">Bangalore</a></li>
                                    <li><a href="#">Kerala</a></li>
                                </ul>
                                </li>
                                <li><a href="vehicle.php">Vehicles</a></li>
                                <li><a href="login.php">Login</a></li>
                                <li><a href="profile.php">Profile</a></li>
                                </ul>
                                <?php
                                }
                                ?>
                                </div>
                            </div>
                        </div>
                    </nav>

```

8. destination.php

```

<?php
include('header.php');
?>

```

```
<header id="gtco-header" class="gtco-cover gtco-cover-sm" role="banner"
style="background-image: url(images/img_13.jpg)">
  <div class="overlay"></div>
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-12 col-md-offset-0 text-center">
        <div class="row row-mt-15em">
          <div class="col-md-12 mt-text animate-box"
data-animate-effect="fadeInUp">
            <h1>Destination</h1>
          </div>
        </div>
      </div>
    </div>
  </div>
</header>

<div class="gtco-section">
  <div class="gtco-container">
    <div class="row">
      <div class="col-md-8 col-md-offset-2 text-center gtco-
heading">
        <h2>Trip With Your Favourite Destination</h2>
        <p>Dignissimos asperiores vitae velit veniam totam fuga
molestias accusamus alias autem provident. Odit ab aliquam dolor eius.</p>
      </div>
    </div>
  </div>
```

```

<div class="row">

    <?php
    include('connection.php');
    $a="select * from location";
    $res=mysqli_query($con,$a);
    while($row=mysqli_fetch_array($res))
    {

    ?>

    <div class="col-lg-4 col-md-4 col-sm-6">
        <div class="fh5co-card-item ">
            <figure>
                <div class="overlay"><i class="ti-
plus"></i></div>
                
            </figure>
            <div class="fh5co-text">
                <h2><?php echo $row['name'] ?></h2>
                <p><?php
$ row['description']?></p>
                <p> <a href="view_loc.php?id=<?php
echo $row['id']?>"><span class="btn btn-primary">Visit</span></a></p>

```

```
                </div>
            </div>
        </div>
        <?php
        }
        ?>

    </div>
</div>
</div>
```

```
<?php
include('footer.php');
?>
```

9. vehicle.php

```
<?php
include('header.php');
?>
```

```
        <header id="gtco-header" class="gtco-cover gtco-cover-sm" role="banner"
style="background-image: url(images/img_26.jpeg)">
            <div class="overlay"></div>
            <div class="gtco-container">
```



```

        <h2 class="pricing-plan">BIKE</h2>
        <div
            class="price"><sup
class="currency">$</sup>7<small>/day</small></div>
        <p></p>
        <hr>
        <ul class="pricing-info">
            <li></li>
            <li></li>
            <li></li>
            <li></li>
        </ul>
        <a href="#" class="btn btn-default btn-sm">Get
started</a>

    </div>
</div>
<div class="col-md-4">
    <div class="price-box popular">
        <div class="popular-text">Popular</div>
        <h2 class="pricing-plan">CAR</h2>
        <div
            class="price"><sup
class="currency">$</sup>19<small>/day</small></div>
        <p></p>
        <hr>
        <ul class="pricing-info">
            <li></li>
            <li></li>
            <li></li>
            <li></li>
        </ul>
        <a href="car.php" class="btn btn-default btn-
sm">Get started</a>

```

```
                                </div>
                            </div>

                        </div>
                    </div>
                </div>

            <div class="gtco-section">
                <div class="gtco-container">
                    <div class="row">

                        </div>

                    </div>
                </div>
            </div>
```

```
<?php
include('footer.php');
?>
```

10. admin dashboard.php

```
<?php
include("../common/menu.php");

?>
```

```
<style>
#right
{

float:right;
color:#333;
font-size:12px;
}
</style>
```

```
<style>
#right
{

float:right;
color:#333;
font-size:12px;
}
.userd
{
color:#333;
}
.red
{
background:#FFECF4;
padding:10px;
}
```

```
#right
{

float:right;
color:#333;
font-size:12px;
}

.userd
{
color:#333;
}

.red
{
background:#FFECF4;
padding:10px;
}

.table
{
margin-bottom:10px;
background:#E6F4FF;
}

.sep
{
height:30px;
background:#666;
}

</style>
```

```
<div class="content">

  <div class="container-fluid">

    <div class="row">

      <div class="col-md-12">

        <div class="card">

          <div class="header">


        </div>

        <div class="content all-icons">

          <div class="row">


        </div>

      </div>

    </div>

  </div>

<?php

    if($_SESSION['user']=='admin')
    {

        ?>

    }

    <div class="font-icon-list col-lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">

      <a href="../registration/select.php">    <div class="font-icon-detail"><i
class="pe-7s-next-2"></i> <!-- i class="pe-7s-album -->

        <input type="text" value="Users">

      </div>

    </div>

  </div>
```



```
<div class="font-icon-list col-lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
  <a href="../review/select.php">      <div class="font-icon-detail"><i
class="pe-7s-note2"></i>
    <input type="text" value="Review">
  </div></a>
</div>
```

```
<div class="font-icon-list col-lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
  <a href="../restaurants/select.php">  <div class="font-icon-detail"><i
class="pe-7s-note2"></i>
    <input type="text" value="Restaurant">
  </div></a>
</div>
```

```
2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
  <a href="../payment/select.php">      <div class="font-icon-detail"><i
class="pe-7s-note2"></i>
    <input type="text" value="Payment">
  </div></a>
</div>
```

```

<div class="font-icon-list col-
lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
    <a href="../location/select.php">
class="pe-7s-note2"></i>
        <input type="text" value="Location">
    </div></a>
</div>

```

```

<div class="font-icon-list col-lg-
2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
    <a href="../destination/select.php">
class="pe-7s-note2"></i>
        <input type="text" value="Destination">
    </div></a>
</div>

```

```

<div class="font-icon-list col-lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">
    <a href="../hotels/select.php">
class="pe-7s-note2"></i>
        <input type="text" value="Hotels">
    </div></a>
</div>

```

```

<?php
}

if($_SESSION['user']=='accountant')

{

?>

<div class="font-icon-list
col-lg-2 col-md-3 col-sm-4 col-xs-6 col-xs-6">

```

```
<a href="../payment/select.php">
class="pe-7s-note2"></i>
    <input type="text" value="Payment">
</div></a>
</div>

<?php
}
?>

</div>

</div>
</div>
</div>

</div>
</div>
```



```
<footer class="footer">

  <div class="container-fluid">

    <nav class="pull-left">


    </nav>

    <p class="copyright pull-right">


    </p>

  </div>

</footer>


</div>

</div>


</body>


<!-- Core JS Files -->
<script src="../../assets/js/jquery-1.10.2.js" type="text/javascript"></script>
  <script src="../../assets/js/bootstrap.min.js" type="text/javascript"></script>


<!-- Checkbox, Radio & Switch Plugins -->
<script src="../../assets/js/bootstrap-checkbox-radio-switch.js"></script>


<!-- Charts Plugin -->
<script src="../../assets/js/chartist.min.js"></script>


<!-- Notifications Plugin -->
<script src="../../assets/js/bootstrap-notify.js"></script>
```

```
<!-- Google Maps Plugin -->

<script                                                                    type="text/javascript"
src="https://maps.googleapis.com/maps/api/js?sensor=false"></script>

<!-- Light Bootstrap Table Core javascript and methods for Demo purpose -->
<script src="../assets/js/light-bootstrap-dashboard.js"></script>

<!-- Light Bootstrap Table DEMO methods, don't include it in your project! -->
<script src="../assets/js/demo.js"></script>

</html>
```

11. Viewpayments.php

```
<?php
//session_start();
include("header.php");
include("connection.php");
?>

<br><br><br><br>

<section id="boxes" class="home-section paddingtop-80">

    <div class="container">

        <!-- Striped rows start -->

        <div class="row">

            <table class="table table-striped">

                <thead>

                    <tr>

                        <th>#</th>
```

```

<th>Doctor Name</th>

<th>Amount</th>

<th>Card Name</th>

<th>Card Number</th>

<th>Card Year</th>

</tr>

</thead>

<tbody>

<?php

    $res=mysqli_query($con,"SELECT * FROM `payment` WHERE
uid='$_SESSION[uid]'");

    $i=1;

    while($row=mysqli_fetch_array($res))

    {
$res2=mysqli_query($con,"SELECT * FROM `doctors` where
id='$row[doctor_id]'");
//echo "SELECT * FROM hospital where id='$row[hospitalname]'";

    $row2=mysqli_fetch_array($res2);

    $_SESSION['hosid']=$row1['id'];

    $_SESSION['docid']=$row2['id'];

    $_SESSION['docname']=$row2['name'];

    $_SESSION['fee']=$row2['consultation_fee'];

```

```

        ?>
        <tr>
            <td><?php echo $i;?></td>
            <td><?php echo $row2['name'];?></td>
            <td><?php echo $row['amount'];?></td>
            <td><?php echo $row['cardname'];?></td>
            <td><?php echo $row['cardnumber'];?></td>
            <td><?php echo $row['cardyear'];?></td>
        </tr>
        <?php
            $i++;
        }
        ?>
    </tbody>
</table>
</div>
</div>
</section>
<!-- //////////////////////////////////////--
>

```

12. View restaurants.php

```

<?php
include("../header_inner.php");
include("table.php");

$k=0;

?><!DOCTYPE html>

```

```
<html lang="en">

<head>

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet" href="bootstrap.min.css">

    <script src="jquery.min.js"></script>

    <script src="bootstrap.min.js"></script>

</head>

<body>

<!--<style>

div

{

text-transform:capitalize;

margin-bottom:5px;

}

</style>-->

<?php

include("data_validation.php");

include("../connection.php");

$g=0;

$result = mysqli_query($con,"SHOW FIELDS FROM $table");

$i = 0;
```

```
echo "<div class='col-sm-12'>";

echo "<h2>$title</h2>";

echo    "<form    action='insert.php'    method='post'    enctype='multipart/form-data'
name='register_form' id='register_form'>";

while ($row = mysqli_fetch_array($result))
{

    $name=$row['Field'];
    $type=$row['Type'];
    $type = explode("(", $type);
    $type_only=$type[0];
    $i++;

    $g++;

    //echo " <div ><div >";

    if($i==1 )
    {

        //echo "<td>Male <input type='radio' name='$name'> </td>";

    }

    elseif($i==799)
    {
```

```
$dateT=date("Y-m-d H:i:s");

echo "<input type='hidden' name='$name' value='$_SESSION[userid]' class='form-
control' >";

}

elseif($i==60)

{

    $dateT=date("Y-m-d H:i:s");

    echo "<input type='hidden' name='$name' value='$dateT' class='form-control' >";

}

elseif($i==30 )

{

    echo "

    <div class='col-md-10'>

        <div class='form-group'><label>

            ".str_replace('_', ' ', $name)."</label>";

            $sql2 = "select * from division ";

            $result2 = mysqli_query($con, $sql2) or die("Error in Selecting " .
mysqli_error($connection));

            echo "<select name='$name' class='form-control'>";

            while($row2 =mysqli_fetch_array($result2))

            {
```

```
        echo "<option value='$row2[id]'>$row2[division]</option>";
    }
    echo "</select>";

    echo "</div>
        </div>";

}

else
{

    if($type_only=="varchar" || $type_only=="int" || $type_only=="int" || $type_only=="tinyint"
)
    {
        echo "

        <div class='col-md-10'>
            <div class='form-group'><label>

                ".str_replace('_', ' ', $name)."</label><input type='text' name='$name'class='form-
control' > </div>

            </div>";
    }
}
```



```
}
```

```
if($type_only=="date" )
```

```
{
```

```
    $date=date("Y-m-d");
```

```
    echo "
```

```
    <div class='col-md-10'>
```

```
        <div class='form-group'><label>
```

```
            ".str_replace('_', ' ', $name)."</label>
```

```
            <input type='date' name='$name' class='form-control' value='$date'></div></div>";
```

```
        ?>
```

```
        <script type="text/javascript">
```

```
$(function() {
```

```
    $('#t<?php echo $k;?>').datepicker();
```

```
});
```

```
function showDate(date) {
```

```
    alert('The date chosen is ' + date);
```

```
}

</script>

<?php
    $k++;
}

if($type_only=="tinytext" )
{
    echo "

    <div class='col-md-10'>
        <div class='form-group'><label>

        ".str_replace('_', ' ', $name)."</label>

        <input type='file' name='$name' class='form-control'></div></div>";
    }
    if($type_only=="text" )
    {
        echo "<div class='col-md-10'>
            <div class='form-group'><label>

            ".str_replace('_', ' ', $name)."</label>

            <textarea

            name='$name' class='form-control' rows='8'></textarea>

            </div>
```

```

    </div>";

}

}

//echo "</div></div><br>";

}

echo "
<div class='col-md-12'>
    <div class='col-md-3'>        <div class='form-group'>
        <input
type='submit' value='Submit' name='submit' class='form-control btn-success'>";
```

```
echo "</form>";
```

```
echo "
```

```
</div></div><div class='col-md-3'> <div class='form-group'>
```

```
<form action='select.php' method='post'><input type='submit' name='view' value='View All'  
class='form-control btn-danger'></form></div></div>
```

```
<div class='clearfix'></div>
```

```
</div>
```

```
";
```

```
mysqli_free_result($result);
```

```
echo "</div>
```

```
<div class='clearfix'></div>
```

```
",";
```

```
mysqli_close($con);
```

```
include("../footer_inner.php");
```

```
?>
```

```
<div id="sample">
```

```
<!-- <script type="text/javascript" src="nicEdit-latest.js"></script> <script  
type="text/javascript">
```

```
//<![CDATA[
```

```
    bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
```

```
//]]>
```

```
</script>-->
```

13. view hotels.php

```
<?php
```

```
include("../header_inner.php");
```

Sarkit

```
include("table.php");
```

```
$k=0;
```

```
?><!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<link rel="stylesheet" href="bootstrap.min.css">
```

```
<script src="jquery.min.js"></script>
```

```
<script src="bootstrap.min.js"></script>
```

```
</head>
```

```
<body>
```

```
<!--<style>
```

```
div
```

```
{
```

```
text-transform:capitalize;
```

```
margin-bottom:5px;
```

```
}
```

```
</style>-->
```

```
<?php
```

```
include("data_validation.php");
```

```
include("../connection.php");
```

```
$g=0;
```

```
$result = mysqli_query($con,"SHOW FIELDS FROM $table");

$i = 0;

echo "<div class='col-sm-12'>";
echo "<h2>$title</h2>";
echo "<form action='insert.php' method='post' enctype='multipart/form-data'
name='register_form' id='register_form'>";
while ($row = mysqli_fetch_array($result))
{

    $name=$row['Field'];
    $type=$row['Type'];
    $type = explode("(", $type);
    $type_only=$type[0];
    $i++;

    $g++;

    //echo " <div ><div >";

    if($i==1 )
    {

        //echo "<td>Male <input type='radio' name='$name'> </td>";
```

```
}
```

```
elseif($i==799)
```

```
{
```

```
    $dateT=date("Y-m-d H:i:s");
```

```
    echo "<input type='hidden' name='$name' value='$_SESSION[userid]' class='form-control' >";
```

```
}
```

```
elseif($i==60)
```

```
{
```

```
    $dateT=date("Y-m-d H:i:s");
```

```
    echo "<input type='hidden' name='$name' value='$dateT' class='form-control' >";
```

```
}
```

```
elseif($i==30 )
```

```
{
```

```
    echo "
```

```
    <div class='col-md-10'>
```

```
        <div class='form-group'><label>
```

```
        ".str_replace('_', ' ', $name)."</label>";
```

```
        $sql2 = "select * from division ";
```

```
        $result2 = mysqli_query($con, $sql2) or die("Error in Selecting " .  
        mysqli_error($connection));
```

```
        echo "<select name='$name' class='form-control'>";
```



```
while($row2 =mysqli_fetch_array($result2))
{

    echo "<option value='$row2[id]'$>$row2[division]</option>";

}

echo "</select>";

echo "</div>

    </div>";

}

else
{

    if($type_only=="varchar" || $type_only=="int" || $type_only=="int" || $type_only=="tinyint"
)
    {

        echo "

        <div class='col-md-10'>

            <div class='form-group'><label>
```

```
        ".str_replace('_', ' ', $name)."</label><input type='text' name='$name'class='form-control' > </div>
```

```
        </div>";
```

```
    }
```

```
    if($type_only=="date" )
```

```
    {
```

```
        $date=date("Y-m-d");
```

```
        echo "
```

```
        <div class='col-md-10'>
```

```
            <div class='form-group'><label>
```

```
                ".str_replace('_', ' ', $name)."</label>
```

```
                <input type='date' name='$name' class='form-control' value='$date'></div></div>";
```

```
        ?>
```

```
        <script type="text/javascript">
```

```
$(function() {
```

```
    $('#t<?php echo $k;?>').datepicker();
```

```
});
```

```
function showDate(date) {  
    alert('The date chosen is ' + date);  
}
```

```
</script>
```

```
<?php  
    $k++;  
}
```

```
if($type_only=="tinytext" )  
{
```

```
    echo "
```

```
<div class='col-md-10'>
```

```
    <div class='form-group'><label>
```

```
        ".str_replace('_', ' ', $name)."</label>
```

```
        <input type='file' name='$name' class='form-control'></div></div>";
```

```
}
```

```
if($type_only=="text" )
```

```
{
```

```
    echo "<div class='col-md-10'>
```

```
        <div class='form-group'><label>
```

```
".str_replace('_', ' ', $name)."</label>
```

```
name='$name' class='form-control' rows='8'></textarea>
```

```
<textarea
```

```
</div>
```

```
</div>";
```

```
}
```

```
}
```

```
//echo "</div></div><br>";
```

```
}
```

```
echo "
```

```
<div class='col-md-12'>
    <div class='col-md-3'>        <div class='form-group'>
                                     <input
type='submit' value='Submit' name='submit' class='form-control btn-success'>;
```

```
echo "</form>";
```

```
echo "
</div></div><div class='col-md-3'> <div class='form-group'>
<form action='select.php' method='post'><input type='submit' name='view' value='View All'
class='form-control btn-danger'></form></div></div>
<div class='clearfix'></div>

</div>

";
```

```
mysqli_free_result($result);
```

```
echo "</div>
```

```
<div class='clearfix'></div>
```

```
".;
```

```
mysqli_close($con);
```

```
include("../footer_inner.php");
```

```
?>
```

```
<div id="sample">
```

```
<!-- <script type="text/javascript" src="nicEdit-latest.js"></script> <script  
type="text/javascript">
```

```
//<![CDATA[
```

```
    bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
```

```
//]]>
```

```
</script>-->
```

14. view destination.php

```
<?php
include("../header_inner.php");
include("table.php");

$k=0;

?><!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet" href="bootstrap.min.css">

    <script src="jquery.min.js"></script>

    <script src="bootstrap.min.js"></script>

</head>

<body>

<!--<style>

div

{

text-transform:capitalize;

margin-bottom:5px;

}

</style>-->

<?php

include("data_validation.php");
```

Sarkit

```
include("../connection.php");
```

```
$g=0;
```

```
$result = mysqli_query($con,"SHOW FIELDS FROM $table");
```

```
$i = 0;
```

```
echo "<div class='col-sm-12'>";
```

```
echo "<h2>$title</h2>";
```

```
echo "<form action='insert.php' method='post' enctype='multipart/form-data'
name='register_form' id='register_form'>";
```

```
while ($row = mysqli_fetch_array($result))
```

```
{
```

```
    $name=$row['Field'];
```

```
    $type=$row['Type'];
```

```
    $type = explode("(", $type);
```

```
    $type_only=$type[0];
```

```
    $i++;
```

```
    $g++;
```

```
//echo " <div ><div >";
```

```
if($i==1 )
```



```
{

    //echo "<td>Male <input type='radio' name='$name'> </td>";

}

elseif($i==799)
{
    $dateT=date("Y-m-d H:i:s");
    echo "<input type='hidden' name='$name' value='$_SESSION[userid]' class='form-control' >";
}

elseif($i==60)
{
    $dateT=date("Y-m-d H:i:s");
    echo "<input type='hidden' name='$name' value='$dateT' class='form-control' >";
}

elseif($i==30 )
{
    echo "

    <div class='col-md-10'>

        <div class='form-group'><label>

            ".str_replace('_', ' ', $name)."</label>";
```

```
$sql2 = "select * from division ";

$result2 = mysqli_query($con, $sql2) or die("Error in Selecting " .
mysqli_error($connection));

echo "<select name='$name' class='form-control'>";

while($row2 =mysqli_fetch_array($result2))
{

    echo "<option value='$row2[id]'>$row2[division]</option>";

}

echo "</select>";

echo "</div>

    </div>";

}

else
{

    if($type_only=="varchar" || $type_only=="int" || $type_only=="int" || $type_only=="tinyint"
)
    {

        echo "
```

```
<div class='col-md-10'>

    <div class='form-group'><label>

        ".str_replace('_', ' ', $name)."</label><input type='text' name='$name'class='form-
control' > </div>

    </div>";

}

if($type_only=="date" )
{
    $date=date("Y-m-d");
    echo "

    <div class='col-md-10'>

        <div class='form-group'><label>

            ".str_replace('_', ' ', $name)."</label>

            <input type='date' name='$name' class='form-control' value='$date'></div></div>";

    ?>
```

```
<script type="text/javascript">
$(function() {
    $('#t<?php echo $k;?>').datepicker();

});

function showDate(date) {
    alert('The date chosen is ' + date);
}
</script>
<?php
    $k++;
}

if($type_only=="tinytext" )
{
    echo "

    <div class='col-md-10'>
        <div class='form-group'><label>

            ".str_replace('_', ' ', $name)."</label>

        <input type='file' name='$name' class='form-control'></div></div>";
    }
    if($type_only=="text" )
```

Sarkit

```
{
    echo "<div class='col-md-10'>
        <div class='form-group'><label>

        ".str_replace('_', ' ', $name)."</label>

        <textarea
        name='$name' class='form-control' rows='8'></textarea>

        </div>

        </div>";

}

}

//echo "</div></div><br>";

}
```

```
echo "  
<div class='col-md-12'>  
    <div class='col-md-3'>    <div class='form-group'>  
                                <input  
type='submit' value='Submit' name='submit' class='form-control btn-success'>";
```

```
echo "</form>";
```

```
echo "  
</div></div><div class='col-md-3'> <div class='form-group'>  
<form action='select.php' method='post'><input type='submit' name='view' value='View All'  
class='form-control btn-danger'></form></div></div>  
<div class='clearfix'></div>  
  
</div>  
";
```

```
mysqli_free_result($result);
```

```
echo "</div>
```

```
<div class='clearfix'></div>
```

```
";
```

```
mysqli_close($con);
```

```
include("../footer_inner.php");
```

```
?>
```

```
<div id="sample">
```

```
<!-- <script type="text/javascript" src="nicEdit-latest.js"></script> <script  
type="text/javascript">
```

```
//<![CDATA[  
    bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });  
//]]>  
</script>-->
```

15. view location.php

```
<?php  
include("../header_inner.php");  
include("table.php");  
  
$k=0;  
?><!DOCTYPE html>  
<html lang="en">  
<head>  
  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1">  
    <link rel="stylesheet" href="bootstrap.min.css">  
    <script src="jquery.min.js"></script>  
    <script src="bootstrap.min.js"></script>  
</head>  
<body>  
<!--<style>  
div  
{  
text-transform:capitalize;  
margin-bottom:5px;  
}
```



```
</style>-->
```

```
<?php
```

```
include("data_validation.php");
```

```
include("../connection.php");
```

```
$g=0;
```

```
$result = mysqli_query($con,"SHOW FIELDS FROM $table");
```

```
$i = 0;
```

```
echo "<div class='col-sm-12'>";
```

```
echo "<h2>$title</h2>";
```

```
echo    "<form    action='insert.php'    method='post'    enctype='multipart/form-data'
name='register_form' id='register_form'>";
```

```
while ($row = mysqli_fetch_array($result))
```

```
{
```

```
    $name=$row['Field'];
```

```
    $type=$row['Type'];
```

```
    $type = explode("(", $type);
```

```
    $type_only=$type[0];
```

```
    $i++;
```

```
    $g++;
```

```
//echo " <div ><div >";
```

```
if($i==1 )
```

```
{
```

```
    //echo "<td>Male <input type='radio' name='$name'> </td>";
```

```
}
```

```
elseif($i==799)
```

```
{
```

```
    $dateT=date("Y-m-d H:i:s");
```

```
    echo "<input type='hidden' name='$name' value='$_SESSION[userid]' class='form-control' >";
```

```
}
```

```
elseif($i==60)
```

```
{
```

```
    $dateT=date("Y-m-d H:i:s");
```

```
    echo "<input type='hidden' name='$name' value='$dateT' class='form-control' >";
```

```
}
```

```
elseif($i==30 )
```

```
{
```

```
    echo "
```

```
<div class='col-md-10'>

    <div class='form-group'><label>

        ".str_replace('_', ' ', $name)."</label>";

        $sql2 = "select * from division ";

        $result2 = mysqli_query($con, $sql2) or die("Error in Selecting " .
        mysqli_error($connection));
        echo "<select name='$name' class='form-control'>";

        while($row2 =mysqli_fetch_array($result2))
        {

            echo "<option value='$row2[id]'$>$row2[division]</option>";

        }
        echo "</select>";

        echo "</div>

            </div>";

    }

else
```

```
{

    if($type_only=="varchar" || $type_only=="int" || $type_only=="int" || $type_only=="tinyint"
    )
    {
        echo "

        <div class='col-md-10'>
            <div class='form-group'><label>

                ".str_replace('_', ' ', $name)."</label><input type='text' name='$name'class='form-
control' > </div>

                </div>";

    }

    if($type_only=="date" )
    {
        $date=date("Y-m-d");
        echo "

        <

div class='col-md-10'>                                <div class='form-group'><label>
```

```
".str_replace('_', ' ', $name)."</label>

<input type='date' name='$name' class='form-control' value='$date'></div></div>";

?>

<script type="text/javascript">
$(function() {
    $('#t<?php echo $k;?>').datepicker();

});

function showDate(date) {
    alert('The date chosen is ' + date);
}
</script>

<?php
    $k++;
}

if($type_only=="tinytext" )
{
    echo "

<div class='col-md-10'>
        <div class='form-group'><label>
```

```
        ".str_replace('_', ' ', $name)."</label>

        <input type='file' name='$name' class='form-control'></div></div>";
    }
    if($type_only=="text" )
    {
        echo "<div class='col-md-10'>
                <div class='form-group'><label>

        ".str_replace('_', ' ', $name)."</label>

                                                                                                     <textarea
name='$name' class='form-control' rows='8'></textarea>
                                                                                                     </div>
                                                                                                     </div>";
    }

}

//echo "</div></div><br>";
```

```
}
```

```
echo "
```

```
<div class='col-md-12'>
```

```
    <div class='col-md-3'>
```

```
        <div class='form-group'>
```

```
            <input
```

```
type='submit' value='Submit' name='submit' class='form-control btn-success'>";
```

```
echo "</form>";
```

```
echo "
```

```
</div></div><div class='col-md-3'> <div class='form-group'>
```

```
<form action='select.php' method='post'><input type='submit' name='view' value='View All'  
class='form-control btn-danger'></form></div></div>
```

```
<div class='clearfix'></div>
```

```
</div>
```

```
";
```

```
mysqli_free_result($result);
```

```
echo "</div>
```

```
<div class='clearfix'></div>
```

```
";
```

```
mysqli_close($con);
```

```
include("../footer_inner.php");
```


?>

```
<div id="sample">

<!--    <script    type="text/javascript"    src="nicEdit-latest.js"></script>    <script
type="text/javascript">

//<![CDATA[
    bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });

//]]>

</script>-->
```

9. BIBLIOGRAPHY

The Expense tracker is an Android software made to assist users in keeping a digital journal of their daily expenses. The programme gives users the ability to keep track of their daily expenses and breaks down their spending by category. With the use of this programme, the user may keep track of their daily, weekly, and monthly spending. By providing users with a clear picture of their spending, the tool also aids in helping users stick to their budget. The programme creates a report at the end of each month that displays the costs in a graphical format. To help users better understand their spending patterns, the application also has a unique function that categorises the expenses. The programme also offers a user-accessible expense history that is available at any time. Users may simply control their costs and make wiser financial decisions with the aid of the expense tracker programme.