```
#include <stdio.h>
#include <conio.h>
struct student {
    int id;
    int age;
    float marks;
};
int main() {
  int i,n;
  printf("Enter the number of student
          to be stored:\n");
  scanf("%d", &n);
  struct student std[n];
  printf("Please enter the student
          details:\n");
  for(i=0; i<n; i++){
  printf("student %d:\n", i+1);
  printf("enter student id:\n");
  scanf("%d", &std[i].id);
  printf("enter student age:\n");
  scanf("%d", &std[i].age);
  if(std[i].age<>0){
  printf("Pls enter a valid age(>0), as
          the student is not eligible:\n");
  scanf("%d", &stb[i].age);}}
```

DATE: PAGE:

```
printf ("enter student marks: \n");
scanf ("%f", &std[i].marks);
if (std[i].marks<0 || std[i].mark
                        >100)
{
printf("pls enter valid marks between
        0 to 100 (inclusive), else
        the student is not eligible");
  scanf("%f", &std[i].marks);}
}
printf("\n");
printf("The students qualified
                for admission are:\n");
for printf("\n");
printf("The students qualified for
      admission are: \n");
for (i=0 ; i<n ; i++){
   if (std[i].marks>=65 &&
        std[i].age>20){
   printf("student id: %d \n", std[i]
                        .id);
printf("Student age: %d \n", std[i].age);
printf("Student marks: %f \n", std[i]
                        .marks);
printf("* * * * * * * * * * \n");
```

```
{
else {
printf("The student with id'd
was not qualified becaus
he/she has failed to maintain
the cutoff pr marks & age...
    std[i].id);
    {

}
```