

AWS Lab 24

Transit Gateway


Overview of the lab

In this lab you will learn to how to create transit gateway for two or more VPC's

Transit Gateway

It is a network transit hub, that connects multiple VPC's, VPN and Direct connect

Architecture



Step by Step Lab

Launch instance in default-vpc in ap-south-1(mumbai) region

1. In EC2 management console, click on launch instance
 - a. Name and tag – [default-vpc-instance](#)
 - b. Application and OS Images – [Windows](#)
 - c. Instance type - [t2.micro](#)
 - d. Key pair – [select the existing keypair](#)
 - e. Edit Network settings
 - a. VPC - [default-vpc](#)
 - b. Subnet – [default-vpc-subnet1](#)
 - c. Auto-assign public IP - [Enable](#)
 - d. Firewall – [Select existing security group](#)
 - e. Common security groups - [default-vpc-sg](#)
 - f. Click on [launch instance](#)

(while it is getting launched)

Launch instance in custom-vpc in ap-south-1(mumbai) region

2. In EC2 management console, click on launch instance
 - a. Name and tag – [custom-vpc-instance](#)
 - b. Application and OS Images – [Windows](#)
 - c. Instance type - [t2.micro](#)
 - d. Key pair – [select the existing keypair](#)
 - e. Edit Network settings
-

- f. VPC - [custom-vpc](#)
- g. Subnet – [custom-vpc-public1](#)
- h. Auto-assign public IP - [Enable](#)
- i. Firewall – [Select existing security group](#)
- j. Security group name - [custom-vpc-sg](#)

(leave all other settings as default)

- f. Click on [launch instance](#)

Connect(Login) to both instances(default-vpc & custom-vpc) instances from local computer(since both are launched in public subnet with public IP address enabled - It will work)

Connect to custom-vpc instance from default-vpc instance using public IP address (It will work)

Connect to custom-vpc instance from default-vpc instance using private IP address (It will not work)

Create Transit Gateway (It will not come under free tier)

- 3. In VPC Management Console - [Transit gateways](#)
- 4. Click on [Create transit gateway](#)
 - a. Name tag - [demo-tgw](#)
 - b. Description - [demo](#)
- 5. Click on [Create transit gateway](#) (it takes some time to create)

Create Transit gateway attachments

6. In VPC Management Console - Click on [Transit gateway attachments](#)

a. Create [transit gateway attachment](#)

- i. Name tag - [attachment1](#)
- ii. Transit gateway ID - [demo-tgw](#)
- iii. Attachment type - [VPC](#)
- iv. VPC ID - [default-vpc](#)
- v. Subnet IDs - [select the public subnets](#)
- vi. Click on [create transit gateway attachment](#)

b. Create [transit gateway attachment](#)

- i. Name tag - [attachment2](#)
- ii. Transit gateway ID - [demo-tgw](#)
- iii. Attachment type - [VPC](#)
- iv. VPC ID - [custom-vpc](#)
- v. Subnet IDs - [select the public subnets](#)
- vi. Click on [create transit gateway attachment](#)

Manage route table (default-vpc-main-rt)

7. Click on [Route tables](#) and select the [default-vpc-main-rt](#)
 8. Click on [Actions](#) and click on [Edit routes](#)
 9. Click on [Add route](#)
 - a. Destination - [192.168.1.0/24](#) (custom VPC CIDR)
 - b. Target - [Transit gateway](#)
 10. Click on [Save changes](#)
-

Manage route table (custom-vpc-maint-rt)

11. Click on [Route tables](#) and select the [custom-vpc-main-rt](#)
12. Click on [Actions](#) and click on [Edit routes](#)
13. Click on [Add route](#)
 - a. Destination - [172.31.0.0/16](#) (default VPC CIDR)
 - b. Target - [Transit Gateway](#)
14. Click on [Save changes](#)

Connect to custom-vpc instance from default-vpc instance using private IP address (It will work now)

Clean Up Step

1. In EC2 Management console - Select the instances (custom-vpc & default-vpc) and **terminate it**
 2. In VPC Management console -
 - a. Click on Transit gateway attachments -
 - i. Select attachment1 - in Actions - click on **Delete transit gateway attachment**
 - ii. Select attachment2 - in Actions - click on **Delete transit gateway attachment**
 - b. Click on Transit gateways - Select the transit gateway - in Actions - Click on **Delete transit gateway**
-