HealthHub Project – Extracted Source Code

HealthHub/biome.json

```
{
  "$schema": "./node_modules/@biomejs/biome/configuration_schema.json",
  "files": {
    "includes": ["src/**/*.{js,jsx,ts,tsx}"]
  },
  "linter": {
    "enabled": true,
    "rules": {
      "recommended": false,
      "correctness": {
        "noUndeclaredDependencies": "error"
      },
      "suspicious": {
        "noRedeclare": "error"
      },
      "style": {
        "noCommonJs": "error"
      }
    }
  },
  "formatter": {
    "enabled": false
  }
}
```

HealthHub/components.json

```
{
  "$schema": "https://ui.shadcn.com/schema.json",
  "style": "new-york",
  "rsc": false,
  "tsx": true,
  "tailwind": {
    "config": "tailwind.config.mjs",
    "css": "src/index.css",
    "baseColor": "slate",
    "cssVariables": true,
```

```
    "prefix": ""
  },
  "iconLibrary": "lucide",
  "aliases": {
    "components": "@/components",
    "utils": "@/lib/utils",
    "ui": "@/components/ui",
    "lib": "@/lib",
    "hooks": "@/hooks"
  },
  "registries": {}
}
```

HealthHub /index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/favicon.png" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>
```

HealthHub /package.json

```
{
  "name": "miaoda-react-admin",
  "version": "0.0.1",
  "type": "module",
  "scripts": {
    "dev": "echo 'Do not use this command, only use lint to check'",
    "build": "echo 'Do not use this command, only use lint to check'",
    "lint": "tsgo -p tsconfig.check.json; biome lint --
only=correctness/noUndeclaredDependencies; ast-grep scan"
  },
  "dependencies": {
    "@hookform/resolvers": "^5.2.2",
    "@radix-ui/react-accordion": "^1.2.12",
    "@radix-ui/react-alert-dialog": "^1.1.15",
```

"@radix-ui/react-aspect-ratio": "^1.1.7",
"@radix-ui/react-avatar": "^1.1.10",
"@radix-ui/react-checkbox": "^1.3.3",
"@radix-ui/react-collapsible": "^1.1.12",
"@radix-ui/react-dialog": "^1.1.15",
"@radix-ui/react-dropdown-menu": "^2.1.16",
"@radix-ui/react-icons": "^1.3.2",
"@radix-ui/react-label": "^2.1.7",
"@radix-ui/react-menubar": "^1.1.16",
"@radix-ui/react-navigation-menu": "^1.2.14",
"@radix-ui/react-popover": "^1.1.15",
"@radix-ui/react-progress": "^1.1.7",
"@radix-ui/react-radio-group": "^1.3.8",
"@radix-ui/react-scroll-area": "^1.2.10",
"@radix-ui/react-select": "^2.2.6",
"@radix-ui/react-separator": "^1.1.7",
"@radix-ui/react-slider": "^1.3.6",
"@radix-ui/react-slot": "^1.2.3",
"@radix-ui/react-switch": "^1.2.6",
"@radix-ui/react-tabs": "^1.1.13",
"@radix-ui/react-toast": "^1.2.15",
"@radix-ui/react-toggle": "^1.1.10",
"@radix-ui/react-toggle-group": "^1.1.11",
"@radix-ui/react-tooltip": "^1.2.8",
"@supabase/supabase-js": "^2.76.1",
"axios": "^1.13.1",
"chart.js": "^4.5.1",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"cmdk": "^1.1.1",
"date-fns": "^3.6.0",
"embla-carousel-react": "^8.6.0",
"eventsource-parser": "^3.0.6",
"input-otp": "^1.4.2",
"ky": "^1.13.0",
"lucide-react": "^0.553.0",
"miaoda-auth-react": "2.0.6",
"miaoda-sc-plugin": "1.0.56",
"motion": "^12.23.25",
"next-themes": "^0.4.6",
"qrcode": "^1.5.4",
"react": "^18.0.0",
"react-chartjs-2": "^5.3.1",

```
    "react-day-picker": "^8.10.1",
    "react-dom": "^18.0.0",
    "react-dropzone": "^14.3.8",
    "react-helmet-async": "^2.0.5",
    "react-hook-form": "^7.66.0",
    "react-resizable-panels": "^2.1.8",
    "react-router": "^7.9.5",
    "react-router-dom": "^7.9.5",
    "recharts": "^2.15.3",
    "sonner": "^2.0.7",
    "streamdown": "^1.4.0",
    "tailwind-merge": "^3.3.1",
    "tailwindcss-animate": "^1.0.7",
    "tailwindcss-intersect": "^2.2.0",
    "vaul": "^1.1.2",
    "video-react": "^0.16.0",
    "zod": "^3.25.76"
  },
  "devDependencies": {
    "@biomejs/biome": "2.3.4",
    "@tailwindcss/container-queries": "^0.1.1",
    "@types/lodash": "^4.17.20",
    "@types/react": "^19.2.2",
    "@types/react-dom": "^19.2.2",
    "@types/video-react": "^0.15.8",
    "@typescript/native-preview": "7.0.0-dev.20251103.1",
    "@vitejs/plugin-react": "^5.1.2",
    "autoprefixer": "^10.4.21",
    "postcss": "^8.5.6",
    "tailwindcss": "^3.4.11",
    "typescript": "~5.9.3",
    "vite": "npm:rolldown-vite@latest",
    "vite-plugin-svgr": "^4.5.0",
    "miaoda-sc-plugin": "^1.0.4"
  }
}
```


HealthHub /pnpm-lock.yaml


```
lockfileVersion: '9.0'

settings:
  autoInstallPeers: true
  excludeLinksFromLockfile: false
```

importers:

  .:
    dependencies:
      '@hookform/resolvers':
        specifier: ^5.2.2
        version: 5.2.2(react-hook-form@7.66.0(react@18.3.1))
      '@radix-ui/react-accordion':
        specifier: ^1.2.12
        version: 1.2.12(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-alert-dialog':
        specifier: ^1.1.15
        version: 1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-aspect-ratio':
        specifier: ^1.1.7
        version: 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-avatar':
        specifier: ^1.1.10
        version: 1.1.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-checkbox':
        specifier: ^1.3.3
        version: 1.3.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-collapsible':
        specifier: ^1.1.12
        version: 1.1.12(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-dialog':
        specifier: ^1.1.15
        version: 1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

'@radix-ui/react-dropdown-menu':
specifier: ^2.1.16
version: 2.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-icons':
specifier: ^1.3.2
version: 1.3.2(react@18.3.1)
'@radix-ui/react-label':
specifier: ^2.1.7
version: 2.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-menubar':
specifier: ^1.1.16
version: 1.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-navigation-menu':
specifier: ^1.2.14
version: 1.2.14(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-popover':
specifier: ^1.1.15
version: 1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-progress':
specifier: ^1.1.7
version: 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-radio-group':
specifier: ^1.3.8
version: 1.3.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-scroll-area':
specifier: ^1.2.10
version: 1.2.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

'@radix-ui/react-select':
specifier: ^2.2.6
version: 2.2.6(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-separator':
specifier: ^1.1.7
version: 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slider':
specifier: ^1.3.6
version: 1.3.6(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slot':
specifier: ^1.2.3
version: 1.2.3(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-switch':
specifier: ^1.2.6
version: 1.2.6(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-tabs':
specifier: ^1.1.13
version: 1.1.13(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-toast':
specifier: ^1.2.15
version: 1.2.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-toggle':
specifier: ^1.1.10
version: 1.1.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-toggle-group':
specifier: ^1.1.11
version: 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

'@radix-ui/react-tooltip':
  specifier: ^1.2.8
  version: 1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@supabase/supabase-js':
  specifier: ^2.76.1
  version: 2.76.1
axios:
  specifier: ^1.13.1
  version: 1.13.1
chart.js:
  specifier: ^4.5.1
  version: 4.5.1
class-variance-authority:
  specifier: ^0.7.1
  version: 0.7.1
clsx:
  specifier: ^2.1.1
  version: 2.1.1
cmdk:
  specifier: ^1.1.1
  version: 1.1.1(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
date-fns:
  specifier: ^3.6.0
  version: 3.6.0
embla-carousel-react:
  specifier: ^8.6.0
  version: 8.6.0(react@18.3.1)
eventsource-parser:
  specifier: ^3.0.6
  version: 3.0.6
input-otp:
  specifier: ^1.4.2
  version: 1.4.2(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
ky:
  specifier: ^1.13.0
  version: 1.13.0
lucide-react:
  specifier: ^0.553.0
  version: 0.553.0(react@18.3.1)

miaoda-auth-react:
  specifier: ^2.0.6
  version: 2.0.6(@supabase/supabase-js@2.76.1)(react-dom@18.3.1(react@18.3.1))(react-router-dom@7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1))(react@18.3.1)
miaoda-sc-plugin:
  specifier: 1.0.55
  version: 1.0.55(rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1))
motion:
  specifier: ^12.23.25
  version: 12.23.25(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
next-themes:
  specifier: ^0.4.6
  version: 0.4.6(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
qrcode:
  specifier: ^1.5.4
  version: 1.5.4
react:
  specifier: ^18.0.0
  version: 18.3.1
react-chartjs-2:
  specifier: ^5.3.1
  version: 5.3.1(chart.js@4.5.1)(react@18.3.1)
react-day-picker:
  specifier: ^8.10.1
  version: 8.10.1(date-fns@3.6.0)(react@18.3.1)
react-dom:
  specifier: ^18.0.0
  version: 18.3.1(react@18.3.1)
react-dropzone:
  specifier: ^14.3.8
  version: 14.3.8(react@18.3.1)
react-helmet-async:
  specifier: ^2.0.5
  version: 2.0.5(react@18.3.1)
react-hook-form:
  specifier: ^7.66.0
  version: 7.66.0(react@18.3.1)
react-resizable-panels:
  specifier: ^2.1.8
  version: 2.1.9(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
react-router:
  specifier: ^7.9.5

version: 7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
react-router-dom:
specifier: ^7.9.5
version: 7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
recharts:
specifier: ^2.15.3
version: 2.15.4(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
sonner:
specifier: ^2.0.7
version: 2.0.7(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
streamdown:
specifier: ^1.4.0
version: 1.4.0(@types/react@19.2.2)(react@18.3.1)
tailwind-merge:
specifier: ^3.3.1
version: 3.3.1
tailwindcss-animate:
specifier: ^1.0.7
version: 1.0.7(tailwindcss@3.4.17)
tailwindcss-intersect:
specifier: ^2.2.0
version: 2.2.0(tailwindcss@3.4.17)
vaul:
specifier: ^1.1.2
version: 1.1.2(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
video-react:
specifier: ^0.16.0
version: 0.16.0(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
zod:
specifier: ^3.25.76
version: 3.25.76
devDependencies:
'@biomejs/biome':
specifier: 2.3.4
version: 2.3.4
'@tailwindcss/container-queries':
specifier: ^0.1.1
version: 0.1.1(tailwindcss@3.4.17)
'@types/lodash':
specifier: ^4.17.20
version: 4.17.20

'@types/react':
specifier: ^19.2.2
version: 19.2.2
'@types/react-dom':
specifier: ^19.2.2
version: 19.2.2(@types/react@19.2.2)
'@types/video-react':
specifier: ^0.15.8
version: 0.15.8
'@typescript/native-preview':
specifier: 7.0.0-dev.20251103.1
version: 7.0.0-dev.20251103.1
'@vitejs/plugin-react':
specifier: ^5.1.2
version: 5.1.2(rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1))
autoprefixer:
specifier: ^10.4.21
version: 10.4.21(postcss@8.5.6)
postcss:
specifier: ^8.5.6
version: 8.5.6
tailwindcss:
specifier: ^3.4.11
version: 3.4.17
typescript:
specifier: ~5.9.3
version: 5.9.3
vite:
specifier: npm:rolldown-vite@latest
version: rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1)
vite-plugin-svgr:
specifier: ^4.5.0
version: 4.5.0(rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1))(rollup@4.46.2)(typescript@5.9.3)

packages:

'@alloc/quick-lru@5.2.0':
resolution: {integrity: sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfdGQ85jglMW6juS3+z5TsKLw==}
engines: {node: '>=10'}

'@ampproject/remapping@2.3.0':
resolution: {integrity: sha512-
30iZtAPgz+LTIYoeivqYo853f02jBYSd5uGnGpkFV0M3xOt9aN73erkgYAmZU43x4VfqcnLxW
9Kpg3R5LC4YYw==}
engines: {node: '>=6.0.0'}

'@antfu/install-pkg@1.1.0':
resolution: {integrity: sha512-
MGQsmw10ZyI+EJo45CdSER4zEb+p31LpDAFp2Z3gkSd1yqVZGi0Ebx++YTEMonJy4oChEM
LsxZ64j8FH6sSqtQ==}

'@antfu/utils@9.3.0':
resolution: {integrity: sha512-
9hFT4RauhcUzqOE4f1+frMKLZrgNog5b06I7VmZQV1BkvwvqrbC8EBZf3L1eEL2AKb6rNKj
ER0sEvJiSP1FXEA==}

'@babel/code-frame@7.27.1':
resolution: {integrity: sha512-
cjQ7ZlQ0Mv3b47hABuTevyTuYN4i+loJKGeV9flcCgIK37cCXRh+L1bd3iBHlynerhQ7BhCkn2
BPbQUL+rGqFg==}
engines: {node: '>=6.9.0'}

'@babel/code-frame@7.28.6':
resolution: {integrity: sha512-
JYgintcMjRiCvS8mMECzaEn+m3PfoQiyqukOMCCVQtoJGYJw8j/8LBJEiqkHLkfwCcs74E3pbA
UFNg7d9VNJ+Q==}
engines: {node: '>=6.9.0'}

'@babel/compat-data@7.28.0':
resolution: {integrity: sha512-
60X7qkglvrap8mn1lh2ebxXdZYtUcpd7gsmy9kLaBJ4i/WdY8PqTSdxyA8qraikqKQK5C1KRB
KXqznrVapyNaw==}
engines: {node: '>=6.9.0'}

'@babel/compat-data@7.28.6':
resolution: {integrity: sha512-
2lfu57JtzctfIrcGMz992hyLlByuzgIk58+hhGCxjKZ3rWI82NnVLjXcaTqkI2NvlcvOskZaiZ5kjU
ALo3Lpxg==}
engines: {node: '>=6.9.0'}

'@babel/core@7.28.0':
resolution: {integrity: sha512-

UlLAnTPrFdNGoFtbSXwcGFQBtQZJCNjaN6hQNP3UPvuNXT1i82N26KL3dZeIpNalWywr9IuQuncaAfUaS1g6sQ==}
    engines: {node: '>=6.9.0'}

  '@babel/core@7.28.6':
    resolution: {integrity: sha512-H3mcG6ZDLTlYfaSNi0iOKkigqMFvkTKlGUYlD8GW7nNOYRrevuA46iTypPyv+06V3fEmvvazfntkBU34L0azAw==}
    engines: {node: '>=6.9.0'}

  '@babel/generator@7.28.0':
    resolution: {integrity: sha512-lJjzvrbEeWrhB4P3QBsH7tey117PjLZnDbLiQEKjQ/fNJTjuq4HSqgFA+UNSwZT8D7dxxbnuSBMsa1lrWzKlQg==}
    engines: {node: '>=6.9.0'}

  '@babel/generator@7.28.6':
    resolution: {integrity: sha512-lOoVRwADj8hjf7al89tvQ2a1lf53Z+7tiXMgpZJL3maQPDxh0DgLMN62B2MKUOFcoodBHLMbDM6WAbKgNy5Suw==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-compilation-targets@7.27.2':
    resolution: {integrity: sha512-2+1thGUUWWjLTYTHZWK1n8Yga0ijBz1XAhUXcKy81rd5g6yh7hGqMp45v7cadSbEHc9G3OTv45SyneRN3ps4DQ==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-compilation-targets@7.28.6':
    resolution: {integrity: sha512-JYtls3hqi15fcx5GaSNL7SCTJ2MNmjrkHXg4FSpOA/grxK8KwyZ5bubHsCq8FXCkua6xhuaaBit+3b7+VZRfcA==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-globals@7.28.0':
    resolution: {integrity: sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuYfSWopkLQ4hw==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-module-imports@7.27.1':
    resolution: {integrity: sha512-0gSFWUPNXNopqtIPQvlD5WgXYI5GY2kP2cCvoT8kczjbfcfuIljTbcWrulD1CIPIX2gt1wghbDy

08yE1p+/r3w==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-module-imports@7.28.6':
    resolution: {integrity: sha512-
l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK
25jmvubfpw2dnAMdbw==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-module-transforms@7.27.3':
    resolution: {integrity: sha512-
dSOvYwvyLsWBeIRyOeHXp5vPj5l1I011r52FM1+r1jCERv+aFXYk4whgQccYEGYxK2H3ZAIA
8nuPkQ0HaUo3qg==}
    engines: {node: '>=6.9.0'}
    peerDependencies:
      '@babel/core': ^7.0.0

  '@babel/helper-module-transforms@7.28.6':
    resolution: {integrity: sha512-
67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/wOzUBy
WWTJvEDVNIUGcA==}
    engines: {node: '>=6.9.0'}
    peerDependencies:
      '@babel/core': ^7.0.0

  '@babel/helper-plugin-utils@7.27.1':
    resolution: {integrity: sha512-
1gn1Up5YXka3YYAHGKpbideQ5Yjf1tDa9qYcgysz+cNCXukyLl6DjPXhD3VRwSb8c0J9tA4b2
+rHEZtc6R0tlw==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-string-parser@7.27.1':
    resolution: {integrity: sha512-
qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2
cavWPbCbWm3eA==}
    engines: {node: '>=6.9.0'}

  '@babel/helper-validator-identifier@7.27.1':
    resolution: {integrity: sha512-
D2hP9eA+Sqx1kBZgzxZh0y1trbuU+JoDkiEwqhQ36nodYqJwyEIhPSdMNd7lOm/4io72luTP
WH20Yda0xOuUow==}
    engines: {node: '>=6.9.0'}

'@babel/helper-validator-identifier@7.28.5':
resolution: {integrity: sha512-
qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiItjRZoLHx7n
IarVjqKVusUZ1Q==}
engines: {node: '>=6.9.0'}

'@babel/helper-validator-option@7.27.1':
resolution: {integrity: sha512-
YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9
Mlp4MaJYbYd9JSg==}
engines: {node: '>=6.9.0'}

'@babel/helpers@7.28.2':
resolution: {integrity: sha512-
/V9771t+EgXz62aCcyofnQhGM8DQACbRhvzKFsXKC9QM+5MadF8ZmIm0crDMaz3+o0h0zX
fJnd4EhbYbxsrcFw==}
engines: {node: '>=6.9.0'}

'@babel/helpers@7.28.6':
resolution: {integrity: sha512-
xOBvwq86HHdB7WUDTfKfT/Vuxh7gElQ+Sfti2Cy6yIWNW05P8iUslOVcZ4/sKbE+/jQaukQA
dz/gf3724kYdqw==}
engines: {node: '>=6.9.0'}

'@babel/parser@7.28.0':
resolution: {integrity: sha512-
jVZGvOxOuNSsuQuLRTh13nU0AogFlw32w/MT+LV6D3sP5WdbW61E77RnkbaO2dUvmPA
YrBDJXGn5gGS6tH4j8g==}
engines: {node: '>=6.0.0'}
hasBin: true

'@babel/parser@7.28.6':
resolution: {integrity: sha512-
TeR9zWR18BvbfPmGbLampPMW+uW1NZnJlRuuHso8i87QZNq2JRF9i6RgxRqtEq+wQGsS1
9NNTWr2duhnE49mfQ==}
engines: {node: '>=6.0.0'}
hasBin: true

'@babel/plugin-transform-react-jsx-self@7.27.1':
resolution: {integrity: sha512-
6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjAOBKiBK2jXD1O+BPSfX8X2qjJ75fZBMSnQ
n3Rq2mrBJK2mw==}
engines: {node: '>=6.9.0'}

peerDependencies:
'@babel/core': ^7.0.0-0

'@babel/plugin-transform-react-jsx-source@7.27.1':
resolution: {integrity: sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe89OPXc7ldAw==}
engines: {node: '>=6.9.0'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@babel/runtime@7.28.2':
resolution: {integrity: sha512-KHp2IflsnGywDjBWDkR9iEqiWSpc8GIi0lgTT3mOElT0PP1tG26P4tmFI2YvAdzgq9RGyoHZQEIEdZy6Ec5xCA==}
engines: {node: '>=6.9.0'}

'@babel/template@7.27.2':
resolution: {integrity: sha512-LPDZ85aEJyYSd18/DkjNh4/y1ntkE5KwUHWTiqgRxruuZL2F1yuHligVHLvcHY2vMHXttKFpJn6LwfI7cw7ODw==}
engines: {node: '>=6.9.0'}

'@babel/template@7.28.6':
resolution: {integrity: sha512-YA6Ma2KsCdGb+WC6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXXyU84/IhRw/2D1Os1B/giz+BQ==}
engines: {node: '>=6.9.0'}

'@babel/traverse@7.28.6':
resolution: {integrity: sha512-fgWX62k02qtjqdSNTAGxmKYY/7FSL9WAS1o2Hu5+I5m9T0yxZzr4cnrfXQ/MX0rIifthCSs6FKTlzYbJcPtMNg==}
engines: {node: '>=6.9.0'}

'@babel/types@7.28.2':
resolution: {integrity: sha512-ruv7Ae4J5dUYULmeXw1gmb7rYRz57OWCPM57pHojnLq/3Z1CK2lNSLTCVjxVk1F/TZHwOZZrOWi0ur95BbLxNQ==}
engines: {node: '>=6.9.0'}

'@babel/types@7.28.6':
resolution: {integrity: sha512-

0ZrskXVEHSWIqZM/sQZ4EV3jZJXRkio/WCxaqKZP1g//CEWEPSfeZFcms4XeKBCHU0ZKnIkdJeU/kF+eRp5lBg==}
    engines: {node: '>=6.9.0'}

  '@biomejs/biome@2.3.4':
    resolution: {integrity: sha512-TU08LXjBHdy0mEY9APtEtZdNQQijXUDSXR7IK1i45wgoPD5R0muK7s61QcFir6FpOj/RP1+YkPx5QJlycXUU3w==}
    engines: {node: '>=14.21.3'}
    hasBin: true

  '@biomejs/cli-darwin-arm64@2.3.4':
    resolution: {integrity: sha512-w40GvlNzLaqmuWYiDU6Ys9FNhJiclngKqcGld3iJIiy2bpJ0Q+8n3haiaC81uTPY/NA0d8Q/I3Z9+ajc14102Q==}
    engines: {node: '>=14.21.3'}
    cpu: [arm64]
    os: [darwin]

  '@biomejs/cli-darwin-x64@2.3.4':
    resolution: {integrity: sha512-3s7TLVtjJ7ni1xADXsS7x7GMUrLBZXg8SemXc3T0XLslzvqKj/dq1xGeBQ+pOWQzng9MaozfacIHdK2UlJ3jGA==}
    engines: {node: '>=14.21.3'}
    cpu: [x64]
    os: [darwin]

  '@biomejs/cli-linux-arm64-musl@2.3.4':
    resolution: {integrity: sha512-IruVGQRwMURivWazchiq7gKAqZSFs5so6gi0hJyxk7x6HR+iwZbO2IxNOqyLURBvL06qkIHs7Wffl6Bw30vCbQ==}
    engines: {node: '>=14.21.3'}
    cpu: [arm64]
    os: [linux]

  '@biomejs/cli-linux-arm64@2.3.4':
    resolution: {integrity: sha512-y7efHyyM2gYmHy/AdWEip+VgTMe9973aP7XYKPzu/j8JxnPHuSUXftzmPhkVw0lfm4ECGbdBdGD6+rLmTgNZaA==}
    engines: {node: '>=14.21.3'}
    cpu: [arm64]
    os: [linux]

'@biomejs/cli-linux-x64-musl@2.3.4':
resolution: {integrity: sha512-
mzKFFv/w66e4/jCobFmD3kymCqG+FuWE7sVa4Yjqd9v7qt2UhXo67MSZKY9Ih18V2IwPzR
KQPCw6KwdZs6AXSA==}
engines: {node: '>=14.21.3'}
cpu: [x64]
os: [linux]

'@biomejs/cli-linux-x64@2.3.4':
resolution: {integrity: sha512-
gKfjWR/6/dfIxPJCw8REdEowiXCkIpl9jycpNVHux8aX2yhWPLjydOshkDL6Y/82PcQJHn95V
Cj7J+BRcE5o1Q==}
engines: {node: '>=14.21.3'}
cpu: [x64]
os: [linux]

'@biomejs/cli-win32-arm64@2.3.4':
resolution: {integrity: sha512-
5TJ6JfVez+yyupJ/iGUici2wzKf0RrSAxJhghQXtAEsc67OIpdwSKAQboemILrwKfHDi5s6mu7
mX+VTCTUydkw==}
engines: {node: '>=14.21.3'}
cpu: [arm64]
os: [win32]

'@biomejs/cli-win32-x64@2.3.4':
resolution: {integrity: sha512-
FGCijXecmC4IedQ0esdYNlMpx0Jxgf4zceCaMu6fkjWyjgn50ZQtMiqZZQ0Q/77yqPxvtkgZAvt
5uGw0gAAjig==}
engines: {node: '>=14.21.3'}
cpu: [x64]
os: [win32]

'@braintree/sanitize-url@7.1.1':
resolution: {integrity: sha512-
i1L7noDNxtFyL5DmZafWy1wRVhGehQmzZaz1HiN5e7iylJMSZR7ekOV7NsIqa5qBldlLrsKv4
HbgFUVlQrz8Mw==}

'@chevrotain/cst-dts-gen@11.0.3':
resolution: {integrity: sha512-
BvIKpRLeS/8UbfxXxgC33xOumsacaeCKAjAeLyOn7Pcp95HiRbrpl14S+9vaZLolnbssPIUuiUd
8IvgkRyt6NQ==}

'@chevrotain/gast@11.0.3':

resolution: {integrity: sha512-
+qNfcoNk70PyS/uxmj3li5NiECO+2YKZZQMbmjTqRI3Qchu8Hig/Q9vgkHpI3alNjr7M+a2St5
pw5w5F6NL5/Q==}

'@chevrotain/regexp-to-ast@11.0.3':
resolution: {integrity: sha512-
1fMHaBZxLFvWI067AVbGJav1eRY7N8DDvYCTwGBiE/ytKBgP8azTdgyrKyWZ9Mfh09eHW
b5PgTSO8wi7U824RA==}

'@chevrotain/types@11.0.3':
resolution: {integrity: sha512-
gsiM3G8b58kZC2HaWR50gu6Y1440cHiJ+i3JUvcp/35JchYejb2+5MVeJK0iKThYpAa/P2PYF
V4hoi44HD+aHQ==}

'@chevrotain/utils@11.0.3':
resolution: {integrity: sha512-
YslZMgtJUyuMbZ+aKvfF3x1f5liK4mWNxghFRv7jqRR9C3R3fAOGTTKvxXDa2Y1s9zSbcpuO0
cAxDYsc9SrXoQ==}

'@emnapi/core@1.8.1':
resolution: {integrity: sha512-
AvT9QFpxK0Zd8J0jopedNm+w/2fIzvtPKPjqyw9jwvBaReTTqPBk9Hixaz7KbjimP+QNz605/
XnjFcDAL2pqBg==}

'@emnapi/runtime@1.8.1':
resolution: {integrity: sha512-
mehfKSMWjjNol8659Z8KxEMrdSJDDot5SXMq00dM8BN4o+CLNXQ0xH2V7EchNHV4RmbZ
LmmPdEaXZc5H2FXmDg==}

'@emnapi/wasi-threads@1.1.0':
resolution: {integrity: sha512-
WI0DdZ8xFSbgMjR1sFsKABJ/C5OnRrjT06JXbZKexJGrDuPTzZdDYfFlsgcCXCyf+suG5QU2e/
y1Wo2V/OapLQ==}

'@floating-ui/core@1.7.3':
resolution: {integrity: sha512-
sGnvb5dmrJaKEZ+LDIpguvdX3bDlEllmv4/ClQ9awcmCZrlx5jQyyMWFM5kBI+EyNOCDDiKk
8il0zeuX3Zlg/w==}

'@floating-ui/dom@1.7.3':
resolution: {integrity: sha512-
uZA413QEpNuhtb3/iIKoYMSK07keHPYeXF02Zhd6e213j+d1NamLix/mCLxBUDW/Gx52sP
H2m+chlUsyaBs/Ag==}

'@floating-ui/react-dom@2.1.5':
  resolution: {integrity: sha512-HDO/1/1oH9fjj4eLgegrlH3dklZpHtUYYFiVwMUwfGvk9jWDRWqkklA2/NFScknrcNSspbV868WjXORvreDX+Q==}
  peerDependencies:
    react: '>=16.8.0'
    react-dom: '>=16.8.0'

'@floating-ui/utils@0.2.10':
  resolution: {integrity: sha512-aGTxbpbg8/b5JfU1HXSrbH3wXZuLPJcNEcZQFMxLs3oSzgtVu6nFPkbbGGUvBcUjKV2YyB9Wxxabo+HEH9tcRQ==}

'@hookform/resolvers@5.2.2':
  resolution: {integrity: sha512-A/IxlMLShx3KjV/HeTcTfaMxdwy690+L/ZADoeaTltLx+CVuzkeVIPuybK3jrRfw7YZnmdKsVVHAlEPIAEUNlA==}
  peerDependencies:
    react-hook-form: ^7.55.0

'@iconify/types@2.0.0':
  resolution: {integrity: sha512-+wluvCrRhXrhyOmRDJ3q8mux9JkKy5SJ/v8ol2tu4FVjyYvtEzkc/3pK15ET6RKg4b4w4BmTk1+gsCUhf21Ykg==}

'@iconify/utils@3.0.2':
  resolution: {integrity: sha512-EfJS0rLfVuRuJRn4psJHtK2A9TqVnkxPpHY6lYHiB9+8eSuudsxbwMiavocG45ujOo6FJ+CIRlRnlOGinzkaGQ==}

'@isaacs/cliui@8.0.2':
  resolution: {integrity: sha512-O8jcjabXaleOG9DQ0+ARXWZBTfnP4WNAqzuiJK7ll44AmxGKv/J2M4TPjxjY3znBCfvBXFzucm1twdyFybFqEA==}
  engines: {node: '>=12'}

'@jridgewell/gen-mapping@0.3.13':
  resolution: {integrity: sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==}

'@jridgewell/remapping@2.3.5':

resolution: {integrity: sha512-
LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97
T4IKHbhyHEQ==}

'@jridgewell/resolve-uri@3.1.2':
resolution: {integrity: sha512-
bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/
5hpC9QvmKWdopKw==}
engines: {node: '>=6.0.0'}

'@jridgewell/sourcemap-codec@1.5.5':
resolution: {integrity: sha512-
cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScF
bICvJnLKB0Og==}

'@jridgewell/trace-mapping@0.3.30':
resolution: {integrity: sha512-
GQ7Nw5G2lTu/BtHTKfXhKHok2WGetd4XYcVKGx00SjAk8GMwgJM3zr6zORiPGuOE+/vkc9
0KtTosSSvaCjKb2Q==}

'@kurkle/color@0.3.4':
resolution: {integrity: sha512-
M5UknZPHRu3DEDWoipU6sE8PdkZ6Z/S+v4dD+Ke8IaNlpdSQah50lz1KtcFBa2vsdOnwbbn
xJwVM4wty6udA5w==}

'@mermaid-js/parser@0.6.2':
resolution: {integrity: sha512-
+PO02uGF6L6Cs0Bw8RpGhikVvMWEysfAyl27qTlroUB8jSWr1lL0Sf6zi78ZxlSnmgSY2AMM
KVgghnN9jTtwkQ==}

'@napi-rs/wasm-runtime@1.1.1':
resolution: {integrity: sha512-
p64ah1M1ld8xjWv3qbvFwHiFVWrq1yFvV4f7w+mzaqiR4IlSgkqhcRdHwsGgomwzBH51sR
Y4NEowLxnaBjcW/A==}

'@nodelib/fs.scandir@2.1.5':
resolution: {integrity: sha512-
vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU
7eppKZj3MyqYuMBf62g==}
engines: {node: '>= 8'}

'@nodelib/fs.stat@2.0.5':
resolution: {integrity: sha512-

RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz
3VV1SeaqvY4+A==}
    engines: {node: '>= 8'}

  '@nodelib/fs.walk@1.2.8':
    resolution: {integrity: sha512-
oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NS
HSV2XAs1lnznocSg==}
    engines: {node: '>= 8'}

  '@oxc-project/runtime@0.101.0':
    resolution: {integrity: sha512-
t3qpfVZIqSiLQ5Kqt/MC4Ge/WCOGrrcagAdzTcDaggupjiGxUx4nJF2v6wUCXWSzWHn5Ns7X
Lv13fCJEwCOERQ==}
    engines: {node: ^20.19.0 || >=22.12.0}

  '@oxc-project/types@0.101.0':
    resolution: {integrity: sha512-
nuFhqlUzJX+gVIPPfuE6xurd4lST3mdcWOhyK/rZO0B9XWMKm79SuszIQEnSMmmDhq1DC
8WWVYGVd+6F93o1gQ==}

  '@pkgjs/parseargs@0.11.0':
    resolution: {integrity: sha512-
+1VkjdD0QBLPodGrJUeqarH8VAIvQODIbwh9XpP5Syisf7YoQgsJKPNFoqqLQlu+VQ/tVSshM
R6loPMn8U+dPg==}
    engines: {node: '>=14'}

  '@radix-ui/number@1.1.1':
    resolution: {integrity: sha512-
MkKCwxlXTgz6CFoJx3pCwn07GKp36+aZyu/u2Ln2VrA5DcdyCZkASEDBTd8x5whTQQL5Ci
Yf4prXKLcgQdv29g==}

  '@radix-ui/primitive@1.1.3':
    resolution: {integrity: sha512-
JTF99U/6XIjCBo0wqkU5sK10glYe27MRRsfwoiq5zzOEZLHU3A3KCMa5X/azekYRCJ0HlwI0
crAXS/5dEHTzDg==}

  '@radix-ui/react-accordion@1.2.12':
    resolution: {integrity: sha512-
T4nygeh9YE9dLRPhAHSeOZi7HBXo+0kYIPJXayZfvWOWA0+n3dESrZbjfDPUABkUNym6Hd
+f2IR113To8D2GPA==}
    peerDependencies:
      '@types/react': '*'

'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-alert-dialog@1.1.15':
resolution: {integrity: sha512-oTVLkEw5GpdRe29BqJ0LSDFWI3qu0vR1M0mUkOQWDIUnY/QIkLpgDMWuKxP94c2NAC2LGcgVhG1ImF3jkZ5wXw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-arrow@1.1.7':
resolution: {integrity: sha512-F+M1tLhO+mlQaOWspE8Wstg+z6PwxwRd8oQ8IXceWz92kfAmalTRf0EjrouQeo7QssEPfCn05B4Ihs1K9WQ/7w==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-aspect-ratio@1.1.7':
resolution: {integrity: sha512-Yq6lvO9HQyPwev1onK1daHCHqXVLzPhSVjmsNjCa2Zcxy2f7uJD2itDtxknv6FzAKCwD1qQkeVDmX/cev13n/g==}

peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-avatar@1.1.10':
resolution: {integrity: sha512-V8piFfWapM5OmNCXTzVQY+E1rDa53zY+MQ4Y7356v4fFz6vqCyUtIz2rUD44ZEdwg78/jKmMJHj07+C/Z/rcog==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-checkbox@1.3.3':
resolution: {integrity: sha512-wBbpv+NQftHDdG86Qc0pIyXk5IR3tM8Vd0nWLKDcX8nNn4nXFOFwsKuqw2okA/1D/mpaAkmuyndrPJTYDNZtFw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-collapsible@1.1.12':
resolution: {integrity: sha512-

Uu+mSh4agx2ib1uIGPP4/CKNULyajb3p92LsVXmH2EHVMTfZWpll88XJ0j4W0z3f8NK1eYl1
+Mf/szHPmcHzyA==}
  peerDependencies:
    '@types/react': '*'
    '@types/react-dom': '*'
    react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
  peerDependenciesMeta:
    '@types/react':
      optional: true
    '@types/react-dom':
      optional: true

'@radix-ui/react-collection@1.1.7':
  resolution: {integrity: sha512-
Fh9rGN0MoI4ZFUNyfFVNU4y9LUz93u9/0K+yLgA2bwRojxM8JU1DyvvMBabnZPBgMWREA
JvU2jjVzq+LrFUglw==}
  peerDependencies:
    '@types/react': '*'
    '@types/react-dom': '*'
    react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
  peerDependenciesMeta:
    '@types/react':
      optional: true
    '@types/react-dom':
      optional: true

'@radix-ui/react-compose-refs@1.1.2':
  resolution: {integrity: sha512-
z4eqJvfiNnFMHIIvXP3CY57y2WJs5g2v3X0zm9mEJkrkNv4rDxu+sg9Jh8EkXyeqBkB7SOcbo
o9dMVqhyrACIg==}
  peerDependencies:
    '@types/react': '*'
    react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
  peerDependenciesMeta:
    '@types/react':
      optional: true

'@radix-ui/react-context@1.1.2':
  resolution: {integrity: sha512-
jCi/QKUM2r1Ju5a3J64TH2A5SpKAgh0LpknyqdQ4m6DCV0xJ2HG1xARRwNGPQfi1SLdLWZ
1OJz6F4OMBBNiGJA==}

peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-dialog@1.1.15':
resolution: {integrity: sha512-
TCglVRtzlffRNxRMEyR36DGBLJpeusFcgMVD9PZEzAKnUs1lKCgX5u9BmC2Yg+LL9MgZDug
FFs1Vl+Jp4t/PGw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-direction@1.1.1':
resolution: {integrity: sha512-
1UEWRX6jnOA2y4H5WczZ44gOOjTEmlqv1uNW4GAJEO5+bauCBhv8snY65Iw5/VOS/ghKN
9gr2KjnLKxrsvoMVw==}
peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-dismissable-layer@1.1.11':
resolution: {integrity: sha512-
Nqcp+t5cTB8BinFkZgXiMJniQH0PsUt2k51FUhbdfeKvc4ACcG2uQniY/8+h1Yv6Kza4Q7lD7P
QV0z0oicE0Mg==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:

'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-dropdown-menu@2.1.16':
resolution: {integrity: sha512-
1PLGQEynI/3OX/ftV54COn+3Sud/Mn8vALg2rWnBLnRaGtJDduNW/22XjlGgPdpcIbiQxjKtb
7BkcjP00nqfJw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-focus-guards@1.1.3':
resolution: {integrity: sha512-
0rFg/Rj2Q62NCm62jZw0QX7a3sz6QCQU0LpZdNrJX8byRGaGVTqbrW9jAoIAHyMQqsNpeZ
81YgSizOt5WXq0Pw==}
peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-focus-scope@1.1.7':
resolution: {integrity: sha512-
t2ODlkXBQyn7jkl6TNaw/MtVEVvIGelJDCG41Okq/KwUsJBwQ4XVZsHAVUkK4mBv3ewiAS3
PGuUWuY2BoK4ZUw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

```
    '@types/react-dom':
      optional: true

  '@radix-ui/react-icons@1.3.2':
    resolution: {integrity: sha512-
fyQIhGDhzfc9pK2kH6Pl9c4BDJGfMkPqkyIgYDthyNYoNg3wVhoJMMh19WS4Up/1KMPFVp
NsT2q3WmXn2N1m6g==}
    peerDependencies:
      react: ^16.x || ^17.x || ^18.x || ^19.0.0 || ^19.0.0-rc

  '@radix-ui/react-id@1.1.1':
    resolution: {integrity: sha512-
kGkGegYIdQsOb4XjsfM97rXsiHaBwco+hFI66oO4s9LU+PLAC5oJ7khdOVFxkhsmlbpUqDAvX
w11CluXP+jkHg==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-label@2.1.7':
    resolution: {integrity: sha512-
YT1GqPSL8kJn20djelMX7/cTRp/Y9w5IZHvfxQTVHrOqa2yMl7i/UfMqKRU5V7mEyKTrUVgJ
XhNQPVCG8PBLoQ==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true
      '@types/react-dom':
        optional: true

  '@radix-ui/react-menu@2.1.16':
    resolution: {integrity: sha512-
72F2T+PLlphrqLcAotYPp0uJMr5SjP5SL01wfEspJbru5Zs5vQaSHb4VB3ZMJPimgHHCHG7g
MOeOB9H3Hdmtxg==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
```

react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-menubar@1.1.16':
resolution: {integrity: sha512-EB1FktTz5xRRi2Er974AUQZWg2yVBb1yjip38/lgwtCVRd3a+maUoGHN/xs9Yv8SY8QwbSEb+YrxGadVWbEutA==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-navigation-menu@1.2.14':
resolution: {integrity: sha512-YB9mTFQvCOAQMHU+C/jVl96WmuWeltyUEpRJJky51huhds5W2FQr1J8D/16sQlf0ozxkPK8uF3niQMdUwZPv5w==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-popover@1.1.15':
resolution: {integrity: sha512-kr0X2+6Yy/vJzLYJUPCZEc8SfQcf+1COFoAqauJm74umQhta9M7lNJHP7QQS3vkvcGLQUbWpMzwrXYwrYztHKA==}
peerDependencies:

'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-popper@1.2.8':
resolution: {integrity: sha512-
0NJQ4LFFUuWkE7Oxf0htBKS6zLkkjBH+hM1uk7Ng705ReR8m/uelduy1DBo0PyBXPKVnBA
6YBlU94MBGXrSBCw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-portal@1.1.9':
resolution: {integrity: sha512-
bpIxvq03if6UNwXZ+HTK71JLh4APvnXntDc6XOX8UVq4XQOVl7lwok0AvIl+b8zgCw3fSaVTZ
MpAPPagXbKmHQ==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-presence@1.1.5':
resolution: {integrity: sha512-
/jfEwNDdQVBCNvjkGit4h6pMOzq8bHkopq458dPt2lMjx+eBQUohZNG9A7DtO/O5ukSbxua

NGXMjHicgwy6rQQ==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true
      '@types/react-dom':
        optional: true

  '@radix-ui/react-primitive@2.1.3':
    resolution: {integrity: sha512-
m9gTwRkhy2lvCPe6QJp4d3G1TYEUHn/FzJUtq9MjH46an1wJU+GdoGC5VLof8RX8Ft/Dlpsh
ApkhswDLZzHIcQ==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true
      '@types/react-dom':
        optional: true

  '@radix-ui/react-progress@1.1.7':
    resolution: {integrity: sha512-
vPdg/tF6YC/ynuBIJlk1mm7Le0VgW6ub6J2UWnTQ7/D23KXcPI1qy+0vBkgKgd38RCMJavB
XpB83HPNFMTb0Fg==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true
      '@types/react-dom':
        optional: true

  '@radix-ui/react-radio-group@1.3.8':

resolution: {integrity: sha512-
VBKYIYImA5zsxACdisNQ3BjCBfmbGH3kQlnFVqlWU4tXwjy7cGX8ta80BcrO+WJXIn5iBylEH
3K6ZTlee//lgQ==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-roving-focus@1.1.11':
resolution: {integrity: sha512-
7A6S9jSgm/S+7MdtNDSb+IU859vQqJ/QAtcYQcfFC6W8RS4IxIZDldLR0xqCFZ6DCyrQLjLPsx
tTNch5jVA4lA==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-scroll-area@1.2.10':
resolution: {integrity: sha512-
tAXIa1g3sM5CGpVT0uIbUx/U3Gs5N8T52IICuCtObaos1S8fzsrPXG5WObkQN3S6NVl6wKgP
hAIiBGbWnvc97A==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-select@2.2.6':
resolution: {integrity: sha512-
I30RydO+bnn2PQztvo25tswPH+wFBjehVGtmagkU78yMdwTwVf12wnAOF+AeP8S2N8xD+
5UPbGhkUfPyvT+mwQ==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-separator@1.1.7':
resolution: {integrity: sha512-
0HEb8R9E8A+jZjvmFCy/J4xhbXy3TV+9XSnGJ3KvTtjlIUy/YQ/p6UYZvi7YbeoeXdyU9+Y3sci
zK6hkY37baA==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-slider@1.3.6':
resolution: {integrity: sha512-
JPYb1GuM1bxfjMRlNLE+BcmBC8onfCi60Blk7OBqi2MLTFdS+8401U4uFjnwkOr49BLmXxL
C6JHkvAsx5OJvHw==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@types/react-dom':
optional: true

'@radix-ui/react-slot@1.2.3':
resolution: {integrity: sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8j
ngo7xcrg8A==}
peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-switch@1.2.6':
resolution: {integrity: sha512-
bByzr1+ep1zk4VubeEVViV592vu2lHE2BZY5OnzehZqOOgogN80+mNtCqPkhn2gklJqOpxWg
PoYTSnhBCqpOXQ==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-tabs@1.1.13':
resolution: {integrity: sha512-
7xdcatg7/U+7+Udyoj2zodtI9H/IIopqo+YOIcZOq1nJwXWBZ9p8xiu5llXlekDbZkca79a/fozE
YQXIA4sW6A==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-toast@1.2.15':
resolution: {integrity: sha512-
3OSz3TacUWy4WtOXV38DggwxoqJK4+eDkNMl5Z/MJZaoUPaP4/9lf81xXMe1I2ReTAptver
ZUpbPY4wWwWyL5g==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-toggle-group@1.1.11':
resolution: {integrity: sha512-
5umnS0T8JQzQT6HbPyO7Hh9dgd82NmS36DQr+X/YJ9ctFNCiiQd6IJAYYZ33LUwm8M+taC
z5t2ui29fHZc4Y6Q==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-toggle@1.1.10':
resolution: {integrity: sha512-
lS1odchhFTeZv3xwHH31YPObmJn8gOg7Lq12inrr0+BH/l3Tsq32VfjqH1oh80ARM3mlkfMic
15n0kg4sD1poQ==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@types/react-dom':
optional: true

'@radix-ui/react-tooltip@1.2.8':
resolution: {integrity: sha512-
tY7sVt1yL9ozIxvmbtN5qtmH2krXcBCfjEiCgKGLqunJHvgvZG2Pcl2oQ3kbcZARb1BGEHdkLz
cYGO8ynVlieg==}
peerDependencies:
'@types/react': '*'
'@types/react-dom': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true
'@types/react-dom':
optional: true

'@radix-ui/react-use-callback-ref@1.1.1':
resolution: {integrity: sha512-
FkBMwD+qbGQeMu1cOHnuGB6x4yzPjho8ap5WtbEJ26umhgqVXbhekKUQO+hZEL1vU92a3
wHwdp0HAcqAUF5iDg==}
peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-use-controllable-state@1.2.2':
resolution: {integrity: sha512-
BjasUjixPFdS+NKkypcyyN5Pmg83Olst0+c6vGov0diwTEo6mgdqVR6hxcEgFuh4QrAs7Rc+9
KuGJ9TVCj0Zzg==}
peerDependencies:
'@types/react': '*'
react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

'@radix-ui/react-use-effect-event@0.0.2':
resolution: {integrity: sha512-
Qp8WbZOBe+blgpuUT+lw2xheLP8q0oatc9UpmiemEICxGvFLYmHm9QowVZGHtJlGbS6A6y

J3iViad/2cVjnOiA==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-escape-keydown@1.1.1':
    resolution: {integrity: sha512-
Il0+boE7w/XebUHyBjroE+DbByORGR9KKmITzbR7MyQ4akpORYP/ZmbhAr0DG7RmmBqo
OnZdy2QlvajJ2QA59g==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-is-hydrated@0.1.0':
    resolution: {integrity: sha512-
U+UORVEq+cTnRIaostJv9AGdV3G6Y+zbVd+12e18jQ5A3c0xL03IhnHuiU4UV69wolOQp5Gf
R58NW/EgdQhwOA==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-layout-effect@1.1.1':
    resolution: {integrity: sha512-
RbJRS4UWQFkzHTTwVymMTUv8EqYhOp8dOOviLj2ugtTiXRaRQS7GLGxZTLL1jWhMeoSCf
5zmcZkqTl9IiYfXcQ==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-previous@1.1.1':
    resolution: {integrity: sha512-

2dHfToCj/pzca2Ck724OZ5L0EVrr3eHRNsG/b3xQJLA2hZpVCS99bLAX+hm1IHXDEnzU6by5z/5MIY794/a8NQ==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-rect@1.1.1':
    resolution: {integrity: sha512-QTYuDesS0VtuHNNvMh+CjlKJ4LJickCMUAqjlE3+j8w+RlRpwyX3apEQKGFzbZGdo7XNG1tXa+bQqIE7HIXT2w==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-use-size@1.1.1':
    resolution: {integrity: sha512-ewrXRDTAqAXlkl6t/fkXWNAhFX9I+CkKlw6zjEwk86RSPKwZr3xpBRso655aqYafwtnbpHLj6toFzmd6xdVptQ==}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  '@radix-ui/react-visually-hidden@1.2.3':
    resolution: {integrity: sha512-pzJq12tEaaIhqjbzpCuv/OypJY/BPavOofm+dbab+MHLajy277+1lLm6JFcGgF5eskJ6mquGirhXY2GD/8u8Ug==}
    peerDependencies:
      '@types/react': '*'
      '@types/react-dom': '*'
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

'@types/react-dom':
optional: true

'@radix-ui/rect@1.1.1':
resolution: {integrity: sha512-HPwpGIzkl28mWyZqG52jiqDJ12waP11Pa1lGoiyUkIEuMLBP0oeK/C89esbXrxsky5we7dfd8U58nm0SgAWpVw==}

'@rolldown/binding-android-arm64@1.0.0-beta.53':
resolution: {integrity: sha512-Ok9V8o7o6YfSdTTYA/uHH30r3YtOxLD6G3wih/U9DO0ucBBFq8WPt/DslU53OgfteLRHITZny9N/qCUxMf9kjQ==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [arm64]
os: [android]

'@rolldown/binding-darwin-arm64@1.0.0-beta.53':
resolution: {integrity: sha512-yIsKqMz0CtRnVa6x3Pa+mzTihr4Ty+Z6HfPbZ7RVbk1Uxnco4+CUn7Qbm/5SBol1JD/7nvY8rphAgyAi7Lj6Vg==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [arm64]
os: [darwin]

'@rolldown/binding-darwin-x64@1.0.0-beta.53':
resolution: {integrity: sha512-GTXe+mxsCGUnJOFMhfGWmefP7Q9TpYUseHvhAhr21nCTgdS8jPsvirb0tJwM3lN0/u/cg7bpFNa16fQrjKrCjQ==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [x64]
os: [darwin]

'@rolldown/binding-freebsd-x64@1.0.0-beta.53':
resolution: {integrity: sha512-9Tmp7bBvKqyDkMcL4e089pH3RsjD3SUungjmqWtyhNOxoQMh0fSmINTyYV8KXtE+JkxYMPWvnEt+/mfpVCkk8w==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [x64]
os: [freebsd]

'@rolldown/binding-linux-arm-gnueabihf@1.0.0-beta.53':
resolution: {integrity: sha512-a1y5fiB0iovuzdbjUxa7+Zcvgv+mTmlGGC4XydVIsyl48eoxgaYkA3l9079hyTyhECsPq+mbr0g

VQsFU11OJAQ==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [arm]
    os: [linux]

  '@rolldown/binding-linux-arm64-gnu@1.0.0-beta.53':
    resolution: {integrity: sha512-
bpIGX+ov9PhJYV+wHNXl9rzq4F0QvILiURn0y0oepbQx+7stmQsKA0DhPGwmhfvF856wq+g
bM8L92SAa/CBcLg==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [arm64]
    os: [linux]

  '@rolldown/binding-linux-arm64-musl@1.0.0-beta.53':
    resolution: {integrity: sha512-
bGe5EBB8FVjHBR1mOLOPEFg1Lp3//7geqWkU5NIhxe+yH0W8FVrQ6WRYOap4SUTKdklD
/dC4qPLREkMMQ855FA==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [arm64]
    os: [linux]

  '@rolldown/binding-linux-x64-gnu@1.0.0-beta.53':
    resolution: {integrity: sha512-
qL+63WKVQs1CMvFedlPt0U9PiEKJOAL/bsHMKUDS6Vp2Q+YAv/QLPu8rcvkfIMvQ0FPU2
WL0aX4eWwF6e/GAnA==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [x64]
    os: [linux]

  '@rolldown/binding-linux-x64-musl@1.0.0-beta.53':
    resolution: {integrity: sha512-
VGl9JIGjoJh3H8Mb+7xnVqODajBmrdOOb9lxWXdcmxyI+zjB2sux69br0hZJDTyLJfvBoYm439
zPACYbCjGRmw==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [x64]
    os: [linux]

  '@rolldown/binding-openharmony-arm64@1.0.0-beta.53':
    resolution: {integrity: sha512-
B4iIserJXuSnNzA5xBLFUIjTfhNy7d9sq4FUMQY3GhQWGVhS2RWWzzDnkSU6MUt7/aHUre
p0CdQfXUJI9D3W7A==}
    engines: {node: ^20.19.0 || >=22.12.0}
    cpu: [arm64]

os: [openharmony]

'@rolldown/binding-wasm32-wasi@1.0.0-beta.53':
resolution: {integrity: sha512-
BUjAEgpABEJXilGq/BPh7jeU3WAJ5o15c1ZEgHaDWSz3LB881LQZnbNJHmUiM4d1JQWMYY
yR1Y490IBHi2FPJg==}
engines: {node: '>=14.0.0'}
cpu: [wasm32]

'@rolldown/binding-win32-arm64-msvc@1.0.0-beta.53':
resolution: {integrity: sha512-
s27uU7tpCWSjHBnxyVXHt3rMrQdJq5MHNv3BzsewCIroIw3DJFjMH1dzCPPMUFxnh1r52Nf
9IJ/eWp6LDoyGcw==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [arm64]
os: [win32]

'@rolldown/binding-win32-x64-msvc@1.0.0-beta.53':
resolution: {integrity: sha512-
cjWL/USPJ1g0en2htb4ssMjIycc36RvdQAx1WlXnS6DpULswiUTVXPDesTifSKYSyvx24E0Yq
QkEm0K/M2Z/AA==}
engines: {node: ^20.19.0 || >=22.12.0}
cpu: [x64]
os: [win32]

'@rolldown/pluginutils@1.0.0-beta.53':
resolution: {integrity: sha512-
vENRlFU4YbrwVqNDZ7fLvy+JR1CRkyr01jhSiDpE1u6py3OMzQfztQU2jxykW3ALNxO4kSlqI
DeYyD0Y9RcQeQ==}

'@rollup/pluginutils@5.2.0':
resolution: {integrity: sha512-
qWJ2ZTbmumwiLFomfzTyt5Kng4hwPi9rwCYN4SHb6eaRU1KNO4ccxINHr/VhH4GgPlt1XfS
TLX2LBTme8ne4Zw==}
engines: {node: '>=14.0.0'}
peerDependencies:
rollup: ^1.20.0||^2.0.0||^3.0.0||^4.0.0
peerDependenciesMeta:
rollup:
optional: true

'@rollup/rollup-android-arm-eabi@4.46.2':
resolution: {integrity: sha512-

Zj3Hl6sN34xJtMv7Anwb5Gu01yujyE/cLBDB2gnHTAHaWS1Z38L7kuSG+oAh0giZMqG060f/YBStXtMH6FvPMA==}
    cpu: [arm]
    os: [android]

  '@rollup/rollup-android-arm64@4.46.2':
    resolution: {integrity: sha512-nTeCWY83kN64oQ5MGz3CgtPx8NSOhC5lWtsjTs+8JAJNLcP3QbLCtDDgUKQc/Ro/frpMq4SHUaHN6AMltcEoLQ==}
    cpu: [arm64]
    os: [android]

  '@rollup/rollup-darwin-arm64@4.46.2':
    resolution: {integrity: sha512-HV7bW2Fb/F5KPdM/9bApunQh68YVDU8sO8BvcW9OngQVN3HHHkw99wFupuUJfGR9pYLLAjcAOA6iO+evsbBaPQ==}
    cpu: [arm64]
    os: [darwin]

  '@rollup/rollup-darwin-x64@4.46.2':
    resolution: {integrity: sha512-SSj8TlYV5nJixSsm/y3QXfhspSiLYP11zpfwp6G/YDXctf3Xkdnk4woJIF5VQe0of2OjzTt8EsxnJDCdHd2xMA==}
    cpu: [x64]
    os: [darwin]

  '@rollup/rollup-freebsd-arm64@4.46.2':
    resolution: {integrity: sha512-ZyrsG4TIT9xnOlLsSSi9w/X29tCbK1yegE49RYm3tu3wF1L/B6LVMqnEWyDB26d9Ecx9zrmXCiPmIabVuLmNSg==}
    cpu: [arm64]
    os: [freebsd]

  '@rollup/rollup-freebsd-x64@4.46.2':
    resolution: {integrity: sha512-pCgHFoOECwVCJ5GFq8+gR8SBKnMO+xe5UEqbemxBpCKYQddRQMgomv1104RnLSg7nNvgKy05sLsY51+OVRyiVw==}
    cpu: [x64]
    os: [freebsd]

  '@rollup/rollup-linux-arm-gnueabihf@4.46.2':
    resolution: {integrity: sha512-EtP8aquZ0xQg0ETFcxUbU71MZlHaw9MChwrQzatiE8U/bvi5uv/oChExXC4mWhjiqK7azGJB

qU0tt5H123SzVA==}
    cpu: [arm]
    os: [linux]

  '@rollup/rollup-linux-arm-musleabihf@4.46.2':
    resolution: {integrity: sha512-
qO7F7U3u1nfxYRPM8HqFtLd+raev2K137dsV08q/LRKRLEc7RsiDWihUnrINdsWQxPR9jqZ
8DIIZ1zJJAm5PjQ==}
    cpu: [arm]
    os: [linux]

  '@rollup/rollup-linux-arm64-gnu@4.46.2':
    resolution: {integrity: sha512-
3dRaqLfcOXYsfvw5xMrxAk9Lb1f395gkoBYzSFcc/scgRFptRXL9DOaDpMiehf9CO8ZDRJW2z
45b6fpU5nwjng==}
    cpu: [arm64]
    os: [linux]

  '@rollup/rollup-linux-arm64-musl@4.46.2':
    resolution: {integrity: sha512-
fhHFTutA7SM+IrR6lIfiHskxmpmPTJUXpWIsBXpeEwNgZzZZSg/q4i6FU4J8qOGyJ0TR+wXB
wx/L7Ho9z0+uDg==}
    cpu: [arm64]
    os: [linux]

  '@rollup/rollup-linux-loongarch64-gnu@4.46.2':
    resolution: {integrity: sha512-
i7wfGFXu8x4+FRqPymzjD+Hyav8l95UIZ773j7J7zRYc3Xsxy2wIn4x+llpunexXe6laaO72iEjee
GyUFmjKeA==}
    cpu: [loong64]
    os: [linux]

  '@rollup/rollup-linux-ppc64-gnu@4.46.2':
    resolution: {integrity: sha512-
B/l0dFcHVUnqcGZWKcWBSV2PF01YUt0Rvlurci5P+neqY/yMKchGU8ullZvIv5e8Y1C6wOn+
U03mrDylP5q9Yw==}
    cpu: [ppc64]
    os: [linux]

  '@rollup/rollup-linux-riscv64-gnu@4.46.2':
    resolution: {integrity: sha512-
32k4ENb5ygtkMwPMucAb8MtV8olkPT03oiTxJbgkJa7lJ7dZMr0GCFJlyvy+K8iq7F/iuOr41Zd
UHaOiqyR3iQ==}

cpu: [riscv64]
os: [linux]

'@rollup/rollup-linux-riscv64-musl@4.46.2':
resolution: {integrity: sha512-
t5B2loThlFEauloaQkZg9gxV05BYeITLvLkWOkRXogP4qHXLkWSbSHKM9S6H1schf/0YGP/q
NKtiISlxvfmmZw==}
cpu: [riscv64]
os: [linux]

'@rollup/rollup-linux-s390x-gnu@4.46.2':
resolution: {integrity: sha512-
YKjekwTEKgbB7n17gmODSmJVUIvj8CX7q5442/CK80L8nqOUbMtf8b01QkG3jOqyr1rotrAn
W6B/qiHwfcuWQA==}
cpu: [s390x]
os: [linux]

'@rollup/rollup-linux-x64-gnu@4.46.2':
resolution: {integrity: sha512-
Jj5a9RUoe5ra+MEyERkDKLwTXVu6s3aACP51nkfnK9wJTraCC8IMe3snOfALkrjTYd2G1ViE1
hICj0fZ7ALBPA==}
cpu: [x64]
os: [linux]

'@rollup/rollup-linux-x64-musl@4.46.2':
resolution: {integrity: sha512-
7kX69DIrBeD7yNp4A5b81izs8BqoZkCIaxQaOpumcJ1S/kmqNFjPhDu1LHeVXv0SexfHQv5c
qHsxLOjETuqDuA==}
cpu: [x64]
os: [linux]

'@rollup/rollup-win32-arm64-msvc@4.46.2':
resolution: {integrity: sha512-
wiJWMIpeaak/jsbaq2HMh/rzZxHVW1rU6coyeNNpMwk5isiPjSTx0a4YLSlYDwBH/WBvLz+
EtsNqQScZTLJy3g==}
cpu: [arm64]
os: [win32]

'@rollup/rollup-win32-ia32-msvc@4.46.2':
resolution: {integrity: sha512-
gBgaUDESVzMgWZhcyjfs9QFK16D8K6QZpwAaVNJxYDLHWayOta4ZMjGm/vsAEy3hvlS2Go
sVFlBlP9/Wb85DqQ==}
cpu: [ia32]

os: [win32]

'@rollup/rollup-win32-x64-msvc@4.46.2':
resolution: {integrity: sha512-
CvUo2ixeIQGtF6WvuB87XWqPQkoFAFqW+HUo/WzHwuHDvIwZCtjdWXoYCcr06iKGydiqTclC4jU/TNObC/xKZg==}
cpu: [x64]
os: [win32]

'@shikijs/core@3.13.0':
resolution: {integrity: sha512-
3P8rGsg2Eh2qIHekwuQjzWhKI4jV97PhvYjYUzGqjvJfqdQPz+nMlfWahU24GZAyW1FxFI1sYjyhfh5CoLmIUA==}

'@shikijs/engine-javascript@3.13.0':
resolution: {integrity: sha512-
Ty7xv32XCp8u0eQt8rItpMs6rU9Ki6LJ1dQOW3V/56PKDcpvfHPnYFbsx5FFUP2Yim34m/UkazidamMNVR4vKg==}

'@shikijs/engine-oniguruma@3.13.0':
resolution: {integrity: sha512-
O42rBGr4UDSlhT2ZFMxqM7QzIU+IcpoTMzb3W7AlziI1ZF7R8eS2M0yt5Ry35nnnTX/LTLXFPUjRFCIW+Operg==}

'@shikijs/langs@3.13.0':
resolution: {integrity: sha512-
672c3WAETDYHwrRP0yLy3W1QYB89Hbpj+pO4KhxK6FzIrDI2FoEXNiNCut6BQmEApYLfuYfpgOZaqbY+E9b8wQ==}

'@shikijs/themes@3.13.0':
resolution: {integrity: sha512-
Vxw1Nm1/Od8jyA7QuAenaV78BG2nSr3/gCGdBkLpfLscddCkzkL36Q5b67SrLLfvAJTOUzW39x4FHVCFriPVgg==}

'@shikijs/types@3.13.0':
resolution: {integrity: sha512-
oM9P+NCFri/mmQ8LoFGVfVyemm5Hi27330zuOBp0annwJdKH1kOLndw3zCtAVDehPLg9fKqoEx3Ht/wNZxolfw==}

'@shikijs/vscode-textmate@10.0.2':
resolution: {integrity: sha512-
83yeghZ2xxin3Nj8z1NMd/NCuca+gsYXswywDy5bHvwlWL8tpTQmzGeUuHd9FC3E/SBEMvzJRwWEOz5gGes9Qg==}

'@standard-schema/utils@0.3.0':
resolution: {integrity: sha512-
e7Mew686owMaPJVNNLs55PUvgz371nKgwsc4vxE49zsODpJEnxgxRo2y/OKrqueavXgZNM
DVj3DdHFlaSAeU8g==}

'@supabase/auth-js@2.76.1':
resolution: {integrity: sha512-
bxmcgPuyjTUBg7+jAohJ15TDh3ph4hXcv7QkRsQgnIpszurD5LYaJPzX638ETQ8zDL4fvHZRH
fGrcmHV8C91jA==}

'@supabase/functions-js@2.76.1':
resolution: {integrity: sha512-
+zJym/GC1sofm5QYKGxHSszCpMW4Ao2dj/WC3YlffAGuIlIhUtWTJvKsv5q7sWaSKUKdDhG
pWhZ2OD++fW5BtQ==}

'@supabase/node-fetch@2.6.15':
resolution: {integrity: sha512-
1ibVeYUacxWYi9i0cf5efil6adJ9WRyZBLivgjs+AUpewx1F3xPi7gLgaASI2SmIQxPoCEjAsLAz
KPgMJVgOUQ==}
engines: {node: 4.x || >=6.0.0}

'@supabase/postgrest-js@2.76.1':
resolution: {integrity: sha512-
QJ1Cwim6L9gzWKP8U4Lgw9x/4lMWkZSVMDRYFCH+vVGitVbtfU885swTiioOjjUe4EYGZm
+Xktg90twzSVv6IA==}

'@supabase/realtime-js@2.76.1':
resolution: {integrity: sha512-
B5Lfmprea2fx2FS7obp4uAWiRUlEa6j9J3+BvvETGp/2LdkSRBaLEJCBylfcZTXk67ajNPX6ppv
KvAZsckqXYg==}

'@supabase/storage-js@2.76.1':
resolution: {integrity: sha512-
OJiNT8tocI9tcTjTjv1SBVLabzgEnS1NorZuqivkiJ0gTYmeg2c2PFmqCARhoQ4whF6zR9MVsX
/Mtj2oSv4i/w==}

'@supabase/supabase-js@2.76.1':
resolution: {integrity: sha512-
dYMh9EsTVXZ6WbQ0QmMGIhbXct5+x636tXXaaxUmwjj3kY1jyBTQU8QehxAIfjyRu1mWGV
07hoYmTYakkxdSGQ==}

'@svgr/babel-plugin-add-jsx-attribute@8.0.0':

resolution: {integrity: sha512-
b9MIk7yhdS1pMCZM8VeNfUlSKVRhsHZNMl5O9SfaX0l0t5wjdgu4IDzGB8bpnGBBOjGST3rR
FVsaaEtI4W6f7g==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-remove-jsx-attribute@8.0.0':
resolution: {integrity: sha512-
BcCkm/STipKvbCl6b7QFrMh/vx00vIP63k2eM66MfHJzPr6O2U0jYEViXkHJWqXqQYjdeA9c
uCl5KWmlwjDvbA==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-remove-jsx-empty-expression@8.0.0':
resolution: {integrity: sha512-
5BcGCBfBxB5+XSDSWnhTThfI9jcO5f0Ai2V24gZpG+wXF14BzwxxdDb4g6trdOux0rhibGs38
5BeFMSmxtS3uA==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-replace-jsx-attribute-value@8.0.0':
resolution: {integrity: sha512-
KVQ+PtIjb1BuYT3ht8M5KbzWBhdAjjUPdlMtpuw/VjT8coTrItWX6Qafl9+ji831JaJcu6PJNKC
V0bp01lBNzQ==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-svg-dynamic-title@8.0.0':
resolution: {integrity: sha512-
omNiKqwjNmOQJ2v6ge4SErBbkooV2aAWwaPFs2vUY7p7GhVkzRkJ00kILXQvRhA6miHnN
pXv7MRnnSjdRjK8og==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-svg-em-dimensions@8.0.0':
resolution: {integrity: sha512-
mURHYnu6Iw3UBTbhGwE/vsngtCIbHE43xCRK7kCw4t01xyGqb2Pd+WXekRRoFOBIY29Zo
OhUCTEweDMdrjfi9g==}

engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-transform-react-native-svg@8.1.0':
resolution: {integrity: sha512-Tx8T58CHo+7nwJ+EhUwx3LfdNSG9R2OKfaIXXs5soiy5HtgoAEkDay9LIimLOcG8dJQH1wPZp/cnAv6S9CrR1Q==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-plugin-transform-svg-component@8.0.0':
resolution: {integrity: sha512-DFx8xa3cZXTdb/k3kfPeaixecQLgKh5NVBMwD0AQxOzcZawK4oo1Jh9LbrcACUivsCA7TLG8eeWgrDXjTMhRmw==}
engines: {node: '>=12'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/babel-preset@8.1.0':
resolution: {integrity: sha512-7EYDbHE7MxHpv4sxvnVPngw5fuR6pw79SkcrILHJ/iMpuKySNCl5W1qcwPEpU+LgyRXOaAFgH0KhwD18wwg6ug==}
engines: {node: '>=14'}
peerDependencies:
'@babel/core': ^7.0.0-0

'@svgr/core@8.1.0':
resolution: {integrity: sha512-8QqtOQT5ACVlmsvKOJNEaWmRPmcojMOzCz4Hs2BGG/toAp/K38LcsMRyLp349glq5AzJbCEeimEoxaX6v/fLrA==}
engines: {node: '>=14'}

'@svgr/hast-util-to-babel-ast@8.0.0':
resolution: {integrity: sha512-EbDKwO9GpfWP4jN9sGdYwPBU0kdomaPIL2Eu4YwmgP+sJeXT+L7bMwJUBnhzfH8Q2qMBqZ4fJwpCyYsAN3mt2Q==}
engines: {node: '>=14'}

'@svgr/plugin-jsx@8.1.0':
resolution: {integrity: sha512-0xiIyBsLlr8quN+WyuxooNW9RJ0Dpr8uOnH/xrCVO8GLUcwHISwj1AG0k+LFzteTkAA0GbX

0kj9q6Dk70PTiPA==}
    engines: {node: '>=14'}
    peerDependencies:
      '@svgr/core': '*'

  '@tailwindcss/container-queries@0.1.1':
    resolution: {integrity: sha512-
p18dswChx6WnTSaJCSGx6lTmrGzNNvm2FtXmiO6AuA1V4U5REyoqwmT6kgAsIMdjo07QdAfYXHJ4hnMtfHzWgA==}
    peerDependencies:
      tailwindcss: '>=3.2.0'

  '@tybys/wasm-util@0.10.1':
    resolution: {integrity: sha512-
9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJxLQ3NPwXrGKDiVjwx/DpPsg==}

  '@types/babel__core@7.20.5':
    resolution: {integrity: sha512-
qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==}

  '@types/babel__generator@7.27.0':
    resolution: {integrity: sha512-
ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==}

  '@types/babel__template@7.4.4':
    resolution: {integrity: sha512-
h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==}

  '@types/babel__traverse@7.28.0':
    resolution: {integrity: sha512-
8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==}

  '@types/d3-array@3.2.1':
    resolution: {integrity: sha512-
Y2Jn2idRrLzUfAKV2LyRImR+y4oa2AntrgID95SHJxuMUrkNXmanDSed71sRNZysveJVt1hLLemQZIady0FpEg==}

  '@types/d3-axis@3.0.6':

resolution: {integrity: sha512-
pYeijfZuBd87T0hGn0FO1vQ/cgLk6E1ALJjfkC0oJ8cbwkZl3TpgS8bVBLZN+2jjGgg38epgxb2zmoGtSfvgMw==}

'@types/d3-brush@3.0.6':
resolution: {integrity: sha512-
nH60IZNNxEcrh6L1ZSMNA28rj27ut/2ZmI3r96Zd+1jrZD++zD3LsMIjWlvg4AYrHn/Pqz4CF3veCxGjtbqt7A==}

'@types/d3-chord@3.0.6':
resolution: {integrity: sha512-
LFYWWd8nwfwEmTZG9PfQxd17HbNPksHBiJHaKuY1XeqscXacsS2tyoo6OdRsjf+NQYeB6XrNL3a25E3gH69lcg==}

'@types/d3-color@3.1.3':
resolution: {integrity: sha512-
iO90scth9WAbmgv7ogoq57O9YpKmFBbmoEoCHDB2xMBY0+/KVrqAaCDyCE16dUspeOvIxFFRI+0sEtqDqy2b4A==}

'@types/d3-contour@3.0.6':
resolution: {integrity: sha512-
BjzLgXGnCWjUSYGfH1cpdo41/hgdWETu4YxpezoztawmqsvCeep+8QGfiY6YbDvfgHz/DkjeIkkZVJavB4a3rg==}

'@types/d3-delaunay@6.0.4':
resolution: {integrity: sha512-
ZMaSKu4THYCU6sV64Lhg6qjf1orxBthaC161plr5KuPHo3CNm8DTHiLw/5Eq2b6TsNP0W0iJrUOFscY6Q450Hw==}

'@types/d3-dispatch@3.0.7':
resolution: {integrity: sha512-
5o9OIAdKkhN1QItV2oqaE5KMIiXAvDWBDPrD85e58Qlz1c1kI/J0NcqbEG88CoTwJrYe7ntUCVfeUl2UJKbWgA==}

'@types/d3-drag@3.0.7':
resolution: {integrity: sha512-
HE3jVKlzU9AaMazNufooRJ5ZpWmLIoc90A37WU2JMmeq28w1FQqCZswHZ3xR+SuxYftzHq6WU6KJHvqxKzTxxQ==}

'@types/d3-dsv@3.0.7':
resolution: {integrity: sha512-
n6QBF9/+XASqcKK6waudgL0pf/S5XHPPI8APyMLLUHd8NqouBGLsU8MgtO7NINGtPBtk9Kko/W4ea0oAspwh9g==}

'@types/d3-ease@3.0.2':
resolution: {integrity: sha512-
NcV1JjO5oDzoK26oMzbILE6HW7uVXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9tCzv+CeefZQHJt5SRgK154RtiA==}

'@types/d3-fetch@3.0.7':
resolution: {integrity: sha512-
fTAfNmxSb9SOWNB9IoG5c8Hg6R+AzUHDRlsXsDZsNp6sxAEOP0tkP3gKkNSO/qmHPoBFTxNrjDprVHDQDvo5aA==}

'@types/d3-force@3.0.10':
resolution: {integrity: sha512-
ZYeSaCF3p73RdOKcjj+swRlZfnYpK1EbaDiYICEEp5Q6sUiqFaFQ9qgoshp5CzIyyb/yD09kD9o2zEltCexlgw==}

'@types/d3-format@3.0.4':
resolution: {integrity: sha512-
fALi2aI6shfg7vM5KiR1wNJnZ7r6UuggVqtDA+xiEdPZQwy/trcQaHnwShLuLdta2rTymCNpxYTiMZX/e09F4g==}

'@types/d3-geo@3.1.0':
resolution: {integrity: sha512-
856sckF0oP/diXtS4jNsiQw/UuK5fQG8l/a9VVLeSouf1/PPbBE1i1W852zVwKwYCBkFJJB7nCFTbk6UMEXBOQ==}

'@types/d3-hierarchy@3.1.7':
resolution: {integrity: sha512-
tJFtNoYBtRtkNysX1Xq4sxtjK8YgoWUNpIiUee0/jHGRwqvzYxkq0hGVbbOGSz+JgFxxRu4K8nb3YpG3CMARtg==}

'@types/d3-interpolate@3.0.4':
resolution: {integrity: sha512-
mgLPETlrpVV1YRJIglr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkpG/uAQS5AmbA48q2IAolKKo1MA==}

'@types/d3-path@3.1.1':
resolution: {integrity: sha512-
VMZBYyQvbGmWyWVea0EHs/BwLgxc+MKi1zLDCONksozI4YJMcTt8ZEuIR4Sb1MMTE8MMW49v0IwI5+b7RmfWlg==}

'@types/d3-polygon@3.0.2':
resolution: {integrity: sha512-

ZuWOtMaHCkN9xoeEMr1ubW2nGWsp4nIql+OPQRstu4ypeZ+zk3YKqQT0CXVe/PYqrKpZAi
+J9mTs05TKwjXSRA==}

'@types/d3-quadtree@3.0.6':
resolution: {integrity: sha512-
oUzyO1/Zm6rsxKRHA1vH0NEDG58HrT5icx/azi9MF1TWdtttWl0UIUsjEQBBh+SIkrpd21ZjE
v7ptxWys1ncsg==}

'@types/d3-random@3.0.3':
resolution: {integrity: sha512-
Imagg1vJ3y76Y2ea0871wpabqp613+8/r0mCLEBfdtqC7xMSfj9idOnmBYyMoULfHePJyxMA
w3nWhJxzc+LFwQ==}

'@types/d3-scale-chromatic@3.1.0':
resolution: {integrity: sha512-
iWMJgwkK7yTRmWqRB5plb1kadXyQ5Sj8V/zYlFGMUBbIPKQScw+Dku9cAAMgJG+z5GYDo
MjWGLVOvjghDEFnKQ==}

'@types/d3-scale@4.0.9':
resolution: {integrity: sha512-
dLmtwB8zkAeO/juAMfnV+sItKjlsw2lKdZVVy6LRr0cBmegxSABiLEpGVmSJJ8O08i4+sGR6q
Qtb6WtuwJdvVw==}

'@types/d3-selection@3.0.11':
resolution: {integrity: sha512-
bhAXu23DJWsrI45xafYpkQ4NtcKMwWnAC/vKrd2l+nxMFuvOT3XMYTIj2opv8vq8AO5Yh7
Qac/nSeP/3zjTK0w==}

'@types/d3-shape@3.1.7':
resolution: {integrity: sha512-
VLvUQ33C+3J+8p+Daf+nYSOsjB4GXp19/S/aGo60m9h1v6XaxjiT82lKVWJCfzhtuZ3yD7i/TP
eC/fuKLLOSmg==}

'@types/d3-time-format@4.0.3':
resolution: {integrity: sha512-
5xg9rC+wWL8kdDj153qZcsJ0FWiFt0J5RB6LYUNZjwSnesfblqrI/bJ1wBdJ8OQfncgbJG5+2F+
qfqnqyzYxyg==}

'@types/d3-time@3.0.4':
resolution: {integrity: sha512-
yuzZug1nkAAaBlBBikKZTgzCeA+k1uy4ZFwWANOfKw5z5LRhV0gNA7gNkKm7HoK+HRN0
wX3EkxGk0fpbWhmB7g==}

'@types/d3-timer@3.0.2':
resolution: {integrity: sha512-
Ps3T8E8dZDam6fUyNiMkekK3XUsaUEik+idO9/YjPtfj2qruF8tFBXS7XhtE4iIXBLxhmLjP3SX
pLhVf21I9Lw==}

'@types/d3-transition@3.0.9':
resolution: {integrity: sha512-
uZS5shfxzO3rGlu0cC3bjmMFKsXv+SmZZcgp0KD22ts4uGXp5EVYGzu/0YdwZeKmddhcAccY
tREJKkPfXkZuCg==}

'@types/d3-zoom@3.0.8':
resolution: {integrity: sha512-
iqMC4/YlFCSlO8+2Ii1GGGliCAY4XdeG748w5vQUbevlbDu0zSjH/+jojorQVBK/se0j6DUFNPB
GSqD3YWYnDw==}

'@types/d3@7.4.3':
resolution: {integrity: sha512-
lZXZ9ckh5R8uiFVt8ogUNf+pIrK4EsWrx2Np75WvF/eTpJ0FMHNhjXk8CKEx/+gpHbNQyJWe
hbFaTvqmHWB3ww==}

'@types/debug@4.1.12':
resolution: {integrity: sha512-
vIChWdVG3LG1SMxEvI/AK+FWJthlrqlTu7fbrlywTkkaONwk/UAGaULXRlf8vkzFBLVm0zkM
dCquhL5aOjhXPQ==}

'@types/estree-jsx@1.0.5':
resolution: {integrity: sha512-
52CcUVNFyfb1A2ALocQw/Dd1BQFNmSdkuC3BkZ6iqhdMfQz7JWOFRuJFloOzjk+6WijU56
m9oKXFAXc7o3Towg==}

'@types/estree@1.0.8':
resolution: {integrity: sha512-
dWHzHa2WqEXI/O1E9OjrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIN0s
kIQJQ/L1rIex4X6w==}

'@types/geojson@7946.0.16':
resolution: {integrity: sha512-
6C8nqWur3j98U6+lXDfTUWIfgvZU+EumvpHKcYjujKH7woYyLj2sUmff0tRhrqM7BohUw7P
z3ZB1jj2gW9Fvmg==}

'@types/hast@3.0.4':
resolution: {integrity: sha512-
WPs+bbQw5aCj+x6laNGWLH3wviHtoCv/P3+otBhbOhJgG8qtpdAMlTCxLtsTWA7LH1Oh/bF

CHsBn0TPS5m30EQ==}

'@types/katex@0.16.7':
resolution: {integrity: sha512-
HMwFiRujE5PjrgwHQ25+bsLJgowjGjm5Z8FVSf0N6PwgJrwxH0QxzHYDcKsTfV3wva0vzrpq
MTJS2jXPr5BMEQ==}

'@types/lodash@4.17.20':
resolution: {integrity: sha512-
H3MHACvFUEiujabxhaI/ImO6gUrd8oOurg7LQtS7mbwIXA/cUqWrvBsaeJ23aZEPk1TAYkur
jfMbSELfoCXlGA==}

'@types/mdast@4.0.4':
resolution: {integrity: sha512-
kGaNbPh1k7AFzgpud/gMdvIm5xuECykRR+JnWKQno9TAXVa6WIVCGTPvYGekIDL4uwCZQ
SYbUxNBSb1aUo79oA==}

'@types/ms@2.1.0':
resolution: {integrity: sha512-
GsCCIZDE/p3i96vtEqx+7dBUGXrc7zeSK3wwPHIaRThS+9OhWIXRqzs4d6k1SVU8g91DrNR
WxWUGhp5KXQb2VA==}

'@types/node@24.2.1':
resolution: {integrity: sha512-
DRh5K+ka5eJic8CjH7td8QpYEV6Zo10gfRkjHCO3weqZHWDtAaSTFtl4+VMqOJ4N5jcuhZ9/l
+yy8rVgw7BQeQ==}

'@types/phoenix@1.6.6':
resolution: {integrity: sha512-
PIzZZlEppgrpoT2QgbnDU+MMzuR6BbCjllj0bM70lWoejMeNJAxCchxnv7J3XFkI8MpygtRpzX
rIlmWUBclP5A==}

'@types/react-dom@19.2.2':
resolution: {integrity: sha512-
9KQPoO6mZCi7jcIStSnlOWn2nEF3mNmyr3rIAsGnAbQKYbRLyqmeSc39EVgtxXVia+LMT8j3
knZLAZAh+xLmrw==}
peerDependencies:
'@types/react': ^19.2.0

'@types/react@19.2.2':
resolution: {integrity: sha512-
6mDvHUFSjyT2B2yeNx2nUgMxh9LtOWvkhIU3uePn2I2oyNymUAX1NIsdgviM4CH+JSrp2D
2hsMvJOkxY+0wNRA==}

'@types/trusted-types@2.0.7':
resolution: {integrity: sha512-
ScaPdn1dQczgbl0QFTeTOmVHFULt394XJgOQNoyVhZ6r2vLnMLJfBPd53SB52T/3G36VI1/g
2MZaX0cwDuXsfw==}

'@types/unist@2.0.11':
resolution: {integrity: sha512-
CmBKiL6NNo/OqgmMn95Fk9Whlp2mtvIv+KNpQKN2F4SjvrEesubTRWGYSg+BnWZOnlCaS
TU1sMpsBOzgbYhnsA==}

'@types/unist@3.0.3':
resolution: {integrity: sha512-
ko/gIFJRv177XgZsZcBwnqJN5x/Gien8qNOn0D5bQU/zAzVf9Zt3BlcUiLqhV9y4ARk0GbT3tn
UiPNgnTXzc/Q==}

'@types/video-react@0.15.8':
resolution: {integrity: sha512-
ZFm57z6bwJ1FWMKAMXyDar0OAQCchals2T4mDG//JXeToW3C2dADI2MzX5y53tFL77Y2
QAA1YQZh5XTL1rjiqw==}

'@types/ws@8.18.1':
resolution: {integrity: sha512-
ThVF6DCVhA8kUGy+aazFQ4kXQ7E1Ty7A3ypFOe0IcJV8O/M511G99AW24irKrW56Wt44y
G9+ij8FaqoBGkuBXg==}

'@typescript/native-preview-darwin-arm64@7.0.0-dev.20251103.1':
resolution: {integrity: sha512-
yqUxUts3zpxy0x+Rk/9VC+ZiwzXTiuNpgLbhLAR1inFxuk0kTM8xoQERaIk+DUn6guEmRiCz
Ow23aJ9u6E+GfA==}
cpu: [arm64]
os: [darwin]

'@typescript/native-preview-darwin-x64@7.0.0-dev.20251103.1':
resolution: {integrity: sha512-
jboMuar6TgvnnOZk8t/X2gZp4TUtsP9xtUnLEMEHRPWK3LFBJpjDFRUH70vOpW9hWIKYajl
kF8JutclCPX5sBQ==}
cpu: [x64]
os: [darwin]

'@typescript/native-preview-linux-arm64@7.0.0-dev.20251103.1':
resolution: {integrity: sha512-
PZewTo76n2chP8o0Fwq2543jVVSY7aiZMBsapB82+w/XecFuCQtFRYNN02x6pjHeVjgv5fc

WS3+LzHa1zv10qw==}
    cpu: [arm64]
    os: [linux]

  '@typescript/native-preview-linux-arm@7.0.0-dev.20251103.1':
    resolution: {integrity: sha512-
QY+0W9TPxHub8vSFjemo3txSpCNGw3LqnrLKKlGUIuLW+Ohproo+o7Fq21dksPQ4g0NDW
Y19qlm/36QhsXKRNQ==}
    cpu: [arm]
    os: [linux]

  '@typescript/native-preview-linux-x64@7.0.0-dev.20251103.1':
    resolution: {integrity: sha512-
wdFUmmz5XFUvWQ54l3f8ODah86b6Z4FnG9gndjOdYRY2FGDCOdmeoBqLHDiGUIzTHr5F
MMyz2EfScN+qtUh4Dw==}
    cpu: [x64]
    os: [linux]

  '@typescript/native-preview-win32-arm64@7.0.0-dev.20251103.1':
    resolution: {integrity: sha512-
A00+b8mbwJ4RFwXZN4vNcIBGZcdBCFm23lBhw8uaUgLY1Ot81FZvJE3YZcbRrZwEiyrwd3
hAMdnDBWUwMA9YqA==}
    cpu: [arm64]
    os: [win32]

  '@typescript/native-preview-win32-x64@7.0.0-dev.20251103.1':
    resolution: {integrity: sha512-
25Pqk65M3fjQdsnwBLym5ALSdQlQAqHKrzZOkIs1uFKxIfZ5s9658Kjfj2fiMX5m3imk9IqzpP
+fvKbgP1plIw==}
    cpu: [x64]
    os: [win32]

  '@typescript/native-preview@7.0.0-dev.20251103.1':
    resolution: {integrity: sha512-
Pcyltv+XIbaCoRaD3btY3qu+B1VzvEgNGlq1lM0O11QTPRLHyoEfvtLqyPKuSDgD90gDbtCPG
UppVkpQouLBVQ==}
    hasBin: true

  '@ungap/structured-clone@1.3.0':
    resolution: {integrity: sha512-
WmoN8qaIAo7WTYWbAZuG8PYEhn5fkz7dZrqTBZ7dtt//lL2Gwms1IcnQ5yHqjDfX8Ft5j4Yz
DM23f87zBfDe9g==}

'@vitejs/plugin-react@5.1.2':
  resolution: {integrity: sha512-EcA07pHJouywpzsoTUqNh5NwGayl2PPVEJKUSinGGSxFGYn+shYbqMGBg6FXDqgXum9Ou/ecb+411ssw8HImJQ==}
  engines: {node: ^20.19.0 || >=22.12.0}
  peerDependencies:
    vite: ^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0

acorn@8.15.0:
  resolution: {integrity: sha512-NZyJarBfL7nWwIq+FDL6Zp/yHEhePMNnnJ0y3qfieCrmNvYct8uvtiV41UvlSe6apAfk0fY1FbWx+NwfmpvtTg==}
  engines: {node: '>=0.4.0'}
  hasBin: true

ansi-regex@5.0.1:
  resolution: {integrity: sha512-quJQXlTSUGL2LH9SUXo8VwsY4soanhgo6LNSm84E1LBcE8s3O0wpdiRzyR9z/ZZJMlMWv37qOOb9pdJlMUEKFQ==}
  engines: {node: '>=8'}

ansi-regex@6.1.0:
  resolution: {integrity: sha512-7HSX4QQb4CspciLpVFwyRe79O3xsIZDDLER21kERQ71oaPodF8jL725AgJMFAYbooIqolJoRLuM81SpeUkpkvA==}
  engines: {node: '>=12'}

ansi-styles@4.3.0:
  resolution: {integrity: sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIheZJQSEg==}
  engines: {node: '>=8'}

ansi-styles@6.2.1:
  resolution: {integrity: sha512-bN798gFfQX+viw3R7yrGWRqnrN2oRkEkUjjl4JNn4E8GxxbjtG3FbrEIIY3l8/hrwUwIeCZvi4QuOTP4MErVug==}
  engines: {node: '>=12'}

any-promise@1.3.0:
  resolution: {integrity: sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX9OB4MZR1b2A==}

anymatch@3.1.3:
resolution: {integrity: sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==}
engines: {node: '>= 8'}

arg@5.0.2:
resolution: {integrity: sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswh8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==}

argparse@2.0.1:
resolution: {integrity: sha512-8+9WqebbFzpX9OR+Wa6O29asIogeRMzcGtAINdpMHHyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==}

aria-hidden@1.2.6:
resolution: {integrity: sha512-ik3ZgC9dY/lYVVM++OISsaYDeg1tb0VtP5uL3ouh1koGOaUMDPpbFIei4JkFimWUFPn90sbMNMXQAIVOlnYKJA==}
engines: {node: '>=10'}

ast-types@0.16.1:
resolution: {integrity: sha512-6t10qk83GOG8p0vKmaCr8eiilZwO171AvbROMtvvNiwrTly62t+7XkA8RdIIVbpMhCASAsxgAzdRSwh6nw/5Dg==}
engines: {node: '>=4'}

asynckit@0.4.0:
resolution: {integrity: sha512-Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==}

attr-accept@2.2.5:
resolution: {integrity: sha512-0bDNnY/u6pPwHDMoF0FieU354oBi0a8rD9FcsLwzcGWbc8KS8KPIi7y+s13OlVY+gMWc/9xEMUgNE6Qm8ZllYQ==}
engines: {node: '>=4'}

autoprefixer@10.4.21:
resolution: {integrity: sha512-O+A6LWV5LDHSJD3LjHYoNi4VLsj/Whi7k6zG12xTYaU4cQ8oxQGckXNX8cRHK5yOZ/ppVH

e0ZBXGzSV9jXdVbQ==}
    engines: {node: ^10 || ^12 || >=14}
    hasBin: true
    peerDependencies:
      postcss: ^8.1.0

  axios@1.13.1:
    resolution: {integrity: sha512-
hU4EGxxt+j7TQijx1oYdAjw4xuIp1wRQSsbMFwSthCWeBQur1eF+qJ5iQ5sN3Tw8YRzQNKb
8jszgBdMDVqwJcw==}

  bail@2.0.2:
    resolution: {integrity: sha512-
0xO6mYd7JB2YesxDKplafRpsiOzPt9V02ddPCLbY1xYGPOX24NTyN50qnUxgCPcSoYMhKpA
uBTjQoRZCAkUDRw==}

  balanced-match@1.0.2:
    resolution: {integrity: sha512-
3oSeUO0TMV67hN1AmbXsK4yaqU7tjiHlbxRDZOpH0KW9+CeX4bRAaX0Anxt0tx2MrpRpW
wQaPwIlISEJhYU5Pw==}

  binary-extensions@2.3.0:
    resolution: {integrity: sha512-
Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYzavmylwuL
WQOf3hl0jjMMIw==}
    engines: {node: '>=8'}

  brace-expansion@2.0.2:
    resolution: {integrity: sha512-
Jt0vHyM+jmUBqojB7E1NIYadt0vI0Qxjxd2TErW94wDz+E2LAm5vKMXXwg6ZZBTHPuUlDg
QHKXvjGBdfcF1ZDQ==}

  braces@3.0.3:
    resolution: {integrity: sha512-
yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/l
xc1BzfMpxvA==}
    engines: {node: '>=8'}

  browserslist@4.25.2:
    resolution: {integrity: sha512-
0si2SJK3ooGzIawRu61ZdPCO1IncZwS8IzuX73sPZsXW6EQ/w/DAfPyKI8l1ETTCr2MnvqWit
mlCUxgdul45jA==}
    engines: {node: ^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7}

hasBin: true

call-bind-apply-helpers@1.0.2:
resolution: {integrity: sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==}
engines: {node: '>= 0.4'}

callsites@3.1.0:
resolution: {integrity: sha512-P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ==}
engines: {node: '>=6'}

camelcase-css@2.0.1:
resolution: {integrity: sha512-QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA==}
engines: {node: '>= 6'}

camelcase@5.3.1:
resolution: {integrity: sha512-L28STB170nwWS63UjtlEOE3dldQApaJXZkOI1uMFfzf3rRuPegHaHesyee+YxQ+W6SvRDQV6UrdOdRiR153wJg==}
engines: {node: '>=6'}

camelcase@6.3.0:
resolution: {integrity: sha512-Gmy6FhYlCY7uOElZUSbxo2UCDH8owEk996gkbrpsgGtrJLM3J7jGxl9Ic7Qwwj4ivOE5AWZWRMecDdF7hqGjFA==}
engines: {node: '>=10'}

caniuse-lite@1.0.30001734:
resolution: {integrity: sha512-uhE1Ye5vgqju6OI71HTQqcBCZrvHugk0MjLak7Q+HfoBgoq5Bi+5YnwjP4fjDgrtYr/l8MVRBvzz9dPD4KyK0A==}

ccount@2.0.1:
resolution: {integrity: sha512-eyrF0jiFpY+3drT6383f1qhkbGsLSifNAjA61IUjZjmLCWjItY6LB9ft9YhoDgwfmclB2zhu51Lc7+95b8NRAg==}

character-entities-html4@2.1.0:

resolution: {integrity: sha512-
1v7fgQRj6hnSwFpq1Eu0ynr/CDEw0rXo2B61qXrLNdHZmPKgb7fqS1a2JwF0rISo9q77jDI8
VMEHoApn8qDoZA==}

character-entities-legacy@3.0.0:
resolution: {integrity: sha512-
RpPp0asT/6ufRm//AJVwpViZbGM/MkjQFxJccQRHmISF/22NBtsHqAWmL+/pmkPWoIUJd
WyeVleTl1wydHATVQ==}

character-entities@2.0.2:
resolution: {integrity: sha512-
shx7oQ0Awen/BRIdkjkvz54PnEEI/EjwXDSIZp86/KKdbafHh1Df/RYGBhn4hbe2+uKC9FnT
5UCEdyPz3ai9hQ==}

character-reference-invalid@2.0.1:
resolution: {integrity: sha512-
iBZ4F4wRbyORVsu0jPV7gXkOsGYjGHPmAyv+HiHG8gi5PtC9KI2j1+v8/tlibRvjoWX027ypm
G/n0HtO5t7unw==}

chart.js@4.5.1:
resolution: {integrity: sha512-
GIjfiT9dbmHRiYi6Nl2yFCq7kkwdkp1W/lp2J99rX0yo9tgJGn3lKQATztIjb5tVtevcBtIdICNWq
lq5+E8/Pw==}
engines: {pnpm: '>=8'}

chevrotain-allstar@0.3.1:
resolution: {integrity: sha512-
b7g+y9A0v4mxCW1qUhf3BSVPg+/NvGErk/dOkrDaHA0nQIQGAtrOjlX//9OQtRlSCy+x9rfB5
N8yC71lH1nvMw==}
peerDependencies:
chevrotain: ^11.0.0

chevrotain@11.0.3:
resolution: {integrity: sha512-
ci2iJH6LeIkvP9eJW6gpueU8cnZhv85ELY8w8WiFtNjMHA5ad6pQLaJo9mEly/9qUyCpvqX8/
POVUTf18/HFdw==}

chokidar@3.6.0:
resolution: {integrity: sha512-
7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0ZAxCr3cPq
5ZpBqmPAQgDda2Pw==}
engines: {node: '>= 8.10.0'}

class-variance-authority@0.7.1:
resolution: {integrity: sha512-Ka+9Trutv7G8M6WT6SeiRWz792K5qEqIGEGzXKhAE6xOWAY6pPH8U+9IY3oCMv6kqTmLsv7Xh/2w2RigkePMsg==}

classnames@2.5.1:
resolution: {integrity: sha512-saHYOzhIQs6wy2sVxTM6bUDsQO4F50V9RQ22qBpEdCW+I+/Wmke2HOl6lS6dTpdxVhb88/I6+Hs+438c3lfUow==}

cliui@6.0.0:
resolution: {integrity: sha512-t6wbgtoCXvAzst7QgXxJYqPt0usEfbgQdftEPbLL/cvv6HPE5VgvqCuAIDR0NgU52ds6rFwqrgakNLrHEjCbrQ==}

clsx@2.1.1:
resolution: {integrity: sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOVo2B7bjWSbHedGl5e0ZWaq65kOGgUSNesEIDkB9ISbTg/JK9dhCZA==}
engines: {node: '>=6'}

cmdk@1.1.1:
resolution: {integrity: sha512-Vsv7kFaXm+ptHDMZ7izaRsP70GgrW9NBNGswt9OZaVBLlE0SNpDq8eu/VGXyF9r7M0azK3Wy7OlYXsuyYLFzHg==}
peerDependencies:
react: ^18 || ^19 || ^19.0.0-rc
react-dom: ^18 || ^19 || ^19.0.0-rc

color-convert@2.0.1:
resolution: {integrity: sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==}
engines: {node: '>=7.0.0'}

color-name@1.1.4:
resolution: {integrity: sha512-dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff4O8yVp5Bf0efS8uEoYo5q4Fx7dY9OgQGXgAsQA==}

combined-stream@1.0.8:
resolution: {integrity: sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zOYwxh8lDd

nvmMOe/+5cdoEdg==}
    engines: {node: '>= 0.8'}

  comma-separated-tokens@2.0.3:
    resolution: {integrity: sha512-
Fu4hJdvzeylCfQPp9SGWidpzrMs7tTrlu6Vb8XGaRGck8QSNZJJp538Wrb60Lax4fPwR64ViY4
68OIUTbRlGZg==}

  commander@4.1.1:
    resolution: {integrity: sha512-
NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pE
hfbMULvShKj26WA==}
    engines: {node: '>= 6'}

  commander@7.2.0:
    resolution: {integrity: sha512-
QrWXB+ZQSVPmIWIhtEO9H+gwHaMGYiF5ChvoJ+K9ZGHG/sVsa6yiesAD1GC/x46sET00Xl
wo1u49RVVVzvcSkw==}
    engines: {node: '>= 10'}

  commander@8.3.0:
    resolution: {integrity: sha512-
OkTL9umf+He2DZkUq8f8J9of7yL6RJKI24dVITBmNfZBmri9zYZQrKkuXiKhyfPSu8tUhnVBB
1iKXevvnlR4Ww==}
    engines: {node: '>= 12'}

  confbox@0.1.8:
    resolution: {integrity: sha512-
RMtmw0iFkeR4YV+fUOSucriAQNb9g8zFR52MWCtl+cCZOFRNL6zeB395vPzFhEjjn4fMxXud
mELnl/KF/WrK6w==}

  confbox@0.2.2:
    resolution: {integrity: sha512-
1NB+BKqhtNipMsov4xI/NnhCKp9XG9NamYp5PVm9klAT0fsrNPjaFICsCFhNhwZJKNh7zB/
3q8qXz0E9oaMNtQ==}

  convert-source-map@2.0.0:
    resolution: {integrity: sha512-
Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+
1HSYf3JZsTms3aRJg==}

  cookie@1.0.2:
    resolution: {integrity: sha512-

9Kr/j4O16ISv8zBBhJoi4bXOYNTkFLOqSL3UDB0njXxCXNezjeyVrJyGOWtgfs/q2km1gwBcfH
8q1yEGoMYunA==}
    engines: {node: '>=18'}

  cose-base@1.0.3:
    resolution: {integrity: sha512-
s9whTXInMSgAp/NVXVNuVxVKzGH2qck3aQlVHxDCdAEPgtMKwc4Wq6/QKhgdEdgbLSi9r
BTAcPoRa6JpiG4ksg==}

  cose-base@2.2.0:
    resolution: {integrity: sha512-
AzlgcsCbUMymkADOJtQm3wO9S3ltPfYOFD5033keQn9NJzIbtnZj+UdBJe7DYml/8TdbtHJW
3j58SOnKhWY/5g==}

  cosmiconfig@8.3.6:
    resolution: {integrity: sha512-
kcZ6+W5QzcJ3P1Mt+83OUv/oHFqZHIx8DuxG6eZ5RGMERoLqp4BuGjhHLYGK+Kf5XVkQvq
BSmAy/nGWN3qDgEA==}
    engines: {node: '>=14'}
    peerDependencies:
      typescript: '>=4.9.5'
    peerDependenciesMeta:
      typescript:
        optional: true

  cross-spawn@7.0.6:
    resolution: {integrity: sha512-
uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4X
JzUKca3OzKUd3vA==}
    engines: {node: '>= 8'}

  cssesc@3.0.0:
    resolution: {integrity: sha512-
/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW
1T5nt5EbFoAz/Vg==}
    engines: {node: '>=4'}
    hasBin: true

  csstype@3.1.3:
    resolution: {integrity: sha512-
M1uQkMl8rQK/szD0LNhtqxIPLpimGm8sOBwU7lLnCpSbTyY3yeU1Vc7l4KT5zT4s/yOxHH5
O7tIuuLOCnLADRw==}

cytoscape-cose-bilkent@4.1.0:
resolution: {integrity: sha512-wgQlVIUJF13Quxiv5e1gstZ08rnZj2XaLHGoFMYXz7SkNfCDOOteKBE6SYRfA9WxxI/iBc3ajfDoc6hb/MRAHQ==}
peerDependencies:
cytoscape: ^3.2.0

cytoscape-fcose@2.2.0:
resolution: {integrity: sha512-ki1/VuRIHFCzxWNrsshHYPs6L7TvLu3DL+TyIGEsRcvVERmxokbf5Gdk7mFxZnTdiGtnA4cfSmjZJMviqSuZrQ==}
peerDependencies:
cytoscape: ^3.2.0

cytoscape@3.33.1:
resolution: {integrity: sha512-iJc4TwyANnOGR1OmWhsS9ayRS3s+XQ185FmuHObThD+5AeJCakAAbWv8KimMTt08xCCLNgneQwFp+JRJOr9qGQ==}
engines: {node: '>=0.10'}

d3-array@2.12.1:
resolution: {integrity: sha512-B0ErZK/66mHtEsR1TkPEEkwdy+WDesimkM5gpZr5Dsg54BiTA5RXtYW5qTLIAcekaS9xfZrzBLF/OAkB3Qn1YQ==}

d3-array@3.2.4:
resolution: {integrity: sha512-tdQAmyA18i4J7wprpYq8ClcxZy3SC31QMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZUWe+oq8HBvk9JjpibyEV4Jg==}
engines: {node: '>=12'}

d3-axis@3.0.0:
resolution: {integrity: sha512-IH5tgjV4jE/GhHkRV0HiVYPDtvfjHQlQfJHs0usq7M30XcSBvOotpmH1IgkcXsO/5gEQZD43B//fc7SRT5S+xw==}
engines: {node: '>=12'}

d3-brush@3.0.0:
resolution: {integrity: sha512-ALnjWlVYkXsVIGlOsuWH1+3udkYFI48Ljihfnh8FZPF2QS9o+PzGLBslO0PjzVoHLZ2KCVgAM8NVkXPJB2aNnQ==}
engines: {node: '>=12'}

d3-chord@3.0.1:
resolution: {integrity: sha512-VE5S6TNa+j8msksl7HwjxMHDM2yNK3XCkusIlpX5kwauBfXuyLAtNg9jCp/iHH61tgI4sb6R/EIMWCqEIdjT/g==}
engines: {node: '>=12'}

d3-color@3.1.0:
resolution: {integrity: sha512-zg/chbXyeBtMQ1LbD/WSoW2DpC3I0mpmPdW+ynRTj/x2DAWYrIY7qeZIHidozwV24m4iavr15lNwIwLxRmOxhA==}
engines: {node: '>=12'}

d3-contour@4.0.2:
resolution: {integrity: sha512-4EzFTRIikzs47RGmdxbeUvLWtGedDUNkTcmzoeyg4sP/dvCexO47AaQL7VKy/gul85TOxw+IBgA8US2xwbToNA==}
engines: {node: '>=12'}

d3-delaunay@6.0.4:
resolution: {integrity: sha512-mdjtIZ1XLAM8bm/hx3WwjfHt6Sggek7qH043O8KEjDXN40xi3vx/6pYSVTwLjEgiXQTbvaouWKynLBiUZ6SK6A==}
engines: {node: '>=12'}

d3-dispatch@3.0.1:
resolution: {integrity: sha512-rzUyPU/S7rwUflMyLc1ETDeBj0NRuHKKAcvukozwhshr6g6c5d8zh4c2gQjY2bZ0dXeGLWc1PF174P2tVvKhfg==}
engines: {node: '>=12'}

d3-drag@3.0.0:
resolution: {integrity: sha512-pWbUJLdETVA8lQNJecMxoXfH6x+mO2UQo8rSmZ+QqxcbyA3hfeprFgIT//HW2nlHChWeIIMwS2Fq+gEARkhTkg==}
engines: {node: '>=12'}

d3-dsv@3.0.1:
resolution: {integrity: sha512-UG6OvdI5afDIFP9w4G0mNq50dSOsXHJaRE8arAS5o9ApWnIElp8GZw1Dun8vP8OyHOZ/QJUKUJwxiiCCnUwm+Q==}
engines: {node: '>=12'}
hasBin: true

d3-ease@3.0.1:
resolution: {integrity: sha512-wR/XK3D3XcLIZwpbvQwQ5fK+8Ykds1ip7A2Txe0yxncXSdq1L9skcG7blcedkOX+ZcgxGAmLX1FrRGbADwzi0w==}
engines: {node: '>=12'}

d3-fetch@3.0.1:
resolution: {integrity: sha512-kpkQIM20n3oLVBKGg6oHrUchHM3xODkTzjMoj7aWQFq5QEM+R6E4WkzT5+tojDY7yjez8KgCBRoj4aEr99Fdqw==}
engines: {node: '>=12'}

d3-force@3.0.0:
resolution: {integrity: sha512-zxV/SsA+U4yte8051P4ECydjD/S+qeYtnaIyAs9tgHCqfguma/aAQDjo85A9Z6EKhBirHRJHXIgJUlffT4wdLg==}
engines: {node: '>=12'}

d3-format@3.1.0:
resolution: {integrity: sha512-YyUI6AEuY/Wpt8KWLgZHsIU86atmikuoOmCfommt0LYHiQSPjvX2AcFc38PX0CBpr2RCyZhjex+NS/LPOv6YqA==}
engines: {node: '>=12'}

d3-geo@3.1.1:
resolution: {integrity: sha512-637ln3gXKXOwhalDzinUgY83KzNWZRKbYubaG+fGVuc/dxO64RRljtCTnf5ecMyE1RIdtqpkVcq0IbtU2S8j2Q==}
engines: {node: '>=12'}

d3-hierarchy@3.1.2:
resolution: {integrity: sha512-FX/9frcub54beBdugHjDCdikxThEqjnR93Qt7PvQTOHxyiNCAlvMrHhclk3cD5VeAaq9fxmfRp+CnWw9rEMBuA==}
engines: {node: '>=12'}

d3-interpolate@3.0.1:
resolution: {integrity: sha512-3bYs1rOD33uo8aqJfKP3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+FRYaAOWX5SJATX6k1PWz72g==}
engines: {node: '>=12'}

d3-path@1.0.9:

resolution: {integrity: sha512-
VLaYcn81dtHVTjEHd8B+pbe9yHWpXKZUC87PzoFmsFrJqgFwDe/qxfp5MlfsfM1V5E/iVt0M
mEbWQ7FVIXh/bg==}

d3-path@3.1.0:
resolution: {integrity: sha512-
p3KP5HCf/bvjBSSKuXid6Zqijx7wIfNW+J/maPs+iwR35at5JCbLUT0LzF1cnjbCHWhqzQTIN2
Jpe8pRebIEFQ==}
engines: {node: '>=12'}

d3-polygon@3.0.1:
resolution: {integrity: sha512-
3vbA7vXYwfe1SYhED++fPUQlWSYTTGmFmQiany/gdbiWgU/iEyQzyymwL9SkJjFFuCS4902
BSzewVGsHHmHtXg==}
engines: {node: '>=12'}

d3-quadtree@3.0.1:
resolution: {integrity: sha512-
04xDrxQTDTCFwP5H6hRhsRcb9xxv2RzkcsygFzmkSIOJy3PeRJP7sNk3VRIbKXcog561P9oU
0/rVH6vDROAgUw==}
engines: {node: '>=12'}

d3-random@3.0.1:
resolution: {integrity: sha512-
FXMe9GfxTxqd5D6jFsQ+DJ8BJS4E/fT5mqqdjovykEB2oFbTMDVdg1MGFxfQW+FBOGoB++k
8swBrgwSHT1cUXQ==}
engines: {node: '>=12'}

d3-sankey@0.12.3:
resolution: {integrity: sha512-
nQhsBRmM19Ax5xEIPLMY9ZmJ/cDvd1BG3UVvt5h3WRxKg5zGRbvnteTyWAbzeSvlh3tW7
ZEmq4VwR5mB3tutmQ==}

d3-scale-chromatic@3.1.0:
resolution: {integrity: sha512-
A3s5PWiZ9YCXFye1o246KoscMWqf8BsD9eRiJ3He7C9OBaxKhAd5TFCdEx/7VbKtxxTsu//1
mMJFrEt572cEyQ==}
engines: {node: '>=12'}

d3-scale@4.0.2:
resolution: {integrity: sha512-
GZW464g1SH7ag3Y7hXjf8RoUuAFIqklOAq3MRl4OaWabTFJY9PN/E1YklhXLh+OQ3fM9yS2
nOkCoS+WLZ6kvxQ==}

engines: {node: '>=12'}

d3-selection@3.0.0:
resolution: {integrity: sha512-fmTRWbNMmsmWq6xJV8D19U/gw/bwrHfNXxrIN+HfZgnzqTHp9jOmKMhsTUjXOJnZOdZY9Q28y4yebKzqDKlxlQ==}
engines: {node: '>=12'}

d3-shape@1.3.7:
resolution: {integrity: sha512-EUkvKjqPFUAZyOlhY5gzCxCeI0Aep04LwIRpsZ/mLFelJiUfnK56jo5JMDSE7yyP2kLSb6LtF+S5chMk7uqPqw==}

d3-shape@3.2.0:
resolution: {integrity: sha512-SaLBuwGm3MOViRq2ABk3eLoxwZELpH6zhl3FbAoJ7Vm1gofKx6El1Ib5z23NUEhF9AsGl7y+dzLe5Cw2AArGTA==}
engines: {node: '>=12'}

d3-time-format@4.1.0:
resolution: {integrity: sha512-dJxPBlzC7NugB2PDLwo9Q8JiTR3M3e4/XANkreKSUxF8vvXKqm1Yfq4Q5dl8budlunRVlUUaDUgFt7eA8D6NLg==}
engines: {node: '>=12'}

d3-time@3.1.0:
resolution: {integrity: sha512-VqKjzBLejbSMT4IgbmVgDjpkYrNWUYJnbCGo874u7MMKIWsILRX+OpX/gTk8MqjpT1A/c6HY2dCA77ZN0lkQ2Q==}
engines: {node: '>=12'}

d3-timer@3.0.1:
resolution: {integrity: sha512-ndfJ/JxxMd3nw31uyKoY2naivF+r29V+Lc0svZxe1JvvIRmi8hUsrMvdOwgS1o6uBHmiz91geQ0ylPP0aj1VUA==}
engines: {node: '>=12'}

d3-transition@3.0.1:
resolution: {integrity: sha512-ApKvfjsSR6tg06xrL434C0WydLr7JewBB3V+/39RMHsaXTOG0zmt/OAXeng5M5LBm0ojmxJrpomQVZ1aPvBL4w==}
engines: {node: '>=12'}
peerDependencies:

d3-selection: 2 - 3

d3-zoom@3.0.0:
resolution: {integrity: sha512-
b8AmV3kfQaqWAuacbPuNbL6vahnOJflOhexLzMMNLga62+/nh0JzvJ0aO/5a5MVgUFGS7Hu
1P9P03o3fJkDCyw==}
engines: {node: '>=12'}

d3@7.9.0:
resolution: {integrity: sha512-
e1U46jVP+w7Iut8Jt8ri1YsPOvFpg46k+K8TpCb0P+zjCkjkPnV7WzfDJzMHy1LnA+wj5pLT1
wjO901gLXeEhA==}
engines: {node: '>=12'}

dagre-d3-es@7.0.11:
resolution: {integrity: sha512-
tvlJLyQf834SylNKax8Wkzco/1ias1OPw8DcUMDE7oUIoSEW25riQVuiu/0OWEFqT0cxHT3P
a9/D82Jr47IONw==}

date-fns@3.6.0:
resolution: {integrity: sha512-
fRHTG8g/Gif+kSh50gaGEdToemgfj74aRX3swtiouboip5JDLAyDE9F11nHMIcvOaXeOC6D7S
pNhi7uFyB7Uww==}

dayjs@1.11.18:
resolution: {integrity: sha512-
zFBQ7WFRvVRhKcWoUh+ZA1g2HVgUbsZm9sbddh8EC5iv93sui8DVVz1Npvz+r6meo9VKfa
8NyLWBsQK1VvIKPA==}

debug@4.4.1:
resolution: {integrity: sha512-
KcKCqiftBJcZr++7ykoDIEwSa3XWowTfNPo92BYxjXiyYEVrUQh2aLyhxBCwww+heortUFxEJ
YcRzosstTEBYQ==}
engines: {node: '>=6.0'}
peerDependencies:
supports-color: '*'
peerDependenciesMeta:
supports-color:
optional: true

decamelize@1.2.0:
resolution: {integrity: sha512-
z2S+W9X73hAUUki+N+9Za2lBlun89zigOyGrsax+KUQ6wKW4ZoWpEYBkGhQjwAjjDCkWxh

Y0VKEhk8wzY7F5cA==}
  engines: {node: '>=0.10.0'}

  decimal.js-light@2.5.1:
    resolution: {integrity: sha512-
qIMFpTMZmny+MMIitAB6D7iVPEorVw6YQRWkvarTkT4tBeSLLiHzcwj6q0MmYSFCiVpiqPJ
TJEYIrpcPzVEIvg==}

  decode-named-character-reference@1.2.0:
    resolution: {integrity: sha512-
c6fcElNV6ShtZXmsgNgFFV5tVX2PaV4g+MOAkb8eXHvn6sryJBrZa9r0zV6+dtTyoCKxtDy5ty
Q5ZwQuidtd+Q==}

  delaunator@5.0.1:
    resolution: {integrity: sha512-
8nvh+XBe96aCESrGOqMp/84b13H9cdKbG5P2ejQCh4d4sK9RL4371qou9drQjMhvnPmhWl
5hnmqbEE0fXr9Xnw==}

  delayed-stream@1.0.0:
    resolution: {integrity: sha512-
ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ
17p4VdGnMHk3MQ==}
  engines: {node: '>=0.4.0'}

  dequal@2.0.3:
    resolution: {integrity: sha512-
0je+qPKHEMohvfRTCEo3CrPG6cAzAYgmzKyxRiYSSDkS6eGJdyVJm7WaYA5ECaAD9wLB2T
4EEeymA5aFVcYXCA==}
  engines: {node: '>=6'}

  detect-libc@2.0.4:
    resolution: {integrity: sha512-
3UDv+G9CsCKO1WKMGw9fwq/SWJYbI0c5Y7LU1AXYoDdbhE2AHQ6N6Nb34sG8Fj7T5APy
8qXDCKuuIHd1BR0tVA==}
  engines: {node: '>=8'}

  detect-node-es@1.1.0:
    resolution: {integrity: sha512-
ypdmJU/TbBby2Dxibuv7ZLW3Bs1QEmM7nHjEANfohJLvE0XVujisn1qPJcZxg+qDucsr+bP6f
LD1rPS3AhJ7EQ==}

  devlop@1.1.0:
    resolution: {integrity: sha512-

RWmIqhcFf1lRYBvNmr7qTNuyCt/7/ns2jbpp1+PalgE/rDQcBT0fioSMUpJ93irlUhC5hrg4cYqe6U+0ImW0rA==}

didyoumean@1.2.2:
resolution: {integrity: sha512-gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgsdAA5SIifona89YtRATDzw==}

dijkstrajs@1.0.3:
resolution: {integrity: sha512-qiSlmBq9+BCdCA/L46dw8Uy93mloxsPSbwnm5yrKn2vMPiy8KyAskTF6zuV/j5BMsmOGZDPs7KjU+mjb670kfA==}

dlv@1.1.3:
resolution: {integrity: sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA==}

dom-helpers@5.2.1:
resolution: {integrity: sha512-nRCa7CK3VTrM2NmGkIy4cbK7IZlgBE/PYMn55rrXefr5xXDP0LdtfPnblFDoVdcAfslJ7or6iqAUnx0CCGIWQA==}

dompurify@3.2.6:
resolution: {integrity: sha512-/2GogDQlohXPZe6D6NOgQvXLPSYBqIWMnZ8zzOhn09REE4eyAzb+Hed3jhoM9OkuaJ8P6ZGTTVWQKAi8ieIzfQ==}

dot-case@3.0.4:
resolution: {integrity: sha512-Kv5nKlh6yRrdrGvxeJ2e5y2eRUpkUosIW4A2AS38zwSz27zu7ufDwQPi5Jhs3XAlGNetl3bmnGhQsMtkKJnj3w==}

dunder-proto@1.0.1:
resolution: {integrity: sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe4UY7ct+A==}
engines: {node: '>= 0.4'}

eastasianwidth@0.2.0:
resolution: {integrity: sha512-I88TYZWc9XiYHRQ4/3c5rjjfgkjhLyW2luGIheGERbNQ6OY7yTybanSpDXZa8y7VUP9YmDcYa+eyq4ca7iLqWA==}

  electron-to-chromium@1.5.200:
    resolution: {integrity: sha512-
rFCxROw7aOe4uPTfIAx+rXv9cEcGx+buAF4npnhtTqCJk5KDFRnh3+KYj7rdVh6lsFt5/aPs+Ir
j9rZ33WMA7w==}

  embla-carousel-react@8.6.0:
    resolution: {integrity: sha512-
0/PjqU7geVmo6F734pmPqpyHqiM99olvyecY7zdweCw+6tKEXnrE90pBiBbMMU8s5tICemz
pQ3hi5EpxzGW+JA==}
    peerDependencies:
      react: ^16.8.0 || ^17.0.1 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc

  embla-carousel-reactive-utils@8.6.0:
    resolution: {integrity: sha512-
fMVUDUEx0/uIEDM0Mz3dHznDhfX+znCCDCeIophYb1QGVM7YThSWX+wz11zlYwWFOr74
b4QLGg0hrGPJeG2s4A==}
    peerDependencies:
      embla-carousel: 8.6.0

  embla-carousel@8.6.0:
    resolution: {integrity: sha512-
SjWyZBHJPbqxHOzckOfo8lHisEaJWmwd23XppYFYVh10bU66/Pn5tkVkbkCMZVdbUE5eTCI
2nD8OyIP4Z+uwkA==}

  emoji-regex@8.0.0:
    resolution: {integrity: sha512-
MSjYzcWNOA0ewAHpz0MxpYFvwg6yjy1NG3xteoqz644VCo/RPgnr1/GGt+ic3iJTzQ8Eu3Td
M14SawnVUmGE6A==}

  emoji-regex@9.2.2:
    resolution: {integrity: sha512-
L18DaJsXSUk2+42pv8mLs5jJT2hqFkFE4j21wOmgbUqsZ2hL72NsUU785g9RXgo3s0ZNgVl4
2TiHp3ZtOv/Vyg==}

  entities@4.5.0:
    resolution: {integrity: sha512-
V0hjH4dGPh9Ao5p0MoRY6BVqtwCjhz6vI5LT8AJ55H+4g9/4vbHx1I54fS0XuclLhDHArPQCi
MjDxjaL8fPxhw==}
    engines: {node: '>=0.12'}

  entities@6.0.1:
    resolution: {integrity: sha512-

aN97NXWF6AWBTahfVOIrB/NShkzi5H7F9r1s9mD3cDj4Ko5f2qhhVoYMibXF7GlLveb/D2io
Way8lxI97Ven3g==}
    engines: {node: '>=0.12'}

  error-ex@1.3.2:
    resolution: {integrity: sha512-
7dFHNmqeFSEt2ZBsCriorKnn3Z2pj+fd9kmI6QoWw4//DL+icEBfc0U7qJCisqrTsKTjw4fNFy
2pW9OqStD84g==}

  es-define-property@1.0.1:
    resolution: {integrity: sha512-
e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8EnT69eqdYGm
RpJwiPVYNrCaW3g==}
    engines: {node: '>= 0.4'}

  es-errors@1.3.0:
    resolution: {integrity: sha512-
Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh
2XSCFNULS6csw==}
    engines: {node: '>= 0.4'}

  es-object-atoms@1.1.1:
    resolution: {integrity: sha512-
FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+Pe6FGJzWhXQo
tPv73jTaldXA==}
    engines: {node: '>= 0.4'}

  es-set-tostringtag@2.1.0:
    resolution: {integrity: sha512-
j6vWzfrGVfyXxge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNWbVRdVlm
GZQL2YS3yR8bIUA==}
    engines: {node: '>= 0.4'}

  escalade@3.2.0:
    resolution: {integrity: sha512-
WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVh
boMS+bje/jA==}
    engines: {node: '>=6'}

  escape-string-regexp@5.0.0:
    resolution: {integrity: sha512-
/veY75JbMK4j1yjvuUxuVsiS/hr/4iHs9FTT6cgTexxdE0Ly/glccBAkloH/DofkjRbZU3bnoj38
mOmhkZ0lHw==}

engines: {node: '>=12'}

esprima@4.0.1:
resolution: {integrity: sha1-E7BM2z5sXRnfkatph6hpVhmwqnE=}
engines: {node: '>=4'}
hasBin: true

estree-util-is-identifier-name@3.0.0:
resolution: {integrity: sha512-hFtqIDZTIUZ9BXLb8y4pYGyk6+wekIivNVTcmvk8NoOh+VeRn5y6cEHzbURrWbfp1fIqdVipilzj+lfaadNZmg==}

estree-walker@2.0.2:
resolution: {integrity: sha512-Rfkk/Mp/DL7JVje3u18FxFujQlTNR2q6QfMSMB7AvCBx91NGj/ba3kCfza0f6dVDbw7YlRf/nDrn7pQrCCyQ/w==}

eventemitter3@4.0.7:
resolution: {integrity: sha512-8guHBZCwKnFhYdHr2ysuRWErTwhoN2X8XELRlrRwpmfeY2jjuUN4taQMsULKUVo1K4DvZl+0pgfyoysHxvmvEw==}

eventsource-parser@3.0.6:
resolution: {integrity: sha512-Vo1ab+QXPzZ4tCa8SwIHJFaSzy4R6SHf7BY79rFBDf0idraZWAkYrDjDj8uWaSm3S2TK+hJ7/t1CEmZ7jXw+pg==}
engines: {node: '>=18.0.0'}

exsolve@1.0.7:
resolution: {integrity: sha512-VO5fQUzZtI6C+vx4w/4BWJpg3s/5l+6pRQEHzFRM8WFi4XffSP1Z+4qi7GbjWbvRQEbdIco5mIMq+zX4rPuLrw==}

extend@3.0.2:
resolution: {integrity: sha512-fjquC59cD7CyW6urNXK0FBufkZcoiGG80wTuPujX590cB5Ttln20E2UB4S/WARVqhXffZl2LNgS+gQdPIIim/g==}

fast-equals@5.2.2:
resolution: {integrity: sha512-V7/RktU11J3I36Nwq2JnZEM7tNm17eBJz+u25qdxBZeCKiX6BkVSZQjwWIr+IobgnZy+ag73tTZgZi7tr0LrBw==}
engines: {node: '>=6.0.0'}

  fast-glob@3.3.3:
    resolution: {integrity: sha512-
7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4Az
TVuZdhgQ2TCvYLg==}
    engines: {node: '>=8.6.0'}

  fastq@1.19.1:
    resolution: {integrity: sha512-
GwLTyxkCXjXbxqIhTsMI2Nui8huMPtnxg7krajPJAjnEG/iiOS7i+zCtWGZR9G0NBKbXKh6X9
m9UIsYX/N6vvQ==}

  fdir@6.5.0:
    resolution: {integrity: sha512-
tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBi
wAmM0p4kLJAnXg==}
    engines: {node: '>=12.0.0'}
    peerDependencies:
      picomatch: ^3 || ^4
    peerDependenciesMeta:
      picomatch:
        optional: true

  file-selector@2.1.2:
    resolution: {integrity: sha512-
QgXo+mXTe8ljeqUFaX3QVHc5osSItJ/Km+xpocx0aSqWGMSCf6qYs/VnzZgS864Pjn5iceMRFi
geAV7AfTlaig==}
    engines: {node: '>= 12'}

  fill-range@7.1.1:
    resolution: {integrity: sha512-
YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9Ka
LyKrc+hBW0yg==}
    engines: {node: '>=8'}

  find-up@4.1.0:
    resolution: {integrity: sha512-
PpOwAdQ/YlXQ2vj8a3h8IipDuYRi3wceVQQGYWxNINccq40Anw7BlsEXCMbt1Zt+OLA6Fq9
suIpIWD0OsnISlw==}
    engines: {node: '>=8'}

  follow-redirects@1.15.11:
    resolution: {integrity: sha512-

deG2P0JfjrTxl50XGCDyfI97ZGVCxIpfKYmfyrQ54n5FO/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==}
    engines: {node: '>=4.0'}
    peerDependencies:
      debug: '*'
    peerDependenciesMeta:
      debug:
        optional: true

  foreground-child@3.3.1:
    resolution: {integrity: sha512-gIXjKqtFuWEgzFRJA9WCQeSJLZDjgJUOMCMzxtvFq/37KojM1BFGufqsCy0r4qSQmYLsZYMeyRqzIWOMup03sw==}
    engines: {node: '>=14'}

  form-data@4.0.4:
    resolution: {integrity: sha512-KrGhL9Q4zjj0kiUt5OO4Mr/A/jlI2jDYs5eHBpYHPcBEVSiipAvn2Ko2HnPe20rmcuuvMHNdZFp+4IlGTMF0Ow==}
    engines: {node: '>= 6'}

  fraction.js@4.3.7:
    resolution: {integrity: sha512-ZsDfxO51wGAXREY55a7la9LScWpwv9RxIrYABrlvOFBlH/ShPnrtsXeuUIfXKKOVicNxQ+o8JTbJvjS4M89yew==}

  framer-motion@12.23.25:
    resolution: {integrity: sha512-gUHGl2e4VG66jOcH0JHhuJQr6ZNwrET9g31ZG0xdXzT0CznP7fHX4P8Bcvuc4MiUB90ysNnWX2ukHRIggkl6hQ==}
    peerDependencies:
      '@emotion/is-prop-valid': '*'
      react: ^18.0.0 || ^19.0.0
      react-dom: ^18.0.0 || ^19.0.0
    peerDependenciesMeta:
      '@emotion/is-prop-valid':
        optional: true
      react:
        optional: true
      react-dom:
        optional: true

  fsevents@2.3.3:

resolution: {integrity: sha512-
5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n6
3k0212XNoJwzlhffQw==}
engines: {node: ^8.16.0 || ^10.6.0 || >=11.0.0}
os: [darwin]

function-bind@1.1.2:
resolution: {integrity: sha512-
7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oVO0
F744iUgR82nJMfG2SA==}

gensync@1.0.0-beta.2:
resolution: {integrity: sha512-
3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp
1HcsCZO+nGgS8zg==}
engines: {node: '>=6.9.0'}

get-caller-file@2.0.5:
resolution: {integrity: sha512-
DyFP3BM/3YHTQOCUL/w0OZHR0lpKeGrxotcHWcqNEdnltqFwXVfhEBQ94eIo34AfQpo0rG
ki4cyIiftY06h2Fg==}
engines: {node: 6.* || 8.* || >= 10.*}

get-intrinsic@1.3.0:
resolution: {integrity: sha512-
9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg
5mfjb98CQ==}
engines: {node: '>= 0.4'}

get-nonce@1.0.1:
resolution: {integrity: sha512-
FJhYRoDaiatfEkUK8HKlicmu/3SGFD51q3itKDGoSTysQJBnfOcxU5GxnhE1E6soB76MbT0MB
tnKJuXyAx+96Q==}
engines: {node: '>=6'}

get-proto@1.0.1:
resolution: {integrity: sha512-
sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFPNc9IcoOC4O
DfKHfxFmp0g==}
engines: {node: '>= 0.4'}

glob-parent@5.1.2:
resolution: {integrity: sha512-

AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==}
    engines: {node: '>= 6'}

  glob-parent@6.0.2:
    resolution: {integrity: sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==}
    engines: {node: '>=10.13.0'}

  glob@10.4.5:
    resolution: {integrity: sha512-7Bv8RF0k6xjo7d4A/PxYLbUCfb6c+Vpd2/mB2yRDlew7Jb5hEXiCD9ibfO7wpk8i4sevK6DFny9h7EYbM3/sHg==}
    hasBin: true

  globals@15.15.0:
    resolution: {integrity: sha512-7ACyT3wmyp3I61S4fG682L0VA2RGD9otkqGJIwNUMF1SWUombIIk+af1unuDYgMm082aHYwD+mzJvv9Iu8dsgg==}
    engines: {node: '>=18'}

  gopd@1.2.0:
    resolution: {integrity: sha512-ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIBOijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3OO6Rfa93xsRg==}
    engines: {node: '>= 0.4'}

  hachure-fill@0.5.2:
    resolution: {integrity: sha512-3GKBOn+m2LX9iq+JC1064cSFprJY4jL1jCXTcpnfER5HYE2l/4EfWSGzkPa/ZDBmYI0ZOEj5VHV/eKnPGkHuOg==}

  has-symbols@1.1.0:
    resolution: {integrity: sha512-1cDNdwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68iomhjUoKUqlPQ==}
    engines: {node: '>= 0.4'}

  has-tostringtag@1.0.2:
    resolution: {integrity: sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/VqdVsO47Dlw==}

engines: {node: '>= 0.4'}

hasown@2.0.2:
resolution: {integrity: sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bclra9HmKhVVUHyPWNH5Y7xDwAB7bfgSjkUMQ==}
engines: {node: '>= 0.4'}

hast-util-from-dom@5.0.1:
resolution: {integrity: sha512-N+LqofjR2zuzTjCPzyDUdSshy4Ma6li7p/c3pA78uTwzFgENbgbUrm2ugwsOdcjI1muO+o6Dgzp9p8WHtn/39Q==}

hast-util-from-html-isomorphic@2.0.0:
resolution: {integrity: sha512-zJfpXq44yff2hmE0XmwEOzdWin5xwH+QIhMLOScpX91e/NSGPsAzNCvLQDIEPyO2TXi+lBmU6hjLIhV8MwP2kw==}

hast-util-from-html@2.0.3:
resolution: {integrity: sha512-CUSRHXyKjzHov8yKsQjGOElXy/3EKpyX56ELnkHH34vDVw1N1XSQ1ZcAvTyAPtGqLTuKP/uxM+aLkSPqF/EtMw==}

hast-util-from-parse5@8.0.3:
resolution: {integrity: sha512-3kxEVkEKt0zvcZ3hCRYI8rqrgwtlIOFMWkbclACvjlDw8Li9S2hk/d51OI0nr/gIpdMHNepwgOKqZ/sy0Clpyg==}

hast-util-is-element@3.0.0:
resolution: {integrity: sha512-Val9mnv2IWpLbNPqc/pUem+a7Ipj2aHacCwgNfTiK0vJKl0LF+4Ba4+v1oPHFpf3bLYmreq0/l3Gud9S5OH42g==}

hast-util-parse-selector@4.0.0:
resolution: {integrity: sha512-wkQCkSYoOGCRKERFWcxMVMOcYE2K1AaNLU8DXS9arxnLOUEWbOXKXiJUNzEpqZ3JOKpnha3jkFrumEjVliDe7A==}

hast-util-raw@9.1.0:
resolution: {integrity: sha512-Y8/SBAHkZGoNkpzqqfCldijcuUKh7/su31kEBp67cFY09Wy0mTRgtsLYsiIxMJxlu0f6AA5SUTbDR8K0rxnbUw==}

hast-util-to-html@9.0.5:
resolution: {integrity: sha512-
OguPdidb+fbHQSU4Q4ZiLKnzWo8Wwsf5bZfbvu7//a9oTYoqD/fWpe96NuHkoS9h0ccGOTe
0C4NGXdtS0iObOw==}

hast-util-to-jsx-runtime@2.3.6:
resolution: {integrity: sha512-
zl6s8LwNyo1P9uw+XJGvZtdFF1GdAkOg8ujOw+4Pyb76874fLps4ueHXDhXWdk6YHQ6OgUt
inliG7RsYvCbbBg==}

hast-util-to-parse5@8.0.0:
resolution: {integrity: sha512-
3KKrV5ZVI8if87DVSi1vDeByYrkGzg4mEfeu4alwgmmIeARiBLKCZS2uw5Gb6nU9x9Yufyj3i
udm6i7nl52PFw==}

hast-util-to-text@4.0.2:
resolution: {integrity: sha512-
KK6y/BN8lbaq654j7JgBydev7wuNMcID54lkRav1P0CaE1e47P72AWWPiGKXTJU271ooYzcv
TAn/Zt0REnvc7A==}

hast-util-whitespace@3.0.0:
resolution: {integrity: sha512-
88JUN06ipLwsnv+dVn+OIYOvAuvBMy/Qoi6O7mQHxdPXpjy+Cd6xRkWwux7DKO+4sYILtL
BRIKgsdpS2gQc7qw==}

hastscript@9.0.1:
resolution: {integrity: sha512-
g7df9rMFX/SPi34tyGCyUBREQoKkapwdY/T04Qn9TDWfHhAYt4/I0gMVirzK5wEzeUqIjEB+
LXC/ypb7Aqno5w==}

html-url-attributes@3.0.1:
resolution: {integrity: sha512-
ol6UPyBWqsrO6EJySPz2O7ZSr856WDrEzM5zMqp+FJJLGMW35cLYmmZnl0vztAZxRUoNZJ
FTCohfjuIJ8I4QBQ==}

html-void-elements@3.0.0:
resolution: {integrity: sha512-
bEqo66MRXsUGxWHV5IP0PUiAWwoEjba4VCzg0LjFJBpchPaTfyfCKTG6bc5F8ucKec3q5y6q
OdGyYTSBEvhCrg==}

iconv-lite@0.6.3:
resolution: {integrity: sha512-
4fCk79wshMdzMp2rH06qWrJE4iolqLhCUH+OiuIgU++RB0+94NlDL81atO7GX55uUKueo0tx

HNtvEyI6D7WdMw==}
    engines: {node: '>=0.10.0'}

  import-fresh@3.3.1:
    resolution: {integrity: sha512-
TR3KfrTZTYLPB6jUjfx6MF9WcWrHL9su5TObK4ZkYgBdWKPOFoSoQIdEuTuR82pmtxH2sp
WG9h6etwfr1pLBqQ==}
    engines: {node: '>=6'}

  inline-style-parser@0.2.4:
    resolution: {integrity: sha512-
0aO8FkhNZlj/ZIbNi7Lxxr12obT7cL1moPfE4tg1LkX7LlLfC6DeX4l2ZEud1ukP9jNQyNnfzQV
qwbwmAATY4Q==}

  input-otp@1.4.2:
    resolution: {integrity: sha512-
l3jWwYNvrEa6NTCt7BECfCm48GvwuZzkoeG3gBL2w4CHeOXW3eKFmf9UNYkNfYc3mxMrt
hMnxjIE07MT0zLBQA==}
    peerDependencies:
      react: ^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc
      react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc

  internmap@1.0.1:
    resolution: {integrity: sha512-
lDB5YccMydFBtasVtxnZ3MRBHuaoE8GKsppq+EchKL2U4nK/DmEpPHNH8MZe5HkMtpSiT
SOZwfN0tzYjO/lJEw==}

  internmap@2.0.3:
    resolution: {integrity: sha512-
5Hh7Y1wQbvY5ooGgPbDaL5iYLAPzMTUrjMulskHLH6wnv/A+1q5rgEaiuqEjB+oxGXIVZs1F
F+R/KPN3ZSQYYg==}
    engines: {node: '>=12'}

  invariant@2.2.4:
    resolution: {integrity: sha512-
phJfQVBuaJM5raOpJjSfkiD6BpbCE4Ns//LaXl6wGYtUBY83nWS6Rf9tXm2e8VaK60JEjYldbPi
f/A2B1C2gNA==}

  is-alphabetical@2.0.1:
    resolution: {integrity: sha512-
FWyyY60MeTNyeSRpkM2Iry0G9hpr7/9kD40mD/cGQEuilcZYS4okz8SN2Q6rLCJ8gbCt6fN+
rC+6tMGS99LaxQ==}

is-alphanumerical@2.0.1:
resolution: {integrity: sha512-hmbYhX/9MUMF5uh7tOXyK/n0ZvWpad5caBA17GsC6vyuCqaWliRG5K1qS9inmUhEMaOBIW7/whAnSwveW/LtZw==}

is-arrayish@0.2.1:
resolution: {integrity: sha512-zz06S8t0ozoDXMG+ube26zeCTNXcKIPJZJi8hBrF4idCLms4CG9QtK7qBl1boi5ODzFpjswb5JPmHCbMpjaYzg==}

is-binary-path@2.1.0:
resolution: {integrity: sha512-ZMERYes6pDydyuGidse7OsHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97mmtRGXw==}
engines: {node: '>=8'}

is-core-module@2.16.1:
resolution: {integrity: sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==}
engines: {node: '>= 0.4'}

is-decimal@2.0.1:
resolution: {integrity: sha512-AAB9hiomQs5DXWcRB1rqsxGUstbRroFOPPVAomNk/3XHR5JyEZChOyTWe2oayKnsSsr/kcGqF+z6yuH6HHpN0A==}

is-extglob@2.1.1:
resolution: {integrity: sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==}
engines: {node: '>=0.10.0'}

is-fullwidth-code-point@3.0.0:
resolution: {integrity: sha512-zymm5+u+sCsSWyD9qNaejV3DFvhCKclKdizYaJUuHA83RLjb7nSuGnddCHGv0hk+KY7BMAlsWeK4Ueg6EV6XQg==}
engines: {node: '>=8'}

is-glob@4.0.3:
resolution: {integrity: sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==}

engines: {node: '>=0.10.0'}

is-hexadecimal@2.0.1:
resolution: {integrity: sha512-DgZQp241c8oO6cA1SbTEWiXeoxV42vlcJxgH+B3hi1AiqqKruZR3ZGF8In3fj4+/y/7rHvlOZLZtgJ/4ttYGZg==}

is-number@7.0.0:
resolution: {integrity: sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlbGXYxxng==}
engines: {node: '>=0.12.0'}

is-plain-obj@4.1.0:
resolution: {integrity: sha512-+Pgi+vMuUNkJyExiMBt5IlFoMyKnr5zhJ4Uspz58WOhBF5QoIZkFyNHIbBAtHwzVAgk5RtndVNsDRN61/mmDqg==}
engines: {node: '>=12'}

isexe@2.0.0:
resolution: {integrity: sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==}

jackspeak@3.4.3:
resolution: {integrity: sha512-OGlZQpz2yfahA/Rd1Y8Cd9SIEsqvXkLVoSw/cgwhnhFMDbsQFeZYoJJ7bIZBS9BcamUW96asq/npPWugM+RQBw==}

jiti@1.21.7:
resolution: {integrity: sha512-/imKNG4EbWNrVjoNC/1H5/9GFy+tqjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+OEatnTR3A==}
hasBin: true

js-tokens@4.0.0:
resolution: {integrity: sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==}

js-yaml@4.1.0:
resolution: {integrity: sha512-wpxZs9NoxZaJESJGIZTyDEaYpl0FKSA+FB9aJiyemKhMwkxQg63h4T1KJgUGHpTqPDNRcm

mYLugrRjJlBtWvRA==}
    hasBin: true

  jsesc@3.1.0:
    resolution: {integrity: sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw5XuGIaA==}
    engines: {node: '>=6'}
    hasBin: true

  json-parse-even-better-errors@2.3.1:
    resolution: {integrity: sha512-xyFwyhro/JEof6Ghe2iz2NcXoj2sloNsWr/XsERDK/oiPCfaNhl5ONfp+jQdAZRQQ0IJWNzH9zIZF7li91kh2w==}

  json5@2.2.3:
    resolution: {integrity: sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==}
    engines: {node: '>=6'}
    hasBin: true

  katex@0.16.22:
    resolution: {integrity: sha512-XCHRdUw4lf3SKBaJe4EvgqIuWwkPSo9XoeO8GjQW94Bp7TWv9hNhzZjZ+OH9yf1UmLygb7DIT5GSFQiyt16zYg==}
    hasBin: true

  khroma@2.1.0:
    resolution: {integrity: sha512-Ls993zuzfayK269Svk9hzpeGUKob/sIgZzyHYdjQoAdQetRKpOLj+k/QQQ/6Qi0Yz65mlROrfd+Ev+1+7dz9Kw==}

  kolorist@1.8.0:
    resolution: {integrity: sha512-Y+60/zizpJ3HRH8DCss+q95yr6145JXZo46OTpFvDZWLfRCE4qChOyk1b26nMaNpfHHgxagk9dXT5OP0Tfe+dQ==}

  ky@1.13.0:
    resolution: {integrity: sha512-JeNNGs44hVUp2XxO3FY9WV28ymG7LgO4wju4HL/dCq1A8eKDcFgVrdCn1ssn+3Q/5OQilv5aYsL0DMt5mmAV9w==}
    engines: {node: '>=18'}

langium@3.3.1:
resolution: {integrity: sha512-QJv/h939gDpvT+9SiLVlY7tZC3xB2qK57v0J04Sh9wpMb6MP1q8gB21L3WIo8T5P1MSMg3Ep14L7KkDCFG3y4w==}
engines: {node: '>=16.0.0'}

layout-base@1.0.2:
resolution: {integrity: sha512-8h2oVEZNktL4BH2JCOI90iD1yXwL6iNW7KcCKT2QZgQJR2vbqDsldCTPRU9NifTCqHZci57XvQQ15YTu+sTYPg==}

layout-base@2.0.1:
resolution: {integrity: sha512-dp3s92+uNI1hWIpPGH3jK2kxE2lMjdXdr+DH8ynZHpd6PUlH6x6cbuXnoMmiNumznqaNO31xu9e79F0uuZ0JFg==}

lightningcss-android-arm64@1.31.1:
resolution: {integrity: sha512-HXJF3x8w9nQ4jbXRiNppBCqeZPIAfUo8zE/kOEGbW5NZvGc/K7nMxbhIr+YlFlHW5mpbg/YFPdbnCh1wAXCKFg==}
engines: {node: '>= 12.0.0'}
cpu: [arm64]
os: [android]

lightningcss-darwin-arm64@1.31.1:
resolution: {integrity: sha512-02uTEqf3vIfNMq3h/z2cJfcOXnQ0GRwQrkmPafhueLb2h7mqEidiCzkE4gBMEH65abHRiQvhdcQ+aP0D0g67sg==}
engines: {node: '>= 12.0.0'}
cpu: [arm64]
os: [darwin]

lightningcss-darwin-x64@1.31.1:
resolution: {integrity: sha512-1ObhyoCY+tGxtsz1lSx5NXCj3nirk0Y0kB/g8B8DT+sSx4G9djitg9ejFnjb3gJNWo7qXH4DIy2SUHvpoFwfTA==}
engines: {node: '>= 12.0.0'}
cpu: [x64]
os: [darwin]

lightningcss-freebsd-x64@1.31.1:
resolution: {integrity: sha512-

1RINmQKAItO6ISxYgPwszQE1BrsVU5aB45ho6O42mu96UiZBxEXsuQ7cJW4zs4CEodPUioj/QrXW1r9pLUM74A==}
    engines: {node: '>= 12.0.0'}
    cpu: [x64]
    os: [freebsd]

  lightningcss-linux-arm-gnueabihf@1.31.1:
    resolution: {integrity: sha512-OOCm2//MZJ87CdDK62rZIu+aw9gBv4azMJuA8/KB74wmfS3lnC4yoPHm0uXZ/dvNNHmnZnB8XLAZzObeG0nS1g==}
    engines: {node: '>= 12.0.0'}
    cpu: [arm]
    os: [linux]

  lightningcss-linux-arm64-gnu@1.31.1:
    resolution: {integrity: sha512-WKyLWztD71rTnou4xAD5kQT+982wvca7E6QoLpoawZ1gP9JM0GJj4Tp5jMUh9B3AitHbRZ2/H3W5xQmdEOUlLg==}
    engines: {node: '>= 12.0.0'}
    cpu: [arm64]
    os: [linux]

  lightningcss-linux-arm64-musl@1.31.1:
    resolution: {integrity: sha512-mVZ7Pg2zIbe3XlNbZJdjs86YViQFoJSpc41CbVmKBPiGmC4YrfeOyz65ms2qpAobVd7WQsbW4PdsSJEMymyIMg==}
    engines: {node: '>= 12.0.0'}
    cpu: [arm64]
    os: [linux]

  lightningcss-linux-x64-gnu@1.31.1:
    resolution: {integrity: sha512-xGlFWRMl+0KvUhgySdIaReQdB4FNudfUTARn7q0hh/V67PVGCs3ADFjw+6++kG1RNd0zdGRlEKa+T13/tQjPMA==}
    engines: {node: '>= 12.0.0'}
    cpu: [x64]
    os: [linux]

  lightningcss-linux-x64-musl@1.31.1:
    resolution: {integrity: sha512-eowF8PrKHw9LpoZii5tdZwnBcYDxRw2rRCyvAXLi34iyeYfqCQNA9rmUM0ce62NlPhCvof1+9ivRaTY6pSKDaA==}
    engines: {node: '>= 12.0.0'}

cpu: [x64]
os: [linux]

lightningcss-win32-arm64-msvc@1.31.1:
resolution: {integrity: sha512-aJReEbSEQzx1uBlQizAOBSjcmr9dCdL3XuC/6HLXAxmtErsj2ICo5yYggg1qOODQMtnjNQv2UHb9NpOuFtYe4w==}
engines: {node: '>= 12.0.0'}
cpu: [arm64]
os: [win32]

lightningcss-win32-x64-msvc@1.31.1:
resolution: {integrity: sha512-I9aiFrbd7oYHwlnQDqr1Roz+fTz61oDDJX7n9tYF9FJymH1cIN1DtKw3iYt6b8WZgEjoNwVSncwF4wx/ZedMhw==}
engines: {node: '>= 12.0.0'}
cpu: [x64]
os: [win32]

lightningcss@1.31.1:
resolution: {integrity: sha512-l51N2r93WmGUye3WuFoN5k10zyvrVs0qfKBhyC5ogUQ6Ew6JUSswh78mbSO+IU3nTWsyOArqPCcShdQSadghBQ==}
engines: {node: '>= 12.0.0'}

lilconfig@3.1.3:
resolution: {integrity: sha512-/vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQDvpzw==}
engines: {node: '>=14'}

lines-and-columns@1.2.4:
resolution: {integrity: sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==}

local-pkg@1.1.2:
resolution: {integrity: sha512-arhlxbFRmoQHl33a0Zkle/YWlmNwoyt6QNZEIJcqNbdrsix5Lvc4HyyI3EnwxTYlZYc32EbYrQ8SzEZ7dqgg9A==}
engines: {node: '>=14'}

locate-path@5.0.0:

resolution: {integrity: sha512-
t7hw9pI+WvuwNJXwk5zVHpyhIqzg2qTlklJOf0mVxGSbe3Fp2VieZcduNYjaLDoy6p9uGpQE
GWG87WpMKlNq8g==}
engines: {node: '>=8'}

lodash-es@4.17.21:
resolution: {integrity: sha512-
mKnC+QJ9pWVzv+C4/U3rRsHapFfHvQFoFB92e52xeyGMcX6/OlIl78je1u8vePzYZSkkogMPJ
2yjxxsb89cxyw==}

lodash.throttle@4.1.1:
resolution: {integrity: sha512-
wIkUCfVKpVsWo3JSZlc+8MB5it+2AN5W8J7YVMST30UrvcQNZ1Okbj+rbVniijTWE6FGYy4X
Jq/rHkas8qJMLQ==}

lodash@4.17.21:
resolution: {integrity: sha512-
v2kDEe57lecTulaDIuNTPy3Ry4gLGJ6Z1O3vE1krgXZNrsQ+LFTGHVxVjcXPs17LhbZVGedAJv
8XZ1tvj5FvSg==}

longest-streak@3.1.0:
resolution: {integrity: sha512-
9Ri+o0JYgehTaVBBDoMqIl8GXtbWg711O3srftcHhZ0dqnETqLaoIK0x17fUw9rFSlK/0NlsKe
0Ahhyl5pXE2g==}

loose-envify@1.4.0:
resolution: {integrity: sha512-
lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UI
Y408EtxRSoK3Q==}
hasBin: true

lower-case@2.0.2:
resolution: {integrity: sha512-
7fm3l3NAF9WfN6W3JOmf5drwpVqX78JtoGJ3A6W0a6ZnldM41w2fV5D490psKFTpMds8TJ
se/eHLFFsNHHjHgg==}

lru-cache@10.4.3:
resolution: {integrity: sha512-
JNAzZcXrCt42VGLuYz0zfAzDfAvJWW6AfYlDBQyDV5DClI2m5sAmK+OIO7s59XfsRsWHp02j
AJrRadPRGTt6SQ==}

lru-cache@5.1.1:
resolution: {integrity: sha512-

KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n
6gI8vN1aesBFgo9w==}

  lucide-react@0.542.0:
    resolution: {integrity: sha512-
w3hD8/SQB7+lzU2r4VdFyzzOzKnUjTZIF/MQJGSSvni7Llewni4vuViRppfRAa2guOsY5k4jZyx
w/i9DQHv+dw==}
    peerDependencies:
      react: ^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0

  lucide-react@0.553.0:
    resolution: {integrity: sha512-
BRgX5zrWmNy/lkVAe0dXBgd7XQdZ3HTf+Hwe3c9WK6dqgnj9h+hxV+MDncM88xDWlCq2
7+TKvHGE70ViODNILw==}
    peerDependencies:
      react: ^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0

  magic-string@0.30.17:
    resolution: {integrity: sha512-
sNPKHvyjVf7gyjwS4xGTaW/mCnF8wnjtifKBEhxfZ7E/S8tQ0rssrwGNn6q8JH/ohItJfSQp9m
BtQYuTlH5QnA==}

  markdown-table@3.0.4:
    resolution: {integrity: sha512-
wiYz4+JrLyb/DqW2hkFJxP7Vd7JuTDm77fvbM8VfEQdmSMqcImWeeRbHwZjBjIFki/VaMK2
BhFi7oUUZeM5bqw==}

  marked@16.2.1:
    resolution: {integrity: sha512-
r3UrXED9lMlHF97jJByry90cwrZBBvZmjG1L68oYfuPMW+uDTnuMbyJDymCWwbTE+f+3Lh
pNDKfpR3a3saFyjA==}
    engines: {node: '>= 20'}
    hasBin: true

  math-intrinsics@1.1.0:
    resolution: {integrity: sha512-
/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppb
QUlf6F6Xl9LHu1g==}
    engines: {node: '>= 0.4'}

  mdast-util-find-and-replace@3.0.2:
    resolution: {integrity: sha512-
Tmd1Vg/m3Xz43afeNxDIhWRtFZgM2VLyaf4vSTYwudTyeuTneoL3qtWMA5jeLyz/O1vDJm

mV4QuScFCA2tBPwg==}

  mdast-util-from-markdown@2.0.2:
    resolution: {integrity: sha512-
uZhTV/8NBuw0WHkPTrCqDOl0zVe1BIng5ZtHoDk49ME1qqcjYmmLmOf0gELgcRMxN4w2i
uIeVso5/6QymSrgmA==}

  mdast-util-gfm-autolink-literal@2.0.1:
    resolution: {integrity: sha512-
5HVP2MKaP6L+G6YaxPNjuL0BPrq9orG3TsrZ9YXbA3vDw/ACI4MEsnoDpn6ZNm7GnZgtAc
ONJyPhOP8tNJQavQ==}

  mdast-util-gfm-footnote@2.1.0:
    resolution: {integrity: sha512-
sqpDWlsHn7Ac9GNZQMeUzPQSMzR6Wv0WKRNvQRg0KqHh02fpTz69Qc1QSseNX29bhz1
ROIyNyxExfawVKTm1GQ==}

  mdast-util-gfm-strikethrough@2.0.0:
    resolution: {integrity: sha512-
mKKb915TF+OC5ptj5bJ7WFRPdYtuHv0yTRxK2tJvi+BDqbkiG7h7u/9SI89nRAYcmap2xHQL
9D+QG/6wSrTtXg==}

  mdast-util-gfm-table@2.0.0:
    resolution: {integrity: sha512-
78UEvebzz/rJIxLvE7ZtDd/vIQ0RHv+3Mh5DR96p7cS7HsBhYIICDBCu8csTNWNO6tBWfqXP
WekRuj2FNOGOZg==}

  mdast-util-gfm-task-list-item@2.0.0:
    resolution: {integrity: sha512-
IrtvNvjxC1o06taBAVJznEnkiHxLFTzgonUdy8hzFVeDun0uTjxxrRGVaNFqkU1wJR3RBPEfsx
mU6jDWPofrTQ==}

  mdast-util-gfm@3.1.0:
    resolution: {integrity: sha512-
0ulfdQOM3ysHhCJ1p06l0b0VKlhU0wuQs3thxZQagjcjPrlFRqY215uZGHHJan9GEAXd9MbfPj
FJz+qMkVR6zQ==}

  mdast-util-math@3.0.0:
    resolution: {integrity: sha512-
Tl9GBNeG/AhJnQM221bJR2HPvLOSnLE/T9cJI9tlc6zwQk2nPk/4f0cHkOdEixQPC/j8UtKDdI
TswvLAy1OZ1w==}

  mdast-util-mdx-expression@2.0.1:

resolution: {integrity: sha512-
J6f+9hUp+ldTZqKRSg7Vw5V6MqjATc+3E4gf3CFNcuZNWD8XdyI6zQ8GqH7f8169MM6P7h
MBRDVGnn7oHB9kXQ==}

mdast-util-mdx-jsx@3.2.0:
resolution: {integrity: sha512-
lj/z8v0r6ZtsN/cGNNtemmmfoLAFZnjMbNyLzBafjzikOM+glrjNHPlf6lQDOTccj9n5b0PPihEB
bhneMyGs1Q==}

mdast-util-mdxjs-esm@2.0.1:
resolution: {integrity: sha512-
EcmOpxsZ96CvlP03NghtH1EsLtr0n9Tm4lPUJUBccV9RwUOneqSycg19n5HGzCf+10LozMRS
ObtVr3ee1WoHtg==}

mdast-util-phrasing@4.1.0:
resolution: {integrity: sha512-
TqICwyvJJpBwvGAMZjj4J2n0X8QWp21b9l0o7eXyVJ25YNWYbJDVIyD1bZXE6WtV6RmKJVY
mQAKWa0zWOABz2w==}

mdast-util-to-hast@13.2.0:
resolution: {integrity: sha512-
QGYKEuUsYT9ykKBCMOEDLsU5JRObWQusAolFMeko/tYPufNkRffBAQjIE+99jbA87xv6Fgm
jLtwjh9wBWajwAA==}

mdast-util-to-markdown@2.1.2:
resolution: {integrity: sha512-
xj68wMTvGXVOKonmog6LwyJKrYXZPvlwabaryTjLh9LuvovB/KAH+kvi8Gjj+7rJjsFi23nkUx
RQv1KqSroMqA==}

mdast-util-to-string@4.0.0:
resolution: {integrity: sha512-
0H44vDimn51F0YwvxSJSm0eCDOJTRlmN0R1yBh4HLj9wiV1Dn0QoXGbvFAWj2hSItVTlCm
BF1hqKlIyUBVFLPg==}

merge2@1.4.1:
resolution: {integrity: sha512-
8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA3O8tPzpczCCDg
v+P2P5y00ZJOOg==}
engines: {node: '>= 8'}

mermaid@11.12.0:
resolution: {integrity: sha512-
ZudVx73BwrMJfCFmSSJT84y6u5brEoV8DOItdHomNLz32uBjNrelm7mg95X7g+C6UoQH/W

6mBLGDEDv73JdxBg==}

  miaoda-auth-react@2.0.6:
    resolution: {integrity: sha512-
Cv/uraKbJuG3aIzsTZ1zy+iPAM2M9loqFlzmaHa7q7SJ9Q3lLlWtTV+dcxrrLHVymEzpHtAQ/X
mDI3OTC6CD2g==}
    peerDependencies:
      '@supabase/supabase-js': '*'
      react: '*'
      react-dom: '*'
      react-router-dom: '*'

  miaoda-sc-plugin@1.0.55:
    resolution: {integrity: sha512-
zC7xIbh5aN7ZFCJl9MhMueWkHPsdReseifPN5x8wPtmT9P1S1E4c1zSFN9E7frwOYGKAoEO
A/6Gw8V4XORV37w==}
    peerDependencies:
      vite: ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0

  micromark-core-commonmark@2.0.3:
    resolution: {integrity: sha512-
RDBrHEMSxVFLg6xvnXmb1Ayr2WzLAWjeSATAoxwKYJV94TeNavgoIdA0a9ytzDSVzBy2YK
FK+emCPOEibLeCrg==}

  micromark-extension-gfm-autolink-literal@2.1.0:
    resolution: {integrity: sha512-
oOg7knzhicgQ3t4QCjCWgTmfNhvQbDDnJeVu9v81r7NltNCVmhPy1fJRX27pISafdjL+SVc4d3
l48Gb6pbRypw==}

  micromark-extension-gfm-footnote@2.1.0:
    resolution: {integrity: sha512-
/yPhxI1ntnDNsiHtzLKYnE3vf9JZ6cAisqVDauhp4CEHxlb4uoOTxOCJ+9s51bIB8U1N1FJ1RX
OKTIlD5B/gqw==}

  micromark-extension-gfm-strikethrough@2.1.0:
    resolution: {integrity: sha512-
ADVjpOOkjz1hhkZLlBiYA9cR2Anf8F4HqZUO6e5eDcPQd0Txw5fxLzzxnEkSkfnD0wziSGiv7s
Yhk/ktvbf1uw==}

  micromark-extension-gfm-table@2.1.1:
    resolution: {integrity: sha512-
t2OU/dXXioARrC6yWfJ4hqB7rct14e8f7m0cbI5hUmDyyIlwv5vEtooptH8INkbLzOatzKuVbQ
mAYcbWoyz6Dg==}

micromark-extension-gfm-tagfilter@2.0.0:
resolution: {integrity: sha512-xHlTOmuCSotIA8TW1mDIM6X2O1SiX5P9IuDtqGonFhEK0qgRI4yeC6vMxEV2dgyr2TiD+2PQ10o+cOhdVAcwfg==}

micromark-extension-gfm-task-list-item@2.1.0:
resolution: {integrity: sha512-qIBZhqxqI6fjLDYFTBIa4eivDMnP+OZqsNwmQ3xNLE4Cxwc+zfQEfbs6tzAo2Hjq+bh6q5F+Z8/cksrLFYWQQw==}

micromark-extension-gfm@3.0.0:
resolution: {integrity: sha512-vsKArQsicm7t0z2GugkCKtZehqUm31oeGBV/KVSorWSy8ZlNAv7ytjFhvaryUiCUJYqs+NoE6AFhpQvBTM6Q4w==}

micromark-extension-math@3.1.0:
resolution: {integrity: sha512-lvEqd+fHjATVs+2v/8kg9i5Q0AP2k85H0WUOwpIVvUML8BapsMvh1XAogmQjOCsLpoKRCVQqEkQBB3NhVBcsOg==}

micromark-factory-destination@2.0.1:
resolution: {integrity: sha512-Xe6rDdJlkmbFRExpTOmRj9N3MaWmbAgdpSrBQvCFqhezUn4AHqJHbaEnfbVYYiexVSs//tqOdY/DxhjdCiJnIA==}

micromark-factory-label@2.0.1:
resolution: {integrity: sha512-VFMekyQExqIW7xIChcXn4ok29YE3rnuyveW3wZQWWqF4Nv9Wk5rgJ99KzPvHjkmPXF93FXIbBp6YdW3t71/7Vg==}

micromark-factory-space@2.0.1:
resolution: {integrity: sha512-zRkxjtBxxLd2Sc0d+fbnEunsTj46SWXgXciZmHq0kDYGnck/ZSGj9/wULTV95uoeYiK5hRXP2mJ98Uo4cq/LQg==}

micromark-factory-title@2.0.1:
resolution: {integrity: sha512-5bZ+3CjhAd9eChYTHsjy6TGxpOFSKgKKJPJxr293jTbfry2KDoWkhBb6TcPVB4NmzaPhMs1Frm9AZH7OD4Cjzw==}

micromark-factory-whitespace@2.0.1:
resolution: {integrity: sha512-

Ob0nuZ3PKt/n0hORHyvoD9uZhr+Za8sFoP+OnMcnWK5lngSzALgQYKMr9RJVOWLqQYuyn6ulqGWSXdwf6F80lQ==}

micromark-util-character@2.1.1:
resolution: {integrity: sha512-wv8tdUTJ3thSFFFJKtpYKOYiGP2+v96Hvk4Tu8KpCAsTMs6yi+nVmGh1syvSCsaxz45J6Jbw+9DD6g97+NV67Q==}

micromark-util-chunked@2.0.1:
resolution: {integrity: sha512-QUNFEOPELfmvv+4xiNg2sRYeS/P84pTW0TCgP5zc9FpXetHY0ab7SxKyAQCNCc1eK0459uoLI1y5oO5Vc1dbhA==}

micromark-util-classify-character@2.0.1:
resolution: {integrity: sha512-K0kHzM6afW/MbeWYWLjoHQv1sgg2Q9EccHEDzSkxiP/EaagNzCm7T/WMKZ3rjMbvIpvBiZgwR3dKMygtA4mG1Q==}

micromark-util-combine-extensions@2.0.1:
resolution: {integrity: sha512-OnAnH8Ujmy59JcyZw8JSbK9cGpdVY44NKgSM7E9Eh7DiLS2E9RNQf0dONaGDzEG9yjEl5hcqeIsj4hfRkLH/Bg==}

micromark-util-decode-numeric-character-reference@2.0.2:
resolution: {integrity: sha512-ccUbYk6CwVdkmCQMyr64dXz42EfHGkPQlBj5p7YVGzq8I7CtjXZJrubAYezf7Rp+bjPseiROqe7G6foFd+lEuw==}

micromark-util-decode-string@2.0.1:
resolution: {integrity: sha512-nDV/77Fj6eH1ynwscYTOsbK7rR//Uj0bZXBwJZRfaLEJ1iGBR6kIfNmlNqaqJf649EP0F3NWNdeJi03elllNUQ==}

micromark-util-encode@2.0.1:
resolution: {integrity: sha512-c3cVx2y4KqUnwopcO9b/SCdo2O67LwJJ/UyqGfbigahfegL9myoEFoDYZgkT7f36T0bLrM9hZTAaAyH+PCAXjw==}

micromark-util-html-tag-name@2.0.1:
resolution: {integrity: sha512-2cNEiYDhCWKI+Gs9T0Tiysk136SnR13hhO8yW6BGNyhOC4qYFnwF1nKfD3HFAIXA5c45RrIG1ub11GiXeYd1xA==}

micromark-util-normalize-identifier@2.0.1:
resolution: {integrity: sha512-
sxPqmo70LyARJs0w2UclACPUUEqltCkJ6PhKdMIDuJ3gSf/Q+/GIe3WKl0Ijb/GyH9lOpUkRA
O2wp0GVkLvS9Q==}

micromark-util-resolve-all@2.0.1:
resolution: {integrity: sha512-
VdQyxFWFT2/FGJgwQnJYbe1jjQoNTS4RjglmSjTUlpUMa95Htx9NHeYW4rGDJzbjvCsl9eLjM
QwGeElsqmzcHg==}

micromark-util-sanitize-uri@2.0.1:
resolution: {integrity: sha512-
9N9IomZ/YuGGZZmQec1MbgxtlgougxTodVwDzzEouPKo3qFWvymFHWcnDi2vzV1ff6kas9u
cW+o3yzJK9YB1AQ==}

micromark-util-subtokenize@2.1.0:
resolution: {integrity: sha512-
XQLu552iSctvnEcgXw6+Sx75GflAPNED1qx7eBJ+wydBb2KCbRZe+NwvIEEMM83uml1+2W
SXpBAcp9IUCgCYWA==}

micromark-util-symbol@2.0.1:
resolution: {integrity: sha512-
vs5t8Apaud9N28kgCrRUdEed4UJ+wWNvicHLPxCa9ENlYuAY31M0ETy5y1vA33YoNPDFTg
hEbnh6efaE8h4x0Q==}

micromark-util-types@2.0.2:
resolution: {integrity: sha512-
Yw0ECSpJoViF1qTU4DC6NwtC4aWGt1EkzaQB8KPPyCRR8z9TWeV0HbEFGTO+ZY1wB22z
mxnJqhPyTpOVCpeHTA==}

micromark@4.0.2:
resolution: {integrity: sha512-
zpe98Q6kvavpCr1NPVSCMebCKfD7CA2NqZ+rykeNhONIJBpc1tFKt9hucLGwha3jNTNI8lHpc
tWJWoimVF4PfA==}

micromatch@4.0.8:
resolution: {integrity: sha512-
PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/Pz
EJQxsYsEiFCKo2BA==}
engines: {node: '>=8.6'}

mime-db@1.52.0:
resolution: {integrity: sha512-

sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1E
TVlOoK1UC2nU3gYvg==}
    engines: {node: '>= 0.6'}

  mime-types@2.1.35:
    resolution: {integrity: sha512-
ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysH
B1zxuWL50hzaeXiw==}
    engines: {node: '>= 0.6'}

  minimatch@9.0.5:
    resolution: {integrity: sha512-
G6T0ZX48xgozx7587koeX9Ys2NYy6Gmv//P89sEte9V9whIapMNF4idKxnW2QtCcLiTWlb/
wfCabAtAFWhhBow==}
    engines: {node: '>=16 || 14 >=14.17'}

  minipass@7.1.2:
    resolution: {integrity: sha512-
qOOzS1cBTWYF4BH8fVePDBOO9iptMnGUEZwNc/cMWnTV2nVLZ7VoNWEPHkYczZA0pdo
A7dl6e7FL659nX9S2aw==}
    engines: {node: '>=16 || 14 >=14.17'}

  mlly@1.8.0:
    resolution: {integrity: sha512-
l8D9ODSRWLe2KHJSifWGwBqpTZXIXTeo8mlKjY+E2HAakaTeNpqAyBZ8GSqLzHgw4XmH
mC8whvpjJNMbFZN7/g==}

  motion-dom@12.23.23:
    resolution: {integrity: sha512-
n5yolOs0TQQBRUFImrRfs/+6X4p3Q4n1dUEqt/H58Vx7OW6RF+foWEgmTVDhIWJIMXOuN
NL0apKH2S16en9eiA==}

  motion-utils@12.23.6:
    resolution: {integrity: sha512-
eAWoPgr4eFEOFfg2WjIsMoqJTW6Z8MTUCgn/GZ3VRpClWBdnbjryiA3ZSNLyxCTmCQx4R
mYX6jX1iWHbenUPNQ==}

  motion@12.23.25:
    resolution: {integrity: sha512-
Fk5Y1kcgxYiTYOUjmwfXQAP7tP+iGqw/on1UID9WEL/6KpzxPr9jY2169OsjgZvXJdpraKXy0
orkjaCVIl5fgQ==}
    peerDependencies:
      '@emotion/is-prop-valid': '*'

react: ^18.0.0 || ^19.0.0
react-dom: ^18.0.0 || ^19.0.0
peerDependenciesMeta:
'@emotion/is-prop-valid':
optional: true
react:
optional: true
react-dom:
optional: true

ms@2.1.3:
resolution: {integrity: sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==}

mz@2.7.0:
resolution: {integrity: sha512-z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCl+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN62Q==}

nanoid@3.3.11:
resolution: {integrity: sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHhNmZ2HbFA76w==}
engines: {node: ^10 || ^12 || ^13.7 || ^14 || >=15.0.1}
hasBin: true

next-themes@0.4.6:
resolution: {integrity: sha512-pZvgD5L0IEvX5/9GWyHMf3m8BKiVQwsCMHfoFosXtXBMnaS0ZnIJ9ST4b4NqLVKDEm8QBxoNNGNaBv2JNF6XNA==}
peerDependencies:
react: ^16.8 || ^17 || ^18 || ^19 || ^19.0.0-rc
react-dom: ^16.8 || ^17 || ^18 || ^19 || ^19.0.0-rc

no-case@3.0.4:
resolution: {integrity: sha512-fgAN3jGAh+RoxUGZHTSOLJIqUc2wmoBwGR4tbpNAKmmovFoWq0OdRkb0VkldReO2a2iBT/OEulG9XSUc10r3zg==}

node-releases@2.0.19:
resolution: {integrity: sha512-xxOWJsBKtzAq7DY0J+DTzuz58K8e7sJbdgwkbMWQe8UYB6ekmsQ45q0M/tJDsGaZmbC+l7

n57UV8Hl5tHxO9uw==}

  normalize-path@3.0.0:
    resolution: {integrity: sha512-
6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/
mD4WYojCRwcwLA==}
    engines: {node: '>=0.10.0'}

  normalize-range@0.1.2:
    resolution: {integrity: sha512-
bdok/XvKII3nUpklnV6P2hxtMNrCboOjAcyBuQnWEhO665FwrSNRxU+AqpsyvO6LgGYPspN
+lu5CLtw4jPRKNA==}
    engines: {node: '>=0.10.0'}

  object-assign@4.1.1:
    resolution: {integrity: sha512-
rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQ
HVe4cU5hj+BcUg==}
    engines: {node: '>=0.10.0'}

  object-hash@3.0.0:
    resolution: {integrity: sha512-
RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZF
pWYr2aWrklWAw==}
    engines: {node: '>= 6'}

  oniguruma-parser@0.12.1:
    resolution: {integrity: sha512-
8Unqkvk1RYc6yq2WBYRj4hdnsAxVze8i7iPfQr8e4uSP3tRv0rpZcbGUDvxfQQcdwHt/e9PrM
vGCsa8OqG9X3w==}

  oniguruma-to-es@4.3.3:
    resolution: {integrity: sha512-
rPiZhzC3wXwE59YQMRDodUwwT9FZ9nNBwQQfsd1wfdtlKEyCdRV0avrTcSZ5xlIvGRVPd/c
x6ZN45ECmS39xvg==}

  p-limit@2.3.0:
    resolution: {integrity: sha512-
//88mFWSJx8lxCzwdAABTJL2MyWB12+eIY7MDL2SqLmAkeKU9qxRvWuSyTjm3FUmpBE
MuFfckAIqEaVGUDxb6w==}
    engines: {node: '>=6'}

  p-locate@4.1.0:

resolution: {integrity: sha512-
R79ZZ/0wAxKGu3oYMlz8jy/kbhsNrS7SKZ7PxEHBgJ5+F2mtFW2fK2cOtBh1cHYkQsbzFV7I
+EoRKe6Yt0oK7A==}
engines: {node: '>=8'}

p-try@2.2.0:
resolution: {integrity: sha512-
R4nPAVTAU0B9D35/Gk3uJf/7XYbQcyohSKdvAxIRSNghFl4e71hVoGnBNQz9cWaXxO2I10K
TC+3jMdvvoKw6dQ==}
engines: {node: '>=6'}

package-json-from-dist@1.0.1:
resolution: {integrity: sha512-
UEZIS3/by4OC8vL3P2dTXRETpebLI2NiI5vIrjaD/5UtrkFX/tNbwjTSRAGC/+7CAo2pIcBaRg
WmcBBHcsaCIw==}

package-manager-detector@1.3.0:
resolution: {integrity: sha512-
ZsEbbZORsyHuO00lY1kV3/t72yp6Ysay6Pd17ZAlNGuGwmWDLCJxFpRs0IzfXfj1o4icJOkUEi
oexFHzyPurSQ==}

parent-module@1.0.1:
resolution: {integrity: sha512-
GQ2EWRpQV8/o+Aw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2Ifi6qWV+coDGkrUKZA
xE3Lot5kcsRlh+g==}
engines: {node: '>=6'}

parse-entities@4.0.2:
resolution: {integrity: sha512-
GG2AQYWoLgL877gQIKeRPGO1xF9+eG1ujIb5soS5gPvLQ1y2o8FL90w2QWNdf9I361Mpp7
726c+lj3U0qK1uGw==}

parse-json@5.2.0:
resolution: {integrity: sha512-
ayCKvm/phCGxOkYRSCM82iDwct8/EonSEgCSxWxD7ve6jHggsFl4fZVQBPRNgQoKiuV/odh
FrGzQXZwbifC8Rg==}
engines: {node: '>=8'}

parse5@7.3.0:
resolution: {integrity: sha512-
IInvU7fabl34qmi9gY8XOVxhYyMyuH2xUNpb2q8/Y+7552KlejkRvqvD19nMoUW/uQGGbqN
pA6Tufu5FL5BZgw==}

path-data-parser@0.1.0:
resolution: {integrity: sha512-NOnmBpt5Y2RWbuv0LMzsayp3lVylAHLPUTut412ZA3l+C4uw4ZVkQbjShYCQ8TCpUMdPapr4YjUqLYD6v68j+w==}

path-exists@4.0.0:
resolution: {integrity: sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==}
engines: {node: '>=8'}

path-key@3.1.1:
resolution: {integrity: sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==}
engines: {node: '>=8'}

path-parse@1.0.7:
resolution: {integrity: sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7lOHxryrVOn1ejG6oAp8ahvOIQD8sw==}

path-scurry@1.11.1:
resolution: {integrity: sha512-Xa4Nw17FS9ApQFJ9umLiJS4orGjm7ZzwUrwamcGQuHSzDyth9boKDaycYdDcZDuqYATXw4HFXgaqWTctW/v1HA==}
engines: {node: '>=16 || 14 >=14.18'}

path-type@4.0.0:
resolution: {integrity: sha512-gDKb8aZMDeD/tZWs9P6+q0J9Mwkdl6xMV8TjnGP3qJVJ06bdMgkbBlLU8IdfOsIsFz2BW1rNVT3XuNEl8zPAvw==}
engines: {node: '>=8'}

pathe@2.0.3:
resolution: {integrity: sha512-WUjGcAqP1gQacoQe+OBJsFA7Ld4DyXuUIjZ5cc75cLHvJ7dtNsTugphxIADwspS+AraAUePCKrSVtPLFj/F88w==}

picocolors@1.1.1:
resolution: {integrity: sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==}

picomatch@2.3.1:
resolution: {integrity: sha512-JU3teHTNjmE2VCGFzuY8EXzCDVwEqB2a8fsIvwaStHhAWJEeVd1o1QD80CU6+ZdEXXSLbSsuLwJjkCBWqRQUVA==}
engines: {node: '>=8.6'}

picomatch@4.0.3:
resolution: {integrity: sha512-5gTmgEY/sqK6gFXLIsQNH19lWb4ebPDLA4SdLP7dsWkIXHWlG66oPuVvXSGFPppYZz8ZDZq0dYYrbHfBCVUb1Q==}
engines: {node: '>=12'}

pify@2.3.0:
resolution: {integrity: sha512-udgsAY+fTnvv7kI7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTfJ/FT1R09r9gTsjUjNJotuog==}
engines: {node: '>=0.10.0'}

pirates@4.0.7:
resolution: {integrity: sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgABOevKSsB4G/FA==}
engines: {node: '>= 6'}

pkg-types@1.3.1:
resolution: {integrity: sha512-/Jm5M4RvtBFVkKWRu2BLUTNP8/M2a+UwuAX+ae4770q1qVGtfjG+WTCupoZixokjmHiry8uI+dlY8KXYV5HVVQ==}

pkg-types@2.3.0:
resolution: {integrity: sha512-SIqCzDRg0s9npO5XQ3tNZioRY1uK06lA41ynBC1YmFTmnY6FjUjVt6s4LoADmwoig1qqD0oK8h1p/8mlMx8Oig==}

pngjs@5.0.0:
resolution: {integrity: sha512-40QW5YalBNfQo5yRYmiw7Yz6TKKVr3h6970B2YE+3fQpsWcrbj1PzJgxeJ19DRQjhMbKPIuMY8rFaXc8moolVw==}
engines: {node: '>=10.13.0'}

points-on-curve@0.2.0:
resolution: {integrity: sha512-

0mYKnYYe9ZcqMCWhUjItv/oHjvgEsfKvnUTg8sAtnHr3GVy7rGkXCb6d5cSyqrWqL4k81b9CPg3urd+T7aop3A==}

  points-on-path@0.2.1:
    resolution: {integrity: sha512-25ClnWWuw7JbWZcgqY/gJ4FQWadKxGWk+3kR/7kD0tCaDtPPMj7oHu2ToLaVhfpnHrZzYby2w6tUA0eOIuUg8g==}

  postcss-import@15.1.0:
    resolution: {integrity: sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALew==}
    engines: {node: '>=14.0.0'}
    peerDependencies:
      postcss: ^8.0.0

  postcss-js@4.0.1:
    resolution: {integrity: sha512-dDLF8pEO191hJMtlHFPRa8xsizHaM82MLfNkUHdUtVEV3tgTp5oj+8qbEqYM57SLfc74KSbw//4SeJma2LRVIw==}
    engines: {node: ^12 || ^14 || >= 16}
    peerDependencies:
      postcss: ^8.4.21

  postcss-load-config@4.0.2:
    resolution: {integrity: sha512-bSVhyJGL00wMVoPUzAVAnbEoWyqRxkjv64tUl427SKnPrENtq6hJwUojroMz2VB+Q1edmi4IfrAPpami5VVgMQ==}
    engines: {node: '>= 14'}
    peerDependencies:
      postcss: '>=8.0.9'
      ts-node: '>=9.0.0'
    peerDependenciesMeta:
      postcss:
        optional: true
      ts-node:
        optional: true

  postcss-nested@6.2.0:
    resolution: {integrity: sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGlBstkpTEZfK5+AN9hfJocyBFCNiqyS48bpgzQ==}
    engines: {node: '>=12.0'}

peerDependencies:
postcss: ^8.2.14

postcss-selector-parser@6.1.2:
resolution: {integrity: sha512-Q8qQfPiZ+THO/3ZrOrO0cJJKfpYCagtMUkXbnEfmgUjwXg6z/WBeOyS9APBBPCTSiDV+s4SwQGu8yFsiMRIudg==}
engines: {node: '>=4'}

postcss-value-parser@4.2.0:
resolution: {integrity: sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==}

postcss@8.5.6:
resolution: {integrity: sha512-3Ybi1tAuwAP9s0r1UQ2J4n5Y0G05bJkpUIO0/bI9MhwmD70S5aTWbXGBwxHrelT+XM1k6dM0pk+SwNkpTRN7Pg==}
engines: {node: ^10 || ^12 || >=14}

prop-types@15.8.1:
resolution: {integrity: sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/2qDH5cg==}

property-information@6.5.0:
resolution: {integrity: sha512-PgTgs/BlvHxOu8QuEN7wi5A0OmXaBcHpmCSTehcs6Uuu9IkDIEo13Hy7n898RHfrQ49vKCoGeWZSaAK01nwVig==}

property-information@7.1.0:
resolution: {integrity: sha512-TwEZ+X+yCJmYfL7TPUOcvBZ4QfoT5YenQiJuX//0th53DE6w0xxLEtfK3iyryQFddXuvkIk51EEgrJQ0WJkOmQ==}

proxy-from-env@1.1.0:
resolution: {integrity: sha512-D+zkORCbA9f1tdWRK0RaCR3GPv50cMxcrz4X8k5LTSUD1Dkw47mKJEZQNunItRTkWwgtaUSo1RVFRIG9ZXiFYg==}

qrcode@1.5.4:
resolution: {integrity: sha512-1ca71Zgiu6ORjHqFBDpnSMTR2ReToX4l1Au1VFLyVeBTFavzQnv5JxMFr3ukHVKpSrSA2MC

k0lNJSykjUfz7Zg==}
    engines: {node: '>=10.13.0'}
    hasBin: true

  quansync@0.2.11:
    resolution: {integrity: sha512-AifT7QEbW9Nri4tAwR5M/uzpBuqfZf+zwaEM/QkzEjj7NBuFD2rBuy0K3dE+8wltbezDV7JMA0WfnCPYRSYbXA==}

  queue-microtask@1.2.3:
    resolution: {integrity: sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==}

  react-chartjs-2@5.3.1:
    resolution: {integrity: sha512-h5IPXKg9EXpjoBzUfyWJvllMjG2mQ4EiuHQFhms/AjUm0XSZHhyRy2xVmLXHKrtcdrPO4mnGqRtYoD0vp95A0A==}
    peerDependencies:
      chart.js: ^4.1.1
      react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0

  react-day-picker@8.10.1:
    resolution: {integrity: sha512-TMx7fNbhLk15eqcMt+7Z7S2KF7mfTId/XJDjKE8f+IUcFn0l08/kI4FiYTL/0yuOLmEcbR4Fwe3GJf/NiiMnPA==}
    peerDependencies:
      date-fns: ^2.28.0 || ^3.0.0
      react: ^16.8.0 || ^17.0.0 || ^18.0.0

  react-dom@18.3.1:
    resolution: {integrity: sha512-5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==}
    peerDependencies:
      react: ^18.3.1

  react-dropzone@14.3.8:
    resolution: {integrity: sha512-sBgODnq+lcA4P296DY4wacOZz3JFpD99fp+hb//iBO2HHnyeZU3FwWyXJ6salNpqQdsZrgMrotuko/BdJMV8Ug==}
    engines: {node: '>= 10.13'}
    peerDependencies:

react: '>= 16.8 || 18.0.0'

react-fast-compare@3.2.2:
resolution: {integrity: sha512-
nsO+KSNgo1SbJqJEYRE9ERzo7YtYbou/OqjSQKxV7jcKox7+usiUVZOAC+XnDOABXggQTno0
Y1CpVnuWEc1boQ==}

react-helmet-async@2.0.5:
resolution: {integrity: sha512-
rYUYHeus+i27MvFE+Jaa4WsyBKGkL6qVgbJvSBoX8mbsWoABJXdEO0bZyi0F6i+4f0NuIb8A
vqPMj3iXFHkMwg==}
peerDependencies:
react: ^16.6.0 || ^17.0.0 || ^18.0.0

react-hook-form@7.66.0:
resolution: {integrity: sha512-
xXBqsWGKrY46ZqaHDo+ZUYiMUgi8suYu5kdrS20EG8KiL7VRQitEbNjm+UcrDYrNi1YLyfpm
AeGjCZYXLT9YBw==}
engines: {node: '>=18.0.0'}
peerDependencies:
react: ^16.8.0 || ^17 || ^18 || ^19

react-is@16.13.1:
resolution: {integrity: sha512-
24e6ynE2H+OKt4kqsOvNd8kBpV65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCC
TZBuOcfZs70kR8bQ==}

react-is@18.3.1:
resolution: {integrity: sha512-
/LLMVyas0ljjAtoYiPqYiL8VWXzUUdThrmU5+n20DZv+a+ClRoevUzw5JxU+Ieh5/c87ytoTBV
9G1FiKfNJdmg==}

react-markdown@10.1.0:
resolution: {integrity: sha512-
qKxVopLT/TyA6BX3Ue5NwabOsAzm0Q7kAPwq6L+wWDwisYs7R8vZ0nRXqq6rkueboxpkj
vLGU9fWifiX/ZZFxQ==}
peerDependencies:
'@types/react': '>=18'
react: '>=18'

react-refresh@0.18.0:
resolution: {integrity: sha512-
QgT5//D3jfjJb6Gsjxv0Slpj23ip+HtOpnNgnb2S5zU3CB26G/IDPGoy4RJB42wzFE46DRsstbW

6tKHoKbhAxw==}
    engines: {node: '>=0.10.0'}

  react-remove-scroll-bar@2.3.8:
    resolution: {integrity: sha512-
9r+yi9+mgU33AKcj6IbT9oRCO78WriSj6t/cF8DWBZJ9aOGPOTEDvdUDz1FwKim7QXWwm
HqtdHnRJfhAxEG46Q==}
    engines: {node: '>=10'}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
    peerDependenciesMeta:
      '@types/react':
        optional: true

  react-remove-scroll@2.7.1:
    resolution: {integrity: sha512-
HpMh8+oahmIdOuS5aFKKY6Pyog+FNaZV/XyJOq7b4YFwsFHe5yYfdbIalI4k3vU2nSDql7Ys
kmUseHsRrJqIPA==}
    engines: {node: '>=10'}
    peerDependencies:
      '@types/react': '*'
      react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
    peerDependenciesMeta:
      '@types/react':
        optional: true

  react-resizable-panels@2.1.9:
    resolution: {integrity: sha512-
z77+X08YDIrgAes4jl8xhnUu1LNIRp4+E7cv4xHmLOxxUPO/ML7PSrE813b90vj7xvQ1lcf7g2
uA9GeMZonjhQ==}
    peerDependencies:
      react: ^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
      react-dom: ^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc

  react-router-dom@7.9.5:
    resolution: {integrity: sha512-
mkEmq/K8tKN63Ae2M7Xgz3c9l9YNbY+NHH6NNeUmLA3kDkhKXRsNb/ZpxaEunvGo2/3Y
Xdk5EJU3Hxp3ocaBPw==}
    engines: {node: '>=20.0.0'}
    peerDependencies:
      react: '>=18'
      react-dom: '>=18'

react-router@7.9.5:
resolution: {integrity: sha512-JmxqrnBZ6E9hWmf02jzNn9Jm3UqyeimyiwzD69NjxGySG6lIz/1LVPsoTCwN7NBX2XjCEa1LIX5EMz1j2b6u6A==}
engines: {node: '>=20.0.0'}
peerDependencies:
react: '>=18'
react-dom: '>=18'
peerDependenciesMeta:
react-dom:
optional: true

react-smooth@4.0.4:
resolution: {integrity: sha512-gnGKTpYwqL0Iii09gHobNolvX4Kiq4PKx6eWBCYYix+8cdw+cGo3do906l1NBPKkSWx1DghC1dlWG9L2uGd61Q==}
peerDependencies:
react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
react-dom: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0

react-style-singleton@2.2.3:
resolution: {integrity: sha512-b6jSvxvVnyptAiLjbkWLE/lOnR4lfTtDAl+eUC7RZy+QQWc6wRzIV2CE6xBuMmDxc2qIihtDCZD5NPOFl7fRBQ==}
engines: {node: '>=10'}
peerDependencies:
'@types/react': '*'
react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

react-transition-group@4.4.5:
resolution: {integrity: sha512-pZcd1MCJoiKiBR2NRxeCRg13uCXbydPnmB4EOeRrY7480qNWO8IIgQG6zlDkm6uRMsURXPuKq0GWtiM59a5Q6g==}
peerDependencies:
react: '>=16.6.0'
react-dom: '>=16.6.0'

react@18.3.1:
resolution: {integrity: sha512-

wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WI
cV+i7F2pTVj+2iQ==}
    engines: {node: '>=0.10.0'}

  read-cache@1.0.0:
    resolution: {integrity: sha512-
Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4lR56Y9ya+
AThoTpDCTxCmpRA==}

  readdirp@3.6.0:
    resolution: {integrity: sha512-
hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5D
Pu9t3To9VRlMzA==}
    engines: {node: '>=8.10.0'}

  recast@0.23.11:
    resolution: {integrity: sha512-
YTUo+Flmw4ZXiWfQKGcwwc11KnoRAYgzAE2E7mXKCjSviTKShtxBsN6YUUBB2gtaBzKzeK
unxhUwNHQuRryhWA==}
    engines: {node: '>= 4'}

  recharts-scale@0.4.5:
    resolution: {integrity: sha512-
kivNFO+0OcUNu7jQquLXAxz1FIwZj8nrj+YkOKc5694NbjCvcT6aSZiIzNzd2Kul4o4rTto8QVR
9lMNtxD4G1w==}

  recharts@2.15.4:
    resolution: {integrity: sha512-
UT/q6fwS3c1dHbXv2uFgYJ9BMFHu3fwnd7AYZaEQhXuYQ4hgsxLvsUXzGdKeZrW5xopzDC
vuA2N41WJ88I7zIw==}
    engines: {node: '>=14'}
    peerDependencies:
      react: ^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
      react-dom: ^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0

  redux@4.2.1:
    resolution: {integrity: sha512-
LAUYz4lc+Do8/g7aeRa8JkyDErK6ekstQaqWQrNRW//MY1TvCEpMtpTWvlQ+FPbWCx+Xix
u/6SHt5N0HR+SB4w==}

  regex-recursion@6.0.2:
    resolution: {integrity: sha512-
0YCaSCq2VRIebiaUviZNs0cBz1kg5kVS2UKUfNIx8YVs1cN3AV7NTctO5FOKBA+UT2BPJIWZ

auYHPqJODG50cg==}

  regex-utilities@2.3.0:
    resolution: {integrity: sha512-
8VhliFJAWRaUiVvREIiW2NXXTmHs4vMNnSzuJVhscgmGav3g9VDxLrQndI3dZZVVdp0ZO/5
v0xmX516/7M9cng==}

  regex@6.0.1:
    resolution: {integrity: sha512-
uorlqlzAKjKQZ5P+kTJr3eeJGSVroLKoHmquUj4zHWuR+hEyNqlXsSKlYYF5F4NI6nl7tWCs0a
pKJ0lmfsXAPA==}

  rehype-harden@1.1.5:
    resolution: {integrity: sha512-
JrtBj5BVd/5vf3H3/blyJatXJbzQfRT9pJBmjafbTaPouQCAKxHwRyCc7dle9BXQKxv4z1OzZylz
/tNamoiG3A==}

  rehype-katex@7.0.1:
    resolution: {integrity: sha512-
OiM2wrZ/wuhKkigASodFoo8wimG3H12LWQaH8qSPVJn9apWKFSH3YOCtbKpBorTVw/eI7
cuT21XBbvwEswbIOA==}

  rehype-raw@7.0.0:
    resolution: {integrity: sha512-
/aE8hCfKlQeA8LmyeyQvQF3eBiLRGNlfBJEvWH7ivp9sBqs7TNqBL5X3v157rM4IFETqDnIO
O+z5M/biZbo9Ww==}

  remark-gfm@4.0.1:
    resolution: {integrity: sha512-
1quofZ2RQ9EWdeN34S79+KExV1764+wCUGop5CPL1WGdD0ocPpu91lzPGbwWMECpEpd
42kJGQwzRfyov9j4yNg==}

  remark-math@6.0.0:
    resolution: {integrity: sha512-
MMqgnP74Igy+S3WwnhQ7kqGlEerTETXMvJhrUzDikVZ2/uogJCb+WHUg97hK9/jcfc0dkD7
3s3LN8zU49cTEtA==}

  remark-parse@11.0.0:
    resolution: {integrity: sha512-
FCxlKLNGknS5ba/1lmpYijMUzX2esxW5xQqjWxw2eHFfS2MSdaHVINFmhjo+qN1WhZhNim
q0dZATN9pH0IDrpA==}

  remark-rehype@11.1.2:

resolution: {integrity: sha512-
Dh7l57ianaEoIpzbp0PC9UKAdCSVklD8E5Rpw7ETfbTl3FqcOOgq5q2LVDhgGCkaBv7p24JXi
kPdvhhmHvKMsw==}

remark-stringify@11.0.0:
resolution: {integrity: sha512-
1OSmLd3awB/t8qdoEOMazZkNsfVTeY4fTsgzcQFdXNq8ToTN4ZGwrMnlda4K6smTFKD+G
RV6O48i6Z4iKgPPpw==}

require-directory@2.1.1:
resolution: {integrity: sha512-
fGxEI7+wsG9xrvdjsrlmL22OMTTiHRwAMroiEeMgq8gzoLC/PQr7RsRDSTLUg/bZAZtF+TVI
kHc6/4RIKrui+Q==}
engines: {node: '>=0.10.0'}

require-main-filename@2.0.0:
resolution: {integrity: sha512-
NKN5kMDylKuldxYLSUfrbo5Tuzh4hd+2E8NPPX02mZtn1VuREQToYe/ZdlJy+J3uCpfaiGF05
e7B8W0iXbQHmg==}

resolve-from@4.0.0:
resolution: {integrity: sha512-
pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3Q+4o7Fw
vquPJcnZ7RYy4g==}
engines: {node: '>=4'}

resolve@1.22.10:
resolution: {integrity: sha512-
NPRy+/ncIMeDlTAsuqwKIiferiawhefFJtkNSW0qZJEqMEb+qBt/77B/jGeeek+F0uOeN05CDa
6HXbbIgtVX4w==}
engines: {node: '>= 0.4'}
hasBin: true

reusify@1.1.0:
resolution: {integrity: sha512-
g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh55TZfVQD
PaN3NQJfbVRAxdIw==}
engines: {iojs: '>=1.0.0', node: '>=0.10.0'}

robust-predicates@3.0.2:
resolution: {integrity: sha512-
IXgzBWvWQwE6PrDI05OvmXUIruQTcoMDzRsOd5CDvHCVLcLHMTSYvOK5Cm46kWqlV3y
AbuSpBZdJ5oP5OUoStg==}

rolldown-vite@7.3.1:
resolution: {integrity: sha512-LYzdNAjRHhF2yA4JUQm/QyARyi216N2rpJ0lJZb8E9FU2y5v6Vk+xq/U4XBOxMefpWixT5H3TslmAHm1rqIq2w==}
engines: {node: ^20.19.0 || >=22.12.0}
hasBin: true
peerDependencies:
'@types/node': ^20.19.0 || >=22.12.0
esbuild: ^0.27.0
jiti: '>=1.21.0'
less: ^4.0.0
sass: ^1.70.0
sass-embedded: ^1.70.0
stylus: '>=0.54.8'
sugarss: ^5.0.0
terser: ^5.16.0
tsx: ^4.8.1
yaml: ^2.4.2
peerDependenciesMeta:
'@types/node':
optional: true
esbuild:
optional: true
jiti:
optional: true
less:
optional: true
sass:
optional: true
sass-embedded:
optional: true
stylus:
optional: true
sugarss:
optional: true
terser:
optional: true
tsx:
optional: true
yaml:
optional: true

rolldown@1.0.0-beta.53:
resolution: {integrity: sha512-Qd9c2p0XKZdgT5AYd+KgAMggJ8ZmCs3JnS9PTMWkyUfteKlfmKtxJbWTHkVakxwXs1Ub7jrRYVeFeF7N0sQxyw==}
engines: {node: ^20.19.0 || >=22.12.0}
hasBin: true

rollup@4.46.2:
resolution: {integrity: sha512-WMmLFI+Boh6xbop+OAGo9cQ3OgX9MIg7xOQjn+pTCwOkk+FNDAeAemXkJ3HzDJrVXleLOFVa1ipuc1AmEx1Dwg==}
engines: {node: '>=18.0.0', npm: '>=8.0.0'}
hasBin: true

roughjs@4.6.6:
resolution: {integrity: sha512-ZUz/69+SYpFN/g/lUlo2FXcIjRkSu3nDarreVdGGndHEBJ6cXPdKguS8JGxwj5HA5xIbVKSmLgr5b3AWxtRfvQ==}

run-parallel@1.2.0:
resolution: {integrity: sha512-5l4VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz8OlQuPmnaJOMoDHQBA==}

rw@1.3.3:
resolution: {integrity: sha512-PdhdWy89SiZogBLaw42zdeqtRJ//zFd2PgQavcICDUgJT5oW10QCRKbJ6bg4r0/UY2M6BWd5tkxuGFRvCkgfHQ==}

safer-buffer@2.1.2:
resolution: {integrity: sha512-YZo3K82SD7Riyi0E1EQPojLz7kpepnSQI9IyPbHHg1XXXevb5dJI7tpyN2ADxGcQbHG7vcyRHk0cbwqcQriUtg==}

scheduler@0.23.2:
resolution: {integrity: sha512-UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/tVrDqcuYzQ==}

semver@6.3.1:
resolution: {integrity: sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==}

hasBin: true

set-blocking@2.0.0:
resolution: {integrity: sha512-KiKBS8AnWGEyLzofFfmvKwpdPzqiy16LvQfK3yv/fVH7Bj13/wl3JSR1J+rfgRE9q7xUJK4qvgS8raSOeLUehw==}

set-cookie-parser@2.7.1:
resolution: {integrity: sha512-IOc8uWeOZgnb3ptbCURJWNjWUPcO3ZnTTdzsurqERrP6nPyv+paC55vJM0LpOlT2ne+Ix+9+CRG1MNLlyZ4GjQ==}

shallowequal@1.1.0:
resolution: {integrity: sha512-y0m1JoUZSlPAjXVtPPW70aZWfIL/dSP7AFkRnniLCrK/8MDKog3TySTBmckD+RObVxH0v4Tox67+F14PdED2oQ==}

shebang-command@2.0.0:
resolution: {integrity: sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==}
engines: {node: '>=8'}

shebang-regex@3.0.0:
resolution: {integrity: sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==}
engines: {node: '>=8'}

shiki@3.13.0:
resolution: {integrity: sha512-aZW4l8Og16CokuCLf8CF8kq+KK2yOygapU5m3+hoGw0Mdosc6fPitjM+ujYarppj5ZIKGyPDPP1vqmQhr+5/0g==}

signal-exit@4.1.0:
resolution: {integrity: sha512-bzyZ1e88w9O1iNJbKnOlvYTrWPDl46O1bG0D3XInv+9tkPrxrN8jUUTiFlDkkmKWgn1M6CfIA13SuGqOa9Korw==}
engines: {node: '>=14'}

snake-case@3.0.4:
resolution: {integrity: sha512-LAOh4z89bGQvl9pFfNF8V146i7o7/CqFPbqzYgP+yYzDIDeS9HaNFtXABamRW+AQzEVODcv

E79ljJ+8a9YSdMg==}

  sonner@2.0.7:
    resolution: {integrity: sha512-
W6ZN4p58k8aDKA4XPcx2hpIQXBRAgyiWVkYhT7CvK6D3iAu7xjvVyhQHg2/iaKJZ1XVJ4r7
XuwGL+WGEK37i9w==}
    peerDependencies:
      react: ^18.0.0 || ^19.0.0 || ^19.0.0-rc
      react-dom: ^18.0.0 || ^19.0.0 || ^19.0.0-rc

  source-map-js@1.2.1:
    resolution: {integrity: sha512-
UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIs
ISBG8VQ8+IDQxpfQA==}
    engines: {node: '>=0.10.0'}

  source-map@0.6.1:
    resolution: {integrity: sha1-dHIq8y6WFOnCh6jQu95IteLxomM=}
    engines: {node: '>=0.10.0'}

  space-separated-tokens@2.0.2:
    resolution: {integrity: sha512-
PEGlAwrG8yXGXRjW32fGbg66JAlOAwbObuqVoJpv/mRgoWDQfgH1wDPvtzWyUSNAXBGSk
8h755YDbbcEy3SH2Q==}

  streamdown@1.4.0:
    resolution: {integrity: sha512-
ylhDSQ4HpK5/nAH9v7OgIIdGJxlJB2HoYrYkJNGrO8lMpnWuKUcrz/A8xAMwA6eILA27469v
IavcOTjmxctrKg==}
    peerDependencies:
      react: ^18.0.0 || ^19.0.0

  string-width@4.2.3:
    resolution: {integrity: sha512-
wKyQRQpjJ0sIp62ErSZdGsjMJWsap5oRNihHhu6G7JVO/9jIB6UyevL+tXuOqrng8j/cxKTWy
WUwvSTriiZz/g==}
    engines: {node: '>=8'}

  string-width@5.1.2:
    resolution: {integrity: sha512-
HnLOCR3vjcY8beoNLtcjZ5/nxn2afmME6lhrDrebokqMap+XbeW8n9TXpPDOqdGK5qcI3oT0
GKTW6wC7EMiVqA==}
    engines: {node: '>=12'}

stringify-entities@4.0.4:
resolution: {integrity: sha512-IwfBptatlO+QCJUo19AqvrPNqlVMpW9YEL2LIVY+Rpv2qsjCGxaDLNRgeGsQWJhfItebuJhsGSLjaBbNSQ+ieg==}

strip-ansi@6.0.1:
resolution: {integrity: sha512-Y38VPSHcqkFrCpFnQ9vuSXmquuv5oXOKpGeT6aGrr3o3Gc9AlVa6JBfUSOCnbxGGZF+/0ooI7KrPuUSztUdU5A==}
engines: {node: '>=8'}

strip-ansi@7.1.0:
resolution: {integrity: sha512-iq6eVVI64nQQTRYq2KtEg2d2uU7LElhTJwsH4YzIHZshxlgZms/wIc4VoDQTlG/IvVIrBKG06CrZnp0qv7hkcQ==}
engines: {node: '>=12'}

style-to-js@1.1.17:
resolution: {integrity: sha512-xQcBGDxJb6jjFCTzvQtfiPn6YvvP2O8U1MDIPNfJQlWMYfktPy+iGsHE7cssjs7y84d9fQaK4UF3RIJaAHSoYA==}

style-to-object@1.0.9:
resolution: {integrity: sha512-G4qppLgKu/k6FwRpHiGiKPaPTFcG3g4wNVX/Qsfu+RqQM30E7Tyu/TEgxcL9PNLF5pdRLwQdE3YKKf+KF2Dzlw==}

stylis@4.3.6:
resolution: {integrity: sha512-yQ3rwFWRfwNUY7H5vpU0wfdkNSnvnJinhF9830Swlaxl03zsOjCfmX0ugac+3LtK0lYSgwL/KXc8oYL3mG4YFQ==}

sucrase@3.35.0:
resolution: {integrity: sha512-8EbVDiu9iN/nESwxeSxDKe0dunta1GOlHufmSSXxMD2z2/tMZpDMpvXQGsc+ajGo8y2uYUmixaSRUc/QPoQ0GA==}
engines: {node: '>=16 || 14 >=14.17'}
hasBin: true

supports-preserve-symlinks-flag@1.0.0:
resolution: {integrity: sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vv

v8DIyWf681MAt0w==}
    engines: {node: '>= 0.4'}

  svg-parser@2.0.4:
    resolution: {integrity: sha512-
e4hG1hRwoOdRb37cIMSgzNsxyzKfayW6VOflrwvR+/bzrkyxY/31WkbgnQpgtrNp1SdpJvpU
AGTa/ZoiPNDuRQ==}

  tailwind-merge@3.3.1:
    resolution: {integrity: sha512-
gBXpgUm/3rp1lMZZrM/w7D8GKqshif0zAymAhbCyIt8KMe+0v9DQ7cdYLR4FHH/cKpdTXb
+A/tKKU3eolfsI+g==}

  tailwindcss-animate@1.0.7:
    resolution: {integrity: sha512-
bl6mpH3T7I3UFxuvDEXLxy/VuFxBk5bbzplh7tXI68mwMokNYd1t9qPBHlnyTwfa4JGC4zP5
16I1hYYtQ/vspA==}
    peerDependencies:
      tailwindcss: '>=3.0.0 || insiders'

  tailwindcss-intersect@2.2.0:
    resolution: {integrity: sha512-
LnOQ/iU44jNQ8k3OExa7Ccv/y5NlzAN574jjDnX5gLCdlqoeUT5ADtTznF92oAdon3NZA69b+
JLknahbwsqxDA==}
    peerDependencies:
      tailwindcss: '>=3.2.0 || >=4.0.0'

  tailwindcss@3.4.17:
    resolution: {integrity: sha512-
w33E2aCvSDP0tW9RZuNXadXlkHXqFzSkQew/aIa2i/Sj8fThxwovwlXHSPXTbAHwEIhBFXA
edUhP2tueAKP8Og==}
    engines: {node: '>=14.0.0'}
    hasBin: true

  thenify-all@1.6.0:
    resolution: {integrity: sha512-
RNxQH/qI8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2ZUVeKCS
a2oVWi3T4uVmA==}
    engines: {node: '>=0.8'}

  thenify@3.3.1:
    resolution: {integrity: sha512-
RVZSIV5IG10Hk3enotrhvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBm

NllzWPwak+bheSw==}

  tiny-invariant@1.3.3:
    resolution: {integrity: sha512-
+FbBPE1o9QAYvviau/qC5SE3caw21q3xkvWKBtja5vgqOWIHHJ3ioaq1VPfn/Szqctz2bU/oY
eKd9/z5BL+PVg==}

  tinyexec@1.0.1:
    resolution: {integrity: sha512-
5uC6DDlmeqiOwCPmK9jMSdOuZTh8bU39Ys6yidB+UTt5hfZUPGAypSgFRiEp+jbi9qH40BL
Dvy85jIU88wKSqw==}

  tinyglobby@0.2.15:
    resolution: {integrity: sha512-
j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSj
gXHzIQxR0omXljQ==}
    engines: {node: '>=12.0.0'}

  to-regex-range@5.0.1:
    resolution: {integrity: sha512-
65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJi
GqrADCSNk8sQ==}
    engines: {node: '>=8.0'}

  tr46@0.0.3:
    resolution: {integrity: sha512-
N3WMsuqV66lT30CrXNbEjx4GEwlow3v6rr4mCcv6prnfwhS01rkgyFdjPNBYd9br7LpXV1+
Emh01fHnq2Gdgrw==}

  trim-lines@3.0.1:
    resolution: {integrity: sha512-
kRj8B+YHZCc9kQYdWfJB2/oUl9rA99qbowYYBtr4ui4mZyAQ2JpvVBd/6U2YloATfqBhBTSM
hTpgBHtU0Mf3Rg==}

  trough@2.2.0:
    resolution: {integrity: sha512-
tmMpK00BjZiUyVyvrBK7knerNgmgvcV/KLVyuma/SC+TQN167GrMRciANTz09+k3zW8L8t
60jWO1GpfkZdjTaw==}

  ts-dedent@2.2.0:
    resolution: {integrity: sha512-
q5W7tVM71e2xjHZTlgfTDoPF/SmqKG5hddq9SzR49CH2hayqRKJtQ4mtRlSxKaJlR/+9rEM+
mnBHf7I2/BQcpQ==}

engines: {node: '>=6.10'}

ts-interface-checker@0.1.13:
resolution: {integrity: sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52jOO90PnPSc3Ur3bTQw0gA==}

tslib@2.8.1:
resolution: {integrity: sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==}

typescript@5.9.3:
resolution: {integrity: sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp8wtm6M5TgSw==}
engines: {node: '>=14.17'}
hasBin: true

ufo@1.6.1:
resolution: {integrity: sha512-9a4/uxlTWJ4+a5i0ooc1rU7C7YOw3wT+UGqdeNNHWnOF9qcMBgLRS+4IYUqbczewFx4mLEig6gawh7X6mFlEkA==}

undici-types@7.10.0:
resolution: {integrity: sha512-t5Fy/nfn+14LuOc2KNYg75vZqClpAiqscVvMygNnlsHBFpSXdJaYtXMcdNLpl/Qvc3P2cB3s6lOV51nqsFq4ag==}

unified@11.0.5:
resolution: {integrity: sha512-xKvGhPWw3k84Qjh8bI3ZeJjqnyadK+GEFtazSfZv/rKeTkTjOJho6mFqh2SM96iIcZokxiOpg78GazTSg8+KHA==}

unist-util-find-after@5.0.0:
resolution: {integrity: sha512-amQa0Ep2m6hE2g72AugUItjbuM8X8cGQnFoHk0pGfrFeT9GZhzN5SW8nRsiGKK7Aif4CrACPENkA6P/Lw6fHGQ==}

unist-util-is@6.0.0:
resolution: {integrity: sha512-2qCTHimwdxLfz+YzdGfkqNlH0tLi9xjTnHddPmJwtIG9MGsdbutfTc4P+haPD7l7Cjxf/WZj+we5qfVPvvxfYw==}

unist-util-position@5.0.0:
resolution: {integrity: sha512-
fucsC7HjXvkB5R3kTCO7kUjRdrS0BJt3M/FPxmHMBOm8JQi2BsHAHFsy27E0EolP8rp0NzXs
J+jNPyDWvOJZPA==}

unist-util-remove-position@5.0.0:
resolution: {integrity: sha512-
Hp5Kh3wLxv0PHj9m2yZhhLt58KzPtEYKQQ4yxfYFEO7EvHwzyDYnduhHnY1mDxoqr7VUw
VuHXk9RXKIiYS1N8Q==}

unist-util-stringify-position@4.0.0:
resolution: {integrity: sha512-
0ASV06AAoKCDkS2+xw5RXJywruurpbC4JZSm7nr7MOt1ojAzvyyaO+UxZf18j8FCF6kmzCZK
cAgN/yu2gm2XgQ==}

unist-util-visit-parents@6.0.1:
resolution: {integrity: sha512-
L/PqWzfTP9lzzEa6CKs0k2nARxTdZduw3zyh8d2NVBnsyvHjSX4TWse388YrrQKbvI8w20fG
jGlhgT96WwKykw==}

unist-util-visit@5.0.0:
resolution: {integrity: sha512-
MR04uvD+07cwl/yhVuVWAtw+3GOR/knlL55Nd/wAdblk27GCVt3lqpTivy/tkJcZoNPzTwS1
Y+KMojlLDhoTzg==}

update-browserslist-db@1.1.3:
resolution: {integrity: sha512-
UxhIZQ+QInVdunkDAaiazvvT/+fXL5Osr0JZlJulepYu6Jd7qJtDZjlur0emRlT71EN3ScPoE7gvs
uIKKNavKw==}
hasBin: true
peerDependencies:
browserslist: '>= 4.21.0'

use-callback-ref@1.3.3:
resolution: {integrity: sha512-
jQL3lRnocaFtu3V00JToYz/4QkNWswxijDaCVNZRiRTO3HQDLsdu1ZtmIUvV4yPp+rvWm5j0
y0TG/S61cuijTg==}
engines: {node: '>=10'}
peerDependencies:
'@types/react': '*'
react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
peerDependenciesMeta:

'@types/react':
optional: true

use-sidecar@1.1.3:
resolution: {integrity: sha512-Fedw0aZvkhynoPYlA5WXrMCAMm+nSWdZt6lzJQ7Ok8S6Q+VsHmHpRWndVRJ8Be0ZbkfPc5LRYH+5XrzXcEeLRQ==}
engines: {node: '>=10'}
peerDependencies:
'@types/react': '*'
react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
peerDependenciesMeta:
'@types/react':
optional: true

use-sync-external-store@1.5.0:
resolution: {integrity: sha512-Rb46I4cGGVBmjamjphe8L/UnvJD+uPPtTkNvX5mZgqdbavhI4EbgIWJiIHXJ8bc/i9EQGPRh4DwEURJ552Do0A==}
peerDependencies:
react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0

util-deprecate@1.0.2:
resolution: {integrity: sha512-EPD5q1uXyFxJpCrLnCc1nHnq3gOa6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==}

uuid@11.1.0:
resolution: {integrity: sha512-0/A9rDy9P7cJ+8w1c9WD9V//9Wj15Ce2MPz8Ri6032usz+NfePxx5AcN3bN+r6ZL6jEo066/yNYB3tn4pQEx+A==}
hasBin: true

vaul@1.1.2:
resolution: {integrity: sha512-ZFkClGpWyI2WUQjdLJ/BaGuV6AVQiJ3uELGk3OYtP+B6yCO7Cmn9vPFXVJkRaGkOJu3m8bQMgtyzNHixULceQA==}
peerDependencies:
react: ^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc
react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc

vfile-location@5.0.3:
resolution: {integrity: sha512-

5yXvWDEgqeiYiBe1lbxYF7UMAIm/IcopxMHrMQDq3nvKcjPKIhZklUKL+AE7J7uApI4kwe2s
nsK+eI6UTj9EHg==}

vfile-message@4.0.3:
resolution: {integrity: sha512-
QTHzsGd1EhbZs4AsQ20JX1rC3cOlt/IWJruk893DfLRr57lcnOeMaWG4K0JrRta4mIJZKth2Au
3mM3u03/JWKw==}

vfile@6.0.3:
resolution: {integrity: sha512-
KzIbH/9tXat2u30jf+smMwFCsno4wHVdNmzFyL+T/L3UGqqk6JKfVqOFOZEpZSHADH1k40
ab6NUIXZq422ov3Q==}

victory-vendor@36.9.2:
resolution: {integrity: sha512-
PnpQQMuxlwYdocC8fIJqVXvkeViHYzotI+NJrCuav0ZYFoq912ZHBk3mCeuj+5/VpodOjPe1z0
Fk2ihgzlXqjQ==}

video-react@0.16.0:
resolution: {integrity: sha512-
138NHPS8bmgqCYVCdbv2GVFhXntemNHWGw9AN8iJSzr3jizXMmWJd2LTBppr4hZJUbyW1
A1tPZ3CQXZUaexMVA==}
peerDependencies:
react: ^15.0.0 || ^16.0.0 || ^17.0.0 || ^18.0.0
react-dom: ^15.0.0 || ^16.0.0 || ^17.0.0 || ^18.0.0

vite-plugin-svgr@4.5.0:
resolution: {integrity: sha512-
W+uoSpmVkSmNOGPSsDCWVW/DDAyv+9fap9AZXBvWiQqrboJ08j2vh0tFxTD/LjwqwAd3
yYSVJgm54S/1GhbdnA==}
peerDependencies:
vite: '>=2.6.0'

vscode-jsonrpc@8.2.0:
resolution: {integrity: sha512-
C+r0eKJUIfiDIfwJhria30+TYWPtuHJXHtI7J0YlOmKAo7ogxP20T0zxB7HZQIFhIyvoBPwWskj
xrvAtfjyZfA==}
engines: {node: '>=14.0.0'}

vscode-languageserver-protocol@3.17.5:
resolution: {integrity: sha512-
mb1bvRJN8SVznADSGWM9u/b07H7Ecg0I3OgXDuLdn307rl/J3A9YD6/eYOssqhecL27hK1I
PZAsaqh00i/Jljg==}

vscode-languageserver-textdocument@1.0.12:
resolution: {integrity: sha512-cxWNPesCnQCcMPeenjKKsOCKQZ/L6Tv19DTRIGuLWe32lyzWhihGVJ/rcckZXJxfdKCFvRLS3fpBIsV/ZGX4zA==}

vscode-languageserver-types@3.17.5:
resolution: {integrity: sha512-Ld1VelNuX9pdF39h2Hgaeb5hEZM2Z3jUrrMgWQAu82jMtZp7p3vJT3BzToKtZI7NgQssZje5o0zryOrhQvzQAg==}

vscode-languageserver@9.0.1:
resolution: {integrity: sha512-woByF3PDpkHFUreUa7Hos7+pUWdeWMXRd26+ZX2A8cFx6v/JPTtd4/uN0/jB6XQHYaOlHbio03NTHCqrgG5n7g==}
hasBin: true

vscode-uri@3.0.8:
resolution: {integrity: sha512-AyFQ0EVmsOZOlAnxoFOGOq1SQDWAB7C6aqMGS23svWAllfOaxbuFvcT8D1i8z3Gyn8fraVeZNNmN6e9bxxXkKw==}

web-namespaces@2.0.1:
resolution: {integrity: sha512-bKr1DkiNa2krS7qxNtdrtHAmzuYGFQLiQ13TsorsdT6ULTkPLKuu5+GsFpDlg6JFjUTwX2DyhMPG2be8uPrqsQ==}

webidl-conversions@3.0.1:
resolution: {integrity: sha512-2JAn3z8AR6rjK8Sm8orRC0h/bcl/DqL7tRPdGZ4I1CjdF+EaMLmYxBHyXuKL849eucPFhvBoxMsflfOb8kxaeQ==}

whatwg-url@5.0.0:
resolution: {integrity: sha512-saE57nupxk6v3HY35+jzBwYa0rKSy0XR8JSxZPwgLr7ys0IBzhGviA1/TUGJLmSVqs8pb9AnvICXEuOHLprYTw==}

which-module@2.0.1:
resolution: {integrity: sha512-iBdZ57RDvnOR9AGBhML2vFZf7h8vmBjhoaZqODJBFWHVtKkDmKuHai3cx5PgVMrX5YDNp27AofYbAwctSS+vhQ==}

which@2.0.2:

resolution: {integrity: sha512-
BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5
ogapKNMEKNMjibA==}
engines: {node: '>= 8'}
hasBin: true

wrap-ansi@6.2.0:
resolution: {integrity: sha512-
r6lPcBGxZXlIcymEu7InxDMhdW0KDxpLgoFLcguasxCaJ/SOIZwINatK9KY/tf+ZrlywOKU0UD
j3ATXUBfxJXA==}
engines: {node: '>=8'}

wrap-ansi@7.0.0:
resolution: {integrity: sha512-
YVGIj2kamLSTxw6NsZjoBxfSwsn0ycdesmc4p+Q21c5zPuZ1pl+NfxVdxPtdHvmNVOQ6XSYG
4AUtyt/Fi7D16Q==}
engines: {node: '>=10'}

wrap-ansi@8.1.0:
resolution: {integrity: sha512-
si7QWI6zUMq56bESFvagtmzMdGOtoxfR+Sez11Mobfc7tm+VkUckk9bW2UeffTGVUbOksxm
Sw0AA2gs8g71NCQ==}
engines: {node: '>=12'}

ws@8.18.3:
resolution: {integrity: sha512-
PEIGCY5tSlUt50cqyMXfCzX+oOPqN0vuGqWzbcJ2xvnkzkq46oOpz7dQaTDBdfICb4N14+GA
RUDw2XV2N4tvzg==}
engines: {node: '>=10.0.0'}
peerDependencies:
bufferutil: ^4.0.1
utf-8-validate: '>=5.0.2'
peerDependenciesMeta:
bufferutil:
optional: true
utf-8-validate:
optional: true

y18n@4.0.3:
resolution: {integrity: sha512-
JKhqTOwSrqNA1NY5lSztJ1GrBiUodLMmIZuLiDaMRJ+itFd+ABVE8XBjOvIWL+rSqNDC74LC
SFmlb/U4UZ4hJQ==}

  yallist@3.1.1:
    resolution: {integrity: sha512-
a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h
3K6TOoUNn2pb7RoXx4g==}

  yaml@2.8.1:
    resolution: {integrity: sha512-
lcYcMxX2PO9XMGvAJkJ3OsNMw+/7FKes7/hgerGUYWIoWu5j/+YQqcZr5JnPZWzOsEBgMb
SbiSTn/dv/69Mkpw==}
    engines: {node: '>= 14.6'}
    hasBin: true

  yargs-parser@18.1.3:
    resolution: {integrity: sha512-
o50j0JeToy/4K6OZcaQmW6lyXXKhq7csREXcDwk2omFPJEwUNOVtJKvmDr9EI1fAJZUyZcR
F7kxGBWmRXudrCQ==}
    engines: {node: '>=6'}

  yargs@15.4.1:
    resolution: {integrity: sha512-
aePbxDmcYW++PaqBsJ+HYUFwCdv4LVvdnhBy78E57PIor8/OVvhMrADFFEDh8DHDFRv/O
9i3lPhsENjO7QX0+A==}
    engines: {node: '>=8'}

  zod@3.25.76:
    resolution: {integrity: sha512-
gzUt/qt81nXsFGKIFcC3YnfEAx5NkunCfnDlvuBSSFS02bcXu4Lmea0AFIUwbLWxWPx3d9p8
S5QoaujKcNQxcQ==}

  zwitch@2.0.4:
    resolution: {integrity: sha512-
bXE4cR/kVZhKZX/RjPEflHaKVhUVl85noU3v6b8apfQEc1x4A+zBxjZ4lN8LqGd6WZ3dl98pY
4o717VFmoPp+A==}

snapshots:

  '@alloc/quick-lru@5.2.0': {}

  '@ampproject/remapping@2.3.0':
    dependencies:
      '@jridgewell/gen-mapping': 0.3.13
      '@jridgewell/trace-mapping': 0.3.30

'@antfu/install-pkg@1.1.0':
  dependencies:
    package-manager-detector: 1.3.0
    tinyexec: 1.0.1

'@antfu/utils@9.3.0': {}

'@babel/code-frame@7.27.1':
  dependencies:
    '@babel/helper-validator-identifier': 7.27.1
    js-tokens: 4.0.0
    picocolors: 1.1.1

'@babel/code-frame@7.28.6':
  dependencies:
    '@babel/helper-validator-identifier': 7.28.5
    js-tokens: 4.0.0
    picocolors: 1.1.1

'@babel/compat-data@7.28.0': {}

'@babel/compat-data@7.28.6': {}

'@babel/core@7.28.0':
  dependencies:
    '@ampproject/remapping': 2.3.0
    '@babel/code-frame': 7.27.1
    '@babel/generator': 7.28.0
    '@babel/helper-compilation-targets': 7.27.2
    '@babel/helper-module-transforms': 7.27.3(@babel/core@7.28.0)
    '@babel/helpers': 7.28.2
    '@babel/parser': 7.28.6
    '@babel/template': 7.27.2
    '@babel/traverse': 7.28.6
    '@babel/types': 7.28.2
    convert-source-map: 2.0.0
    debug: 4.4.1
    gensync: 1.0.0-beta.2
    json5: 2.2.3
    semver: 6.3.1
  transitivePeerDependencies:
    - supports-color

'@babel/core@7.28.6':
  dependencies:
    '@babel/code-frame': 7.28.6
    '@babel/generator': 7.28.6
    '@babel/helper-compilation-targets': 7.28.6
    '@babel/helper-module-transforms': 7.28.6(@babel/core@7.28.6)
    '@babel/helpers': 7.28.6
    '@babel/parser': 7.28.6
    '@babel/template': 7.28.6
    '@babel/traverse': 7.28.6
    '@babel/types': 7.28.6
    '@jridgewell/remapping': 2.3.5
    convert-source-map: 2.0.0
    debug: 4.4.1
    gensync: 1.0.0-beta.2
    json5: 2.2.3
    semver: 6.3.1
  transitivePeerDependencies:
    - supports-color

'@babel/generator@7.28.0':
  dependencies:
    '@babel/parser': 7.28.6
    '@babel/types': 7.28.2
    '@jridgewell/gen-mapping': 0.3.13
    '@jridgewell/trace-mapping': 0.3.30
    jsesc: 3.1.0

'@babel/generator@7.28.6':
  dependencies:
    '@babel/parser': 7.28.6
    '@babel/types': 7.28.6
    '@jridgewell/gen-mapping': 0.3.13
    '@jridgewell/trace-mapping': 0.3.30
    jsesc: 3.1.0

'@babel/helper-compilation-targets@7.27.2':
  dependencies:
    '@babel/compat-data': 7.28.0
    '@babel/helper-validator-option': 7.27.1
    browserslist: 4.25.2
    lru-cache: 5.1.1
    semver: 6.3.1

'@babel/helper-compilation-targets@7.28.6':
  dependencies:
    '@babel/compat-data': 7.28.6
    '@babel/helper-validator-option': 7.27.1
    browserslist: 4.25.2
    lru-cache: 5.1.1
    semver: 6.3.1

'@babel/helper-globals@7.28.0': {}

'@babel/helper-module-imports@7.27.1':
  dependencies:
    '@babel/traverse': 7.28.6
    '@babel/types': 7.28.2
  transitivePeerDependencies:
    - supports-color

'@babel/helper-module-imports@7.28.6':
  dependencies:
    '@babel/traverse': 7.28.6
    '@babel/types': 7.28.6
  transitivePeerDependencies:
    - supports-color

'@babel/helper-module-transforms@7.27.3(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0
    '@babel/helper-module-imports': 7.27.1
    '@babel/helper-validator-identifier': 7.27.1
    '@babel/traverse': 7.28.6
  transitivePeerDependencies:
    - supports-color

'@babel/helper-module-transforms@7.28.6(@babel/core@7.28.6)':
  dependencies:
    '@babel/core': 7.28.6
    '@babel/helper-module-imports': 7.28.6
    '@babel/helper-validator-identifier': 7.28.5
    '@babel/traverse': 7.28.6
  transitivePeerDependencies:
    - supports-color

'@babel/helper-plugin-utils@7.27.1': {}

'@babel/helper-string-parser@7.27.1': {}

'@babel/helper-validator-identifier@7.27.1': {}

'@babel/helper-validator-identifier@7.28.5': {}

'@babel/helper-validator-option@7.27.1': {}

'@babel/helpers@7.28.2':
  dependencies:
    '@babel/template': 7.27.2
    '@babel/types': 7.28.2

'@babel/helpers@7.28.6':
  dependencies:
    '@babel/template': 7.28.6
    '@babel/types': 7.28.6

'@babel/parser@7.28.0':
  dependencies:
    '@babel/types': 7.28.2

'@babel/parser@7.28.6':
  dependencies:
    '@babel/types': 7.28.6

'@babel/plugin-transform-react-jsx-self@7.27.1(@babel/core@7.28.6)':
  dependencies:
    '@babel/core': 7.28.6
    '@babel/helper-plugin-utils': 7.27.1

'@babel/plugin-transform-react-jsx-source@7.27.1(@babel/core@7.28.6)':
  dependencies:
    '@babel/core': 7.28.6
    '@babel/helper-plugin-utils': 7.27.1

'@babel/runtime@7.28.2': {}

'@babel/template@7.27.2':
  dependencies:
    '@babel/code-frame': 7.27.1

'@babel/parser': 7.28.6
'@babel/types': 7.28.2

'@babel/template@7.28.6':
dependencies:
'@babel/code-frame': 7.28.6
'@babel/parser': 7.28.6
'@babel/types': 7.28.6

'@babel/traverse@7.28.6':
dependencies:
'@babel/code-frame': 7.28.6
'@babel/generator': 7.28.6
'@babel/helper-globals': 7.28.0
'@babel/parser': 7.28.6
'@babel/template': 7.28.6
'@babel/types': 7.28.6
debug: 4.4.1
transitivePeerDependencies:
- supports-color

'@babel/types@7.28.2':
dependencies:
'@babel/helper-string-parser': 7.27.1
'@babel/helper-validator-identifier': 7.27.1

'@babel/types@7.28.6':
dependencies:
'@babel/helper-string-parser': 7.27.1
'@babel/helper-validator-identifier': 7.28.5

'@biomejs/biome@2.3.4':
optionalDependencies:
'@biomejs/cli-darwin-arm64': 2.3.4
'@biomejs/cli-darwin-x64': 2.3.4
'@biomejs/cli-linux-arm64': 2.3.4
'@biomejs/cli-linux-arm64-musl': 2.3.4
'@biomejs/cli-linux-x64': 2.3.4
'@biomejs/cli-linux-x64-musl': 2.3.4
'@biomejs/cli-win32-arm64': 2.3.4
'@biomejs/cli-win32-x64': 2.3.4

'@biomejs/cli-darwin-arm64@2.3.4':

```
  optional: true

'@biomejs/cli-darwin-x64@2.3.4':
  optional: true

'@biomejs/cli-linux-arm64-musl@2.3.4':
  optional: true

'@biomejs/cli-linux-arm64@2.3.4':
  optional: true

'@biomejs/cli-linux-x64-musl@2.3.4':
  optional: true

'@biomejs/cli-linux-x64@2.3.4':
  optional: true

'@biomejs/cli-win32-arm64@2.3.4':
  optional: true

'@biomejs/cli-win32-x64@2.3.4':
  optional: true

'@braintree/sanitize-url@7.1.1': {}

'@chevrotain/cst-dts-gen@11.0.3':
  dependencies:
    '@chevrotain/gast': 11.0.3
    '@chevrotain/types': 11.0.3
    lodash-es: 4.17.21

'@chevrotain/gast@11.0.3':
  dependencies:
    '@chevrotain/types': 11.0.3
    lodash-es: 4.17.21

'@chevrotain/regexp-to-ast@11.0.3': {}

'@chevrotain/types@11.0.3': {}

'@chevrotain/utils@11.0.3': {}

'@emnapi/core@1.8.1':
```

```
  dependencies:
    '@emnapi/wasi-threads': 1.1.0
    tslib: 2.8.1
  optional: true

'@emnapi/runtime@1.8.1':
  dependencies:
    tslib: 2.8.1
  optional: true

'@emnapi/wasi-threads@1.1.0':
  dependencies:
    tslib: 2.8.1
  optional: true

'@floating-ui/core@1.7.3':
  dependencies:
    '@floating-ui/utils': 0.2.10

'@floating-ui/dom@1.7.3':
  dependencies:
    '@floating-ui/core': 1.7.3
    '@floating-ui/utils': 0.2.10

'@floating-ui/react-dom@2.1.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@floating-ui/dom': 1.7.3
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

'@floating-ui/utils@0.2.10': {}

'@hookform/resolvers@5.2.2(react-hook-form@7.66.0(react@18.3.1))':
  dependencies:
    '@standard-schema/utils': 0.3.0
    react-hook-form: 7.66.0(react@18.3.1)

'@iconify/types@2.0.0': {}

'@iconify/utils@3.0.2':
  dependencies:
    '@antfu/install-pkg': 1.1.0
    '@antfu/utils': 9.3.0
```

'@iconify/types': 2.0.0
debug: 4.4.1
globals: 15.15.0
kolorist: 1.8.0
local-pkg: 1.1.2
mlly: 1.8.0
transitivePeerDependencies:
- supports-color

'@isaacs/cliui@8.0.2':
dependencies:
string-width: 5.1.2
string-width-cjs: string-width@4.2.3
strip-ansi: 7.1.0
strip-ansi-cjs: strip-ansi@6.0.1
wrap-ansi: 8.1.0
wrap-ansi-cjs: wrap-ansi@7.0.0

'@jridgewell/gen-mapping@0.3.13':
dependencies:
'@jridgewell/sourcemap-codec': 1.5.5
'@jridgewell/trace-mapping': 0.3.30

'@jridgewell/remapping@2.3.5':
dependencies:
'@jridgewell/gen-mapping': 0.3.13
'@jridgewell/trace-mapping': 0.3.30

'@jridgewell/resolve-uri@3.1.2': {}

'@jridgewell/sourcemap-codec@1.5.5': {}

'@jridgewell/trace-mapping@0.3.30':
dependencies:
'@jridgewell/resolve-uri': 3.1.2
'@jridgewell/sourcemap-codec': 1.5.5

'@kurkle/color@0.3.4': {}

'@mermaid-js/parser@0.6.2':
dependencies:
langium: 3.3.1

'@napi-rs/wasm-runtime@1.1.1':
  dependencies:
    '@emnapi/core': 1.8.1
    '@emnapi/runtime': 1.8.1
    '@tybys/wasm-util': 0.10.1
  optional: true

'@nodelib/fs.scandir@2.1.5':
  dependencies:
    '@nodelib/fs.stat': 2.0.5
    run-parallel: 1.2.0

'@nodelib/fs.stat@2.0.5': {}

'@nodelib/fs.walk@1.2.8':
  dependencies:
    '@nodelib/fs.scandir': 2.1.5
    fastq: 1.19.1

'@oxc-project/runtime@0.101.0': {}

'@oxc-project/types@0.101.0': {}

'@pkgjs/parseargs@0.11.0':
  optional: true

'@radix-ui/number@1.1.1': {}

'@radix-ui/primitive@1.1.3': {}

'@radix-ui/react-accordion@1.2.12(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-collapsible': 1.1.12(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)

'@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-alert-dialog@1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-dialog': 1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-arrow@1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2

```
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-aspect-ratio@1.1.7(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
    dependencies:
      '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    optionalDependencies:
      '@types/react': 19.2.2
      '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-avatar@1.1.10(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
    dependencies:
      '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-is-hydrated': 0.1.0(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    optionalDependencies:
      '@types/react': 19.2.2
      '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-checkbox@1.3.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
    dependencies:
      '@radix-ui/primitive': 1.1.3
      '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-presence': 1.1.5(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-primitive': 2.1.3(@types/react-
```

dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-size': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-collapsible@1.1.12(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-collection@1.1.7(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)

react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-compose-refs@1.1.2(@types/react@19.2.2)(react@18.3.1)':
dependencies:
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-context@1.1.2(@types/react@19.2.2)(react@18.3.1)':
dependencies:
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-dialog@1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-focus-guards': 1.1.3(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-focus-scope': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)

'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
aria-hidden: 1.2.6
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
react-remove-scroll: 2.7.1(@types/react@19.2.2)(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-direction@1.1.1(@types/react@19.2.2)(react@18.3.1)':
dependencies:
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-dismissable-layer@1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-escape-keydown': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-dropdown-menu@2.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-menu': 2.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-focus-guards@1.1.3(@types/react@19.2.2)(react@18.3.1)':
dependencies:
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-focus-scope@1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-icons@1.3.2(react@18.3.1)':
dependencies:
react: 18.3.1

'@radix-ui/react-id@1.1.1(@types/react@19.2.2)(react@18.3.1)':
dependencies:
'@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-label@2.1.7(@types/react-

dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-menu@2.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-focus-guards': 1.1.3(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-focus-scope': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-popper': 1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

'@radix-ui/react-roving-focus': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
aria-hidden: 1.2.6
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
react-remove-scroll: 2.7.1(@types/react@19.2.2)(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-menubar@1.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-menu': 2.1.16(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-roving-focus': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-navigation-menu@1.2.14(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-

dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-visually-hidden': 1.2.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-popover@1.1.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-focus-guards': 1.1.3(@types/react@19.2.2)(react@18.3.1)

'@radix-ui/react-focus-scope': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-popper': 1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
aria-hidden: 1.2.6
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
react-remove-scroll: 2.7.1(@types/react@19.2.2)(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-popper@1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@floating-ui/react-dom': 2.1.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-arrow': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-rect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-size': 1.1.1(@types/react@19.2.2)(react@18.3.1)

'@radix-ui/rect': 1.1.1
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-portal@1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-presence@1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-primitive@2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-progress@1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-radio-group@1.3.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-roving-focus': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-size': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-roving-focus@1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-

dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-scroll-area@1.2.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/number': 1.1.1
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-select@2.2.6(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/number': 1.1.1
    '@radix-ui/primitive': 1.1.3
    '@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-focus-guards': 1.1.3(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-focus-scope': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-popper': 1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-visually-hidden': 1.2.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    aria-hidden: 1.2.6
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
    react-remove-scroll: 2.7.1(@types/react@19.2.2)(react@18.3.1)
  optionalDependencies:

```
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-separator@1.1.7(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
    dependencies:
      '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    optionalDependencies:
      '@types/react': 19.2.2
      '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-slider@1.3.6(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)':
    dependencies:
      '@radix-ui/number': 1.1.1
      '@radix-ui/primitive': 1.1.3
      '@radix-ui/react-collection': 1.1.7(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-size': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    optionalDependencies:
      '@types/react': 19.2.2
      '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-slot@1.2.3(@types/react@19.2.2)(react@18.3.1)':
    dependencies:
```

'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
optionalDependencies:
'@types/react': 19.2.2

'@radix-ui/react-switch@1.2.6(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-previous': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-size': 1.1.1(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-tabs@1.1.13(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-roving-focus': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1

react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-toast@1.2.15(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-collection': 1.1.7(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-visually-hidden': 1.2.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-toggle-group@1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:

'@radix-ui/primitive': 1.1.3
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-direction': 1.1.1(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-roving-focus': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-toggle': 1.1.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-toggle@1.1.10(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
'@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
react: 18.3.1
react-dom: 18.3.1(react@18.3.1)
optionalDependencies:
'@types/react': 19.2.2
'@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/react-tooltip@1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
dependencies:
'@radix-ui/primitive': 1.1.3
'@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-context': 1.1.2(@types/react@19.2.2)(react@18.3.1)
'@radix-ui/react-dismissable-layer': 1.1.11(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-

dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-popper': 1.2.8(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-portal': 1.1.9(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-presence': 1.1.5(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    '@radix-ui/react-slot': 1.2.3(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-use-controllable-state': 1.2.2(@types/react@19.2.2)(react@18.3.1)
    '@radix-ui/react-visually-hidden': 1.2.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

  '@radix-ui/react-use-callback-ref@1.1.1(@types/react@19.2.2)(react@18.3.1)':
    dependencies:
      react: 18.3.1
    optionalDependencies:
      '@types/react': 19.2.2

  '@radix-ui/react-use-controllable-state@1.2.2(@types/react@19.2.2)(react@18.3.1)':
    dependencies:
      '@radix-ui/react-use-effect-event': 0.0.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      react: 18.3.1
    optionalDependencies:
      '@types/react': 19.2.2

  '@radix-ui/react-use-effect-event@0.0.2(@types/react@19.2.2)(react@18.3.1)':
    dependencies:
      '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      react: 18.3.1

```
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-escape-keydown@1.1.1(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    '@radix-ui/react-use-callback-ref': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-is-hydrated@0.1.0(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    react: 18.3.1
    use-sync-external-store: 1.5.0(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-layout-effect@1.1.1(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    react: 18.3.1
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-previous@1.1.1(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    react: 18.3.1
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-rect@1.1.1(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    '@radix-ui/rect': 1.1.1
    react: 18.3.1
  optionalDependencies:
    '@types/react': 19.2.2

'@radix-ui/react-use-size@1.1.1(@types/react@19.2.2)(react@18.3.1)':
  dependencies:
    '@radix-ui/react-use-layout-effect': 1.1.1(@types/react@19.2.2)(react@18.3.1)
    react: 18.3.1
  optionalDependencies:
    '@types/react': 19.2.2
```

'@radix-ui/react-visually-hidden@1.2.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)':
  dependencies:
    '@radix-ui/react-primitive': 2.1.3(@types/react-dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2
    '@types/react-dom': 19.2.2(@types/react@19.2.2)

'@radix-ui/rect@1.1.1': {}

'@rolldown/binding-android-arm64@1.0.0-beta.53':
  optional: true

'@rolldown/binding-darwin-arm64@1.0.0-beta.53':
  optional: true

'@rolldown/binding-darwin-x64@1.0.0-beta.53':
  optional: true

'@rolldown/binding-freebsd-x64@1.0.0-beta.53':
  optional: true

'@rolldown/binding-linux-arm-gnueabihf@1.0.0-beta.53':
  optional: true

'@rolldown/binding-linux-arm64-gnu@1.0.0-beta.53':
  optional: true

'@rolldown/binding-linux-arm64-musl@1.0.0-beta.53':
  optional: true

'@rolldown/binding-linux-x64-gnu@1.0.0-beta.53':
  optional: true

'@rolldown/binding-linux-x64-musl@1.0.0-beta.53':
  optional: true

'@rolldown/binding-openharmony-arm64@1.0.0-beta.53':

```
  optional: true

'@rolldown/binding-wasm32-wasi@1.0.0-beta.53':
  dependencies:
    '@napi-rs/wasm-runtime': 1.1.1
  optional: true

'@rolldown/binding-win32-arm64-msvc@1.0.0-beta.53':
  optional: true

'@rolldown/binding-win32-x64-msvc@1.0.0-beta.53':
  optional: true

'@rolldown/pluginutils@1.0.0-beta.53': {}

'@rollup/pluginutils@5.2.0(rollup@4.46.2)':
  dependencies:
    '@types/estree': 1.0.8
    estree-walker: 2.0.2
    picomatch: 4.0.3
  optionalDependencies:
    rollup: 4.46.2

'@rollup/rollup-android-arm-eabi@4.46.2':
  optional: true

'@rollup/rollup-android-arm64@4.46.2':
  optional: true

'@rollup/rollup-darwin-arm64@4.46.2':
  optional: true

'@rollup/rollup-darwin-x64@4.46.2':
  optional: true

'@rollup/rollup-freebsd-arm64@4.46.2':
  optional: true

'@rollup/rollup-freebsd-x64@4.46.2':
  optional: true

'@rollup/rollup-linux-arm-gnueabihf@4.46.2':
  optional: true
```

```
'@rollup/rollup-linux-arm-musleabihf@4.46.2':
  optional: true

'@rollup/rollup-linux-arm64-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-arm64-musl@4.46.2':
  optional: true

'@rollup/rollup-linux-loongarch64-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-ppc64-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-riscv64-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-riscv64-musl@4.46.2':
  optional: true

'@rollup/rollup-linux-s390x-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-x64-gnu@4.46.2':
  optional: true

'@rollup/rollup-linux-x64-musl@4.46.2':
  optional: true

'@rollup/rollup-win32-arm64-msvc@4.46.2':
  optional: true

'@rollup/rollup-win32-ia32-msvc@4.46.2':
  optional: true

'@rollup/rollup-win32-x64-msvc@4.46.2':
  optional: true

'@shikijs/core@3.13.0':
  dependencies:
    '@shikijs/types': 3.13.0
```

'@shikijs/vscode-textmate': 10.0.2
'@types/hast': 3.0.4
hast-util-to-html: 9.0.5

'@shikijs/engine-javascript@3.13.0':
dependencies:
'@shikijs/types': 3.13.0
'@shikijs/vscode-textmate': 10.0.2
oniguruma-to-es: 4.3.3

'@shikijs/engine-oniguruma@3.13.0':
dependencies:
'@shikijs/types': 3.13.0
'@shikijs/vscode-textmate': 10.0.2

'@shikijs/langs@3.13.0':
dependencies:
'@shikijs/types': 3.13.0

'@shikijs/themes@3.13.0':
dependencies:
'@shikijs/types': 3.13.0

'@shikijs/types@3.13.0':
dependencies:
'@shikijs/vscode-textmate': 10.0.2
'@types/hast': 3.0.4

'@shikijs/vscode-textmate@10.0.2': {}

'@standard-schema/utils@0.3.0': {}

'@supabase/auth-js@2.76.1':
dependencies:
'@supabase/node-fetch': 2.6.15
tslib: 2.8.1

'@supabase/functions-js@2.76.1':
dependencies:
'@supabase/node-fetch': 2.6.15
tslib: 2.8.1

'@supabase/node-fetch@2.6.15':

```
  dependencies:
    whatwg-url: 5.0.0

'@supabase/postgrest-js@2.76.1':
  dependencies:
    '@supabase/node-fetch': 2.6.15
    tslib: 2.8.1

'@supabase/realtime-js@2.76.1':
  dependencies:
    '@supabase/node-fetch': 2.6.15
    '@types/phoenix': 1.6.6
    '@types/ws': 8.18.1
    tslib: 2.8.1
    ws: 8.18.3
  transitivePeerDependencies:
    - bufferutil
    - utf-8-validate

'@supabase/storage-js@2.76.1':
  dependencies:
    '@supabase/node-fetch': 2.6.15
    tslib: 2.8.1

'@supabase/supabase-js@2.76.1':
  dependencies:
    '@supabase/auth-js': 2.76.1
    '@supabase/functions-js': 2.76.1
    '@supabase/node-fetch': 2.6.15
    '@supabase/postgrest-js': 2.76.1
    '@supabase/realtime-js': 2.76.1
    '@supabase/storage-js': 2.76.1
  transitivePeerDependencies:
    - bufferutil
    - utf-8-validate

'@svgr/babel-plugin-add-jsx-attribute@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-remove-jsx-attribute@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0
```

```
'@svgr/babel-plugin-remove-jsx-empty-expression@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-replace-jsx-attribute-value@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-svg-dynamic-title@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-svg-em-dimensions@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-transform-react-native-svg@8.1.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-plugin-transform-svg-component@8.0.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0

'@svgr/babel-preset@8.1.0(@babel/core@7.28.0)':
  dependencies:
    '@babel/core': 7.28.0
    '@svgr/babel-plugin-add-jsx-attribute': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-remove-jsx-attribute': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-remove-jsx-empty-expression': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-replace-jsx-attribute-value': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-svg-dynamic-title': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-svg-em-dimensions': 8.0.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-transform-react-native-svg': 8.1.0(@babel/core@7.28.0)
    '@svgr/babel-plugin-transform-svg-component': 8.0.0(@babel/core@7.28.0)

'@svgr/core@8.1.0(typescript@5.9.3)':
  dependencies:
    '@babel/core': 7.28.0
    '@svgr/babel-preset': 8.1.0(@babel/core@7.28.0)
    camelcase: 6.3.0
    cosmiconfig: 8.3.6(typescript@5.9.3)
```

```
    snake-case: 3.0.4
  transitivePeerDependencies:
    - supports-color
    - typescript

'@svgr/hast-util-to-babel-ast@8.0.0':
  dependencies:
    '@babel/types': 7.28.2
    entities: 4.5.0

'@svgr/plugin-jsx@8.1.0(@svgr/core@8.1.0(typescript@5.9.3))':
  dependencies:
    '@babel/core': 7.28.0
    '@svgr/babel-preset': 8.1.0(@babel/core@7.28.0)
    '@svgr/core': 8.1.0(typescript@5.9.3)
    '@svgr/hast-util-to-babel-ast': 8.0.0
    svg-parser: 2.0.4
  transitivePeerDependencies:
    - supports-color

'@tailwindcss/container-queries@0.1.1(tailwindcss@3.4.17)':
  dependencies:
    tailwindcss: 3.4.17

'@tybys/wasm-util@0.10.1':
  dependencies:
    tslib: 2.8.1
  optional: true

'@types/babel__core@7.20.5':
  dependencies:
    '@babel/parser': 7.28.0
    '@babel/types': 7.28.2
    '@types/babel__generator': 7.27.0
    '@types/babel__template': 7.4.4
    '@types/babel__traverse': 7.28.0

'@types/babel__generator@7.27.0':
  dependencies:
    '@babel/types': 7.28.2

'@types/babel__template@7.4.4':
  dependencies:
```

'@babel/parser': 7.28.0
'@babel/types': 7.28.2

'@types/babel__traverse@7.28.0':
dependencies:
'@babel/types': 7.28.2

'@types/d3-array@3.2.1': {}

'@types/d3-axis@3.0.6':
dependencies:
'@types/d3-selection': 3.0.11

'@types/d3-brush@3.0.6':
dependencies:
'@types/d3-selection': 3.0.11

'@types/d3-chord@3.0.6': {}

'@types/d3-color@3.1.3': {}

'@types/d3-contour@3.0.6':
dependencies:
'@types/d3-array': 3.2.1
'@types/geojson': 7946.0.16

'@types/d3-delaunay@6.0.4': {}

'@types/d3-dispatch@3.0.7': {}

'@types/d3-drag@3.0.7':
dependencies:
'@types/d3-selection': 3.0.11

'@types/d3-dsv@3.0.7': {}

'@types/d3-ease@3.0.2': {}

'@types/d3-fetch@3.0.7':
dependencies:
'@types/d3-dsv': 3.0.7

'@types/d3-force@3.0.10': {}

'@types/d3-format@3.0.4': {}

'@types/d3-geo@3.1.0':
  dependencies:
    '@types/geojson': 7946.0.16

'@types/d3-hierarchy@3.1.7': {}

'@types/d3-interpolate@3.0.4':
  dependencies:
    '@types/d3-color': 3.1.3

'@types/d3-path@3.1.1': {}

'@types/d3-polygon@3.0.2': {}

'@types/d3-quadtree@3.0.6': {}

'@types/d3-random@3.0.3': {}

'@types/d3-scale-chromatic@3.1.0': {}

'@types/d3-scale@4.0.9':
  dependencies:
    '@types/d3-time': 3.0.4

'@types/d3-selection@3.0.11': {}

'@types/d3-shape@3.1.7':
  dependencies:
    '@types/d3-path': 3.1.1

'@types/d3-time-format@4.0.3': {}

'@types/d3-time@3.0.4': {}

'@types/d3-timer@3.0.2': {}

'@types/d3-transition@3.0.9':
  dependencies:
    '@types/d3-selection': 3.0.11

```
'@types/d3-zoom@3.0.8':
  dependencies:
    '@types/d3-interpolate': 3.0.4
    '@types/d3-selection': 3.0.11

'@types/d3@7.4.3':
  dependencies:
    '@types/d3-array': 3.2.1
    '@types/d3-axis': 3.0.6
    '@types/d3-brush': 3.0.6
    '@types/d3-chord': 3.0.6
    '@types/d3-color': 3.1.3
    '@types/d3-contour': 3.0.6
    '@types/d3-delaunay': 6.0.4
    '@types/d3-dispatch': 3.0.7
    '@types/d3-drag': 3.0.7
    '@types/d3-dsv': 3.0.7
    '@types/d3-ease': 3.0.2
    '@types/d3-fetch': 3.0.7
    '@types/d3-force': 3.0.10
    '@types/d3-format': 3.0.4
    '@types/d3-geo': 3.1.0
    '@types/d3-hierarchy': 3.1.7
    '@types/d3-interpolate': 3.0.4
    '@types/d3-path': 3.1.1
    '@types/d3-polygon': 3.0.2
    '@types/d3-quadtree': 3.0.6
    '@types/d3-random': 3.0.3
    '@types/d3-scale': 4.0.9
    '@types/d3-scale-chromatic': 3.1.0
    '@types/d3-selection': 3.0.11
    '@types/d3-shape': 3.1.7
    '@types/d3-time': 3.0.4
    '@types/d3-time-format': 4.0.3
    '@types/d3-timer': 3.0.2
    '@types/d3-transition': 3.0.9
    '@types/d3-zoom': 3.0.8

'@types/debug@4.1.12':
  dependencies:
    '@types/ms': 2.1.0

'@types/estree-jsx@1.0.5':
```

  dependencies:
    '@types/estree': 1.0.8

'@types/estree@1.0.8': {}

'@types/geojson@7946.0.16': {}

'@types/hast@3.0.4':
  dependencies:
    '@types/unist': 3.0.3

'@types/katex@0.16.7': {}

'@types/lodash@4.17.20': {}

'@types/mdast@4.0.4':
  dependencies:
    '@types/unist': 3.0.3

'@types/ms@2.1.0': {}

'@types/node@24.2.1':
  dependencies:
    undici-types: 7.10.0

'@types/phoenix@1.6.6': {}

'@types/react-dom@19.2.2(@types/react@19.2.2)':
  dependencies:
    '@types/react': 19.2.2

'@types/react@19.2.2':
  dependencies:
    csstype: 3.1.3

'@types/trusted-types@2.0.7':
  optional: true

'@types/unist@2.0.11': {}

'@types/unist@3.0.3': {}

'@types/video-react@0.15.8':

```
    dependencies:
      '@types/react': 19.2.2

  '@types/ws@8.18.1':
    dependencies:
      '@types/node': 24.2.1

  '@typescript/native-preview-darwin-arm64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-darwin-x64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-linux-arm64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-linux-arm@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-linux-x64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-win32-arm64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview-win32-x64@7.0.0-dev.20251103.1':
    optional: true

  '@typescript/native-preview@7.0.0-dev.20251103.1':
    optionalDependencies:
      '@typescript/native-preview-darwin-arm64': 7.0.0-dev.20251103.1
      '@typescript/native-preview-darwin-x64': 7.0.0-dev.20251103.1
      '@typescript/native-preview-linux-arm': 7.0.0-dev.20251103.1
      '@typescript/native-preview-linux-arm64': 7.0.0-dev.20251103.1
      '@typescript/native-preview-linux-x64': 7.0.0-dev.20251103.1
      '@typescript/native-preview-win32-arm64': 7.0.0-dev.20251103.1
      '@typescript/native-preview-win32-x64': 7.0.0-dev.20251103.1

  '@ungap/structured-clone@1.3.0': {}

  '@vitejs/plugin-react@5.1.2(rolldown-
vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1))':
    dependencies:
```

```
    '@babel/core': 7.28.6
    '@babel/plugin-transform-react-jsx-self': 7.27.1(@babel/core@7.28.6)
    '@babel/plugin-transform-react-jsx-source': 7.27.1(@babel/core@7.28.6)
    '@rolldown/pluginutils': 1.0.0-beta.53
    '@types/babel__core': 7.20.5
    react-refresh: 0.18.0
    vite: rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1)
  transitivePeerDependencies:
    - supports-color

acorn@8.15.0: {}

ansi-regex@5.0.1: {}

ansi-regex@6.1.0: {}

ansi-styles@4.3.0:
  dependencies:
    color-convert: 2.0.1

ansi-styles@6.2.1: {}

any-promise@1.3.0: {}

anymatch@3.1.3:
  dependencies:
    normalize-path: 3.0.0
    picomatch: 2.3.1

arg@5.0.2: {}

argparse@2.0.1: {}

aria-hidden@1.2.6:
  dependencies:
    tslib: 2.8.1

ast-types@0.16.1:
  dependencies:
    tslib: 2.8.1

asynckit@0.4.0: {}
```

```
attr-accept@2.2.5: {}

autoprefixer@10.4.21(postcss@8.5.6):
  dependencies:
    browserslist: 4.25.2
    caniuse-lite: 1.0.30001734
    fraction.js: 4.3.7
    normalize-range: 0.1.2
    picocolors: 1.1.1
    postcss: 8.5.6
    postcss-value-parser: 4.2.0

axios@1.13.1:
  dependencies:
    follow-redirects: 1.15.11
    form-data: 4.0.4
    proxy-from-env: 1.1.0
  transitivePeerDependencies:
    - debug

bail@2.0.2: {}

balanced-match@1.0.2: {}

binary-extensions@2.3.0: {}

brace-expansion@2.0.2:
  dependencies:
    balanced-match: 1.0.2

braces@3.0.3:
  dependencies:
    fill-range: 7.1.1

browserslist@4.25.2:
  dependencies:
    caniuse-lite: 1.0.30001734
    electron-to-chromium: 1.5.200
    node-releases: 2.0.19
    update-browserslist-db: 1.1.3(browserslist@4.25.2)

call-bind-apply-helpers@1.0.2:
  dependencies:
```

```
    es-errors: 1.3.0
    function-bind: 1.1.2

  callsites@3.1.0: {}

  camelcase-css@2.0.1: {}

  camelcase@5.3.1: {}

  camelcase@6.3.0: {}

  caniuse-lite@1.0.30001734: {}

  ccount@2.0.1: {}

  character-entities-html4@2.1.0: {}

  character-entities-legacy@3.0.0: {}

  character-entities@2.0.2: {}

  character-reference-invalid@2.0.1: {}

  chart.js@4.5.1:
    dependencies:
      '@kurkle/color': 0.3.4

  chevrotain-allstar@0.3.1(chevrotain@11.0.3):
    dependencies:
      chevrotain: 11.0.3
      lodash-es: 4.17.21

  chevrotain@11.0.3:
    dependencies:
      '@chevrotain/cst-dts-gen': 11.0.3
      '@chevrotain/gast': 11.0.3
      '@chevrotain/regexp-to-ast': 11.0.3
      '@chevrotain/types': 11.0.3
      '@chevrotain/utils': 11.0.3
      lodash-es: 4.17.21

  chokidar@3.6.0:
    dependencies:
```

```
    anymatch: 3.1.3
    braces: 3.0.3
    glob-parent: 5.1.2
    is-binary-path: 2.1.0
    is-glob: 4.0.3
    normalize-path: 3.0.0
    readdirp: 3.6.0
  optionalDependencies:
    fsevents: 2.3.3

  class-variance-authority@0.7.1:
    dependencies:
      clsx: 2.1.1

  classnames@2.5.1: {}

  cliui@6.0.0:
    dependencies:
      string-width: 4.2.3
      strip-ansi: 6.0.1
      wrap-ansi: 6.2.0

  clsx@2.1.1: {}

  cmdk@1.1.1(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1):
    dependencies:
      '@radix-ui/react-compose-refs': 1.1.2(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-dialog': 1.1.15(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      '@radix-ui/react-id': 1.1.1(@types/react@19.2.2)(react@18.3.1)
      '@radix-ui/react-primitive': 2.1.3(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    transitivePeerDependencies:
      - '@types/react'
      - '@types/react-dom'

  color-convert@2.0.1:
```

```
  dependencies:
    color-name: 1.1.4

color-name@1.1.4: {}

combined-stream@1.0.8:
  dependencies:
    delayed-stream: 1.0.0

comma-separated-tokens@2.0.3: {}

commander@4.1.1: {}

commander@7.2.0: {}

commander@8.3.0: {}

confbox@0.1.8: {}

confbox@0.2.2: {}

convert-source-map@2.0.0: {}

cookie@1.0.2: {}

cose-base@1.0.3:
  dependencies:
    layout-base: 1.0.2

cose-base@2.2.0:
  dependencies:
    layout-base: 2.0.1

cosmiconfig@8.3.6(typescript@5.9.3):
  dependencies:
    import-fresh: 3.3.1
    js-yaml: 4.1.0
    parse-json: 5.2.0
    path-type: 4.0.0
  optionalDependencies:
    typescript: 5.9.3

cross-spawn@7.0.6:
```

```
  dependencies:
    path-key: 3.1.1
    shebang-command: 2.0.0
    which: 2.0.2

cssesc@3.0.0: {}

csstype@3.1.3: {}

cytoscape-cose-bilkent@4.1.0(cytoscape@3.33.1):
  dependencies:
    cose-base: 1.0.3
    cytoscape: 3.33.1

cytoscape-fcose@2.2.0(cytoscape@3.33.1):
  dependencies:
    cose-base: 2.2.0
    cytoscape: 3.33.1

cytoscape@3.33.1: {}

d3-array@2.12.1:
  dependencies:
    internmap: 1.0.1

d3-array@3.2.4:
  dependencies:
    internmap: 2.0.3

d3-axis@3.0.0: {}

d3-brush@3.0.0:
  dependencies:
    d3-dispatch: 3.0.1
    d3-drag: 3.0.0
    d3-interpolate: 3.0.1
    d3-selection: 3.0.0
    d3-transition: 3.0.1(d3-selection@3.0.0)

d3-chord@3.0.1:
  dependencies:
    d3-path: 3.1.0
```

```
d3-color@3.1.0: {}

d3-contour@4.0.2:
  dependencies:
    d3-array: 3.2.4

d3-delaunay@6.0.4:
  dependencies:
    delaunator: 5.0.1

d3-dispatch@3.0.1: {}

d3-drag@3.0.0:
  dependencies:
    d3-dispatch: 3.0.1
    d3-selection: 3.0.0

d3-dsv@3.0.1:
  dependencies:
    commander: 7.2.0
    iconv-lite: 0.6.3
    rw: 1.3.3

d3-ease@3.0.1: {}

d3-fetch@3.0.1:
  dependencies:
    d3-dsv: 3.0.1

d3-force@3.0.0:
  dependencies:
    d3-dispatch: 3.0.1
    d3-quadtree: 3.0.1
    d3-timer: 3.0.1

d3-format@3.1.0: {}

d3-geo@3.1.1:
  dependencies:
    d3-array: 3.2.4

d3-hierarchy@3.1.2: {}
```

```
d3-interpolate@3.0.1:
  dependencies:
    d3-color: 3.1.0

d3-path@1.0.9: {}

d3-path@3.1.0: {}

d3-polygon@3.0.1: {}

d3-quadtree@3.0.1: {}

d3-random@3.0.1: {}

d3-sankey@0.12.3:
  dependencies:
    d3-array: 2.12.1
    d3-shape: 1.3.7

d3-scale-chromatic@3.1.0:
  dependencies:
    d3-color: 3.1.0
    d3-interpolate: 3.0.1

d3-scale@4.0.2:
  dependencies:
    d3-array: 3.2.4
    d3-format: 3.1.0
    d3-interpolate: 3.0.1
    d3-time: 3.1.0
    d3-time-format: 4.1.0

d3-selection@3.0.0: {}

d3-shape@1.3.7:
  dependencies:
    d3-path: 1.0.9

d3-shape@3.2.0:
  dependencies:
    d3-path: 3.1.0

d3-time-format@4.1.0:
```

```
  dependencies:
    d3-time: 3.1.0

d3-time@3.1.0:
  dependencies:
    d3-array: 3.2.4

d3-timer@3.0.1: {}

d3-transition@3.0.1(d3-selection@3.0.0):
  dependencies:
    d3-color: 3.1.0
    d3-dispatch: 3.0.1
    d3-ease: 3.0.1
    d3-interpolate: 3.0.1
    d3-selection: 3.0.0
    d3-timer: 3.0.1

d3-zoom@3.0.0:
  dependencies:
    d3-dispatch: 3.0.1
    d3-drag: 3.0.0
    d3-interpolate: 3.0.1
    d3-selection: 3.0.0
    d3-transition: 3.0.1(d3-selection@3.0.0)

d3@7.9.0:
  dependencies:
    d3-array: 3.2.4
    d3-axis: 3.0.0
    d3-brush: 3.0.0
    d3-chord: 3.0.1
    d3-color: 3.1.0
    d3-contour: 4.0.2
    d3-delaunay: 6.0.4
    d3-dispatch: 3.0.1
    d3-drag: 3.0.0
    d3-dsv: 3.0.1
    d3-ease: 3.0.1
    d3-fetch: 3.0.1
    d3-force: 3.0.0
    d3-format: 3.1.0
    d3-geo: 3.1.1
```

```
    d3-hierarchy: 3.1.2
    d3-interpolate: 3.0.1
    d3-path: 3.1.0
    d3-polygon: 3.0.1
    d3-quadtree: 3.0.1
    d3-random: 3.0.1
    d3-scale: 4.0.2
    d3-scale-chromatic: 3.1.0
    d3-selection: 3.0.0
    d3-shape: 3.2.0
    d3-time: 3.1.0
    d3-time-format: 4.1.0
    d3-timer: 3.0.1
    d3-transition: 3.0.1(d3-selection@3.0.0)
    d3-zoom: 3.0.0

dagre-d3-es@7.0.11:
  dependencies:
    d3: 7.9.0
    lodash-es: 4.17.21

date-fns@3.6.0: {}

dayjs@1.11.18: {}

debug@4.4.1:
  dependencies:
    ms: 2.1.3

decamelize@1.2.0: {}

decimal.js-light@2.5.1: {}

decode-named-character-reference@1.2.0:
  dependencies:
    character-entities: 2.0.2

delaunator@5.0.1:
  dependencies:
    robust-predicates: 3.0.2

delayed-stream@1.0.0: {}
```

```
dequal@2.0.3: {}

detect-libc@2.0.4: {}

detect-node-es@1.1.0: {}

devlop@1.1.0:
  dependencies:
    dequal: 2.0.3

didyoumean@1.2.2: {}

dijkstrajs@1.0.3: {}

dlv@1.1.3: {}

dom-helpers@5.2.1:
  dependencies:
    '@babel/runtime': 7.28.2
    csstype: 3.1.3

dompurify@3.2.6:
  optionalDependencies:
    '@types/trusted-types': 2.0.7

dot-case@3.0.4:
  dependencies:
    no-case: 3.0.4
    tslib: 2.8.1

dunder-proto@1.0.1:
  dependencies:
    call-bind-apply-helpers: 1.0.2
    es-errors: 1.3.0
    gopd: 1.2.0

eastasianwidth@0.2.0: {}

electron-to-chromium@1.5.200: {}

embla-carousel-react@8.6.0(react@18.3.1):
  dependencies:
    embla-carousel: 8.6.0
```

```
    embla-carousel-reactive-utils: 8.6.0(embla-carousel@8.6.0)
    react: 18.3.1

embla-carousel-reactive-utils@8.6.0(embla-carousel@8.6.0):
  dependencies:
    embla-carousel: 8.6.0

embla-carousel@8.6.0: {}

emoji-regex@8.0.0: {}

emoji-regex@9.2.2: {}

entities@4.5.0: {}

entities@6.0.1: {}

error-ex@1.3.2:
  dependencies:
    is-arrayish: 0.2.1

es-define-property@1.0.1: {}

es-errors@1.3.0: {}

es-object-atoms@1.1.1:
  dependencies:
    es-errors: 1.3.0

es-set-tostringtag@2.1.0:
  dependencies:
    es-errors: 1.3.0
    get-intrinsic: 1.3.0
    has-tostringtag: 1.0.2
    hasown: 2.0.2

escalade@3.2.0: {}

escape-string-regexp@5.0.0: {}

esprima@4.0.1: {}

estree-util-is-identifier-name@3.0.0: {}
```

```
estree-walker@2.0.2: {}

eventemitter3@4.0.7: {}

eventsource-parser@3.0.6: {}

exsolve@1.0.7: {}

extend@3.0.2: {}

fast-equals@5.2.2: {}

fast-glob@3.3.3:
  dependencies:
    '@nodelib/fs.stat': 2.0.5
    '@nodelib/fs.walk': 1.2.8
    glob-parent: 5.1.2
    merge2: 1.4.1
    micromatch: 4.0.8

fastq@1.19.1:
  dependencies:
    reusify: 1.1.0

fdir@6.5.0(picomatch@4.0.3):
  optionalDependencies:
    picomatch: 4.0.3

file-selector@2.1.2:
  dependencies:
    tslib: 2.8.1

fill-range@7.1.1:
  dependencies:
    to-regex-range: 5.0.1

find-up@4.1.0:
  dependencies:
    locate-path: 5.0.0
    path-exists: 4.0.0

follow-redirects@1.15.11: {}
```

```
foreground-child@3.3.1:
  dependencies:
    cross-spawn: 7.0.6
    signal-exit: 4.1.0

form-data@4.0.4:
  dependencies:
    asynckit: 0.4.0
    combined-stream: 1.0.8
    es-set-tostringtag: 2.1.0
    hasown: 2.0.2
    mime-types: 2.1.35

fraction.js@4.3.7: {}

framer-motion@12.23.25(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    motion-dom: 12.23.23
    motion-utils: 12.23.6
    tslib: 2.8.1
  optionalDependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

fsevents@2.3.3:
  optional: true

function-bind@1.1.2: {}

gensync@1.0.0-beta.2: {}

get-caller-file@2.0.5: {}

get-intrinsic@1.3.0:
  dependencies:
    call-bind-apply-helpers: 1.0.2
    es-define-property: 1.0.1
    es-errors: 1.3.0
    es-object-atoms: 1.1.1
    function-bind: 1.1.2
    get-proto: 1.0.1
    gopd: 1.2.0
```

```
    has-symbols: 1.1.0
    hasown: 2.0.2
    math-intrinsics: 1.1.0

get-nonce@1.0.1: {}

get-proto@1.0.1:
  dependencies:
    dunder-proto: 1.0.1
    es-object-atoms: 1.1.1

glob-parent@5.1.2:
  dependencies:
    is-glob: 4.0.3

glob-parent@6.0.2:
  dependencies:
    is-glob: 4.0.3

glob@10.4.5:
  dependencies:
    foreground-child: 3.3.1
    jackspeak: 3.4.3
    minimatch: 9.0.5
    minipass: 7.1.2
    package-json-from-dist: 1.0.1
    path-scurry: 1.11.1

globals@15.15.0: {}

gopd@1.2.0: {}

hachure-fill@0.5.2: {}

has-symbols@1.1.0: {}

has-tostringtag@1.0.2:
  dependencies:
    has-symbols: 1.1.0

hasown@2.0.2:
  dependencies:
    function-bind: 1.1.2
```

hast-util-from-dom@5.0.1:
  dependencies:
    '@types/hast': 3.0.4
    hastscript: 9.0.1
    web-namespaces: 2.0.1

hast-util-from-html-isomorphic@2.0.0:
  dependencies:
    '@types/hast': 3.0.4
    hast-util-from-dom: 5.0.1
    hast-util-from-html: 2.0.3
    unist-util-remove-position: 5.0.0

hast-util-from-html@2.0.3:
  dependencies:
    '@types/hast': 3.0.4
    devlop: 1.1.0
    hast-util-from-parse5: 8.0.3
    parse5: 7.3.0
    vfile: 6.0.3
    vfile-message: 4.0.3

hast-util-from-parse5@8.0.3:
  dependencies:
    '@types/hast': 3.0.4
    '@types/unist': 3.0.3
    devlop: 1.1.0
    hastscript: 9.0.1
    property-information: 7.1.0
    vfile: 6.0.3
    vfile-location: 5.0.3
    web-namespaces: 2.0.1

hast-util-is-element@3.0.0:
  dependencies:
    '@types/hast': 3.0.4

hast-util-parse-selector@4.0.0:
  dependencies:
    '@types/hast': 3.0.4

hast-util-raw@9.1.0:

```
  dependencies:
    '@types/hast': 3.0.4
    '@types/unist': 3.0.3
    '@ungap/structured-clone': 1.3.0
    hast-util-from-parse5: 8.0.3
    hast-util-to-parse5: 8.0.0
    html-void-elements: 3.0.0
    mdast-util-to-hast: 13.2.0
    parse5: 7.3.0
    unist-util-position: 5.0.0
    unist-util-visit: 5.0.0
    vfile: 6.0.3
    web-namespaces: 2.0.1
    zwitch: 2.0.4

hast-util-to-html@9.0.5:
  dependencies:
    '@types/hast': 3.0.4
    '@types/unist': 3.0.3
    ccount: 2.0.1
    comma-separated-tokens: 2.0.3
    hast-util-whitespace: 3.0.0
    html-void-elements: 3.0.0
    mdast-util-to-hast: 13.2.0
    property-information: 7.1.0
    space-separated-tokens: 2.0.2
    stringify-entities: 4.0.4
    zwitch: 2.0.4

hast-util-to-jsx-runtime@2.3.6:
  dependencies:
    '@types/estree': 1.0.8
    '@types/hast': 3.0.4
    '@types/unist': 3.0.3
    comma-separated-tokens: 2.0.3
    devlop: 1.1.0
    estree-util-is-identifier-name: 3.0.0
    hast-util-whitespace: 3.0.0
    mdast-util-mdx-expression: 2.0.1
    mdast-util-mdx-jsx: 3.2.0
    mdast-util-mdxjs-esm: 2.0.1
    property-information: 7.1.0
    space-separated-tokens: 2.0.2
```

    style-to-js: 1.1.17
    unist-util-position: 5.0.0
    vfile-message: 4.0.3
  transitivePeerDependencies:
    - supports-color

hast-util-to-parse5@8.0.0:
  dependencies:
    '@types/hast': 3.0.4
    comma-separated-tokens: 2.0.3
    devlop: 1.1.0
    property-information: 6.5.0
    space-separated-tokens: 2.0.2
    web-namespaces: 2.0.1
    zwitch: 2.0.4

hast-util-to-text@4.0.2:
  dependencies:
    '@types/hast': 3.0.4
    '@types/unist': 3.0.3
    hast-util-is-element: 3.0.0
    unist-util-find-after: 5.0.0

hast-util-whitespace@3.0.0:
  dependencies:
    '@types/hast': 3.0.4

hastscript@9.0.1:
  dependencies:
    '@types/hast': 3.0.4
    comma-separated-tokens: 2.0.3
    hast-util-parse-selector: 4.0.0
    property-information: 7.1.0
    space-separated-tokens: 2.0.2

html-url-attributes@3.0.1: {}

html-void-elements@3.0.0: {}

iconv-lite@0.6.3:
  dependencies:
    safer-buffer: 2.1.2

```
import-fresh@3.3.1:
  dependencies:
    parent-module: 1.0.1
    resolve-from: 4.0.0

inline-style-parser@0.2.4: {}

input-otp@1.4.2(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

internmap@1.0.1: {}

internmap@2.0.3: {}

invariant@2.2.4:
  dependencies:
    loose-envify: 1.4.0

is-alphabetical@2.0.1: {}

is-alphanumerical@2.0.1:
  dependencies:
    is-alphabetical: 2.0.1
    is-decimal: 2.0.1

is-arrayish@0.2.1: {}

is-binary-path@2.1.0:
  dependencies:
    binary-extensions: 2.3.0

is-core-module@2.16.1:
  dependencies:
    hasown: 2.0.2

is-decimal@2.0.1: {}

is-extglob@2.1.1: {}

is-fullwidth-code-point@3.0.0: {}
```

```
is-glob@4.0.3:
  dependencies:
    is-extglob: 2.1.1

is-hexadecimal@2.0.1: {}

is-number@7.0.0: {}

is-plain-obj@4.1.0: {}

isexe@2.0.0: {}

jackspeak@3.4.3:
  dependencies:
    '@isaacs/cliui': 8.0.2
  optionalDependencies:
    '@pkgjs/parseargs': 0.11.0

jiti@1.21.7: {}

js-tokens@4.0.0: {}

js-yaml@4.1.0:
  dependencies:
    argparse: 2.0.1

jsesc@3.1.0: {}

json-parse-even-better-errors@2.3.1: {}

json5@2.2.3: {}

katex@0.16.22:
  dependencies:
    commander: 8.3.0

khroma@2.1.0: {}

kolorist@1.8.0: {}

ky@1.13.0: {}

langium@3.3.1:
```

```
  dependencies:
    chevrotain: 11.0.3
    chevrotain-allstar: 0.3.1(chevrotain@11.0.3)
    vscode-languageserver: 9.0.1
    vscode-languageserver-textdocument: 1.0.12
    vscode-uri: 3.0.8

layout-base@1.0.2: {}

layout-base@2.0.1: {}

lightningcss-android-arm64@1.31.1:
  optional: true

lightningcss-darwin-arm64@1.31.1:
  optional: true

lightningcss-darwin-x64@1.31.1:
  optional: true

lightningcss-freebsd-x64@1.31.1:
  optional: true

lightningcss-linux-arm-gnueabihf@1.31.1:
  optional: true

lightningcss-linux-arm64-gnu@1.31.1:
  optional: true

lightningcss-linux-arm64-musl@1.31.1:
  optional: true

lightningcss-linux-x64-gnu@1.31.1:
  optional: true

lightningcss-linux-x64-musl@1.31.1:
  optional: true

lightningcss-win32-arm64-msvc@1.31.1:
  optional: true

lightningcss-win32-x64-msvc@1.31.1:
  optional: true
```

```
lightningcss@1.31.1:
  dependencies:
    detect-libc: 2.0.4
  optionalDependencies:
    lightningcss-android-arm64: 1.31.1
    lightningcss-darwin-arm64: 1.31.1
    lightningcss-darwin-x64: 1.31.1
    lightningcss-freebsd-x64: 1.31.1
    lightningcss-linux-arm-gnueabihf: 1.31.1
    lightningcss-linux-arm64-gnu: 1.31.1
    lightningcss-linux-arm64-musl: 1.31.1
    lightningcss-linux-x64-gnu: 1.31.1
    lightningcss-linux-x64-musl: 1.31.1
    lightningcss-win32-arm64-msvc: 1.31.1
    lightningcss-win32-x64-msvc: 1.31.1

lilconfig@3.1.3: {}

lines-and-columns@1.2.4: {}

local-pkg@1.1.2:
  dependencies:
    mlly: 1.8.0
    pkg-types: 2.3.0
    quansync: 0.2.11

locate-path@5.0.0:
  dependencies:
    p-locate: 4.1.0

lodash-es@4.17.21: {}

lodash.throttle@4.1.1: {}

lodash@4.17.21: {}

longest-streak@3.1.0: {}

loose-envify@1.4.0:
  dependencies:
    js-tokens: 4.0.0
```

```
lower-case@2.0.2:
  dependencies:
    tslib: 2.8.1

lru-cache@10.4.3: {}

lru-cache@5.1.1:
  dependencies:
    yallist: 3.1.1

lucide-react@0.542.0(react@18.3.1):
  dependencies:
    react: 18.3.1

lucide-react@0.553.0(react@18.3.1):
  dependencies:
    react: 18.3.1

magic-string@0.30.17:
  dependencies:
    '@jridgewell/sourcemap-codec': 1.5.5

markdown-table@3.0.4: {}

marked@16.2.1: {}

math-intrinsics@1.1.0: {}

mdast-util-find-and-replace@3.0.2:
  dependencies:
    '@types/mdast': 4.0.4
    escape-string-regexp: 5.0.0
    unist-util-is: 6.0.0
    unist-util-visit-parents: 6.0.1

mdast-util-from-markdown@2.0.2:
  dependencies:
    '@types/mdast': 4.0.4
    '@types/unist': 3.0.3
    decode-named-character-reference: 1.2.0
    devlop: 1.1.0
    mdast-util-to-string: 4.0.0
    micromark: 4.0.2
```

    micromark-util-decode-numeric-character-reference: 2.0.2
    micromark-util-decode-string: 2.0.1
    micromark-util-normalize-identifier: 2.0.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2
    unist-util-stringify-position: 4.0.0
  transitivePeerDependencies:
    - supports-color

mdast-util-gfm-autolink-literal@2.0.1:
  dependencies:
    '@types/mdast': 4.0.4
    ccount: 2.0.1
    devlop: 1.1.0
    mdast-util-find-and-replace: 3.0.2
    micromark-util-character: 2.1.1

mdast-util-gfm-footnote@2.1.0:
  dependencies:
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
    micromark-util-normalize-identifier: 2.0.1
  transitivePeerDependencies:
    - supports-color

mdast-util-gfm-strikethrough@2.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
  transitivePeerDependencies:
    - supports-color

mdast-util-gfm-table@2.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    markdown-table: 3.0.4
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
  transitivePeerDependencies:

```
    - supports-color

mdast-util-gfm-task-list-item@2.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
  transitivePeerDependencies:
    - supports-color

mdast-util-gfm@3.1.0:
  dependencies:
    mdast-util-from-markdown: 2.0.2
    mdast-util-gfm-autolink-literal: 2.0.1
    mdast-util-gfm-footnote: 2.1.0
    mdast-util-gfm-strikethrough: 2.0.0
    mdast-util-gfm-table: 2.0.0
    mdast-util-gfm-task-list-item: 2.0.0
    mdast-util-to-markdown: 2.1.2
  transitivePeerDependencies:
    - supports-color

mdast-util-math@3.0.0:
  dependencies:
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    longest-streak: 3.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
    unist-util-remove-position: 5.0.0
  transitivePeerDependencies:
    - supports-color

mdast-util-mdx-expression@2.0.1:
  dependencies:
    '@types/estree-jsx': 1.0.5
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
```

```
  transitivePeerDependencies:
    - supports-color

mdast-util-mdx-jsx@3.2.0:
  dependencies:
    '@types/estree-jsx': 1.0.5
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    '@types/unist': 3.0.3
    ccount: 2.0.1
    devlop: 1.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
    parse-entities: 4.0.2
    stringify-entities: 4.0.4
    unist-util-stringify-position: 4.0.0
    vfile-message: 4.0.3
  transitivePeerDependencies:
    - supports-color

mdast-util-mdxjs-esm@2.0.1:
  dependencies:
    '@types/estree-jsx': 1.0.5
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    devlop: 1.1.0
    mdast-util-from-markdown: 2.0.2
    mdast-util-to-markdown: 2.1.2
  transitivePeerDependencies:
    - supports-color

mdast-util-phrasing@4.1.0:
  dependencies:
    '@types/mdast': 4.0.4
    unist-util-is: 6.0.0

mdast-util-to-hast@13.2.0:
  dependencies:
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    '@ungap/structured-clone': 1.3.0
    devlop: 1.1.0
    micromark-util-sanitize-uri: 2.0.1
```

```
    trim-lines: 3.0.1
    unist-util-position: 5.0.0
    unist-util-visit: 5.0.0
    vfile: 6.0.3

  mdast-util-to-markdown@2.1.2:
    dependencies:
      '@types/mdast': 4.0.4
      '@types/unist': 3.0.3
      longest-streak: 3.1.0
      mdast-util-phrasing: 4.1.0
      mdast-util-to-string: 4.0.0
      micromark-util-classify-character: 2.0.1
      micromark-util-decode-string: 2.0.1
      unist-util-visit: 5.0.0
      zwitch: 2.0.4

  mdast-util-to-string@4.0.0:
    dependencies:
      '@types/mdast': 4.0.4

  merge2@1.4.1: {}

  mermaid@11.12.0:
    dependencies:
      '@braintree/sanitize-url': 7.1.1
      '@iconify/utils': 3.0.2
      '@mermaid-js/parser': 0.6.2
      '@types/d3': 7.4.3
      cytoscape: 3.33.1
      cytoscape-cose-bilkent: 4.1.0(cytoscape@3.33.1)
      cytoscape-fcose: 2.2.0(cytoscape@3.33.1)
      d3: 7.9.0
      d3-sankey: 0.12.3
      dagre-d3-es: 7.0.11
      dayjs: 1.11.18
      dompurify: 3.2.6
      katex: 0.16.22
      khroma: 2.1.0
      lodash-es: 4.17.21
      marked: 16.2.1
      roughjs: 4.6.6
      stylis: 4.3.6
```

```
    ts-dedent: 2.2.0
    uuid: 11.1.0
  transitivePeerDependencies:
    - supports-color

 miaoda-auth-react@2.0.6(@supabase/supabase-js@2.76.1)(react-
dom@18.3.1(react@18.3.1))(react-router-dom@7.9.5(react-
dom@18.3.1(react@18.3.1))(react@18.3.1))(react@18.3.1):
  dependencies:
    '@supabase/supabase-js': 2.76.1
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
    react-router-dom: 7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

 miaoda-sc-plugin@1.0.55(rolldown-
vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1)):
  dependencies:
    '@babel/parser': 7.28.6
    '@babel/traverse': 7.28.6
    magic-string: 0.30.17
    recast: 0.23.11
    vite: rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1)
  transitivePeerDependencies:
    - supports-color

 micromark-core-commonmark@2.0.3:
  dependencies:
    decode-named-character-reference: 1.2.0
    devlop: 1.1.0
    micromark-factory-destination: 2.0.1
    micromark-factory-label: 2.0.1
    micromark-factory-space: 2.0.1
    micromark-factory-title: 2.0.1
    micromark-factory-whitespace: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-chunked: 2.0.1
    micromark-util-classify-character: 2.0.1
    micromark-util-html-tag-name: 2.0.1
    micromark-util-normalize-identifier: 2.0.1
    micromark-util-resolve-all: 2.0.1
    micromark-util-subtokenize: 2.1.0
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2
```

micromark-extension-gfm-autolink-literal@2.1.0:
  dependencies:
    micromark-util-character: 2.1.1
    micromark-util-sanitize-uri: 2.0.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-extension-gfm-footnote@2.1.0:
  dependencies:
    devlop: 1.1.0
    micromark-core-commonmark: 2.0.3
    micromark-factory-space: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-normalize-identifier: 2.0.1
    micromark-util-sanitize-uri: 2.0.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-extension-gfm-strikethrough@2.1.0:
  dependencies:
    devlop: 1.1.0
    micromark-util-chunked: 2.0.1
    micromark-util-classify-character: 2.0.1
    micromark-util-resolve-all: 2.0.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-extension-gfm-table@2.1.1:
  dependencies:
    devlop: 1.1.0
    micromark-factory-space: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-extension-gfm-tagfilter@2.0.0:
  dependencies:
    micromark-util-types: 2.0.2

micromark-extension-gfm-task-list-item@2.1.0:
  dependencies:
    devlop: 1.1.0

```
    micromark-factory-space: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

  micromark-extension-gfm@3.0.0:
    dependencies:
      micromark-extension-gfm-autolink-literal: 2.1.0
      micromark-extension-gfm-footnote: 2.1.0
      micromark-extension-gfm-strikethrough: 2.1.0
      micromark-extension-gfm-table: 2.1.1
      micromark-extension-gfm-tagfilter: 2.0.0
      micromark-extension-gfm-task-list-item: 2.1.0
      micromark-util-combine-extensions: 2.0.1
      micromark-util-types: 2.0.2

  micromark-extension-math@3.1.0:
    dependencies:
      '@types/katex': 0.16.7
      devlop: 1.1.0
      katex: 0.16.22
      micromark-factory-space: 2.0.1
      micromark-util-character: 2.1.1
      micromark-util-symbol: 2.0.1
      micromark-util-types: 2.0.2

  micromark-factory-destination@2.0.1:
    dependencies:
      micromark-util-character: 2.1.1
      micromark-util-symbol: 2.0.1
      micromark-util-types: 2.0.2

  micromark-factory-label@2.0.1:
    dependencies:
      devlop: 1.1.0
      micromark-util-character: 2.1.1
      micromark-util-symbol: 2.0.1
      micromark-util-types: 2.0.2

  micromark-factory-space@2.0.1:
    dependencies:
      micromark-util-character: 2.1.1
      micromark-util-types: 2.0.2
```

micromark-factory-title@2.0.1:
  dependencies:
    micromark-factory-space: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-factory-whitespace@2.0.1:
  dependencies:
    micromark-factory-space: 2.0.1
    micromark-util-character: 2.1.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-util-character@2.1.1:
  dependencies:
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-util-chunked@2.0.1:
  dependencies:
    micromark-util-symbol: 2.0.1

micromark-util-classify-character@2.0.1:
  dependencies:
    micromark-util-character: 2.1.1
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2

micromark-util-combine-extensions@2.0.1:
  dependencies:
    micromark-util-chunked: 2.0.1
    micromark-util-types: 2.0.2

micromark-util-decode-numeric-character-reference@2.0.2:
  dependencies:
    micromark-util-symbol: 2.0.1

micromark-util-decode-string@2.0.1:
  dependencies:
    decode-named-character-reference: 1.2.0
    micromark-util-character: 2.1.1

```
    micromark-util-decode-numeric-character-reference: 2.0.2
    micromark-util-symbol: 2.0.1

  micromark-util-encode@2.0.1: {}

  micromark-util-html-tag-name@2.0.1: {}

  micromark-util-normalize-identifier@2.0.1:
    dependencies:
      micromark-util-symbol: 2.0.1

  micromark-util-resolve-all@2.0.1:
    dependencies:
      micromark-util-types: 2.0.2

  micromark-util-sanitize-uri@2.0.1:
    dependencies:
      micromark-util-character: 2.1.1
      micromark-util-encode: 2.0.1
      micromark-util-symbol: 2.0.1

  micromark-util-subtokenize@2.1.0:
    dependencies:
      devlop: 1.1.0
      micromark-util-chunked: 2.0.1
      micromark-util-symbol: 2.0.1
      micromark-util-types: 2.0.2

  micromark-util-symbol@2.0.1: {}

  micromark-util-types@2.0.2: {}

  micromark@4.0.2:
    dependencies:
      '@types/debug': 4.1.12
      debug: 4.4.1
      decode-named-character-reference: 1.2.0
      devlop: 1.1.0
      micromark-core-commonmark: 2.0.3
      micromark-factory-space: 2.0.1
      micromark-util-character: 2.1.1
      micromark-util-chunked: 2.0.1
      micromark-util-combine-extensions: 2.0.1
```

    micromark-util-decode-numeric-character-reference: 2.0.2
    micromark-util-encode: 2.0.1
    micromark-util-normalize-identifier: 2.0.1
    micromark-util-resolve-all: 2.0.1
    micromark-util-sanitize-uri: 2.0.1
    micromark-util-subtokenize: 2.1.0
    micromark-util-symbol: 2.0.1
    micromark-util-types: 2.0.2
  transitivePeerDependencies:
    - supports-color

micromatch@4.0.8:
  dependencies:
    braces: 3.0.3
    picomatch: 2.3.1

mime-db@1.52.0: {}

mime-types@2.1.35:
  dependencies:
    mime-db: 1.52.0

minimatch@9.0.5:
  dependencies:
    brace-expansion: 2.0.2

minipass@7.1.2: {}

mlly@1.8.0:
  dependencies:
    acorn: 8.15.0
    pathe: 2.0.3
    pkg-types: 1.3.1
    ufo: 1.6.1

motion-dom@12.23.23:
  dependencies:
    motion-utils: 12.23.6

motion-utils@12.23.6: {}

motion@12.23.25(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:

```
    framer-motion: 12.23.25(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    tslib: 2.8.1
  optionalDependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

ms@2.1.3: {}

mz@2.7.0:
  dependencies:
    any-promise: 1.3.0
    object-assign: 4.1.1
    thenify-all: 1.6.0

nanoid@3.3.11: {}

next-themes@0.4.6(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

no-case@3.0.4:
  dependencies:
    lower-case: 2.0.2
    tslib: 2.8.1

node-releases@2.0.19: {}

normalize-path@3.0.0: {}

normalize-range@0.1.2: {}

object-assign@4.1.1: {}

object-hash@3.0.0: {}

oniguruma-parser@0.12.1: {}

oniguruma-to-es@4.3.3:
  dependencies:
    oniguruma-parser: 0.12.1
    regex: 6.0.1
    regex-recursion: 6.0.2
```

```
p-limit@2.3.0:
  dependencies:
    p-try: 2.2.0

p-locate@4.1.0:
  dependencies:
    p-limit: 2.3.0

p-try@2.2.0: {}

package-json-from-dist@1.0.1: {}

package-manager-detector@1.3.0: {}

parent-module@1.0.1:
  dependencies:
    callsites: 3.1.0

parse-entities@4.0.2:
  dependencies:
    '@types/unist': 2.0.11
    character-entities-legacy: 3.0.0
    character-reference-invalid: 2.0.1
    decode-named-character-reference: 1.2.0
    is-alphanumerical: 2.0.1
    is-decimal: 2.0.1
    is-hexadecimal: 2.0.1

parse-json@5.2.0:
  dependencies:
    '@babel/code-frame': 7.27.1
    error-ex: 1.3.2
    json-parse-even-better-errors: 2.3.1
    lines-and-columns: 1.2.4

parse5@7.3.0:
  dependencies:
    entities: 6.0.1

path-data-parser@0.1.0: {}

path-exists@4.0.0: {}
```

```
path-key@3.1.1: {}

path-parse@1.0.7: {}

path-scurry@1.11.1:
  dependencies:
    lru-cache: 10.4.3
    minipass: 7.1.2

path-type@4.0.0: {}

pathe@2.0.3: {}

picocolors@1.1.1: {}

picomatch@2.3.1: {}

picomatch@4.0.3: {}

pify@2.3.0: {}

pirates@4.0.7: {}

pkg-types@1.3.1:
  dependencies:
    confbox: 0.1.8
    mlly: 1.8.0
    pathe: 2.0.3

pkg-types@2.3.0:
  dependencies:
    confbox: 0.2.2
    exsolve: 1.0.7
    pathe: 2.0.3

pngjs@5.0.0: {}

points-on-curve@0.2.0: {}

points-on-path@0.2.1:
  dependencies:
    path-data-parser: 0.1.0
```

```
    points-on-curve: 0.2.0

  postcss-import@15.1.0(postcss@8.5.6):
    dependencies:
      postcss: 8.5.6
      postcss-value-parser: 4.2.0
      read-cache: 1.0.0
      resolve: 1.22.10

  postcss-js@4.0.1(postcss@8.5.6):
    dependencies:
      camelcase-css: 2.0.1
      postcss: 8.5.6

  postcss-load-config@4.0.2(postcss@8.5.6):
    dependencies:
      lilconfig: 3.1.3
      yaml: 2.8.1
    optionalDependencies:
      postcss: 8.5.6

  postcss-nested@6.2.0(postcss@8.5.6):
    dependencies:
      postcss: 8.5.6
      postcss-selector-parser: 6.1.2

  postcss-selector-parser@6.1.2:
    dependencies:
      cssesc: 3.0.0
      util-deprecate: 1.0.2

  postcss-value-parser@4.2.0: {}

  postcss@8.5.6:
    dependencies:
      nanoid: 3.3.11
      picocolors: 1.1.1
      source-map-js: 1.2.1

  prop-types@15.8.1:
    dependencies:
      loose-envify: 1.4.0
      object-assign: 4.1.1
```

```
    react-is: 16.13.1

  property-information@6.5.0: {}

  property-information@7.1.0: {}

  proxy-from-env@1.1.0: {}

  qrcode@1.5.4:
    dependencies:
      dijkstrajs: 1.0.3
      pngjs: 5.0.0
      yargs: 15.4.1

  quansync@0.2.11: {}

  queue-microtask@1.2.3: {}

  react-chartjs-2@5.3.1(chart.js@4.5.1)(react@18.3.1):
    dependencies:
      chart.js: 4.5.1
      react: 18.3.1

  react-day-picker@8.10.1(date-fns@3.6.0)(react@18.3.1):
    dependencies:
      date-fns: 3.6.0
      react: 18.3.1

  react-dom@18.3.1(react@18.3.1):
    dependencies:
      loose-envify: 1.4.0
      react: 18.3.1
      scheduler: 0.23.2

  react-dropzone@14.3.8(react@18.3.1):
    dependencies:
      attr-accept: 2.2.5
      file-selector: 2.1.2
      prop-types: 15.8.1
      react: 18.3.1

  react-fast-compare@3.2.2: {}
```

```
react-helmet-async@2.0.5(react@18.3.1):
  dependencies:
    invariant: 2.2.4
    react: 18.3.1
    react-fast-compare: 3.2.2
    shallowequal: 1.1.0

react-hook-form@7.66.0(react@18.3.1):
  dependencies:
    react: 18.3.1

react-is@16.13.1: {}

react-is@18.3.1: {}

react-markdown@10.1.0(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    '@types/react': 19.2.2
    devlop: 1.1.0
    hast-util-to-jsx-runtime: 2.3.6
    html-url-attributes: 3.0.1
    mdast-util-to-hast: 13.2.0
    react: 18.3.1
    remark-parse: 11.0.0
    remark-rehype: 11.1.2
    unified: 11.0.5
    unist-util-visit: 5.0.0
    vfile: 6.0.3
  transitivePeerDependencies:
    - supports-color

react-refresh@0.18.0: {}

react-remove-scroll-bar@2.3.8(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-style-singleton: 2.2.3(@types/react@19.2.2)(react@18.3.1)
    tslib: 2.8.1
  optionalDependencies:
    '@types/react': 19.2.2
```

```
react-remove-scroll@2.7.1(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-remove-scroll-bar: 2.3.8(@types/react@19.2.2)(react@18.3.1)
    react-style-singleton: 2.2.3(@types/react@19.2.2)(react@18.3.1)
    tslib: 2.8.1
    use-callback-ref: 1.3.3(@types/react@19.2.2)(react@18.3.1)
    use-sidecar: 1.1.3(@types/react@19.2.2)(react@18.3.1)
  optionalDependencies:
    '@types/react': 19.2.2

react-resizable-panels@2.1.9(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

react-router-dom@7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
    react-router: 7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

react-router@7.9.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    cookie: 1.0.2
    react: 18.3.1
    set-cookie-parser: 2.7.1
  optionalDependencies:
    react-dom: 18.3.1(react@18.3.1)

react-smooth@4.0.4(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    fast-equals: 5.2.2
    prop-types: 15.8.1
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
    react-transition-group: 4.4.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1)

react-style-singleton@2.2.3(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    get-nonce: 1.0.1
    react: 18.3.1
    tslib: 2.8.1
```

```
  optionalDependencies:
    '@types/react': 19.2.2

react-transition-group@4.4.5(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    '@babel/runtime': 7.28.2
    dom-helpers: 5.2.1
    loose-envify: 1.4.0
    prop-types: 15.8.1
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

react@18.3.1:
  dependencies:
    loose-envify: 1.4.0

read-cache@1.0.0:
  dependencies:
    pify: 2.3.0

readdirp@3.6.0:
  dependencies:
    picomatch: 2.3.1

recast@0.23.11:
  dependencies:
    ast-types: 0.16.1
    esprima: 4.0.1
    source-map: 0.6.1
    tiny-invariant: 1.3.3
    tslib: 2.8.1

recharts-scale@0.4.5:
  dependencies:
    decimal.js-light: 2.5.1

recharts@2.15.4(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    clsx: 2.1.1
    eventemitter3: 4.0.7
    lodash: 4.17.21
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)
```

```
    react-is: 18.3.1
    react-smooth: 4.0.4(react-dom@18.3.1(react@18.3.1))(react@18.3.1)
    recharts-scale: 0.4.5
    tiny-invariant: 1.3.3
    victory-vendor: 36.9.2

redux@4.2.1:
  dependencies:
    '@babel/runtime': 7.28.2

regex-recursion@6.0.2:
  dependencies:
    regex-utilities: 2.3.0

regex-utilities@2.3.0: {}

regex@6.0.1:
  dependencies:
    regex-utilities: 2.3.0

rehype-harden@1.1.5: {}

rehype-katex@7.0.1:
  dependencies:
    '@types/hast': 3.0.4
    '@types/katex': 0.16.7
    hast-util-from-html-isomorphic: 2.0.0
    hast-util-to-text: 4.0.2
    katex: 0.16.22
    unist-util-visit-parents: 6.0.1
    vfile: 6.0.3

rehype-raw@7.0.0:
  dependencies:
    '@types/hast': 3.0.4
    hast-util-raw: 9.1.0
    vfile: 6.0.3

remark-gfm@4.0.1:
  dependencies:
    '@types/mdast': 4.0.4
    mdast-util-gfm: 3.1.0
    micromark-extension-gfm: 3.0.0
```

    remark-parse: 11.0.0
    remark-stringify: 11.0.0
    unified: 11.0.5
  transitivePeerDependencies:
    - supports-color

remark-math@6.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    mdast-util-math: 3.0.0
    micromark-extension-math: 3.1.0
    unified: 11.0.5
  transitivePeerDependencies:
    - supports-color

remark-parse@11.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    mdast-util-from-markdown: 2.0.2
    micromark-util-types: 2.0.2
    unified: 11.0.5
  transitivePeerDependencies:
    - supports-color

remark-rehype@11.1.2:
  dependencies:
    '@types/hast': 3.0.4
    '@types/mdast': 4.0.4
    mdast-util-to-hast: 13.2.0
    unified: 11.0.5
    vfile: 6.0.3

remark-stringify@11.0.0:
  dependencies:
    '@types/mdast': 4.0.4
    mdast-util-to-markdown: 2.1.2
    unified: 11.0.5

require-directory@2.1.1: {}

require-main-filename@2.0.0: {}

resolve-from@4.0.0: {}

```
resolve@1.22.10:
  dependencies:
    is-core-module: 2.16.1
    path-parse: 1.0.7
    supports-preserve-symlinks-flag: 1.0.0

reusify@1.1.0: {}

robust-predicates@3.0.2: {}

rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1):
  dependencies:
    '@oxc-project/runtime': 0.101.0
    fdir: 6.5.0(picomatch@4.0.3)
    lightningcss: 1.31.1
    picomatch: 4.0.3
    postcss: 8.5.6
    rolldown: 1.0.0-beta.53
    tinyglobby: 0.2.15
  optionalDependencies:
    '@types/node': 24.2.1
    fsevents: 2.3.3
    jiti: 1.21.7
    yaml: 2.8.1

rolldown@1.0.0-beta.53:
  dependencies:
    '@oxc-project/types': 0.101.0
    '@rolldown/pluginutils': 1.0.0-beta.53
  optionalDependencies:
    '@rolldown/binding-android-arm64': 1.0.0-beta.53
    '@rolldown/binding-darwin-arm64': 1.0.0-beta.53
    '@rolldown/binding-darwin-x64': 1.0.0-beta.53
    '@rolldown/binding-freebsd-x64': 1.0.0-beta.53
    '@rolldown/binding-linux-arm-gnueabihf': 1.0.0-beta.53
    '@rolldown/binding-linux-arm64-gnu': 1.0.0-beta.53
    '@rolldown/binding-linux-arm64-musl': 1.0.0-beta.53
    '@rolldown/binding-linux-x64-gnu': 1.0.0-beta.53
    '@rolldown/binding-linux-x64-musl': 1.0.0-beta.53
    '@rolldown/binding-openharmony-arm64': 1.0.0-beta.53
    '@rolldown/binding-wasm32-wasi': 1.0.0-beta.53
    '@rolldown/binding-win32-arm64-msvc': 1.0.0-beta.53
```

```
    '@rolldown/binding-win32-x64-msvc': 1.0.0-beta.53

  rollup@4.46.2:
    dependencies:
      '@types/estree': 1.0.8
    optionalDependencies:
      '@rollup/rollup-android-arm-eabi': 4.46.2
      '@rollup/rollup-android-arm64': 4.46.2
      '@rollup/rollup-darwin-arm64': 4.46.2
      '@rollup/rollup-darwin-x64': 4.46.2
      '@rollup/rollup-freebsd-arm64': 4.46.2
      '@rollup/rollup-freebsd-x64': 4.46.2
      '@rollup/rollup-linux-arm-gnueabihf': 4.46.2
      '@rollup/rollup-linux-arm-musleabihf': 4.46.2
      '@rollup/rollup-linux-arm64-gnu': 4.46.2
      '@rollup/rollup-linux-arm64-musl': 4.46.2
      '@rollup/rollup-linux-loongarch64-gnu': 4.46.2
      '@rollup/rollup-linux-ppc64-gnu': 4.46.2
      '@rollup/rollup-linux-riscv64-gnu': 4.46.2
      '@rollup/rollup-linux-riscv64-musl': 4.46.2
      '@rollup/rollup-linux-s390x-gnu': 4.46.2
      '@rollup/rollup-linux-x64-gnu': 4.46.2
      '@rollup/rollup-linux-x64-musl': 4.46.2
      '@rollup/rollup-win32-arm64-msvc': 4.46.2
      '@rollup/rollup-win32-ia32-msvc': 4.46.2
      '@rollup/rollup-win32-x64-msvc': 4.46.2
      fsevents: 2.3.3
    optional: true

  roughjs@4.6.6:
    dependencies:
      hachure-fill: 0.5.2
      path-data-parser: 0.1.0
      points-on-curve: 0.2.0
      points-on-path: 0.2.1

  run-parallel@1.2.0:
    dependencies:
      queue-microtask: 1.2.3

  rw@1.3.3: {}

  safer-buffer@2.1.2: {}
```

```
scheduler@0.23.2:
  dependencies:
    loose-envify: 1.4.0

semver@6.3.1: {}

set-blocking@2.0.0: {}

set-cookie-parser@2.7.1: {}

shallowequal@1.1.0: {}

shebang-command@2.0.0:
  dependencies:
    shebang-regex: 3.0.0

shebang-regex@3.0.0: {}

shiki@3.13.0:
  dependencies:
    '@shikijs/core': 3.13.0
    '@shikijs/engine-javascript': 3.13.0
    '@shikijs/engine-oniguruma': 3.13.0
    '@shikijs/langs': 3.13.0
    '@shikijs/themes': 3.13.0
    '@shikijs/types': 3.13.0
    '@shikijs/vscode-textmate': 10.0.2
    '@types/hast': 3.0.4

signal-exit@4.1.0: {}

snake-case@3.0.4:
  dependencies:
    dot-case: 3.0.4
    tslib: 2.8.1

sonner@2.0.7(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
  dependencies:
    react: 18.3.1
    react-dom: 18.3.1(react@18.3.1)

source-map-js@1.2.1: {}
```

```
source-map@0.6.1: {}

space-separated-tokens@2.0.2: {}

streamdown@1.4.0(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    clsx: 2.1.1
    katex: 0.16.22
    lucide-react: 0.542.0(react@18.3.1)
    marked: 16.2.1
    mermaid: 11.12.0
    react: 18.3.1
    react-markdown: 10.1.0(@types/react@19.2.2)(react@18.3.1)
    rehype-harden: 1.1.5
    rehype-katex: 7.0.1
    rehype-raw: 7.0.0
    remark-gfm: 4.0.1
    remark-math: 6.0.0
    shiki: 3.13.0
    tailwind-merge: 3.3.1
  transitivePeerDependencies:
    - '@types/react'
    - supports-color

string-width@4.2.3:
  dependencies:
    emoji-regex: 8.0.0
    is-fullwidth-code-point: 3.0.0
    strip-ansi: 6.0.1

string-width@5.1.2:
  dependencies:
    eastasianwidth: 0.2.0
    emoji-regex: 9.2.2
    strip-ansi: 7.1.0

stringify-entities@4.0.4:
  dependencies:
    character-entities-html4: 2.1.0
    character-entities-legacy: 3.0.0

strip-ansi@6.0.1:
```

```
  dependencies:
    ansi-regex: 5.0.1

strip-ansi@7.1.0:
  dependencies:
    ansi-regex: 6.1.0

style-to-js@1.1.17:
  dependencies:
    style-to-object: 1.0.9

style-to-object@1.0.9:
  dependencies:
    inline-style-parser: 0.2.4

stylis@4.3.6: {}

sucrase@3.35.0:
  dependencies:
    '@jridgewell/gen-mapping': 0.3.13
    commander: 4.1.1
    glob: 10.4.5
    lines-and-columns: 1.2.4
    mz: 2.7.0
    pirates: 4.0.7
    ts-interface-checker: 0.1.13

supports-preserve-symlinks-flag@1.0.0: {}

svg-parser@2.0.4: {}

tailwind-merge@3.3.1: {}

tailwindcss-animate@1.0.7(tailwindcss@3.4.17):
  dependencies:
    tailwindcss: 3.4.17

tailwindcss-intersect@2.2.0(tailwindcss@3.4.17):
  dependencies:
    tailwindcss: 3.4.17

tailwindcss@3.4.17:
  dependencies:
```

'@alloc/quick-lru': 5.2.0
arg: 5.0.2
chokidar: 3.6.0
didyoumean: 1.2.2
dlv: 1.1.3
fast-glob: 3.3.3
glob-parent: 6.0.2
is-glob: 4.0.3
jiti: 1.21.7
lilconfig: 3.1.3
micromatch: 4.0.8
normalize-path: 3.0.0
object-hash: 3.0.0
picocolors: 1.1.1
postcss: 8.5.6
postcss-import: 15.1.0(postcss@8.5.6)
postcss-js: 4.0.1(postcss@8.5.6)
postcss-load-config: 4.0.2(postcss@8.5.6)
postcss-nested: 6.2.0(postcss@8.5.6)
postcss-selector-parser: 6.1.2
resolve: 1.22.10
sucrase: 3.35.0
transitivePeerDependencies:
- ts-node

thenify-all@1.6.0:
dependencies:
thenify: 3.3.1

thenify@3.3.1:
dependencies:
any-promise: 1.3.0

tiny-invariant@1.3.3: {}

tinyexec@1.0.1: {}

tinyglobby@0.2.15:
dependencies:
fdir: 6.5.0(picomatch@4.0.3)
picomatch: 4.0.3

to-regex-range@5.0.1:

```
  dependencies:
    is-number: 7.0.0

tr46@0.0.3: {}

trim-lines@3.0.1: {}

trough@2.2.0: {}

ts-dedent@2.2.0: {}

ts-interface-checker@0.1.13: {}

tslib@2.8.1: {}

typescript@5.9.3: {}

ufo@1.6.1: {}

undici-types@7.10.0: {}

unified@11.0.5:
  dependencies:
    '@types/unist': 3.0.3
    bail: 2.0.2
    devlop: 1.1.0
    extend: 3.0.2
    is-plain-obj: 4.1.0
    trough: 2.2.0
    vfile: 6.0.3

unist-util-find-after@5.0.0:
  dependencies:
    '@types/unist': 3.0.3
    unist-util-is: 6.0.0

unist-util-is@6.0.0:
  dependencies:
    '@types/unist': 3.0.3

unist-util-position@5.0.0:
  dependencies:
    '@types/unist': 3.0.3
```

```
unist-util-remove-position@5.0.0:
  dependencies:
    '@types/unist': 3.0.3
    unist-util-visit: 5.0.0

unist-util-stringify-position@4.0.0:
  dependencies:
    '@types/unist': 3.0.3

unist-util-visit-parents@6.0.1:
  dependencies:
    '@types/unist': 3.0.3
    unist-util-is: 6.0.0

unist-util-visit@5.0.0:
  dependencies:
    '@types/unist': 3.0.3
    unist-util-is: 6.0.0
    unist-util-visit-parents: 6.0.1

update-browserslist-db@1.1.3(browserslist@4.25.2):
  dependencies:
    browserslist: 4.25.2
    escalade: 3.2.0
    picocolors: 1.1.1

use-callback-ref@1.3.3(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    react: 18.3.1
    tslib: 2.8.1
  optionalDependencies:
    '@types/react': 19.2.2

use-sidecar@1.1.3(@types/react@19.2.2)(react@18.3.1):
  dependencies:
    detect-node-es: 1.1.0
    react: 18.3.1
    tslib: 2.8.1
  optionalDependencies:
    '@types/react': 19.2.2

use-sync-external-store@1.5.0(react@18.3.1):
```

```
    dependencies:
      react: 18.3.1

  util-deprecate@1.0.2: {}

  uuid@11.1.0: {}

  vaul@1.1.2(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1):
    dependencies:
      '@radix-ui/react-dialog': 1.1.15(@types/react-
dom@19.2.2(@types/react@19.2.2))(@types/react@19.2.2)(react-
dom@18.3.1(react@18.3.1))(react@18.3.1)
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
    transitivePeerDependencies:
      - '@types/react'
      - '@types/react-dom'

  vfile-location@5.0.3:
    dependencies:
      '@types/unist': 3.0.3
      vfile: 6.0.3

  vfile-message@4.0.3:
    dependencies:
      '@types/unist': 3.0.3
      unist-util-stringify-position: 4.0.0

  vfile@6.0.3:
    dependencies:
      '@types/unist': 3.0.3
      vfile-message: 4.0.3

  victory-vendor@36.9.2:
    dependencies:
      '@types/d3-array': 3.2.1
      '@types/d3-ease': 3.0.2
      '@types/d3-interpolate': 3.0.4
      '@types/d3-scale': 4.0.9
      '@types/d3-shape': 3.1.7
      '@types/d3-time': 3.0.4
```

```
    '@types/d3-timer': 3.0.2
    d3-array: 3.2.4
    d3-ease: 3.0.1
    d3-interpolate: 3.0.1
    d3-scale: 4.0.2
    d3-shape: 3.2.0
    d3-time: 3.1.0
    d3-timer: 3.0.1

  video-react@0.16.0(react-dom@18.3.1(react@18.3.1))(react@18.3.1):
    dependencies:
      '@babel/runtime': 7.28.2
      classnames: 2.5.1
      lodash.throttle: 4.1.1
      prop-types: 15.8.1
      react: 18.3.1
      react-dom: 18.3.1(react@18.3.1)
      redux: 4.2.1

  vite-plugin-svgr@4.5.0(rolldown-
vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1))(rollup@4.46.2)(typescript@
5.9.3):
    dependencies:
      '@rollup/pluginutils': 5.2.0(rollup@4.46.2)
      '@svgr/core': 8.1.0(typescript@5.9.3)
      '@svgr/plugin-jsx': 8.1.0(@svgr/core@8.1.0(typescript@5.9.3))
      vite: rolldown-vite@7.3.1(@types/node@24.2.1)(jiti@1.21.7)(yaml@2.8.1)
    transitivePeerDependencies:
      - rollup
      - supports-color
      - typescript

  vscode-jsonrpc@8.2.0: {}

  vscode-languageserver-protocol@3.17.5:
    dependencies:
      vscode-jsonrpc: 8.2.0
      vscode-languageserver-types: 3.17.5

  vscode-languageserver-textdocument@1.0.12: {}

  vscode-languageserver-types@3.17.5: {}
```

```
vscode-languageserver@9.0.1:
  dependencies:
    vscode-languageserver-protocol: 3.17.5

vscode-uri@3.0.8: {}

web-namespaces@2.0.1: {}

webidl-conversions@3.0.1: {}

whatwg-url@5.0.0:
  dependencies:
    tr46: 0.0.3
    webidl-conversions: 3.0.1

which-module@2.0.1: {}

which@2.0.2:
  dependencies:
    isexe: 2.0.0

wrap-ansi@6.2.0:
  dependencies:
    ansi-styles: 4.3.0
    string-width: 4.2.3
    strip-ansi: 6.0.1

wrap-ansi@7.0.0:
  dependencies:
    ansi-styles: 4.3.0
    string-width: 4.2.3
    strip-ansi: 6.0.1

wrap-ansi@8.1.0:
  dependencies:
    ansi-styles: 6.2.1
    string-width: 5.1.2
    strip-ansi: 7.1.0

ws@8.18.3: {}

y18n@4.0.3: {}
```

```
  yallist@3.1.1: {}

  yaml@2.8.1: {}

  yargs-parser@18.1.3:
    dependencies:
      camelcase: 5.3.1
      decamelize: 1.2.0

  yargs@15.4.1:
    dependencies:
      cliui: 6.0.0
      decamelize: 1.2.0
      find-up: 4.1.0
      get-caller-file: 2.0.5
      require-directory: 2.1.1
      require-main-filename: 2.0.0
      set-blocking: 2.0.0
      string-width: 4.2.3
      which-module: 2.0.1
      y18n: 4.0.3
      yargs-parser: 18.1.3

  zod@3.25.76: {}

  zwitch@2.0.4: {}
```

HealthHub /pnpm-workspace.yaml

```
catalog:
  '@react-three/drei': 9.122.0
  '@react-three/fiber': 8.18.0
  three: 0.180.0
```

HealthHub /postcss.config.js

```
export default {
  plugins: {
    tailwindcss: {},
    autoprefixer: {},
  },
};
```

HealthHub /sgconfig.yml

```yaml
ruleDirs:
- .rules
languageGlobs:
  TypeScript: ["*.ts"]
  Tsx: ["*.tsx"]
```

HealthHub /tailwind.config.js

```js
import tailwindAnimate from 'tailwindcss-animate';
import containerQuery from '@tailwindcss/container-queries';
import intersect from 'tailwindcss-intersect';

export default {
  darkMode: ['class'],
  content: [
    './index.html',
    './pages/**/*.{ts,tsx}',
    './components/**/*.{ts,tsx}',
    './app/**/*.{ts,tsx}',
    './src/**/*.{ts,tsx}',
    './node_modules/streamdown/dist/**/*.js'
  ],
  safelist: ['border', 'border-border'],
  prefix: '',
  theme: {
    container: {
      center: true,
      padding: '2rem',
      screens: {
        '2xl': '1400px'
      }
    },
    extend: {
      colors: {
        border: 'hsl(var(--border))',
        borderColor: {
          border: 'hsl(var(--border))'
        },
        input: 'hsl(var(--input))',
        ring: 'hsl(var(--ring))',
        background: 'hsl(var(--background))',
        foreground: 'hsl(var(--foreground))',
```

```
primary: {
  DEFAULT: 'hsl(var(--primary))',
  foreground: 'hsl(var(--primary-foreground))'
},
secondary: {
  DEFAULT: 'hsl(var(--secondary))',
  foreground: 'hsl(var(--secondary-foreground))'
},
destructive: {
  DEFAULT: 'hsl(var(--destructive))',
  foreground: 'hsl(var(--destructive-foreground))'
},
muted: {
  DEFAULT: 'hsl(var(--muted))',
  foreground: 'hsl(var(--muted-foreground))'
},
accent: {
  DEFAULT: 'hsl(var(--accent))',
  foreground: 'hsl(var(--accent-foreground))'
},
popover: {
  DEFAULT: 'hsl(var(--popover))',
  foreground: 'hsl(var(--popover-foreground))'
},
card: {
  DEFAULT: 'hsl(var(--card))',
  foreground: 'hsl(var(--card-foreground))'
},
education: {
  blue: 'hsl(var(--education-blue))',
  green: 'hsl(var(--education-green))'
},
success: 'hsl(var(--success))',
warning: 'hsl(var(--warning))',
info: 'hsl(var(--info))',
sidebar: {
  DEFAULT: 'hsl(var(--sidebar-background))',
  background: 'hsl(var(--sidebar-background))',
  foreground: 'hsl(var(--sidebar-foreground))',
  primary: 'hsl(var(--sidebar-primary))',
  'primary-foreground': 'hsl(var(--sidebar-primary-foreground))',
  accent: 'hsl(var(--sidebar-accent))',
  'accent-foreground': 'hsl(var(--sidebar-accent-foreground))',
```

```
        border: 'hsl(var(--sidebar-border))',
        ring: 'hsl(var(--sidebar-ring))'
      },
      chart: {
        '1': 'hsl(var(--chart-1))',
        '2': 'hsl(var(--chart-2))',
        '3': 'hsl(var(--chart-3))',
        '4': 'hsl(var(--chart-4))',
        '5': 'hsl(var(--chart-5))'
      }
    },
    borderRadius: {
      lg: 'var(--radius)',
      md: 'calc(var(--radius) - 2px)',
      sm: 'calc(var(--radius) - 4px)'
    },
    backgroundImage: {
      'gradient-primary': 'var(--gradient-primary)',
      'gradient-card': 'var(--gradient-card)',
      'gradient-background': 'var(--gradient-background)'
    },
    boxShadow: {
      card: 'var(--shadow-card)',
      hover: 'var(--shadow-hover)'
    },
    keyframes: {
      'accordion-down': {
        from: {
          height: '0'
        },
        to: {
          height: 'var(--radix-accordion-content-height)'
        }
      },
      'accordion-up': {
        from: {
          height: 'var(--radix-accordion-content-height)'
        },
        to: {
          height: '0'
        }
      },
      'fade-in': {
```

```
            from: {
              opacity: '0',
              transform: 'translateY(10px)'
            },
            to: {
              opacity: '1',
              transform: 'translateY(0)'
            }
          },
          'slide-in': {
            from: {
              opacity: '0',
              transform: 'translateX(-20px)'
            },
            to: {
              opacity: '1',
              transform: 'translateX(0)'
            }
          }
        },
        animation: {
          'accordion-down': 'accordion-down 0.2s ease-out',
          'accordion-up': 'accordion-up 0.2s ease-out',
          'fade-in': 'fade-in 0.5s ease-out',
          'slide-in': 'slide-in 0.5s ease-out'
        }
      }
    },
    plugins: [
      tailwindAnimate,
      containerQuery,
      intersect,
      function ({addUtilities}) {
        addUtilities(
          {
            '.border-t-solid': {'border-top-style': 'solid'},
            '.border-r-solid': {'border-right-style': 'solid'},
            '.border-b-solid': {'border-bottom-style': 'solid'},
            '.border-l-solid': {'border-left-style': 'solid'},
            '.border-t-dashed': {'border-top-style': 'dashed'},
            '.border-r-dashed': {'border-right-style': 'dashed'},
            '.border-b-dashed': {'border-bottom-style': 'dashed'},
            '.border-l-dashed': {'border-left-style': 'dashed'},
```

```
            '.border-t-dotted': {'border-top-style': 'dotted'},
            '.border-r-dotted': {'border-right-style': 'dotted'},
            '.border-b-dotted': {'border-bottom-style': 'dotted'},
            '.border-l-dotted': {'border-left-style': 'dotted'},
          },
          ['responsive']
        );
      },
    ],
};
```

HealthHub /tsconfig.app.json

```
{
  "compilerOptions": {
    "tsBuildInfoFile": "./node_modules/.tmp/tsconfig.app.tsbuildinfo",
    "target": "ES2020",
    "useDefineForClassFields": true,
    "lib": ["ES2020", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "skipLibCheck": true,
    "resolveJsonModule": true,
    "esModuleInterop": true,

    /* Bundler mode */
    "moduleResolution": "bundler",
    "allowImportingTsExtensions": true,
    "isolatedModules": true,
    "moduleDetection": "force",
    "noEmit": true,
    "jsx": "react-jsx",

    /* Linting */
    "strict": true,
    "noUnusedLocals": true,
    "noUnusedParameters": true,
    "noFallthroughCasesInSwitch": true,
    "noUncheckedSideEffectImports": true,
    "baseUrl": ".",
    "paths": {
      "@/*": ["./src/*"]
    },
    "typeRoots": ["./node_modules/**/*"]
```

```
  },
  "include": ["src"]
}
```

HealthHub /tsconfig.check.json

```
{
  "include": ["./src"],
  "exclude": ["./src/**/*.test.ts", "./src/**/*.spec.ts", "./src/components/ui"],
  "compilerOptions": {
    "jsx": "react-jsx",
    "moduleResolution": "bundler",
    "allowImportingTsExtensions": true,
    "target": "ES2020",
    "lib": ["ES2020", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "skipLibCheck": true,
    "strictNullChecks": true,
    "noEmit": true,
    "paths": {
      "@/*": ["./src/*"]
    }
  }
}
```

HealthHub /tsconfig.json

```
{
  "compilerOptions": {
    "target": "ES2020",
    "useDefineForClassFields": true,
    "lib": ["ES2020", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "skipLibCheck": true,
    "baseUrl": ".",
    "paths": {
      "@/*": ["./src/*"]
    }
  },
  "files": [],
  "references": [
    { "path": "./tsconfig.app.json" },
    { "path": "./tsconfig.node.json" }
  ]
```

```
}
```

HealthHub /tsconfig.node.json

```
{
  "compilerOptions": {
    "tsBuildInfoFile": "./node_modules/.tmp/tsconfig.node.tsbuildinfo",
    "target": "ES2022",
    "lib": ["ES2023"],
    "module": "ESNext",
    "skipLibCheck": true,

    /* Bundler mode */
    "moduleResolution": "bundler",
    "allowImportingTsExtensions": true,
    "isolatedModules": true,
    "moduleDetection": "force",
    "noEmit": true,

    /* Linting */
    "strict": true,
    "noUnusedLocals": true,
    "noUnusedParameters": true,
    "noFallthroughCasesInSwitch": true,
    "noUncheckedSideEffectImports": true
  },
  "include": ["vite.config.ts"]
}
```

HealthHub /vite.config.dev.ts

```
import { defineConfig, loadConfigFromFile } from "vite";
import type { Plugin, ConfigEnv } from "vite";
import tailwindcss from "tailwindcss";
import autoprefixer from "autoprefixer";
import fs from "fs/promises";
import path from "path";
import {
  makeTagger,
  injectedGuiListenerPlugin,
  injectOnErrorPlugin,
  monitorPlugin
} from "miaoda-sc-plugin";
```

```
  const env: ConfigEnv = { command: "serve", mode: "development" };
  const configFile = path.resolve(__dirname, "vite.config.ts");
  const result = await loadConfigFromFile(env, configFile);
  const userConfig = result?.config;

  export default defineConfig({
    ...userConfig,
    // 将 Vite 缓存目录设置为项目本地目录，避免在 /workspace/node_modules/ 下创建
    cacheDir: path.resolve(__dirname, "node_modules/.vite"),
    plugins: [
      makeTagger(),
      injectedGuiListenerPlugin({
        path: 'https://miaoda-resource-static.s3cdn.medo.dev/common/v2/injected.js'
      }),
      injectOnErrorPlugin(),
      ...(userConfig?.plugins || []),

{
  name: 'hmr-toggle',
  configureServer(server) {
    let hmrEnabled = true;

    // 包装原来的 send 方法
    const _send = server.ws.send;
    server.ws.send = (payload) => {
      if (hmrEnabled) {
        return _send.call(server.ws, payload);
      } else {
        console.log('[HMR disabled] skipped payload:', payload.type);
      }
    };

    // 提供接口切换 HMR
    server.middlewares.use('/innerapi/v1/sourcecode/__hmr_off', (req, res) => {
      hmrEnabled = false;
      let body = {
          status: 0,
          msg: 'HMR disabled'
      };
      res.setHeader('Content-Type', 'application/json');
      res.end(JSON.stringify(body));
```

```
  });

  server.middlewares.use('/innerapi/v1/sourcecode/__hmr_on', (req, res) => {
    hmrEnabled = true;
    let body = {
      status: 0,
      msg: 'HMR enabled'
    };
    res.setHeader('Content-Type', 'application/json');
    res.end(JSON.stringify(body));
  });

  // 注册一个 HTTP API，用来手动触发一次整体刷新
  server.middlewares.use('/innerapi/v1/sourcecode/__hmr_reload', (req, res) => {
    if (hmrEnabled) {
      server.ws.send({
        type: 'full-reload',
        path: '*', // 整页刷新
      });
    }
    res.statusCode = 200;
    let body = {
      status: 0,
      msg: 'Manual full reload triggered'
    };
    res.setHeader('Content-Type', 'application/json');
    res.end(JSON.stringify(body));
  });
},
load(id) {
  if (id === 'virtual:after-update') {
    return `
      if (import.meta.hot) {
        import.meta.hot.on('vite:afterUpdate', () => {
          window.postMessage(
            {
              type: 'editor-update'
            },
            '*'
          );
        });
      }
```

```
    `;
  }
 },
 transformIndexHtml(html) {
  return {
   html,
   tags: [
    {
     tag: 'script',
     attrs: {
      type: 'module',
      src: '/@id/virtual:after-update'
     },
     injectTo: 'body'
    }
   ]
  };
 }
},
,
    monitorPlugin(
     {
      scriptSrc: 'https://miaoda-resource-
static.s3cdn.medo.dev/sentry/browser.sentry.min.js',
      sentryDsn: 'https://e3c07b90fcb5207f333d50ac24a99d3e@sentry.miaoda.cn/233',
      environment: 'undefined',
      appId: 'app-9k6qt5daj281'
     }
    )
   ]
  });
```

HealthHub /vite.config.ts

```
import { defineConfig } from 'vite';
import react from '@vitejs/plugin-react';
import svgr from 'vite-plugin-svgr';
import path from 'path';

import { miaodaDevPlugin } from "miaoda-sc-plugin";

// https://vite.dev/config/
export default defineConfig({
```

```
  plugins: [react(), svgr({
    svgrOptions: {
      icon: true, exportType: 'named', namedExport: 'ReactComponent', }, }),
miaodaDevPlugin()],
  resolve: {
   alias: {
    '@': path.resolve(__dirname, './src'),
   },
  },
});
```

HealthHub /.rules/SelectItem.yml

```
id: selectItemWithEmptyValue
language: Tsx
files:
  - src/**/*.tsx
rule:
  kind: jsx_opening_element
  all:
    - has:
        kind: identifier
        regex: '^SelectItem$'
    - has:
        kind: jsx_attribute
        all:
          - has:
              kind: property_identifier
              regex: '^value$'
          - any:
              - has:
                  kind: string
                  regex: '^""$'
              - has:
                  kind: jsx_expression
                  has:
                    kind: string
                    regex: '^""$'
```

message: "检测到 SelectItem 组件使用空字符串 value: $MATCH， 这是错误用法， 运行时会报错， 请修改， 如果想实现全选，建议使用 all 代替空字符串"

```
severity: error
```

HealthHub /.rules/contrast.yml

```
id: button-outline-text-foreground-contrast
language: tsx
files:
  - src/**/*.tsx
message: "Outline button with text-foreground class causes invisible text. The outline variant has a transparent background, making text-foreground color blend with the background and become unreadable. Use text-primary or another contrasting color instead."
rule:
  kind: jsx_element
  has:
    kind: jsx_opening_element
    all:
      - has:
          field: name
          regex: "^Button$"
      - has:
          kind: jsx_attribute
          all:
            - has:
                kind: property_identifier
                regex: "^variant$"
            - has:
                kind: string
                has:
                  kind: string_fragment
                  regex: "^outline$"
      - has:
          kind: jsx_attribute
          all:
            - has:
                kind: property_identifier
                regex: "^className$"
            - has:
                kind: string
                has:
                  kind: string_fragment
                  regex: "(^|\\s)text-foreground(\\s|$)"
---
```

```
id: button-default-text-primary-contrast
language: tsx
files:
  - src/**/*.tsx
message: "Default button with text-primary class causes poor contrast. The default variant has a primary-colored background, making text-primary color blend with the background and become hard to read. Remove the text-primary class or specify a different variant like 'outline' or 'ghost'."
rule:
  kind: jsx_element
  has:
    kind: jsx_opening_element
    all:
      - has:
          field: name
          regex: "^Button$"
      - has:
          kind: jsx_attribute
          all:
            - has:
                kind: property_identifier
                regex: "^className$"
            - has:
                kind: string
                has:
                  kind: string_fragment
                  regex: "(^|\\s)text-primary(\\s|$)"
      - not:
          has:
            kind: jsx_attribute
            has:
              kind: property_identifier
              regex: "^variant$"

---
id: button-outline-white-gray-contrast
language: tsx
files:
  - src/**/*.tsx
message: "Outline button with white/gray text color has poor contrast. Remove the text color class and use the default button text color."
rule:
  kind: jsx_element
```

```
  has:
    kind: jsx_opening_element
    all:
      - has:
          field: name
          regex: "^Button$"
      - has:
          kind: jsx_attribute
          all:
            - has:
                kind: property_identifier
                regex: "^variant$"
            - has:
                kind: string
                has:
                  kind: string_fragment
                  regex: "^outline$"
      - has:
          kind: jsx_attribute
          all:
            - has:
                kind: property_identifier
                regex: "^className$"
            - has:
                kind: string
                has:
                  kind: string_fragment
                  regex: "(^|\\s)text-(white|gray)(-[0-9]+)?(\\s|$)"
```

HealthHub /.rules/supabase-google-sso.yml

```
id: supabase-google-sso
language: Tsx
files:
  - src/**/*.tsx
rule:
  pattern: |
    $AUTH.signInWithOAuth({ provider: 'google', $$$ })
message: |
  Replace `signInWithOAuth` with `signInWithSSO` for Google authentication (Supabase).

  Refactor to:
  ```typescript
```
```

```
  const { data, error } = await supabase.auth.signInWithSSO({
    domain: 'miaoda-gg.com',
    options: { redirectTo: window.location.origin },
  });
  if (data?.url) window.open(data.url, '_self');
  ```
  Ensure `window.open` uses `_self` target.
severity: warning
```

### HealthHub /src/App.tsx

```
import React from 'react';
import { BrowserRouter as Router, Routes, Route, Navigate } from 'react-router-dom';
import IntersectObserver from '@/components/common/IntersectObserver';

import routes from './routes';

import { AuthProvider } from '@/contexts/AuthContext';
import { RouteGuard } from '@/components/common/RouteGuard';
import { Layout } from '@/components/layouts/Layout';

const App: React.FC = () => {
  return (
    <Router>
      <AuthProvider>
        <RouteGuard>
          <IntersectObserver />
          <Layout>
            <Routes>
              {routes.map((route, index) => (
                <Route
                  key={index}
                  path={route.path}
                  element={route.element}
                />
              ))}
              <Route path="*" element={<Navigate to="/" replace />} />
            </Routes>
          </Layout>
        </RouteGuard>
      </AuthProvider>
    </Router>
  );
```
```

```
};

export default App;
```

HealthHub /src/global.d.ts

```
// global types
```

HealthHub /src/index.css

```
/* stylelint-disable */
@tailwind base;
@tailwind components;
@tailwind utilities;

/* Definition of the design system. All colors, gradients, fonts, etc should be defined here.
All colors MUST be HSL.
*/

@layer base {
  :root {
    --background: 210 25% 6%;
    --foreground: 155 100% 97%;
    --card: 210 25% 10%;
    --card-foreground: 155 100% 97%;
    --popover: 210 25% 10%;
    --popover-foreground: 155 100% 97%;
    --primary: 152 100% 50%;
    --primary-foreground: 210 25% 6%;
    --secondary: 155 100% 55%;
    --secondary-foreground: 210 25% 6%;
    --muted: 210 25% 15%;
    --muted-foreground: 155 40% 70%;
    --accent: 152 100% 50%;
    --accent-foreground: 210 25% 6%;
    --destructive: 0 84.2% 60.2%;
    --destructive-foreground: 210 25% 98%;
    --border: 210 25% 15%;
    --input: 210 25% 15%;
    --ring: 152 100% 50%;
    --radius: 0.75rem;
    --chart-1: 152 100% 50%;
    --chart-2: 155 100% 55%;
    --chart-3: 160 100% 60%;
```

```
    --chart-4: 165 100% 65%;
    --chart-5: 170 100% 70%;
    --sidebar-background: 210 25% 8%;
    --sidebar-foreground: 155 100% 97%;
    --sidebar-primary: 152 100% 50%;
    --sidebar-primary-foreground: 210 25% 6%;
    --sidebar-accent: 210 25% 15%;
    --sidebar-accent-foreground: 152 100% 50%;
    --sidebar-border: 210 25% 15%;
    --sidebar-ring: 152 100% 50%;
  }

  .dark {
    --background: 210 25% 6%;
    --foreground: 155 100% 97%;
    --card: 210 25% 10%;
    --card-foreground: 155 100% 97%;
    --popover: 210 25% 10%;
    --popover-foreground: 155 100% 97%;
    --primary: 152 100% 50%;
    --primary-foreground: 210 25% 6%;
    --secondary: 155 100% 55%;
    --secondary-foreground: 210 25% 6%;
    --muted: 210 25% 15%;
    --muted-foreground: 155 40% 70%;
    --accent: 152 100% 50%;
    --accent-foreground: 210 25% 6%;
    --destructive: 0 62.8% 30.6%;
    --destructive-foreground: 210 25% 98%;
    --border: 210 25% 15%;
    --input: 210 25% 15%;
    --ring: 152 100% 50%;
    --sidebar-background: 210 25% 8%;
    --sidebar-foreground: 155 100% 97%;
    --sidebar-primary: 152 100% 50%;
    --sidebar-primary-foreground: 210 25% 6%;
    --sidebar-accent: 210 25% 15%;
    --sidebar-accent-foreground: 152 100% 50%;
    --sidebar-border: 210 25% 15%;
    --sidebar-ring: 152 100% 50%;
  }
}
```

```
@layer base {
  * {
    @apply border-border;
  }
  body {
    @apply bg-background text-foreground;
    font-feature-settings: "rlig" 1, "calt" 1;
  }
}

@layer utilities {
  .neon-glow {
    box-shadow: 0 0 10px hsl(var(--primary) / 0.5), 0 0 20px hsl(var(--primary) / 0.3);
  }
  .neon-border {
    border: 1px solid hsl(var(--primary) / 0.5);
    box-shadow: 0 0 5px hsl(var(--primary) / 0.3);
  }
  .gradient-text {
    @apply bg-clip-text text-transparent bg-gradient-to-r from-[#00ff88] to-[#1aff9c];
  }

  /* 1. Page Load Animation */
  @keyframes page-fade-in {
    from {
      opacity: 0;
      transform: translateY(20px);
    }
    to {
      opacity: 1;
      transform: translateY(0);
    }
  }

  .animate-page-load {
    animation: page-fade-in 0.6s cubic-bezier(0.4, 0, 0.2, 1);
  }

  /* 2. Neon Button Hover - Applied via component */

  /* 3. Dashboard Card Pulse */
  @keyframes card-pulse {
    0%, 100% {
```

```
    box-shadow: 0 0 0 0 rgba(0, 255, 136, 0);
  }
  50% {
    box-shadow: 0 0 20px 2px rgba(0, 255, 136, 0.3);
  }
}

@keyframes card-stagger-in {
  from {
    opacity: 0;
    transform: translateY(20px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.animate-card-pulse {
  animation: card-pulse 3s ease-in-out infinite;
}

.animate-card-stagger {
  animation: card-stagger-in 0.5s cubic-bezier(0.4, 0, 0.2, 1) backwards;
}

/* 4. Dropdown Animation */
@keyframes dropdown-slide {
  from {
    opacity: 0;
    transform: translateY(-10px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes checkbox-tick {
  from {
    transform: scale(0);
  }
  to {
```

```
    transform: scale(1);
  }
}

.animate-dropdown {
  animation: dropdown-slide 0.3s cubic-bezier(0.4, 0, 0.2, 1);
}

.animate-checkbox-tick {
  animation: checkbox-tick 0.2s cubic-bezier(0.34, 1.56, 0.64, 1);
}

/* 5. Diet Plan Reveal */
@keyframes meal-slide-in {
  from {
    opacity: 0;
    transform: translateX(-30px);
  }
  to {
    opacity: 1;
    transform: translateX(0);
  }
}

.animate-meal-card {
  animation: meal-slide-in 0.5s cubic-bezier(0.4, 0, 0.2, 1) backwards;
}

/* 6. Water Reminder Animation */
@keyframes water-fill {
  from {
    height: 0%;
  }
  to {
    height: 100%;
  }
}

@keyframes droplet-bounce {
  0%, 100% {
    transform: translateY(0);
  }
  50% {
```

```
    transform: translateY(-10px);
  }
}

@keyframes reminder-pulse {
  0%, 100% {
    box-shadow: 0 0 0 0 rgba(0, 255, 136, 0.7);
  }
  50% {
    box-shadow: 0 0 30px 10px rgba(0, 255, 136, 0);
  }
}

.animate-water-fill {
  animation: water-fill 1s cubic-bezier(0.4, 0, 0.2, 1);
}

.animate-droplet {
  animation: droplet-bounce 2s ease-in-out infinite;
}

.animate-reminder-pulse {
  animation: reminder-pulse 2s ease-in-out infinite;
}

/* 7. Payment Success Animation */
@keyframes checkmark-draw {
  0% {
    stroke-dashoffset: 100;
  }
  100% {
    stroke-dashoffset: 0;
  }
}

@keyframes glow-burst {
  0% {
    box-shadow: 0 0 0 0 rgba(0, 255, 136, 0.8);
    transform: scale(0.8);
  }
  50% {
    box-shadow: 0 0 60px 20px rgba(0, 255, 136, 0);
    transform: scale(1.2);
```

```
  }
  100% {
    box-shadow: 0 0 0 0 rgba(0, 255, 136, 0);
    transform: scale(1);
  }
}

@keyframes rupee-shimmer {
  0%, 100% {
    opacity: 1;
    filter: drop-shadow(0 0 2px #00ff88);
  }
  50% {
    opacity: 0.7;
    filter: drop-shadow(0 0 8px #00ff88);
  }
}

.animate-checkmark {
  stroke-dasharray: 100;
  animation: checkmark-draw 0.6s cubic-bezier(0.4, 0, 0.2, 1) forwards;
}

.animate-glow-burst {
  animation: glow-burst 0.8s cubic-bezier(0.4, 0, 0.2, 1);
}

.animate-rupee-shimmer {
  animation: rupee-shimmer 2s ease-in-out infinite;
}

/* 8. AI Chat Animation */
@keyframes typing-dot {
  0%, 60%, 100% {
    transform: translateY(0);
    opacity: 0.7;
  }
  30% {
    transform: translateY(-10px);
    opacity: 1;
  }
}
```

```
@keyframes message-slide-in {
  from {
    opacity: 0;
    transform: translateX(-20px);
  }
  to {
    opacity: 1;
    transform: translateX(0);
  }
}

.animate-typing-dot-1 {
  animation: typing-dot 1.4s ease-in-out infinite;
}

.animate-typing-dot-2 {
  animation: typing-dot 1.4s ease-in-out 0.2s infinite;
}

.animate-typing-dot-3 {
  animation: typing-dot 1.4s ease-in-out 0.4s infinite;
}

.animate-message-slide {
  animation: message-slide-in 0.4s cubic-bezier(0.4, 0, 0.2, 1);
}

/* 9. Chart Animations */
@keyframes line-draw {
  from {
    stroke-dashoffset: 1000;
  }
  to {
    stroke-dashoffset: 0;
  }
}

@keyframes bar-grow {
  from {
    transform: scaleY(0);
    transform-origin: bottom;
  }
  to {
```

```
    transform: scaleY(1);
    transform-origin: bottom;
  }
}

.animate-line-draw {
  stroke-dasharray: 1000;
  animation: line-draw 1.5s cubic-bezier(0.4, 0, 0.2, 1) forwards;
}

.animate-bar-grow {
  animation: bar-grow 0.8s cubic-bezier(0.4, 0, 0.2, 1) backwards;
}

/* 10. Admin Panel Transition */
@keyframes secure-slide {
  from {
    opacity: 0;
    transform: translateX(-100%);
  }
  to {
    opacity: 1;
    transform: translateX(0);
  }
}

@keyframes overlay-fade {
  from {
    opacity: 0;
  }
  to {
    opacity: 1;
  }
}

.animate-secure-slide {
  animation: secure-slide 0.5s cubic-bezier(0.4, 0, 0.2, 1);
}

.animate-overlay-fade {
  animation: overlay-fade 0.4s ease-in-out;
}
```

```
/* Wearable Health Animations */
@keyframes heartbeat {
  0%, 100% {
    transform: scale(1);
    filter: drop-shadow(0 0 4px #00ff88);
  }
  10% {
    transform: scale(1.15);
    filter: drop-shadow(0 0 12px #00ff88);
  }
  20% {
    transform: scale(1);
    filter: drop-shadow(0 0 4px #00ff88);
  }
  30% {
    transform: scale(1.1);
    filter: drop-shadow(0 0 10px #00ff88);
  }
  40% {
    transform: scale(1);
    filter: drop-shadow(0 0 4px #00ff88);
  }
}

@keyframes ecg {
  0% {
    transform: translateX(-100%);
  }
  100% {
    transform: translateX(100%);
  }
}

@keyframes pulse-warning {
  0%, 100% {
    box-shadow: 0 0 0 0 rgba(239, 68, 68, 0.4);
  }
  50% {
    box-shadow: 0 0 20px 5px rgba(239, 68, 68, 0.2);
  }
}

@keyframes breathing {
```

```
  0%, 100% {
    opacity: 1;
    filter: drop-shadow(0 0 4px #00ff88);
  }
  50% {
    opacity: 0.6;
    filter: drop-shadow(0 0 8px #00ff88);
  }
}

@keyframes count-up {
  from {
    opacity: 0.5;
    transform: translateY(5px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes bar-fill {
  from {
    width: 0;
  }
}

@keyframes fade-in {
  from {
    opacity: 0;
    transform: translateY(-10px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.animate-heartbeat {
  animation: heartbeat 1s ease-in-out infinite;
}

.animate-ecg {
```

```
  animation: ecg 2s linear infinite;
}

.animate-pulse-warning {
  animation: pulse-warning 2s ease-in-out infinite;
}

.animate-breathing {
  animation: breathing 4s ease-in-out infinite;
}

.animate-count-up {
  animation: count-up 0.5s ease-out;
}

.animate-bar-fill {
  animation: bar-fill 1s ease-out;
}

.animate-fade-in {
  animation: fade-in 0.4s ease-out;
}

@keyframes flicker {
  0%, 19.999%, 22%, 62.999%, 64%, 64.999%, 70%, 100% {
    opacity: 1;
  }
  20%, 21.999%, 63%, 63.999%, 65%, 69.999% {
    opacity: 0.4;
  }
}

@keyframes spin-slow {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
  }
}

.animate-flicker {
  animation: flicker 4s linear infinite;
```

```
  }

  .animate-spin-slow {
    animation: spin-slow 8s linear infinite;
  }

  /* Stagger Delays */
  .stagger-1 { animation-delay: 0.1s; }
  .stagger-2 { animation-delay: 0.2s; }
  .stagger-3 { animation-delay: 0.3s; }
  .stagger-4 { animation-delay: 0.4s; }
  .stagger-5 { animation-delay: 0.5s; }
  .stagger-6 { animation-delay: 0.6s; }
}

@layer base {
  * {
    @apply border-border;
  }

  body {
    @apply bg-background text-foreground;
  }
}
```

HealthHub /src/main.tsx

```
import { StrictMode } from "react";
import { createRoot } from "react-dom/client";
import "./index.css";
import App from "./App.tsx";
import { AppWrapper } from "./components/common/PageMeta.tsx";

createRoot(document.getElementById("root")!).render(
  <StrictMode>
    <AppWrapper>
      <App />
    </AppWrapper>
  </StrictMode>
);
```

HealthHub /src/routes.tsx

```
import { ReactNode, lazy, Suspense } from 'react';

// Lazy load pages for performance
const Home = lazy(() => import('./pages/Home'));
const Login = lazy(() => import('./pages/Login'));
const Dashboard = lazy(() => import('./pages/Dashboard'));
const HealthMetrics = lazy(() => import('./pages/HealthMetrics'));
const Nutrition = lazy(() => import('./pages/Nutrition'));
const WaterTracker = lazy(() => import('./pages/WaterTracker'));
const Medication = lazy(() => import('./pages/Medication'));
const Appointments = lazy(() => import('./pages/Appointments'));
const Subscriptions = lazy(() => import('./pages/Subscriptions'));
const Feedback = lazy(() => import('./pages/Feedback'));
const Profile = lazy(() => import('./pages/Profile'));
const Admin = lazy(() => import('./pages/Admin'));
const PaymentSuccess = lazy(() => import('./pages/PaymentSuccess'));

interface RouteConfig {
  name: string;
  path: string;
  element: ReactNode;
  visible?: boolean;
}

const Loading = () => (
  <div className="flex items-center justify-center min-h-[60vh]">
    <div className="animate-spin rounded-full h-8 w-8 border-b-2 border-primary"></div>
  </div>
);

const routes: RouteConfig[] = [
  { name: 'Home', path: '/', element: <Suspense fallback={<Loading />}><Home
/></Suspense> },
  { name: 'Login', path: '/login', element: <Suspense fallback={<Loading />}><Login
/></Suspense> },
  { name: 'Dashboard', path: '/dashboard', element: <Suspense fallback={<Loading
/>}><Dashboard /></Suspense> },
  { name: 'Health Metrics', path: '/health-metrics', element: <Suspense fallback={<Loading
/>}><HealthMetrics /></Suspense> },
  { name: 'AI Nutritionist', path: '/nutrition', element: <Suspense fallback={<Loading
/>}><Nutrition /></Suspense> },
  { name: 'Water Tracker', path: '/water-tracker', element: <Suspense fallback={<Loading
```

```
/>}><WaterTracker /></Suspense> },
  { name: 'Medication', path: '/medication', element: <Suspense fallback={<Loading
/>}><Medication /></Suspense> },
  { name: 'Appointments', path: '/appointments', element: <Suspense fallback={<Loading
/>}><Appointments /></Suspense> },
  { name: 'Subscriptions', path: '/subscriptions', element: <Suspense fallback={<Loading
/>}><Subscriptions /></Suspense> },
  { name: 'Feedback', path: '/feedback', element: <Suspense fallback={<Loading
/>}><Feedback /></Suspense> },
  { name: 'Profile', path: '/profile', element: <Suspense fallback={<Loading />}><Profile
/></Suspense> },
  { name: 'Admin', path: '/admin', element: <Suspense fallback={<Loading />}><Admin
/></Suspense> },
  { name: 'Payment Success', path: '/payment-success', element: <Suspense
fallback={<Loading />}><PaymentSuccess /></Suspense> },
];

export default routes;
```

HealthHub /src/svg.d.ts

```
declare module "*.svg?react" {
  import React = require("react");
  export const ReactComponent: React.FC<React.SVGProps<SVGSVGElement>>;
  const src: string;
  export default src;
}
```

HealthHub /src/vite-env.d.ts

```
/// <reference types="vite/client" />
```

HealthHub /src/components/PaymentSuccess.tsx

```
import React from 'react';
import { CheckCircle2 } from 'lucide-react';

export default function PaymentSuccess() {
  return (
    <div className="flex flex-col items-center justify-center p-8 animate-fade-in">
      <div className="relative">
        {/* Glow Burst Effect */}
        <div className="absolute inset-0 animate-glow-burst" />
```

```
      {/* Animated Checkmark */}
      <div className="relative w-24 h-24 bg-primary/20 rounded-full flex items-center
justify-center">
        <svg className="w-16 h-16" viewBox="0 0 52 52">
          <circle
            cx="26"
            cy="26"
            r="25"
            fill="none"
            stroke="currentColor"
            strokeWidth="2"
            className="text-primary"
          />
          <path
            fill="none"
            stroke="currentColor"
            strokeWidth="3"
            strokeLinecap="round"
            strokeLinejoin="round"
            d="M14 27l7 7 16-16"
            className="text-primary animate-checkmark"
          />
        </svg>
      </div>
    </div>

    <div className="mt-6 text-center space-y-2">
      <h3 className="text-2xl font-bold text-primary">Payment Successful</h3>
      <p className="text-muted-foreground">(Demo Mode)</p>
      <div className="flex items-center justify-center gap-2 mt-4">
        <span className="text-3xl font-bold text-primary animate-rupee-
shimmer">₹</span>
        <span className="text-2xl font-bold">59</span>
      </div>
    </div>
  </div>
 );
}
```

HealthHub /src/components/WearableConnect.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
```

```
import { db } from '@/db/api';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Badge } from '@/components/ui/badge';
import { Tabs, TabsContent, TabsList, TabsTrigger } from '@/components/ui/tabs';
import {
  Zap,
  Smartphone,
  Info,
  CheckCircle2,
  RefreshCcw,
  ExternalLink,
  SmartphoneIcon,
  Apple as AppleIcon,
  Activity
} from 'lucide-react';
import { toast } from 'sonner';
import { supabase } from '@/db/supabase';

export default function WearableConnect() {
  const { user } = useAuth();
  const [connectedWearable, setConnectedWearable] = useState<any>(null);
  const [isLoading, setIsLoading] = useState(false);
  const [syncStatus, setSyncStatus] = useState<'idle' | 'syncing' | 'success' | 'error'>('idle');

  useEffect(() => {
    if (user) {
      fetchConnectedWearable();
    }
  }, [user]);

  const fetchConnectedWearable = async () => {
    if (!user) return;
    const { data } = await db.wearables.get(user.id);
    setConnectedWearable(data);
  };

  const handleConnect = async (provider: 'google_fit' | 'fitbit') => {
    if (!user) return;
    setIsLoading(true);
    try {
      const { data, error } = await
```

```
supabase.functions.invoke(`wearable_oauth?provider=${provider}&action=authorize&user
_id=${user.id}`, {
      method: 'GET'
    });

    if (error) throw error;
    if (data?.url) {
      window.location.href = data.url;
    }
  } catch (err: any) {
    toast.error('Failed to get authorization URL: ' + err.message);
  } finally {
    setIsLoading(false);
  }
};

const handleDisconnect = async () => {
  if (!connectedWearable) return;
  setIsLoading(true);
  try {
    const { error } = await db.wearables.disconnect(connectedWearable.id);
    if (error) throw error;
    setConnectedWearable(null);
    toast.success('Wearable disconnected successfully');
  } catch (err: any) {
    toast.error('Failed to disconnect: ' + err.message);
  } finally {
    setIsLoading(false);
  }
};

const handleSync = async () => {
  setSyncStatus('syncing');
  try {
    const { data, error } = await db.wearables.sync();
    if (error) throw error;
    setSyncStatus('success');
    toast.success('Health data synced successfully');
    fetchConnectedWearable();

    // Notify parent or trigger a refresh in dashboard
    window.dispatchEvent(new CustomEvent('wearable-synced', { detail: data }));
  } catch (err: any) {
```

```
    setSyncStatus('error');
    toast.error('Sync failed: ' + err.message);
  } finally {
    setTimeout(() => setSyncStatus('idle'), 3000);
  }
};

return (
  <Card className="bg-card/50 border-border/50 backdrop-blur-sm overflow-hidden
animate-page-load">
    <CardHeader className="relative overflow-hidden">
      <div className="absolute top-0 right-0 p-4 opacity-10">
        <Zap className="w-24 h-24 text-primary" />
      </div>
      <CardTitle className="text-2xl font-bold flex items-center gap-2">
        <Smartphone className="text-primary w-6 h-6" />
        Wearable Integration
      </CardTitle>
      <CardDescription className="text-muted-foreground">
        Connect your health devices to track metrics in real-time.
      </CardDescription>
    </CardHeader>
    <CardContent>
      {connectedWearable ? (
        <div className="space-y-6 animate-fade-in">
          <div className="flex items-center justify-between p-4 bg-primary/10 rounded-xl
border border-primary/20">
            <div className="flex items-center gap-4">
              <div className="w-12 h-12 bg-primary/20 rounded-full flex items-center justify-
center">
                {connectedWearable.provider === 'google_fit' ? (
                  <SmartphoneIcon className="text-primary w-6 h-6" />
                ) : (
                  <Activity className="text-primary w-6 h-6" />
                )}
              </div>
              <div>
                <h4 className="font-bold text-lg
capitalize">{connectedWearable.provider.replace('_', ' ')}</h4>
                <div className="flex items-center gap-2">
                  <Badge variant="outline" className="text-primary border-
primary/30">Connected</Badge>
                  <span className="text-xs text-muted-foreground">
```

```
                Last synced: {connectedWearable.last_synced_at ? new
Date(connectedWearable.last_synced_at).toLocaleTimeString() : 'Never'}
              </span>
            </div>
          </div>
        </div>
        <div className="flex gap-2">
          <Button
            size="sm"
            variant="outline"
            className="border-primary/30 text-primary"
            onClick={handleSync}
            disabled={syncStatus === 'syncing'}
          >
            <RefreshCcw className={`w-4 h-4 mr-2 ${syncStatus === 'syncing' ? 'animate-
spin' : ''}`} />
            Sync Now
          </Button>
          <Button
            size="sm"
            variant="ghost"
            className="text-destructive hover:bg-destructive/10"
            onClick={handleDisconnect}
            disabled={isLoading}
          >
            Disconnect
          </Button>
        </div>
      </div>

      {connectedWearable.provider === 'google_fit' && (
        <div className="p-3 bg-muted/30 rounded-lg flex items-center gap-2">
          <Info className="w-4 h-4 text-primary" />
          <span className="text-xs text-muted-foreground">Synced via Google Fit
(Supports DaFit source)</span>
          <Badge variant="outline" className="ml-auto text-[10px] h-5 border-primary/20
text-primary">DaFit Enabled</Badge>
        </div>
      )}
    </div>
  ) : (
    <Tabs defaultValue="android" className="w-full">
      <TabsList className="grid w-full grid-cols-3 bg-muted/30">
```

```
          <TabsTrigger value="android">Android</TabsTrigger>
          <TabsTrigger value="fitbit">Fitbit</TabsTrigger>
          <TabsTrigger value="apple">Apple Health</TabsTrigger>
        </TabsList>

        <TabsContent value="android" className="space-y-4 pt-4 animate-fade-in">
          <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
            <Card className="bg-muted/30 border-border/50">
              <CardHeader className="pb-2">
                <CardTitle className="text-sm">Google Fit</CardTitle>
                <CardDescription className="text-xs text-primary">Primary for
Android</CardDescription>
              </CardHeader>
              <CardContent>
                <Button
                  className="w-full bg-primary text-primary-foreground neon-glow"
                  onClick={() => handleConnect('google_fit')}
                  disabled={isLoading}
                >
                  {isLoading ? 'Connecting...' : 'Connect Google Fit'}
                </Button>
              </CardContent>
            </Card>

            <Card className="bg-muted/30 border-border/50">
              <CardHeader className="pb-2">
                <CardTitle className="text-sm">DaFit</CardTitle>
                <CardDescription className="text-xs">Indirect Support</CardDescription>
              </CardHeader>
              <CardContent className="space-y-2">
                <p className="text-[10px] text-muted-foreground">
                  Sync your DaFit app with Google Fit to import metrics here.
                </p>
                <Button variant="outline" className="w-full text-xs" asChild>
                  <a href="https://support.google.com/fit/answer/6090248" target="_blank"
rel="noreferrer">
                    Setup Instructions <ExternalLink className="w-3 h-3 ml-2" />
                  </a>
                </Button>
              </CardContent>
            </Card>
          </div>
        </TabsContent>
```

```
<TabsContent value="fitbit" className="pt-4 animate-fade-in">
  <Card className="bg-muted/30 border-border/50">
    <CardHeader>
      <CardTitle className="text-sm flex items-center gap-2">
        <Activity className="text-primary w-4 h-4" />
        Fitbit Integration
      </CardTitle>
    </CardHeader>
    <CardContent>
      <Button
        className="w-full bg-primary text-primary-foreground neon-glow"
        onClick={() => handleConnect('fitbit')}
        disabled={isLoading}
      >
        {isLoading ? 'Connecting...' : 'Connect Fitbit'}
      </Button>
      <p className="text-[10px] text-muted-foreground mt-4 text-center">
        Uses secure OAuth 2.0 with real-time polling every 30s.
      </p>
    </CardContent>
  </Card>
</TabsContent>

<TabsContent value="apple" className="pt-4 animate-fade-in">
  <Card className="bg-muted/30 border-border/50">
    <CardHeader>
      <CardTitle className="text-sm flex items-center gap-2">
        <AppleIcon className="text-primary w-4 h-4" />
        Apple Health Bridge
      </CardTitle>
    </CardHeader>
    <CardContent className="space-y-4">
      <div className="flex items-start gap-3 p-3 bg-primary/5 rounded-lg">
        <div className="w-8 h-8 rounded-full bg-primary/20 flex items-center justify-
center shrink-0">
          <CheckCircle2 className="text-primary w-4 h-4" />
        </div>
        <div className="text-xs">
          <p className="font-bold">Setup via iOS App</p>
          <p className="text-muted-foreground">Open NeonCare on your iPhone to
enable HealthKit sync.</p>
        </div>
```

```
            </div>
            <Button variant="outline" className="w-full text-xs" disabled>
              Coming Soon to Web Bridge
            </Button>
          </CardContent>
        </Card>
      </TabsContent>
    </Tabs>
  )}
 </CardContent>
</Card>
);
}
```

HealthHub /src/components/dropzone.tsx

```
import { cn } from '@/lib/utils'
import { type UseSupabaseUploadReturn } from '@/hooks/use-supabase-upload'
import { Button } from '@/components/ui/button'
import { CheckCircle, File, Loader2, Upload, X } from 'lucide-react'
import { createContext, type PropsWithChildren, useCallback, useContext } from 'react'

export const formatBytes = (
  bytes: number,
  decimals = 2,
  size?: 'bytes' | 'KB' | 'MB' | 'GB' | 'TB' | 'PB' | 'EB' | 'ZB' | 'YB'
) => {
  const k = 1000
  const dm = decimals < 0 ? 0 : decimals
  const sizes = ['bytes', 'KB', 'MB', 'GB', 'TB', 'PB', 'EB', 'ZB', 'YB']

  if (bytes === 0 || bytes === undefined) return size !== undefined ? `0 ${size}` : '0 bytes'
  const i = size !== undefined ? sizes.indexOf(size) : Math.floor(Math.log(bytes) /
Math.log(k))
  return parseFloat((bytes / Math.pow(k, i)).toFixed(dm)) + ' ' + sizes[i]
}

type DropzoneContextType = Omit<UseSupabaseUploadReturn, 'getRootProps' |
'getInputProps'>

const DropzoneContext = createContext<DropzoneContextType | undefined>(undefined)

type DropzoneProps = UseSupabaseUploadReturn & {
```

```
  className?: string
}

const Dropzone = ({
  className,
  children,
  getRootProps,
  getInputProps,
  ...restProps
}: PropsWithChildren<DropzoneProps>) => {
  const isSuccess = restProps.isSuccess
  const isActive = restProps.isDragActive
  const isInvalid =
    (restProps.isDragActive && restProps.isDragReject) ||
    (restProps.errors.length > 0 && !restProps.isSuccess) ||
    restProps.files.some((file) => file.errors.length !== 0)

  return (
    <DropzoneContext.Provider value={{ ...restProps }}>
      <div
        {...getRootProps({
          className: cn(
            'border-2 border-gray-300 rounded-lg p-6 text-center bg-card transition-colors
duration-300 text-foreground',
            className,
            isSuccess ? 'border-solid' : 'border-dashed',
            isActive && 'border-primary bg-primary/10',
            isInvalid && 'border-destructive bg-destructive/10'
          ),
        })}
      >
        <input {...getInputProps()} />
        {children}
      </div>
    </DropzoneContext.Provider>
  )
}
const DropzoneContent = ({ className }: { className?: string }) => {
  const {
    files,
    setFiles,
    onUpload,
    loading,
```

```
  successes,
  errors,
  maxFileSize,
  maxFiles,
  isSuccess,
} = useDropzoneContext()

const exceedMaxFiles = files.length > maxFiles

const handleRemoveFile = useCallback(
  (fileName: string) => {
    setFiles(files.filter((file) => file.name !== fileName))
  },
  [files, setFiles]
)

if (isSuccess) {
  return (
    <div className={cn('flex flex-row items-center gap-x-2 justify-center', className)}>
      <CheckCircle size={16} className="text-primary" />
      <p className="text-primary text-sm">
        Successfully uploaded {files.length} file{files.length > 1 ? 's' : ''}
      </p>
    </div>
  )
}

return (
  <div className={cn('flex flex-col', className)}>
    {files.map((file, idx) => {
      const fileError = errors.find((e) => e.name === file.name)
      const isSuccessfullyUploaded = !!successes.find((e) => e === file.name)

      return (
        <div
          key={`${file.name}-${idx}`}
          className="flex items-center gap-x-4 border-b py-2 first:mt-4 last:mb-4 "
        >
          {file.type.startsWith('image/') ? (
            <div className="h-10 w-10 rounded border overflow-hidden shrink-0 bg-muted
flex items-center justify-center">
              <img src={file.preview} alt={file.name} className="object-cover" />
            </div>
```

```
        ) : (
          <div className="h-10 w-10 rounded border bg-muted flex items-center justify-
center">
            <File size={18} />
          </div>
        )}

        <div className="shrink grow flex flex-col items-start truncate">
          <p title={file.name} className="text-sm truncate max-w-full">
            {file.name}
          </p>
          {file.errors.length > 0 ? (
            <p className="text-xs text-destructive">
              {file.errors
                .map((e) =>
                  e.message.startsWith('File is larger than')
                    ? `File is larger than ${formatBytes(maxFileSize, 2)} (Size:
${formatBytes(file.size, 2)})`
                    : e.message
                )
                .join(', ')}
            </p>
          ) : loading && !isSuccessfullyUploaded ? (
            <p className="text-xs text-muted-foreground">Uploading file...</p>
          ) : !!fileError ? (
            <p className="text-xs text-destructive">Failed to upload: {fileError.message}</p>
          ) : isSuccessfullyUploaded ? (
            <p className="text-xs text-primary">Successfully uploaded file</p>
          ) : (
            <p className="text-xs text-muted-foreground">{formatBytes(file.size, 2)}</p>
          )}
        </div>

        {!loading && !isSuccessfullyUploaded && (
          <Button
            size="icon"
            variant="link"
            className="shrink-0 justify-self-end text-muted-foreground hover:text-
foreground"
            onClick={() => handleRemoveFile(file.name)}
          >
            <X />
          </Button>
```

```
          )}
        </div>
      )
    })}
    {exceedMaxFiles && (
      <p className="text-sm text-left mt-2 text-destructive">
        You may upload only up to {maxFiles} files, please remove {files.length - maxFiles} file
        {files.length - maxFiles > 1 ? 's' : ''}.
      </p>
    )}
    {files.length > 0 && !exceedMaxFiles && (
      <div className="mt-2">
        <Button
          variant="outline"
          onClick={onUpload}
          disabled={files.some((file) => file.errors.length !== 0) || loading}
        >
          {loading ? (
            <>
              <Loader2 className="mr-2 h-4 w-4 animate-spin" />
              Uploading...
            </>
          ) : (
            <>Upload files</>
          )}
        </Button>
      </div>
    )}
  </div>
 )
}

const DropzoneEmptyState = ({ className }: { className?: string }) => {
 const { maxFiles, maxFileSize, inputRef, isSuccess } = useDropzoneContext()

 if (isSuccess) {
  return null
 }

 return (
  <div className={cn('flex flex-col items-center gap-y-2', className)}>
   <Upload size={20} className="text-muted-foreground" />
   <p className="text-sm">
```

```
      Upload{!!maxFiles && maxFiles > 1 ? ` ${maxFiles}` : ''} file
      {!maxFiles || maxFiles > 1 ? 's' : ''}
    </p>
    <div className="flex flex-col items-center gap-y-1">
      <p className="text-xs text-muted-foreground">
        Drag and drop or{' '}
        <a
          onClick={() => inputRef.current?.click()}
          className="underline cursor-pointer transition hover:text-foreground"
        >
          select {maxFiles === 1 ? `file` : 'files'}
        </a>{' '}
        to upload
      </p>
      {maxFileSize !== Number.POSITIVE_INFINITY && (
        <p className="text-xs text-muted-foreground">
          Maximum file size: {formatBytes(maxFileSize, 2)}
        </p>
      )}
    </div>
  </div>
 )
}

const useDropzoneContext = () => {
 const context = useContext(DropzoneContext)

 if (!context) {
  throw new Error('useDropzoneContext must be used within a Dropzone')
 }

 return context
}

export { Dropzone, DropzoneContent, DropzoneEmptyState, useDropzoneContext }
```

HealthHub /src/components/common/AIHealthAssistant.tsx

```
import React, { useState, useEffect, useRef } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Button } from '@/components/ui/button';
import { Card, CardContent, CardHeader, CardTitle, CardFooter } from
```

```
'@/components/ui/card';
import { Input } from '@/components/ui/input';
import { ScrollArea } from '@/components/ui/scroll-area';
import { Sheet, SheetContent, SheetHeader, SheetTitle, SheetTrigger } from
'@/components/ui/sheet';
import { MessageSquare, Send, Bot, User, Sparkles, X, Brain, Activity, Utensils, Droplets,
Calendar, AlertCircle } from 'lucide-react';
import { cn } from '@/lib/utils';
import { Badge } from '@/components/ui/badge';

interface Message {
  role: 'user' | 'assistant';
  content: string;
  type?: 'advice' | 'alert' | 'recommendation' | 'reminder';
}

export default function AIHealthAssistant() {
  const { profile, user } = useAuth();
  const [messages, setMessages] = useState<Message[]>([
    { role: 'assistant', content: "Hello! I'm your HealthHub AI assistant. I've analyzed your
health profile. How can I help you today?" }
  ]);
  const [input, setInput] = useState('');
  const [isLoading, setIsLoading] = useState(false);
  const [metrics, setMetrics] = useState<any>(null);
  const scrollRef = useRef<HTMLDivElement>(null);

  useEffect(() => {
    if (scrollRef.current) {
      scrollRef.current.scrollTop = scrollRef.current.scrollHeight;
    }
  }, [messages, isLoading]);

  useEffect(() => {
    if (user) {
      db.healthMetrics.getLatest(user.id).then(res => res.data && setMetrics(res.data));
    }
  }, [user]);

  const generateAIResponse = (userText: string) => {
    const query = userText.toLowerCase();
    let response = "";
    let type: Message['type'] = 'advice';
```

```
  if (query.includes('diet') || query.includes('food') || query.includes('eat')) {
    const diseases = profile?.selected_diseases || [];
    if (diseases.includes('Diabetes')) {
      response = "Since you have Diabetes, I recommend focusing on low-glycemic Indian
foods like Jowar roti, Moong dal, and plenty of green vegetables. Avoid white rice and
sugary snacks.";
    } else if (diseases.includes('Hypertension')) {
      response = "For your Hypertension, try a low-sodium diet. Use less salt in your curries
and include potassium-rich foods like bananas and coconut water.";
    } else {
      response = `A balanced diet with protein, fiber, and healthy fats is key. Since you're at a
${profile?.activity_level || 'moderate'} activity level, ensure you get enough complex carbs
for energy.`;
    }
    type = 'recommendation';
  } else if (query.includes('heart') || query.includes('bpm') || query.includes('pulse')) {
    const hr = metrics?.heart_rate || 72;
    if (hr > 100) {
      response = `Your latest heart rate was ${hr} bpm, which is a bit high. Please rest and
stay hydrated. If it stays above 100 while resting, consider contacting your doctor.`;
      type = 'alert';
    } else {
      response = `Your heart rate is currently ${hr} bpm, which is within a healthy resting
range (60-100 bpm). Excellent work keeping it stable!`;
    }
  } else if (query.includes('water') || query.includes('drink')) {
    response = "Remember to stay hydrated! Based on your weight, you should aim for at
least 2.5L of water daily. I can set an hourly reminder for you.";
    type = 'reminder';
  } else if (query.includes('appointment') || query.includes('doctor')) {
    response = "I can help you book an appointment! Please head over to the Appointments
section to select a specialist. We have Cardiologists, General Physicians, and Nutritionists
available.";
    type = 'advice';
  } else if (query.includes('steps') || query.includes('exercise')) {
    const steps = metrics?.steps || 0;
    if (steps < 5000) {
      response = `You've only taken ${steps} steps today. A quick 15-minute walk would help
you reach your daily goal and boost your metabolism!`;
    } else {
      response = `Great job! You've reached ${steps} steps today. Keep up the consistent
activity to maintain your ${profile?.activity_level || 'active'} lifestyle.`;
```

```
    }
  } else if (query.includes('bmi')) {
    const h = Number(profile?.height);
    const w = Number(profile?.weight);
    const bmiValue = h && w ? (w / (h / 100)**2).toFixed(1) : 'N/A';
    response = `Your current BMI is ${bmiValue}. For your height, a healthy weight range is
usually between 18.5 and 24.9. Proper hydration and portion control are key.`;
  } else {
    response = "I understand. I'm here to help with your nutrition, health tracking, and
wellness goals. What specific area would you like to focus on?";
  }

  const disclaimer = "\n\n*DISCLAIMER: This AI provides general guidance only and is not
a medical diagnosis.*";
  return { content: response + disclaimer, type };
};

const handleSend = async () => {
  if (!input.trim() || isLoading) return;

  const userMessage = input.trim();
  setInput('');
  setMessages(prev => [...prev, { role: 'user', content: userMessage }]);
  setIsLoading(true);

  // Simulated AI Response
  setTimeout(() => {
    const { content, type } = generateAIResponse(userMessage);
    setMessages(prev => [...prev, { role: 'assistant', content, type }]);
    setIsLoading(false);
  }, 1500);
};

return (
  <div className="fixed bottom-6 right-6 z-50">
    <Sheet>
      <SheetTrigger asChild>
        <Button size="icon" className="w-14 h-14 rounded-full bg-primary text-primary-
foreground shadow-2xl neon-glow hover:scale-110 transition-transform relative group">
          <Bot className="w-7 h-7" />
          <div className="absolute -top-1 -right-1 w-4 h-4 bg-destructive rounded-full
border-2 border-neon-dark flex items-center justify-center text-[8px] font-bold animate-
bounce">1</div>
```

```
        </Button>
      </SheetTrigger>
      <SheetContent side="right" className="w-full sm:max-w-md p-0 flex flex-col bg-neon-
dark border-border/50">
        <SheetHeader className="p-6 border-b border-border/50 bg-card/50">
          <div className="flex items-center gap-3">
            <div className="w-10 h-10 rounded-full bg-primary/20 flex items-center justify-
center relative">
              <Brain className="text-primary w-6 h-6" />
              <div className="absolute -bottom-1 -right-1 w-3 h-3 bg-primary rounded-full
border-2 border-card animate-pulse" />
            </div>
            <div>
              <SheetTitle className="text-xl font-bold flex items-center gap-2">
                NeonCare AI
                <Sparkles className="w-4 h-4 text-primary animate-pulse" />
              </SheetTitle>
              <p className="text-xs text-muted-foreground">Always active to guide your
wellness journey</p>
            </div>
          </div>
        </SheetHeader>

        <ScrollArea className="flex-1 p-6" ref={scrollRef}>
          <div className="space-y-6">
            {messages.map((m, i) => (
              <div key={i} className={cn("flex gap-3 max-w-[90%]", m.role === 'user' ? "ml-auto
flex-row-reverse" : "")}>
                <div className={cn(
                  "w-8 h-8 rounded-full flex items-center justify-center shrink-0 border",
                  m.role === 'assistant' ? "bg-primary/20 border-primary/20 text-primary" : "bg-
muted border-border text-muted-foreground"
                )}>
                  {m.role === 'assistant' ? <Bot className="w-4 h-4" /> : <User className="w-4 h-
4" />}
                </div>
                <div className={cn(
                  "p-4 rounded-2xl text-sm leading-relaxed relative",
                  m.role === 'assistant' ? "bg-card border border-border/50 rounded-tl-none
shadow-sm" : "bg-primary text-primary-foreground rounded-tr-none font-medium shadow-
lg shadow-primary/10"
                )}>
                  {m.type === 'alert' && <AlertCircle className="w-4 h-4 text-red-400 mb-2" />}
```

```
                {m.content.split('\n').map((line, idx) => (
                  <p key={idx} className={line.startsWith('*') ? 'text-[10px] mt-4 opacity-60' :
''}>
                    {line}
                  </p>
                ))}
              </div>
            </div>
          ))}
          {isLoading && (
            <div className="flex gap-3">
              <div className="w-8 h-8 rounded-full bg-primary/20 flex items-center justify-
center text-primary">
                <Bot className="w-4 h-4" />
              </div>
              <div className="p-4 rounded-2xl bg-card border border-border/50 rounded-tl-
none flex gap-1">
                <span className="w-1.5 h-1.5 bg-primary rounded-full animate-bounce"
style={{ animationDelay: '0ms' }} />
                <span className="w-1.5 h-1.5 bg-primary rounded-full animate-bounce"
style={{ animationDelay: '150ms' }} />
                <span className="w-1.5 h-1.5 bg-primary rounded-full animate-bounce"
style={{ animationDelay: '300ms' }} />
              </div>
            </div>
          )}
        </div>
      </ScrollArea>

      <CardFooter className="p-4 border-t border-border/50 bg-card/30 flex flex-col gap-
3">
        <div className="flex gap-2 flex-wrap justify-start w-full">
          <Badge variant="outline" className="text-[10px] cursor-pointer hover:border-
primary transition-colors bg-muted/20" onClick={() => setInput('Suggest a diet for me')}>
            <Utensils className="w-3 h-3 mr-1" /> Diet
          </Badge>
          <Badge variant="outline" className="text-[10px] cursor-pointer hover:border-
primary transition-colors bg-muted/20" onClick={() => setInput('Check my heart rate')}>
            <Activity className="w-3 h-3 mr-1" /> Heart
          </Badge>
          <Badge variant="outline" className="text-[10px] cursor-pointer hover:border-
primary transition-colors bg-muted/20" onClick={() => setInput('Water reminder')}>
            <Droplets className="w-3 h-3 mr-1" /> Water
```

```
          </Badge>
        </div>
        <form
          onSubmit={(e) => { e.preventDefault(); handleSend(); }}
          className="w-full flex gap-2"
        >
          <Input
            placeholder="Ask about your health..."
            className="bg-muted/50 border-border/50 focus:border-primary"
            value={input}
            onChange={(e) => setInput(e.target.value)}
            disabled={isLoading}
          />
          <Button type="submit" size="icon" className="bg-primary text-primary-
foreground shrink-0 neon-glow" disabled={isLoading || !input.trim()}>
            <Send className="w-4 h-4" />
          </Button>
        </form>
      </CardFooter>
    </SheetContent>
  </Sheet>
 </div>
);
}
```

HealthHub /src/components/common/IntersectObserver.tsx

```
import { useEffect } from 'react';
import { useLocation } from 'react-router-dom';
import { Observer } from 'tailwindcss-intersect';

const IntersectObserver = () => {
 const location = useLocation();

 useEffect(() => {
  // When the location changes, we need to restart the observer
  // to pick up new elements on the page.
  // We use a small timeout to ensure the DOM has updated.
  const timer = setTimeout(() => {
    Observer.restart();
  }, 100);

  return () => clearTimeout(timer);
```

```
  }, [location]);

  return null;
};

export default IntersectObserver;
```

HealthHub /src/components/common/PageMeta.tsx

```
import { HelmetProvider, Helmet } from "react-helmet-async";

const PageMeta = ({
  title,
  description,
}: {
  title: string;
  description: string;
}) => (
  <Helmet>
    <title>{title}</title>
    <meta name="description" content={description} />
  </Helmet>
);

export const AppWrapper = ({ children }: { children: React.ReactNode }) => (
  <HelmetProvider>{children}</HelmetProvider>
);

export default PageMeta;
```

HealthHub /src/components/common/RouteGuard.tsx

```
import { useEffect } from 'react';
import { useNavigate, useLocation } from 'react-router-dom';
import { useAuth } from '@/contexts/AuthContext';

interface RouteGuardProps {
  children: React.ReactNode;
}

// Please add the pages that can be accessed without logging in to PUBLIC_ROUTES.
const PUBLIC_ROUTES = ['/login', '/403', '/404',"/"];

function matchPublicRoute(path: string, patterns: string[]) {
```

```
  return patterns.some(pattern => {
    if (pattern.includes('*')) {
      const regex = new RegExp('^' + pattern.replace('*', '.*') + '$');
      return regex.test(path);
    }
    return path === pattern;
  });
}

export function RouteGuard({ children }: RouteGuardProps) {
  const { user, loading } = useAuth();
  const navigate = useNavigate();
  const location = useLocation();

  useEffect(() => {
    if (loading) return;

    const isPublic = matchPublicRoute(location.pathname, PUBLIC_ROUTES);

    if (!user && !isPublic) {
      navigate('/login', { state: { from: location.pathname }, replace: true });
    }
  }, [user, loading, location.pathname, navigate]);

  if (loading) {
    return (
      <div className="flex items-center justify-center min-h-screen">
        <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-
primary"></div>
      </div>
    );
  }

  return <>{children}</>;
}
```

HealthHub /src/components/layouts/Layout.tsx

```
import React from 'react';
import { Sidebar } from './Sidebar';
import { useAuth } from '@/contexts/AuthContext';
import { Toaster } from '@/components/ui/sonner';
import { Activity } from 'lucide-react';
import AIHealthAssistant from '@/components/common/AIHealthAssistant';
```

```
export function Layout({ children }: { children: React.ReactNode }) {
  const { user, loading } = useAuth();

  if (loading) {
    return (
      <div className="flex items-center justify-center min-h-screen bg-neon-dark">
        <div className="relative">
          <Activity className="w-12 h-12 text-primary animate-pulse" />
          <div className="absolute inset-0 blur-lg bg-primary/30 animate-pulse" />
        </div>
      </div>
    );
  }

  return (
    <div className="flex min-h-screen bg-neon-dark text-foreground">
      {user && <Sidebar />}
      <main className={`flex-1 ${user ? 'md:ml-64' : ''} p-4 md:p-8 overflow-auto`}>
        <div className="max-w-7xl mx-auto animate-fade-in">
          {children}
        </div>
      </main>
      {user && <AIHealthAssistant />}
      <Toaster position="top-right" theme="dark" richColors />
    </div>
  );
}
```

HealthHub /src/components/layouts/Sidebar.tsx

```
import React from 'react';
import { Link, useLocation } from 'react-router-dom';
import { useAuth } from '@/contexts/AuthContext';
import {
  LayoutDashboard,
  Activity,
  Utensils,
  Droplets,
  Pill,
  Calendar,
  User,
  ShieldCheck,
```

```
  MessageSquare,
  Settings,
  LogOut,
  ChevronRight,
  Menu
} from 'lucide-react';
import { Button } from '@/components/ui/button';
import { ScrollArea } from '@/components/ui/scroll-area';
import { Sheet, SheetContent, SheetTrigger } from '@/components/ui/sheet';
import { cn } from '@/lib/utils';

const navItems = [
  { title: 'Dashboard', icon: LayoutDashboard, href: '/dashboard' },
  { title: 'Health Metrics', icon: Activity, href: '/health-metrics' },
  { title: 'AI Nutritionist', icon: Utensils, href: '/nutrition' },
  { title: 'Water Tracker', icon: Droplets, href: '/water-tracker' },
  { title: 'Medication', icon: Pill, href: '/medication' },
  { title: 'Appointments', icon: Calendar, href: '/appointments' },
  { title: 'Subscriptions', icon: ShieldCheck, href: '/subscriptions' },
  { title: 'Feedback', icon: MessageSquare, href: '/feedback' },
  { title: 'Profile', icon: User, href: '/profile' },
];

const adminItems = [
  { title: 'Admin Panel', icon: Settings, href: '/admin' },
];

export function Sidebar({ className }: { className?: string }) {
  const { profile, signOut } = useAuth();
  const location = useLocation();

  const SidebarContent = () => (
    <div className="flex flex-col h-full bg-neon-dark text-foreground border-r border-
border/50 shadow-lg neon-glow">
      <div className="p-6">
        <Link to="/" className="flex items-center gap-2">
          <div className="w-8 h-8 bg-primary rounded-lg flex items-center justify-center neon-
glow">
            <Activity className="text-primary-foreground w-5 h-5" />
          </div>
          <span className="text-xl font-bold gradient-text">HealthHub</span>
        </Link>
      </div>
```

```
    <ScrollArea className="flex-1 px-4">
      <div className="space-y-1 py-2">
        <p className="px-4 text-xs font-semibold text-muted-foreground uppercase tracking-
wider mb-2">Menu</p>
        {navItems.map((item) => (
          <Link key={item.href} to={item.href}>
            <Button
              variant="ghost"
              className={cn(
                "w-full justify-start gap-3 hover:bg-primary/10 hover:text-primary transition-all
duration-300",
                location.pathname === item.href ? "bg-primary/20 text-primary border-r-4
border-primary" : ""
              )}
            >
              <item.icon className="w-5 h-5" />
              {item.title}
            </Button>
          </Link>
        ))}

        {profile?.role === 'admin' && (
          <>
            <div className="mt-6 mb-2">
              <p className="px-4 text-xs font-semibold text-muted-foreground uppercase
tracking-wider">Administration</p>
            </div>
            {adminItems.map((item) => (
              <Link key={item.href} to={item.href}>
                <Button
                  variant="ghost"
                  className={cn(
                    "w-full justify-start gap-3 hover:bg-primary/10 hover:text-primary transition-
all duration-300",
                    location.pathname === item.href ? "bg-primary/20 text-primary border-r-4
border-primary" : ""
                  )}
                >
                  <item.icon className="w-5 h-5" />
                  {item.title}
                </Button>
              </Link>
```

```
          ))}
         </>
        )}
      </div>
    </ScrollArea>

    <div className="p-4 mt-auto border-t border-border/50">
      <Button
        variant="ghost"
        className="w-full justify-start gap-3 text-destructive hover:bg-destructive/10
hover:text-destructive"
        onClick={() => signOut()}
      >
        <LogOut className="w-5 h-5" />
        Logout
      </Button>
    </div>
  </div>
 );

 return (
  <>
    {/* Desktop Sidebar */}
    <aside className={cn("hidden md:flex flex-col w-64 fixed h-screen", className)}>
      <SidebarContent />
    </aside>

    {/* Mobile Sidebar */}
    <div className="md:hidden">
      <Sheet>
        <SheetTrigger asChild>
          <Button variant="ghost" size="icon" className="fixed top-4 left-4 z-50 bg-neon-dark
border border-border">
            <Menu className="w-6 h-6 text-primary" />
          </Button>
        </SheetTrigger>
        <SheetContent side="left" className="p-0 w-64 bg-neon-dark">
          <SidebarContent />
        </SheetContent>
      </Sheet>
    </div>
  </>
 );
```

```
}
```

HealthHub /src/components/ui/accordion.tsx

```
import * as React from "react";
import * as AccordionPrimitive from "@radix-ui/react-accordion";
import { ChevronDownIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function Accordion({
  ...props
}: React.ComponentProps<typeof AccordionPrimitive.Root>) {
  return <AccordionPrimitive.Root data-slot="accordion" {...props} />;
}

function AccordionItem({
  className,
  ...props
}: React.ComponentProps<typeof AccordionPrimitive.Item>) {
  return (
    <AccordionPrimitive.Item
      data-slot="accordion-item"
      className={cn("border-b last:border-b-0", className)}
      {...props}
    />
  );
}

function AccordionTrigger({
  className,
  children,
  ...props
}: React.ComponentProps<typeof AccordionPrimitive.Trigger>) {
  return (
    <AccordionPrimitive.Header className="flex">
      <AccordionPrimitive.Trigger
        data-slot="accordion-trigger"
        className={cn(
          "focus-visible:border-ring focus-visible:ring-ring/50 flex flex-1 items-start justify-
between gap-4 rounded-md py-4 text-left text-sm font-medium transition-all outline-none
hover:underline focus-visible:ring-[3px] disabled:pointer-events-none disabled:opacity-50
[&[data-state=open]>svg]:rotate-180",
```

```
        className
      )}
      {...props}
    >
      {children}
      <ChevronDownIcon className="text-muted-foreground pointer-events-none size-4
shrink-0 translate-y-0.5 transition-transform duration-200" />
    </AccordionPrimitive.Trigger>
  </AccordionPrimitive.Header>
 );
}

function AccordionContent({
 className,
 children,
 ...props
}: React.ComponentProps<typeof AccordionPrimitive.Content>) {
 return (
  <AccordionPrimitive.Content
    data-slot="accordion-content"
    className="data-[state=closed]:animate-accordion-up data-[state=open]:animate-
accordion-down overflow-hidden text-sm"
    {...props}
  >
    <div className={cn("pt-0 pb-4", className)}>{children}</div>
  </AccordionPrimitive.Content>
 );
}

export { Accordion, AccordionItem, AccordionTrigger, AccordionContent };
```

HealthHub /src/components/ui/alert-dialog.tsx

```
import * as React from "react";
import * as AlertDialogPrimitive from "@radix-ui/react-alert-dialog";

import { cn } from "@/lib/utils";
import { buttonVariants } from "@/components/ui/button";

function AlertDialog({
 ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Root>) {
 return <AlertDialogPrimitive.Root data-slot="alert-dialog" {...props} />;
```

```
}

function AlertDialogTrigger({
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Trigger>) {
  return (
    <AlertDialogPrimitive.Trigger data-slot="alert-dialog-trigger" {...props} />
  );
}

function AlertDialogPortal({
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Portal>) {
  return (
    <AlertDialogPrimitive.Portal data-slot="alert-dialog-portal" {...props} />
  );
}

function AlertDialogOverlay({
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Overlay>) {
  return (
    <AlertDialogPrimitive.Overlay
      data-slot="alert-dialog-overlay"
      className={cn(
        "data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80
backdrop-blur-sm transition-all duration-300",
        className
      )}
      {...props}
    />
  );
}

function AlertDialogContent({
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Content>) {
  return (
    <AlertDialogPortal>
      <AlertDialogOverlay />
```

```
      <AlertDialogPrimitive.Content
        data-slot="alert-dialog-content"
        className={cn(
          "bg-background data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[state=closed]:slide-out-to-bottom-[10%] data-[state=open]:slide-in-from-bottom-[10%] fixed top-[50%] left-[50%] z-50 grid w-full max-w-[calc(100%-2rem)] translate-x-[-50%] translate-y-[-50%] gap-4 rounded-lg border border-primary/20 p-6 shadow-2xl shadow-primary/10 duration-300 sm:max-w-lg neon-glow",
          className
        )}
        {...props}
      />
    </AlertDialogPortal>
  );
}

function AlertDialogHeader({
  className,
  ...props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-dialog-header"
      className={cn("flex flex-col gap-2 text-center sm:text-left", className)}
      {...props}
    />
  );
}

function AlertDialogFooter({
  className,
  ...props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-dialog-footer"
      className={cn(
        "flex flex-col-reverse gap-2 sm:flex-row sm:justify-end",
        className
      )}
      {...props}
```

```
    />
  );
}

function AlertDialogTitle({
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Title>) {
  return (
    <AlertDialogPrimitive.Title
      data-slot="alert-dialog-title"
      className={cn("text-lg font-semibold", className)}
      {...props}
    />
  );
}

function AlertDialogDescription({
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Description>) {
  return (
    <AlertDialogPrimitive.Description
      data-slot="alert-dialog-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
    />
  );
}

function AlertDialogAction({
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Action>) {
  return (
    <AlertDialogPrimitive.Action
      className={cn(buttonVariants(), className)}
      {...props}
    />
  );
}

function AlertDialogCancel({
```

```
  className,
  ...props
}: React.ComponentProps<typeof AlertDialogPrimitive.Cancel>) {
  return (
    <AlertDialogPrimitive.Cancel
      className={cn(buttonVariants({ variant: "outline" }), className)}
      {...props}
    />
  );
}

export {
  AlertDialog,
  AlertDialogPortal,
  AlertDialogOverlay,
  AlertDialogTrigger,
  AlertDialogContent,
  AlertDialogHeader,
  AlertDialogFooter,
  AlertDialogTitle,
  AlertDialogDescription,
  AlertDialogAction,
  AlertDialogCancel,
};
```

HealthHub /src/components/ui/alert.tsx

```
import * as React from "react"
import { cva, type VariantProps } from "class-variance-authority"

import { cn } from "@/lib/utils"

const alertVariants = cva(
  "relative w-full rounded-lg border px-4 py-3 text-sm grid has-[>svg]:grid-cols-[calc(var(--
spacing)*4)_1fr] grid-cols-[0_1fr] has-[>svg]:gap-x-3 gap-y-0.5 items-start [&>svg]:size-4
[&>svg]:translate-y-0.5 [&>svg]:text-current",
  {
    variants: {
      variant: {
        default: "bg-card text-card-foreground",
        destructive:
          "text-destructive bg-card [&>svg]:text-current *:data-[slot=alert-description]:text-
destructive/90",
```

```
      },
    },
    defaultVariants: {
      variant: "default",
    },
  }
)

function Alert({
  className,
  variant,
  ...props
}: React.ComponentProps<"div"> & VariantProps<typeof alertVariants>) {
  return (
    <div
      data-slot="alert"
      role="alert"
      className={cn(alertVariants({ variant }), className)}
      {...props}
    />
  )
}

function AlertTitle({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-title"
      className={cn(
        "col-start-2 line-clamp-1 min-h-4 font-medium tracking-tight",
        className
      )}
      {...props}
    />
  )
}

function AlertDescription({
  className,
  ...props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-description"
```

```
    className={cn(
      "text-muted-foreground col-start-2 grid justify-items-start gap-1 text-sm [&_p]:leading-
relaxed",
      className
    )}
    {...props}
  />
 )
}

export { Alert, AlertTitle, AlertDescription }
```

HealthHub /src/components/ui/aspect-ratio.tsx

```
import * as AspectRatioPrimitive from "@radix-ui/react-aspect-ratio";

function AspectRatio({
 ...props
}: React.ComponentProps<typeof AspectRatioPrimitive.Root>) {
 return <AspectRatioPrimitive.Root data-slot="aspect-ratio" {...props} />;
}

export { AspectRatio };
```

HealthHub /src/components/ui/avatar.tsx

```
import * as React from "react";
import * as AvatarPrimitive from "@radix-ui/react-avatar";

import { cn } from "@/lib/utils";

function Avatar({
 className,
 ...props
}: React.ComponentProps<typeof AvatarPrimitive.Root>) {
 return (
  <AvatarPrimitive.Root
    data-slot="avatar"
    className={cn(
      "relative flex size-8 shrink-0 overflow-hidden rounded-full",
      className
    )}
    {...props}
  />
```

```
  );
}

function AvatarImage({
  className,
  ...props
}: React.ComponentProps<typeof AvatarPrimitive.Image>) {
  return (
    <AvatarPrimitive.Image
      data-slot="avatar-image"
      className={cn("aspect-square size-full", className)}
      {...props}
    />
  );
}

function AvatarFallback({
  className,
  ...props
}: React.ComponentProps<typeof AvatarPrimitive.Fallback>) {
  return (
    <AvatarPrimitive.Fallback
      data-slot="avatar-fallback"
      className={cn(
        "bg-muted flex size-full items-center justify-center rounded-full",
        className
      )}
      {...props}
    />
  );
}

export { Avatar, AvatarImage, AvatarFallback };
```

HealthHub /src/components/ui/badge.tsx

```
import * as React from "react";
import { Slot } from "@radix-ui/react-slot";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@/lib/utils";

const badgeVariants = cva(
```

```
  "inline-flex items-center justify-center rounded-md border px-2 py-0.5 text-xs font-
medium w-fit whitespace-nowrap shrink-0 [&>svg]:size-3 gap-1 [&>svg]:pointer-events-
none focus-visible:border-ring focus-visible:ring-ring/50 focus-visible:ring-[3px] aria-
invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive transition-[color,box-shadow] overflow-hidden",
  {
    variants: {
      variant: {
        default:
          "border-transparent bg-primary text-primary-foreground [a&]:hover:bg-primary/90",
        secondary:
          "border-transparent bg-secondary text-secondary-foreground [a&]:hover:bg-
secondary/90",
        destructive:
          "border-transparent bg-destructive text-white [a&]:hover:bg-destructive/90 focus-
visible:ring-destructive/20 dark:focus-visible:ring-destructive/40 dark:bg-destructive/60",
        outline:
          "text-foreground [a&]:hover:bg-accent [a&]:hover:text-accent-foreground",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  }
);

function Badge({
  className,
  variant,
  asChild = false,
  ...props
}: React.ComponentProps<"span"> &
  VariantProps<typeof badgeVariants> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "span";

  return (
    <Comp
      data-slot="badge"
      className={cn(badgeVariants({ variant }), className)}
      {...props}
    />
  );
}
```

```
export { Badge, badgeVariants };
```

HealthHub /src/components/ui/breadcrumb.tsx

```
import * as React from "react";
import { Slot } from "@radix-ui/react-slot";
import { ChevronRight, MoreHorizontal } from "lucide-react";

import { cn } from "@/lib/utils";

function Breadcrumb({ ...props }: React.ComponentProps<"nav">) {
  return <nav aria-label="breadcrumb" data-slot="breadcrumb" {...props} />;
}

function BreadcrumbList({ className, ...props }: React.ComponentProps<"ol">) {
  return (
    <ol
      data-slot="breadcrumb-list"
      className={cn(
        "text-muted-foreground flex flex-wrap items-center gap-1.5 text-sm break-words
sm:gap-2.5",
        className
      )}
      {...props}
    />
  );
}

function BreadcrumbItem({ className, ...props }: React.ComponentProps<"li">) {
  return (
    <li
      data-slot="breadcrumb-item"
      className={cn("inline-flex items-center gap-1.5", className)}
      {...props}
    />
  );
}

function BreadcrumbLink({
  asChild,
  className,
  ...props
```

```
}: React.ComponentProps<"a"> & {
  asChild?: boolean
}) {
  const Comp = asChild ? Slot : "a";

  return (
    <Comp
      data-slot="breadcrumb-link"
      className={cn("hover:text-foreground transition-colors", className)}
      {...props}
    />
  );
}

function BreadcrumbPage({ className, ...props }: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="breadcrumb-page"
      role="link"
      aria-disabled="true"
      aria-current="page"
      className={cn("text-foreground font-normal", className)}
      {...props}
    />
  );
}

function BreadcrumbSeparator({
  children,
  className,
  ...props
}: React.ComponentProps<"li">) {
  return (
    <li
      data-slot="breadcrumb-separator"
      role="presentation"
      aria-hidden="true"
      className={cn("[&>svg]:size-3.5", className)}
      {...props}
    >
      {children ?? <ChevronRight />}
    </li>
  );
```

```
}

function BreadcrumbEllipsis({
  className,
  ...props
}: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="breadcrumb-ellipsis"
      role="presentation"
      aria-hidden="true"
      className={cn("flex size-9 items-center justify-center", className)}
      {...props}
    >
      <MoreHorizontal className="size-4" />
      <span className="sr-only">More</span>
    </span>
  );
}

export {
  Breadcrumb,
  BreadcrumbList,
  BreadcrumbItem,
  BreadcrumbLink,
  BreadcrumbPage,
  BreadcrumbSeparator,
  BreadcrumbEllipsis,
};
```

HealthHub /src/components/ui/button.tsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva, type VariantProps } from "class-variance-authority"

import { cn } from "@/lib/utils"

const buttonVariants = cva(
  "inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md text-sm
font-medium transition-all duration-300 focus-visible:outline-none focus-visible:ring-1
focus-visible:ring-ring disabled:pointer-events-none disabled:opacity-50 [&_svg]:pointer-
events-none [&_svg]:size-4 [&_svg]:shrink-0",
```

```
  {
    variants: {
      variant: {
        default:
          "bg-primary text-primary-foreground shadow hover:bg-primary/90 hover:scale-105
hover:shadow-[0_0_20px_rgba(0,255,136,0.5)]",
        destructive:
          "bg-destructive text-destructive-foreground shadow-sm hover:bg-destructive/90
hover:scale-105",
        outline:
          "border border-input bg-background shadow-sm hover:bg-accent hover:text-accent-
foreground hover:border-primary/50 hover:shadow-[0_0_15px_rgba(0,255,136,0.3)]",
        secondary:
          "bg-secondary text-secondary-foreground shadow-sm hover:bg-secondary/80
hover:scale-105",
        ghost: "hover:bg-accent hover:text-accent-foreground hover:scale-105",
        link: "text-primary underline-offset-4 hover:underline",
      },
      size: {
        default: "h-9 px-4 py-2",
        sm: "h-8 rounded-md px-3 text-xs",
        lg: "h-10 rounded-md px-8",
        icon: "h-9 w-9",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
)

export interface ButtonProps
  extends React.ButtonHTMLAttributes<HTMLButtonElement>,
    VariantProps<typeof buttonVariants> {
  asChild?: boolean
}

const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
  ({ className, variant, size, asChild = false, ...props }, ref) => {
    const Comp = asChild ? Slot : "button"
    return (
      <Comp
```

```
      className={cn(buttonVariants({ variant, size, className }))}
      ref={ref}
      {...props}
    />
  )
 }
)
Button.displayName = "Button"

export { Button, buttonVariants }
```

HealthHub /src/components/ui/calendar.tsx

```
import * as React from "react";
import { ChevronLeft, ChevronRight } from "lucide-react";
import { DayPicker } from "react-day-picker";

import { cn } from "@/lib/utils";
import { buttonVariants } from "@/components/ui/button";

function Calendar({
 className,
 classNames,
 showOutsideDays = true,
 ...props
}: React.ComponentProps<typeof DayPicker>) {
 return (
  <DayPicker
   showOutsideDays={showOutsideDays}
   className={cn("p-3", className)}
   classNames={{
    months: "flex flex-col sm:flex-row gap-2",
    month: "flex flex-col gap-4",
    caption: "flex justify-center pt-1 relative items-center w-full",
    caption_label: "text-sm font-medium",
    nav: "flex items-center gap-1",
    nav_button: cn(
     buttonVariants({ variant: "outline" }),
     "size-7 bg-transparent p-0 opacity-50 hover:opacity-100"
    ),
    nav_button_previous: "absolute left-1",
    nav_button_next: "absolute right-1",
    table: "w-full border-collapse space-x-1",
```

```
      head_row: "flex",
      head_cell:
        "text-muted-foreground rounded-md w-8 font-normal text-[0.8rem]",
      row: "flex w-full mt-2",
      cell: cn(
        "relative p-0 text-center text-sm focus-within:relative focus-within:z-20 [&:has([aria-
selected])]:bg-accent [&:has([aria-selected].day-range-end)]:rounded-r-md",
        props.mode === "range"
          ? "[&:has(>.day-range-end)]:rounded-r-md [&:has(>.day-range-start)]:rounded-l-md
first:[&:has([aria-selected])]:rounded-l-md last:[&:has([aria-selected])]:rounded-r-md"
          : "[&:has([aria-selected])]:rounded-md"
      ),
      day: cn(
        buttonVariants({ variant: "ghost" }),
        "size-8 p-0 font-normal aria-selected:opacity-100"
      ),
      day_range_start:
        "day-range-start aria-selected:bg-primary aria-selected:text-primary-foreground",
      day_range_end:
        "day-range-end aria-selected:bg-primary aria-selected:text-primary-foreground",
      day_selected:
        "bg-primary text-primary-foreground hover:bg-primary hover:text-primary-
foreground focus:bg-primary focus:text-primary-foreground",
      day_today: "bg-accent text-accent-foreground",
      day_outside:
        "day-outside text-muted-foreground aria-selected:text-muted-foreground",
      day_disabled: "text-muted-foreground opacity-50",
      day_range_middle:
        "aria-selected:bg-accent aria-selected:text-accent-foreground",
      day_hidden: "invisible",
      ...classNames,
    }}
    components={{
      IconLeft: ({ className, ...props }) => (
        <ChevronLeft className={cn("size-4", className)} {...props} />
      ),
      IconRight: ({ className, ...props }) => (
        <ChevronRight className={cn("size-4", className)} {...props} />
      ),
    }}
    {...props}
  />
);
```

```
}

export { Calendar };
```

HealthHub /src/components/ui/card.tsx

```
import * as React from "react";

import { cn } from "@/lib/utils";

function Card({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card"
      className={cn(
        "bg-card text-card-foreground flex flex-col gap-6 rounded-xl border py-6",
        className
      )}
      {...props}
    />
  );
}

function CardHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-header"
      className={cn(
        "@container/card-header grid auto-rows-min grid-rows-[auto_auto] items-start gap-
1.5 px-6 has-data-[slot=card-action]:grid-cols-[1fr_auto] [.border-b]:pb-6",
        className
      )}
      {...props}
    />
  );
}

function CardTitle({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-title"
      className={cn("leading-none font-semibold", className)}
      {...props}
```

```
    />
  );
}

function CardDescription({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
    />
  );
}

function CardAction({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-action"
      className={cn(
        "col-start-2 row-span-2 row-start-1 self-start justify-self-end",
        className
      )}
      {...props}
    />
  );
}

function CardContent({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-content"
      className={cn("px-6", className)}
      {...props}
    />
  );
}

function CardFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-footer"
      className={cn("flex items-center px-6 [.border-t]:pt-6", className)}
      {...props}
```

```
    />
  );
}

export {
  Card,
  CardHeader,
  CardFooter,
  CardTitle,
  CardAction,
  CardDescription,
  CardContent,
};
```

HealthHub /src/components/ui/carousel.tsx

```
import * as React from "react";
import useEmblaCarousel, {
  type UseEmblaCarouselType,
} from "embla-carousel-react";
import { ArrowLeft, ArrowRight } from "lucide-react";

import { cn } from "@/lib/utils";
import { Button } from "@/components/ui/button";

type CarouselApi = UseEmblaCarouselType[1]
type UseCarouselParameters = Parameters<typeof useEmblaCarousel>
type CarouselOptions = UseCarouselParameters[0]
type CarouselPlugin = UseCarouselParameters[1]

type CarouselProps = {
  opts?: CarouselOptions
  plugins?: CarouselPlugin
  orientation?: "horizontal" | "vertical"
  setApi?: (api: CarouselApi) => void
}

type CarouselContextProps = {
  carouselRef: ReturnType<typeof useEmblaCarousel>[0]
  api: ReturnType<typeof useEmblaCarousel>[1]
  scrollPrev: () => void
  scrollNext: () => void
  canScrollPrev: boolean
```

```
  canScrollNext: boolean
} & CarouselProps

const CarouselContext = React.createContext<CarouselContextProps | null>(null);

function useCarousel() {
  const context = React.useContext(CarouselContext);

  if (!context) {
    throw new Error("useCarousel must be used within a <Carousel />");
  }

  return context;
}

function Carousel({
  orientation = "horizontal",
  opts,
  setApi,
  plugins,
  className,
  children,
  ...props
}: React.ComponentProps<"div"> & CarouselProps) {
  const [carouselRef, api] = useEmblaCarousel(
    {
      ...opts,
      axis: orientation === "horizontal" ? "x" : "y",
    },
    plugins
  );
  const [canScrollPrev, setCanScrollPrev] = React.useState(false);
  const [canScrollNext, setCanScrollNext] = React.useState(false);

  const onSelect = React.useCallback((api: CarouselApi) => {
    if (!api) return;
    setCanScrollPrev(api.canScrollPrev());
    setCanScrollNext(api.canScrollNext());
  }, []);

  const scrollPrev = React.useCallback(() => {
    api?.scrollPrev();
  }, [api]);
```

```
const scrollNext = React.useCallback(() => {
  api?.scrollNext();
}, [api]);

const handleKeyDown = React.useCallback(
  (event: React.KeyboardEvent<HTMLDivElement>) => {
    if (event.key === "ArrowLeft") {
      event.preventDefault();
      scrollPrev();
    } else if (event.key === "ArrowRight") {
      event.preventDefault();
      scrollNext();
    }
  },
  [scrollPrev, scrollNext]
);

React.useEffect(() => {
  if (!api || !setApi) return;
  setApi(api);
}, [api, setApi]);

React.useEffect(() => {
  if (!api) return;
  onSelect(api);
  api.on("reInit", onSelect);
  api.on("select", onSelect);

  return () => {
    api?.off("select", onSelect);
  };
}, [api, onSelect]);

return (
  <CarouselContext.Provider
    value={{
      carouselRef,
      api: api,
      opts,
      orientation:
        orientation || (opts?.axis === "y" ? "vertical" : "horizontal"),
      scrollPrev,
```

```
      scrollNext,
      canScrollPrev,
      canScrollNext,
    }}
  >
    <div
      onKeyDownCapture={handleKeyDown}
      className={cn("relative", className)}
      role="region"
      aria-roledescription="carousel"
      data-slot="carousel"
      {...props}
    >
      {children}
    </div>
  </CarouselContext.Provider>
 );
}

function CarouselContent({ className, ...props }: React.ComponentProps<"div">) {
 const { carouselRef, orientation } = useCarousel();

 return (
  <div
    ref={carouselRef}
    className="overflow-hidden"
    data-slot="carousel-content"
  >
    <div
      className={cn(
        "flex",
        orientation === "horizontal" ? "-ml-4" : "-mt-4 flex-col",
        className
      )}
      {...props}
    />
  </div>
 );
}

function CarouselItem({ className, ...props }: React.ComponentProps<"div">) {
 const { orientation } = useCarousel();
```

```
  return (
    <div
      role="group"
      aria-roledescription="slide"
      data-slot="carousel-item"
      className={cn(
        "min-w-0 shrink-0 grow-0 basis-full",
        orientation === "horizontal" ? "pl-4" : "pt-4",
        className
      )}
      {...props}
    />
  );
}

function CarouselPrevious({
  className,
  variant = "outline",
  size = "icon",
  ...props
}: React.ComponentProps<typeof Button>) {
  const { orientation, scrollPrev, canScrollPrev } = useCarousel();

  return (
    <Button
      data-slot="carousel-previous"
      variant={variant}
      size={size}
      className={cn(
        "absolute size-8 rounded-full",
        orientation === "horizontal"
          ? "top-1/2 -left-12 -translate-y-1/2"
          : "-top-12 left-1/2 -translate-x-1/2 rotate-90",
        className
      )}
      disabled={!canScrollPrev}
      onClick={scrollPrev}
      {...props}
    >
      <ArrowLeft />
      <span className="sr-only">Previous slide</span>
    </Button>
  );
```

```
}

function CarouselNext({
  className,
  variant = "outline",
  size = "icon",
  ...props
}: React.ComponentProps<typeof Button>) {
  const { orientation, scrollNext, canScrollNext } = useCarousel();

  return (
    <Button
      data-slot="carousel-next"
      variant={variant}
      size={size}
      className={cn(
        "absolute size-8 rounded-full",
        orientation === "horizontal"
          ? "top-1/2 -right-12 -translate-y-1/2"
          : "-bottom-12 left-1/2 -translate-x-1/2 rotate-90",
        className
      )}
      disabled={!canScrollNext}
      onClick={scrollNext}
      {...props}
    >
      <ArrowRight />
      <span className="sr-only">Next slide</span>
    </Button>
  );
}

export {
  type CarouselApi,
  Carousel,
  CarouselContent,
  CarouselItem,
  CarouselPrevious,
  CarouselNext,
};
```

HealthHub /src/components/ui/chart.tsx

```
import * as React from "react";
import * as RechartsPrimitive from "recharts";

import { cn } from "@/lib/utils";

// Format: { THEME_NAME: CSS_SELECTOR }
const THEMES = { light: "", dark: ".dark" } as const;

export type ChartConfig = {
  [k in string]: {
    label?: React.ReactNode
    icon?: React.ComponentType
  } & (
    | { color?: string; theme?: never }
    | { color?: never; theme: Record<keyof typeof THEMES, string> }
  )
}

type ChartContextProps = {
  config: ChartConfig
}

const ChartContext = React.createContext<ChartContextProps | null>(null);

function useChart() {
  const context = React.useContext(ChartContext);

  if (!context) {
    throw new Error("useChart must be used within a <ChartContainer />");
  }

  return context;
}

function ChartContainer({
  id,
  className,
  children,
  config,
  ...props
}: React.ComponentProps<"div"> & {
  config: ChartConfig
```

```
  children: React.ComponentProps<
    typeof RechartsPrimitive.ResponsiveContainer
  >["children"]
}) {
  const uniqueId = React.useId();
  const chartId = `chart-${id || uniqueId.replace(/:/g, "")}`;

  return (
    <ChartContext.Provider value={{ config }}>
      <div
        data-slot="chart"
        data-chart={chartId}
        className={cn(
          "[&_.recharts-cartesian-axis-tick_text]:fill-muted-foreground [&_.recharts-cartesian-
grid_line[stroke='#ccc']]:stroke-border/50 [&_.recharts-curve.recharts-tooltip-
cursor]:stroke-border [&_.recharts-polar-grid_[stroke='#ccc']]:stroke-border [&_.recharts-
radial-bar-background-sector]:fill-muted [&_.recharts-rectangle.recharts-tooltip-
cursor]:fill-muted [&_.recharts-reference-line_[stroke='#ccc']]:stroke-border flex aspect-
video justify-center text-xs [&_.recharts-dot[stroke='#fff']]:stroke-transparent [&_.recharts-
layer]:outline-hidden [&_.recharts-sector]:outline-hidden [&_.recharts-
sector[stroke='#fff']]:stroke-transparent [&_.recharts-surface]:outline-hidden",
          className
        )}
        {...props}
      >
        <ChartStyle id={chartId} config={config} />
        <RechartsPrimitive.ResponsiveContainer>
          {children}
        </RechartsPrimitive.ResponsiveContainer>
      </div>
    </ChartContext.Provider>
  );
}

const ChartStyle = ({ id, config }: { id: string; config: ChartConfig }) => {
  const colorConfig = Object.entries(config).filter(
    ([, config]) => config.theme || config.color
  );

  if (!colorConfig.length) {
    return null;
  }
```

```
  return (
    <style
      dangerouslySetInnerHTML={{
        __html: Object.entries(THEMES)
          .map(
            ([theme, prefix]) => `
${prefix} [data-chart=${id}] {
${colorConfig
  .map(([key, itemConfig]) => {
    const color =
      itemConfig.theme?.[theme as keyof typeof itemConfig.theme] ||
      itemConfig.color;
    return color ? `  --color-${key}: ${color};` : null;
  })
  .join("\n")}
}
`
          )
          .join("\n"),
      }}
    />
  );
};

const ChartTooltip = RechartsPrimitive.Tooltip;

function ChartTooltipContent({
  active,
  payload,
  className,
  indicator = "dot",
  hideLabel = false,
  hideIndicator = false,
  label,
  labelFormatter,
  labelClassName,
  formatter,
  color,
  nameKey,
  labelKey,
}: React.ComponentProps<typeof RechartsPrimitive.Tooltip> &
  React.ComponentProps<"div"> & {
    hideLabel?: boolean
```

```
  hideIndicator?: boolean
  indicator?: "line" | "dot" | "dashed"
  nameKey?: string
  labelKey?: string
}) {
const { config } = useChart();

const tooltipLabel = React.useMemo(() => {
  if (hideLabel || !payload?.length) {
    return null;
  }

  const [item] = payload;
  const key = `${labelKey || item?.dataKey || item?.name || "value"}`;
  const itemConfig = getPayloadConfigFromPayload(config, item, key);
  const value =
    !labelKey && typeof label === "string"
      ? config[label as keyof typeof config]?.label || label
      : itemConfig?.label;

  if (labelFormatter) {
    return (
      <div className={cn("font-medium", labelClassName)}>
        {labelFormatter(value, payload)}
      </div>
    );
  }

  if (!value) {
    return null;
  }

  return <div className={cn("font-medium", labelClassName)}>{value}</div>;
}, [
  label,
  labelFormatter,
  payload,
  hideLabel,
  labelClassName,
  config,
  labelKey,
]);
```

```
  if (!active || !payload?.length) {
    return null;
  }

  const nestLabel = payload.length === 1 && indicator !== "dot";

  return (
    <div
      className={cn(
        "border-border/50 bg-background grid min-w-[8rem] items-start gap-1.5 rounded-lg
border px-2.5 py-1.5 text-xs shadow-xl",
        className
      )}
    >
      {!nestLabel ? tooltipLabel : null}
      <div className="grid gap-1.5">
        {payload.map((item, index) => {
          const key = `${nameKey || item.name || item.dataKey || "value"}`;
          const itemConfig = getPayloadConfigFromPayload(config, item, key);
          const indicatorColor = color || item.payload.fill || item.color;

          return (
            <div
              key={item.dataKey}
              className={cn(
                "[&>svg]:text-muted-foreground flex w-full flex-wrap items-stretch gap-2
[&>svg]:h-2.5 [&>svg]:w-2.5",
                indicator === "dot" && "items-center"
              )}
            >
              {formatter && item?.value !== undefined && item.name ? (
                formatter(item.value, item.name, item, index, item.payload)
              ) : (
                <>
                  {itemConfig?.icon ? (
                    <itemConfig.icon />
                  ) : (
                    !hideIndicator && (
                      <div
                        className={cn(
                          "shrink-0 rounded-[2px] border-(--color-border) bg-(--color-bg)",
                          {
                            "h-2.5 w-2.5": indicator === "dot",
```

```
                "w-1": indicator === "line",
                "w-0 border-[1.5px] border-dashed bg-transparent":
                  indicator === "dashed",
                "my-0.5": nestLabel && indicator === "dashed",
              }
            )}
            style={
              {
                "--color-bg": indicatorColor,
                "--color-border": indicatorColor,
              } as React.CSSProperties
            }
          />
        )
      )}
      <div
        className={cn(
          "flex flex-1 justify-between leading-none",
          nestLabel ? "items-end" : "items-center"
        )}
      >
        <div className="grid gap-1.5">
          {nestLabel ? tooltipLabel : null}
          <span className="text-muted-foreground">
            {itemConfig?.label || item.name}
          </span>
        </div>
        {item.value && (
          <span className="text-foreground font-mono font-medium tabular-nums">
            {item.value.toLocaleString()}
          </span>
        )}
      </div>
    </>
  )}
</div>
);
})}
</div>
</div>
);
}
```

```
const ChartLegend = RechartsPrimitive.Legend;

function ChartLegendContent({
  className,
  hideIcon = false,
  payload,
  verticalAlign = "bottom",
  nameKey,
}: React.ComponentProps<"div"> &
  Pick<RechartsPrimitive.LegendProps, "payload" | "verticalAlign"> & {
    hideIcon?: boolean
    nameKey?: string
  }) {
  const { config } = useChart();

  if (!payload?.length) {
    return null;
  }

  return (
    <div
      className={cn(
        "flex items-center justify-center gap-4",
        verticalAlign === "top" ? "pb-3" : "pt-3",
        className
      )}
    >
      {payload.map((item) => {
        const key = `${nameKey || item.dataKey || "value"}`;
        const itemConfig = getPayloadConfigFromPayload(config, item, key);

        return (
          <div
            key={item.value}
            className={cn(
              "[&>svg]:text-muted-foreground flex items-center gap-1.5 [&>svg]:h-3 [&>svg]:w-3"
            )}
          >
            {itemConfig?.icon && !hideIcon ? (
              <itemConfig.icon />
            ) : (
              <div
                className="h-2 w-2 shrink-0 rounded-[2px]"
```

```
            style={{
              backgroundColor: item.color,
            }}
          />
        )}
        {itemConfig?.label}
      </div>
    );
  })}
  </div>
);
}

// Helper to extract item config from a payload.
function getPayloadConfigFromPayload(
  config: ChartConfig,
  payload: unknown,
  key: string
) {
  if (typeof payload !== "object" || payload === null) {
    return undefined;
  }

  const payloadPayload =
    "payload" in payload &&
    typeof payload.payload === "object" &&
    payload.payload !== null
      ? payload.payload
      : undefined;

  let configLabelKey: string = key;

  if (
    key in payload &&
    typeof payload[key as keyof typeof payload] === "string"
  ) {
    configLabelKey = payload[key as keyof typeof payload] as string;
  } else if (
    payloadPayload &&
    key in payloadPayload &&
    typeof payloadPayload[key as keyof typeof payloadPayload] === "string"
  ) {
    configLabelKey = payloadPayload[
```

```
    key as keyof typeof payloadPayload
  ] as string;
 }

 return configLabelKey in config
  ? config[configLabelKey]
  : config[key as keyof typeof config];
}

export {
 ChartContainer,
 ChartTooltip,
 ChartTooltipContent,
 ChartLegend,
 ChartLegendContent,
 ChartStyle,
};
```

HealthHub /src/components/ui/checkbox.tsx

```
import * as React from "react";
import * as CheckboxPrimitive from "@radix-ui/react-checkbox";
import { CheckIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function Checkbox({
 className,
 ...props
}: React.ComponentProps<typeof CheckboxPrimitive.Root>) {
 return (
  <CheckboxPrimitive.Root
   data-slot="checkbox"
   className={cn(
    "peer border-input dark:bg-input/30 data-[state=checked]:bg-primary data-
[state=checked]:text-primary-foreground dark:data-[state=checked]:bg-primary data-
[state=checked]:border-primary focus-visible:border-ring focus-visible:ring-ring/50 aria-
invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive size-4 shrink-0 rounded-[4px] border shadow-xs transition-shadow outline-
none focus-visible:ring-[3px] disabled:cursor-not-allowed disabled:opacity-50",
    className
   )}
   {...props}
```

```
    >
      <CheckboxPrimitive.Indicator
        data-slot="checkbox-indicator"
        className="flex items-center justify-center text-current transition-none"
      >
        <CheckIcon className="size-3.5" />
      </CheckboxPrimitive.Indicator>
    </CheckboxPrimitive.Root>
  );
}

export { Checkbox };


HealthHub import * as CollapsiblePrimitive from "@radix-ui/react-collapsible";

function Collapsible({
  ...props
}: React.ComponentProps<typeof CollapsiblePrimitive.Root>) {
  return <CollapsiblePrimitive.Root data-slot="collapsible" {...props} />;
}

function CollapsibleTrigger({
  ...props
}: React.ComponentProps<typeof CollapsiblePrimitive.CollapsibleTrigger>) {
  return (
    <CollapsiblePrimitive.CollapsibleTrigger
      data-slot="collapsible-trigger"
      {...props}
    />
  );
}

function CollapsibleContent({
  ...props
}: React.ComponentProps<typeof CollapsiblePrimitive.CollapsibleContent>) {
  return (
    <CollapsiblePrimitive.CollapsibleContent
      data-slot="collapsible-content"
      {...props}
    />
  );
}
```

```
export { Collapsible, CollapsibleTrigger, CollapsibleContent };
```

HealthHub /src/components/ui/command.tsx

```
import * as React from "react";
import { Command as CommandPrimitive } from "cmdk";
import { SearchIcon } from "lucide-react";

import { cn } from "@/lib/utils";
import {
  Dialog,
  DialogContent,
  DialogDescription,
  DialogHeader,
  DialogTitle,
} from "@/components/ui/dialog";

function Command({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive>) {
  return (
    <CommandPrimitive
      data-slot="command"
      className={cn(
        "bg-popover text-popover-foreground flex h-full w-full flex-col overflow-hidden
rounded-md",
        className
      )}
      {...props}
    />
  );
}

function CommandDialog({
  title = "Command Palette",
  description = "Search for a command to run...",
  children,
  ...props
}: React.ComponentProps<typeof Dialog> & {
  title?: string
  description?: string
}) {
```

```
  return (
    <Dialog {...props}>
      <DialogHeader className="sr-only">
        <DialogTitle>{title}</DialogTitle>
        <DialogDescription>{description}</DialogDescription>
      </DialogHeader>
      <DialogContent className="overflow-hidden p-0">
        <Command className="[&_[cmdk-group-heading]]:text-muted-foreground **:data-
[slot=command-input-wrapper]:h-12 [&_[cmdk-group-heading]]:px-2 [&_[cmdk-group-
heading]]:font-medium [&_[cmdk-group]]:px-2 [&_[cmdk-group]:not([hidden])_~[cmdk-
group]]:pt-0 [&_[cmdk-input-wrapper]_svg]:h-5 [&_[cmdk-input-wrapper]_svg]:w-5
[&_[cmdk-input]]:h-12 [&_[cmdk-item]]:px-2 [&_[cmdk-item]]:py-3 [&_[cmdk-item]_svg]:h-
5 [&_[cmdk-item]_svg]:w-5">
          {children}
        </Command>
      </DialogContent>
    </Dialog>
  );
}

function CommandInput({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive.Input>) {
  return (
    <div
      data-slot="command-input-wrapper"
      className="flex h-9 items-center gap-2 border-b px-3"
    >
      <SearchIcon className="size-4 shrink-0 opacity-50" />
      <CommandPrimitive.Input
        data-slot="command-input"
        className={cn(
          "placeholder:text-muted-foreground flex h-10 w-full rounded-md bg-transparent py-3
text-sm outline-hidden disabled:cursor-not-allowed disabled:opacity-50",
          className
        )}
        {...props}
      />
    </div>
  );
}
```

```
function CommandList({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive.List>) {
  return (
    <CommandPrimitive.List
      data-slot="command-list"
      className={cn(
        "max-h-[300px] scroll-py-1 overflow-x-hidden overflow-y-auto",
        className
      )}
      {...props}
    />
  );
}

function CommandEmpty({
  ...props
}: React.ComponentProps<typeof CommandPrimitive.Empty>) {
  return (
    <CommandPrimitive.Empty
      data-slot="command-empty"
      className="py-6 text-center text-sm"
      {...props}
    />
  );
}

function CommandGroup({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive.Group>) {
  return (
    <CommandPrimitive.Group
      data-slot="command-group"
      className={cn(
        "text-foreground [&_[cmdk-group-heading]]:text-muted-foreground overflow-hidden p-
1 [&_[cmdk-group-heading]]:px-2 [&_[cmdk-group-heading]]:py-1.5 [&_[cmdk-group-
heading]]:text-xs [&_[cmdk-group-heading]]:font-medium",
        className
      )}
      {...props}
    />
```

```
  );
}

function CommandSeparator({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive.Separator>) {
  return (
    <CommandPrimitive.Separator
      data-slot="command-separator"
      className={cn("bg-border -mx-1 h-px", className)}
      {...props}
    />
  );
}

function CommandItem({
  className,
  ...props
}: React.ComponentProps<typeof CommandPrimitive.Item>) {
  return (
    <CommandPrimitive.Item
      data-slot="command-item"
      className={cn(
        "data-[selected=true]:bg-accent data-[selected=true]:text-accent-foreground
[&_svg:not([class*='text-'])]:text-muted-foreground relative flex cursor-default items-center
gap-2 rounded-sm px-2 py-1.5 text-sm outline-hidden select-none data-
[disabled=true]:pointer-events-none data-[disabled=true]:opacity-50 [&_svg]:pointer-
events-none [&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4",
        className
      )}
      {...props}
    />
  );
}

function CommandShortcut({
  className,
  ...props
}: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="command-shortcut"
```

```
      className={cn(
        "text-muted-foreground ml-auto text-xs tracking-widest",
        className
      )}
      {...props}
    />
  );
}

export {
  Command,
  CommandDialog,
  CommandInput,
  CommandList,
  CommandEmpty,
  CommandGroup,
  CommandItem,
  CommandShortcut,
  CommandSeparator,
};
```

app-9k6qt5daj281/src/components/ui/dialog.tsx

```
"use client";

import * as React from "react";
import * as DialogPrimitive from "@radix-ui/react-dialog";
import { XIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function Dialog({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Root>) {
  return <DialogPrimitive.Root data-slot="dialog" {...props} />;
}

function DialogTrigger({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Trigger>) {
  return <DialogPrimitive.Trigger data-slot="dialog-trigger" {...props} />;
}
```

```
function DialogPortal({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Portal>) {
  return <DialogPrimitive.Portal data-slot="dialog-portal" {...props} />;
}

function DialogClose({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Close>) {
  return <DialogPrimitive.Close data-slot="dialog-close" {...props} />;
}

function DialogOverlay({
  className,
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Overlay>) {
  return (
    <DialogPrimitive.Overlay
      data-slot="dialog-overlay"
      className={cn(
        "data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80
backdrop-blur-sm transition-all duration-300",
        className
      )}
      {...props}
    />
  );
}

function DialogContent({
  className,
  children,
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Content>) {
  return (
    <DialogPortal data-slot="dialog-portal">
      <DialogOverlay />
      <DialogPrimitive.Content
        data-slot="dialog-content"
        className={cn(
          "bg-background data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
```

```
data-[state=open]:zoom-in-95 data-[state=closed]:slide-out-to-top-[10%] data-[state=open]:slide-in-from-top-[10%] fixed top-[50%] left-[50%] z-50 grid w-full max-w-[calc(100%-2rem)] translate-x-[-50%] translate-y-[-50%] gap-4 rounded-lg border border-primary/20 p-6 shadow-2xl shadow-primary/10 duration-300 sm:max-w-lg neon-glow",
        className
      )}
      {...props}
    >
      {children}
      <DialogPrimitive.Close className="ring-offset-background focus:ring-ring data-[state=open]:bg-accent data-[state=open]:text-muted-foreground absolute top-4 right-4 rounded-xs opacity-70 transition-all hover:opacity-100 hover:rotate-90 hover:scale-110 focus:ring-2 focus:ring-offset-2 focus:outline-hidden disabled:pointer-events-none [&_svg]:pointer-events-none [&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4 duration-300">
        <XIcon />
        <span className="sr-only">Close</span>
      </DialogPrimitive.Close>
    </DialogPrimitive.Content>
  </DialogPortal>
 );
}

function DialogHeader({ className, ...props }: React.ComponentProps<"div">) {
 return (
  <div
    data-slot="dialog-header"
    className={cn("flex flex-col gap-2 text-center sm:text-left", className)}
    {...props}
  />
 );
}

function DialogFooter({ className, ...props }: React.ComponentProps<"div">) {
 return (
  <div
    data-slot="dialog-footer"
    className={cn(
      "flex flex-col-reverse gap-2 sm:flex-row sm:justify-end",
      className
    )}
    {...props}
  />
```

```
  );
}

function DialogTitle({
  className,
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Title>) {
  return (
    <DialogPrimitive.Title
      data-slot="dialog-title"
      className={cn("text-lg leading-none font-semibold", className)}
      {...props}
    />
  );
}

function DialogDescription({
  className,
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Description>) {
  return (
    <DialogPrimitive.Description
      data-slot="dialog-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
    />
  );
}

export {
  Dialog,
  DialogClose,
  DialogContent,
  DialogDescription,
  DialogFooter,
  DialogHeader,
  DialogOverlay,
  DialogPortal,
  DialogTitle,
  DialogTrigger,
};
```

app-9k6qt5daj281/src/components/ui/drawer.tsx

```
import * as React from "react";
import { Drawer as DrawerPrimitive } from "vaul";

import { cn } from "@/lib/utils";

function Drawer({
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Root>) {
  return <DrawerPrimitive.Root data-slot="drawer" {...props} />;
}

function DrawerTrigger({
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Trigger>) {
  return <DrawerPrimitive.Trigger data-slot="drawer-trigger" {...props} />;
}

function DrawerPortal({
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Portal>) {
  return <DrawerPrimitive.Portal data-slot="drawer-portal" {...props} />;
}

function DrawerClose({
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Close>) {
  return <DrawerPrimitive.Close data-slot="drawer-close" {...props} />;
}

function DrawerOverlay({
  className,
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Overlay>) {
  return (
    <DrawerPrimitive.Overlay
      data-slot="drawer-overlay"
      className={cn(
        "data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80
backdrop-blur-sm transition-all duration-300",
        className
      )}
```

```
    {...props}
   />
  );
}

function DrawerContent({
  className,
  children,
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Content>) {
  return (
   <DrawerPortal data-slot="drawer-portal">
    <DrawerOverlay />
    <DrawerPrimitive.Content
      data-slot="drawer-content"
      className={cn(
        "group/drawer-content bg-background border-primary/20 shadow-2xl shadow-
primary/10 fixed z-50 flex h-auto flex-col transition-all duration-300",
        "data-[vaul-drawer-direction=top]:inset-x-0 data-[vaul-drawer-direction=top]:top-0
data-[vaul-drawer-direction=top]:mb-24 data-[vaul-drawer-direction=top]:max-h-[80vh]
data-[vaul-drawer-direction=top]:rounded-b-lg data-[vaul-drawer-direction=top]:border-
b",
        "data-[vaul-drawer-direction=bottom]:inset-x-0 data-[vaul-drawer-
direction=bottom]:bottom-0 data-[vaul-drawer-direction=bottom]:mt-24 data-[vaul-
drawer-direction=bottom]:max-h-[80vh] data-[vaul-drawer-direction=bottom]:rounded-t-
lg data-[vaul-drawer-direction=bottom]:border-t",
        "data-[vaul-drawer-direction=right]:inset-y-0 data-[vaul-drawer-
direction=right]:right-0 data-[vaul-drawer-direction=right]:w-3/4 data-[vaul-drawer-
direction=right]:border-l data-[vaul-drawer-direction=right]:sm:max-w-sm",
        "data-[vaul-drawer-direction=left]:inset-y-0 data-[vaul-drawer-direction=left]:left-0
data-[vaul-drawer-direction=left]:w-3/4 data-[vaul-drawer-direction=left]:border-r data-
[vaul-drawer-direction=left]:sm:max-w-sm",
        className
      )}
      {...props}
    >
      <div className="bg-primary/30 mx-auto mt-4 hidden h-2 w-[100px] shrink-0
rounded-full group-data-[vaul-drawer-direction=bottom]/drawer-content:block" />
      {children}
    </DrawerPrimitive.Content>
   </DrawerPortal>
  );
}
```

```
function DrawerHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="drawer-header"
      className={cn("flex flex-col gap-1.5 p-4", className)}
      {...props}
    />
  );
}

function DrawerFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="drawer-footer"
      className={cn("mt-auto flex flex-col gap-2 p-4", className)}
      {...props}
    />
  );
}

function DrawerTitle({
  className,
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Title>) {
  return (
    <DrawerPrimitive.Title
      data-slot="drawer-title"
      className={cn("text-foreground font-semibold", className)}
      {...props}
    />
  );
}

function DrawerDescription({
  className,
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Description>) {
  return (
    <DrawerPrimitive.Description
      data-slot="drawer-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
```

```
    />
  );
}

export {
  Drawer,
  DrawerPortal,
  DrawerOverlay,
  DrawerTrigger,
  DrawerClose,
  DrawerContent,
  DrawerHeader,
  DrawerFooter,
  DrawerTitle,
  DrawerDescription,
};
```

app-9k6qt5daj281/src/components/ui/dropdown-menu.tsx

```
"use client";

import * as React from "react";
import * as DropdownMenuPrimitive from "@radix-ui/react-dropdown-menu";
import { Check, ChevronRight, Circle } from "lucide-react";

import { cn } from "@/lib/utils";

const DropdownMenu = DropdownMenuPrimitive.Root;

const DropdownMenuTrigger = DropdownMenuPrimitive.Trigger;

const DropdownMenuGroup = DropdownMenuPrimitive.Group;

const DropdownMenuPortal = DropdownMenuPrimitive.Portal;

const DropdownMenuSub = DropdownMenuPrimitive.Sub;

const DropdownMenuRadioGroup = DropdownMenuPrimitive.RadioGroup;

const DropdownMenuSubTrigger = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubTrigger>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubTrigger> & {
    inset?: boolean;
```

```
  }
>(({ className, inset, children, ...props }, ref) => (
  <DropdownMenuPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent data-[state=open]:bg-accent [&_svg]:pointer-events-none
[&_svg]:size-4 [&_svg]:shrink-0",
      inset && "pl-8",
      className
    )}
    {...props}
  >
    {children}
    <ChevronRight className="ml-auto" />
  </DropdownMenuPrimitive.SubTrigger>
));
DropdownMenuSubTrigger.displayName =
  DropdownMenuPrimitive.SubTrigger.displayName;

const DropdownMenuSubContent = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubContent>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubContent>
>(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border border-primary/20 bg-
popover p-1 text-popover-foreground shadow-2xl shadow-primary/10 data-
[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0
data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-
[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 origin-[--radix-
dropdown-menu-content-transform-origin] transition-all duration-300",
      className
    )}
    {...props}
  />
));
DropdownMenuSubContent.displayName =
  DropdownMenuPrimitive.SubContent.displayName;

const DropdownMenuContent = React.forwardRef<
```

```
  React.ElementRef<typeof DropdownMenuPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Content>
>(({ className, sideOffset = 4, ...props }, ref) => (
  <DropdownMenuPrimitive.Portal>
    <DropdownMenuPrimitive.Content
      ref={ref}
      sideOffset={sideOffset}
      className={cn(
        "z-50 max-h-[var(--radix-dropdown-menu-content-available-height)] min-w-[8rem]
overflow-y-auto overflow-x-hidden rounded-md border border-primary/20 bg-popover p-1
text-popover-foreground shadow-2xl shadow-primary/10",
        "data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-
[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 origin-[--radix-dropdown-menu-content-transform-origin] transition-all
duration-300",
        className
      )}
      {...props}
    />
  </DropdownMenuPrimitive.Portal>
));
DropdownMenuContent.displayName = DropdownMenuPrimitive.Content.displayName;

const DropdownMenuItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Item> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-
sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-
[disabled]:pointer-events-none data-[disabled]:opacity-50 [&>svg]:size-4 [&>svg]:shrink-
0",
      inset && "pl-8",
      className
    )}
    {...props}
  />
```

```
));
DropdownMenuItem.displayName = DropdownMenuPrimitive.Item.displayName;

const DropdownMenuCheckboxItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.CheckboxItem>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.CheckboxItem>
>(({ className, children, checked, ...props }, ref) => (
  <DropdownMenuPrimitive.CheckboxItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-
sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-
[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className
    )}
    checked={checked}
    {...props}
  >
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>
        <Check className="h-4 w-4" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.CheckboxItem>
));
DropdownMenuCheckboxItem.displayName =
  DropdownMenuPrimitive.CheckboxItem.displayName;

const DropdownMenuRadioItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.RadioItem>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.RadioItem>
>(({ className, children, ...props }, ref) => (
  <DropdownMenuPrimitive.RadioItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-
sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-
[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className
    )}
    {...props}
  >
```

```
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>
        <Circle className="h-2 w-2 fill-current" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.RadioItem>
));
DropdownMenuRadioItem.displayName =
DropdownMenuPrimitive.RadioItem.displayName;

const DropdownMenuLabel = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Label>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Label> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Label
    ref={ref}
    className={cn(
      "px-2 py-1.5 text-sm font-semibold",
      inset && "pl-8",
      className
    )}
    {...props}
  />
));
DropdownMenuLabel.displayName = DropdownMenuPrimitive.Label.displayName;

const DropdownMenuSeparator = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Separator>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Separator>
>(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props}
  />
));
DropdownMenuSeparator.displayName =
DropdownMenuPrimitive.Separator.displayName;

const DropdownMenuShortcut = ({
```

```
  className,
  ...props
}: React.HTMLAttributes<HTMLSpanElement>) => {
  return (
    <span
      className={cn("ml-auto text-xs tracking-widest opacity-60", className)}
      {...props}
    />
  );
};
DropdownMenuShortcut.displayName = "DropdownMenuShortcut";

export {
  DropdownMenu,
  DropdownMenuTrigger,
  DropdownMenuContent,
  DropdownMenuItem,
  DropdownMenuCheckboxItem,
  DropdownMenuRadioItem,
  DropdownMenuLabel,
  DropdownMenuSeparator,
  DropdownMenuShortcut,
  DropdownMenuGroup,
  DropdownMenuPortal,
  DropdownMenuSub,
  DropdownMenuSubContent,
  DropdownMenuSubTrigger,
  DropdownMenuRadioGroup,
};
```

HealthHub /src/components/ui/form.tsx

```
import * as React from "react";
import * as LabelPrimitive from "@radix-ui/react-label";
import { Slot } from "@radix-ui/react-slot";
import {
  Controller,
  FormProvider,
  useFormContext,
  useFormState,
  type ControllerProps,
  type FieldPath,
  type FieldValues,
```

```
} from "react-hook-form";

import { cn } from "@/lib/utils";
import { Label } from "@/components/ui/label";

const Form = FormProvider;

type FormFieldContextValue<
  TFieldValues extends FieldValues = FieldValues,
  TName extends FieldPath<TFieldValues> = FieldPath<TFieldValues>
> = {
  name: TName;
};

const FormFieldContext = React.createContext<FormFieldContextValue>(
  {} as FormFieldContextValue
);

const FormField = <
  TFieldValues extends FieldValues = FieldValues,
  TName extends FieldPath<TFieldValues> = FieldPath<TFieldValues>
>({
  ...props
}: ControllerProps<TFieldValues, TName>) => {
  return (
    <FormFieldContext.Provider value={{ name: props.name }}>
      <Controller {...props} />
    </FormFieldContext.Provider>
  );
};

const useFormField = () => {
  const fieldContext = React.useContext(FormFieldContext);
  const itemContext = React.useContext(FormItemContext);
  const { getFieldState } = useFormContext();
  const formState = useFormState({ name: fieldContext.name });
  const fieldState = getFieldState(fieldContext.name, formState);

  if (!fieldContext) {
    throw new Error("useFormField should be used within <FormField>");
  }

  const { id } = itemContext;
```

```
  return {
    id,
    name: fieldContext.name,
    formItemId: `${id}-form-item`,
    formDescriptionId: `${id}-form-item-description`,
    formMessageId: `${id}-form-item-message`,
    ...fieldState,
  };
};

type FormItemContextValue = {
  id: string;
};

const FormItemContext = React.createContext<FormItemContextValue>(
  {} as FormItemContextValue
);

function FormItem({ className, ...props }: React.ComponentProps<"div">) {
  const id = React.useId();

  return (
    <FormItemContext.Provider value={{ id }}>
      <div
        data-slot="form-item"
        className={cn("grid gap-2", className)}
        {...props}
      />
    </FormItemContext.Provider>
  );
}

function FormLabel({
  className,
  ...props
}: React.ComponentProps<typeof LabelPrimitive.Root>) {
  const { error, formItemId } = useFormField();

  return (
    <Label
      data-slot="form-label"
      data-error={!!error}
```

```
      className={cn("data-[error=true]:text-destructive", className)}
      htmlFor={formItemId}
      {...props}
    />
  );
}

function FormControl({ ...props }: React.ComponentProps<typeof Slot>) {
  const { error, formItemId, formDescriptionId, formMessageId } =
    useFormField();

  return (
    <Slot
      data-slot="form-control"
      id={formItemId}
      aria-describedby={
        !error
          ? `${formDescriptionId}`
          : `${formDescriptionId} ${formMessageId}`
      }
      aria-invalid={!!error}
      {...props}
    />
  );
}

function FormDescription({ className, ...props }: React.ComponentProps<"p">) {
  const { formDescriptionId } = useFormField();

  return (
    <p
      data-slot="form-description"
      id={formDescriptionId}
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
    />
  );
}

function FormMessage({ className, ...props }: React.ComponentProps<"p">) {
  const { error, formMessageId } = useFormField();
  const body = error ? String(error?.message ?? "") : props.children;
```

```
  if (!body) {
    return null;
  }

  return (
    <p
      data-slot="form-message"
      id={formMessageId}
      className={cn("text-destructive text-sm", className)}
      {...props}
    >
      {body}
    </p>
  );
}

export {
  useFormField,
  Form,
  FormItem,
  FormLabel,
  FormControl,
  FormDescription,
  FormMessage,
  FormField,
};
```

HealthHub /src/components/ui/input-otp.tsx

```
import * as React from "react";
import { OTPInput, OTPInputContext } from "input-otp";
import { MinusIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function InputOTP({
  className,
  containerClassName,
  ...props
}: React.ComponentProps<typeof OTPInput> & {
  containerClassName?: string
}) {
  return (
```

```
    <OTPInput
      data-slot="input-otp"
      containerClassName={cn(
        "flex items-center gap-2 has-disabled:opacity-50",
        containerClassName
      )}
      className={cn("disabled:cursor-not-allowed", className)}
      {...props}
    />
  );
}

function InputOTPGroup({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="input-otp-group"
      className={cn("flex items-center", className)}
      {...props}
    />
  );
}

function InputOTPSlot({
  index,
  className,
  ...props
}: React.ComponentProps<"div"> & {
  index: number
}) {
  const inputOTPContext = React.useContext(OTPInputContext);
  const { char, hasFakeCaret, isActive } = inputOTPContext?.slots[index] ?? {};

  return (
    <div
      data-slot="input-otp-slot"
      data-active={isActive}
      className={cn(
        "data-[active=true]:border-ring data-[active=true]:ring-ring/50 data-[active=true]:aria-invalid:ring-destructive/20 dark:data-[active=true]:aria-invalid:ring-destructive/40 aria-invalid:border-destructive data-[active=true]:aria-invalid:border-destructive dark:bg-input/30 border-input relative flex h-9 w-9 items-center justify-center border-y border-r text-sm shadow-xs transition-all outline-none first:rounded-l-md first:border-l last:rounded-r-md data-[active=true]:z-10 data-[active=true]:ring-[3px]",
```

```
      className
    )}
    {...props}
  >
    {char}
    {hasFakeCaret && (
      <div className="pointer-events-none absolute inset-0 flex items-center justify-
center">
        <div className="animate-caret-blink bg-foreground h-4 w-px duration-1000" />
      </div>
    )}
  </div>
 );
}

function InputOTPSeparator({ ...props }: React.ComponentProps<"div">) {
 return (
  <div data-slot="input-otp-separator" role="separator" {...props}>
    <MinusIcon />
  </div>
 );
}

export { InputOTP, InputOTPGroup, InputOTPSlot, InputOTPSeparator };
```

HealthHub /src/components/ui/input.tsx

```
import * as React from "react";

import { cn } from "@/lib/utils";

function Input({ className, type, ...props }: React.ComponentProps<"input">) {
 return (
  <input
    type={type}
    data-slot="input"
    className={cn(
      "file:text-foreground placeholder:text-muted-foreground selection:bg-primary
selection:text-primary-foreground dark:bg-input/30 border-input flex h-9 w-full min-w-0
rounded-md border bg-transparent px-3 py-1 text-base shadow-xs transition-[color,box-
shadow] outline-none file:inline-flex file:h-7 file:border-0 file:bg-transparent file:text-sm
file:font-medium disabled:pointer-events-none disabled:cursor-not-allowed
disabled:opacity-50 md:text-sm",
```

```
      "focus-visible:border-ring focus-visible:ring-ring/50 focus-visible:ring-[3px]",
      "aria-invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-
invalid:border-destructive",
      className
    )}
    {...props}
  />
 );
}

export { Input };
```

HealthHub /src/components/ui/label.tsx

```
"use client";

import * as React from "react";
import * as LabelPrimitive from "@radix-ui/react-label";

import { cn } from "@/lib/utils";

function Label({
 className,
 ...props
}: React.ComponentProps<typeof LabelPrimitive.Root>) {
 return (
  <LabelPrimitive.Root
    data-slot="label"
    className={cn(
      "flex items-center gap-2 text-sm leading-none font-medium select-none group-data-
[disabled=true]:pointer-events-none group-data-[disabled=true]:opacity-50 peer-
disabled:cursor-not-allowed peer-disabled:opacity-50",
      className
    )}
    {...props}
  />
 );
}

export { Label };
```

HealthHub /src/components/ui/menubar.tsx

```
import * as React from "react";
import * as MenubarPrimitive from "@radix-ui/react-menubar";
import { CheckIcon, ChevronRightIcon, CircleIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function Menubar({
  className,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Root>) {
  return (
    <MenubarPrimitive.Root
      data-slot="menubar"
      className={cn(
        "bg-background flex h-9 items-center gap-1 rounded-md border p-1 shadow-xs",
        className
      )}
      {...props}
    />
  );
}

function MenubarMenu({
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Menu>) {
  return <MenubarPrimitive.Menu data-slot="menubar-menu" {...props} />;
}

function MenubarGroup({
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Group>) {
  return <MenubarPrimitive.Group data-slot="menubar-group" {...props} />;
}

function MenubarPortal({
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Portal>) {
  return <MenubarPrimitive.Portal data-slot="menubar-portal" {...props} />;
}

function MenubarRadioGroup({
  ...props
```

```
}: React.ComponentProps<typeof MenubarPrimitive.RadioGroup>) {
  return (
    <MenubarPrimitive.RadioGroup data-slot="menubar-radio-group" {...props} />
  );
}

function MenubarTrigger({
  className,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Trigger>) {
  return (
    <MenubarPrimitive.Trigger
      data-slot="menubar-trigger"
      className={cn(
        "focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent data-
[state=open]:text-accent-foreground flex items-center rounded-sm px-2 py-1 text-sm font-
medium outline-hidden select-none",
        className
      )}
      {...props}
    />
  );
}

function MenubarContent({
  className,
  align = "start",
  alignOffset = -4,
  sideOffset = 8,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Content>) {
  return (
    <MenubarPortal>
      <MenubarPrimitive.Content
        data-slot="menubar-content"
        align={align}
        alignOffset={alignOffset}
        sideOffset={sideOffset}
        className={cn(
          "bg-popover text-popover-foreground data-[state=open]:animate-in data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-
[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
```

```
in-from-bottom-2 z-50 min-w-[12rem] origin-(--radix-menubar-content-transform-origin)
overflow-hidden rounded-md border p-1 shadow-md",
        className
      )}
      {...props}
    />
  </MenubarPortal>
 );
}

function MenubarItem({
 className,
 inset,
 variant = "default",
 ...props
}: React.ComponentProps<typeof MenubarPrimitive.Item> & {
 inset?: boolean
 variant?: "default" | "destructive"
}) {
 return (
  <MenubarPrimitive.Item
    data-slot="menubar-item"
    data-inset={inset}
    data-variant={variant}
    className={cn(
      "focus:bg-accent focus:text-accent-foreground data-[variant=destructive]:text-
destructive data-[variant=destructive]:focus:bg-destructive/10 dark:data-
[variant=destructive]:focus:bg-destructive/20 data-[variant=destructive]:focus:text-
destructive data-[variant=destructive]:*:[svg]:!text-destructive [&_svg:not([class*='text-
'])]:text-muted-foreground relative flex cursor-default items-center gap-2 rounded-sm px-2
py-1.5 text-sm outline-hidden select-none data-[disabled]:pointer-events-none data-
[disabled]:opacity-50 data-[inset]:pl-8 [&_svg]:pointer-events-none [&_svg]:shrink-0
[&_svg:not([class*='size-'])]:size-4",
      className
    )}
    {...props}
  />
 );
}

function MenubarCheckboxItem({
 className,
 children,
```

```
  checked,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.CheckboxItem>) {
  return (
    <MenubarPrimitive.CheckboxItem
      data-slot="menubar-checkbox-item"
      className={cn(
        "focus:bg-accent focus:text-accent-foreground relative flex cursor-default items-center
gap-2 rounded-xs py-1.5 pr-2 pl-8 text-sm outline-hidden select-none data-
[disabled]:pointer-events-none data-[disabled]:opacity-50 [&_svg]:pointer-events-none
[&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4",
        className
      )}
      checked={checked}
      {...props}
    >
      <span className="pointer-events-none absolute left-2 flex size-3.5 items-center justify-
center">
        <MenubarPrimitive.ItemIndicator>
          <CheckIcon className="size-4" />
        </MenubarPrimitive.ItemIndicator>
      </span>
      {children}
    </MenubarPrimitive.CheckboxItem>
  );
}

function MenubarRadioItem({
  className,
  children,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.RadioItem>) {
  return (
    <MenubarPrimitive.RadioItem
      data-slot="menubar-radio-item"
      className={cn(
        "focus:bg-accent focus:text-accent-foreground relative flex cursor-default items-center
gap-2 rounded-xs py-1.5 pr-2 pl-8 text-sm outline-hidden select-none data-
[disabled]:pointer-events-none data-[disabled]:opacity-50 [&_svg]:pointer-events-none
[&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4",
        className
      )}
      {...props}
```

```
    >
      <span className="pointer-events-none absolute left-2 flex size-3.5 items-center justify-
center">
        <MenubarPrimitive.ItemIndicator>
          <CircleIcon className="size-2 fill-current" />
        </MenubarPrimitive.ItemIndicator>
      </span>
      {children}
    </MenubarPrimitive.RadioItem>
  );
}

function MenubarLabel({
  className,
  inset,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Label> & {
  inset?: boolean
}) {
  return (
    <MenubarPrimitive.Label
      data-slot="menubar-label"
      data-inset={inset}
      className={cn(
        "px-2 py-1.5 text-sm font-medium data-[inset]:pl-8",
        className
      )}
      {...props}
    />
  );
}

function MenubarSeparator({
  className,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Separator>) {
  return (
    <MenubarPrimitive.Separator
      data-slot="menubar-separator"
      className={cn("bg-border -mx-1 my-1 h-px", className)}
      {...props}
    />
  );
```

```
}

function MenubarShortcut({
  className,
  ...props
}: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="menubar-shortcut"
      className={cn(
        "text-muted-foreground ml-auto text-xs tracking-widest",
        className
      )}
      {...props}
    />
  );
}

function MenubarSub({
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.Sub>) {
  return <MenubarPrimitive.Sub data-slot="menubar-sub" {...props} />;
}

function MenubarSubTrigger({
  className,
  inset,
  children,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.SubTrigger> & {
  inset?: boolean
}) {
  return (
    <MenubarPrimitive.SubTrigger
      data-slot="menubar-sub-trigger"
      data-inset={inset}
      className={cn(
        "focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent data-
[state=open]:text-accent-foreground flex cursor-default items-center rounded-sm px-2 py-
1.5 text-sm outline-none select-none data-[inset]:pl-8",
        className
      )}
      {...props}
```

```
    >
      {children}
      <ChevronRightIcon className="ml-auto h-4 w-4" />
    </MenubarPrimitive.SubTrigger>
  );
}

function MenubarSubContent({
  className,
  ...props
}: React.ComponentProps<typeof MenubarPrimitive.SubContent>) {
  return (
    <MenubarPrimitive.SubContent
      data-slot="menubar-sub-content"
      className={cn(
        "bg-popover text-popover-foreground data-[state=open]:animate-in data-
[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-
[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-
from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-
[side=top]:slide-in-from-bottom-2 z-50 min-w-[8rem] origin-(--radix-menubar-content-
transform-origin) overflow-hidden rounded-md border p-1 shadow-lg",
        className
      )}
      {...props}
    />
  );
}

export {
  Menubar,
  MenubarPortal,
  MenubarMenu,
  MenubarTrigger,
  MenubarContent,
  MenubarGroup,
  MenubarSeparator,
  MenubarLabel,
  MenubarItem,
  MenubarShortcut,
  MenubarCheckboxItem,
  MenubarRadioGroup,
  MenubarRadioItem,
  MenubarSub,
```

```
  MenubarSubTrigger,
  MenubarSubContent,
};
```

HealthHub /src/components/ui/multi-select.tsx

```
/**
 * @file Custom multi-select dropdown component
 */

import type React from "react";
import { useEffect, useState, useRef } from "react";

interface Option {
  value: string;
  label: string;
}

interface MultiSelectProps {
  options: Option[];
  value?: string[];
  defaultSelected?: string[];
  onChange?: (selected: string[]) => void;
  disabled?: boolean;
}

const MultiSelect: React.FC<MultiSelectProps> = ({
  options,
  defaultSelected = [],
  value,
  onChange,
  disabled = false,
}) => {
  const [selectedOptions, setSelectedOptions] =
    useState<string[]>(defaultSelected);
  const [isOpen, setIsOpen] = useState(false);
  const containerRef = useRef<HTMLDivElement>(null);

  useEffect(() => {
    const handleClickOutside = (event: MouseEvent) => {
      if (
        containerRef.current &&
        !containerRef.current.contains(event.target as Node)
```

```
    ) {
      setIsOpen(false);
    }
  };

  document.addEventListener("mousedown", handleClickOutside);
  return () => {
    document.removeEventListener("mousedown", handleClickOutside);
  };
}, []);

const toggleDropdown = () => {
  if (!disabled) setIsOpen((prev) => !prev);
};

useEffect(() => {
  if (selectedOptions.length && value && !value?.length) {
    onChange?.(defaultSelected);
  }
}, [defaultSelected]);

useEffect(() => {
  if (
    value?.length &&
    (value.length !== selectedOptions.length ||
      value.some((val) => !selectedOptions.includes(val)))
  ) {
    setSelectedOptions(value);
  }
}, [value, selectedOptions]);

const handleSelect = (optionValue: string) => {
  const newSelectedOptions = selectedOptions.includes(optionValue)
    ? selectedOptions.filter((value) => value !== optionValue)
    : [...selectedOptions, optionValue];

  setSelectedOptions(newSelectedOptions);
  onChange?.(newSelectedOptions);
};

const removeOption = (value: string) => {
  const newSelectedOptions = selectedOptions.filter((opt) => opt !== value);
  setSelectedOptions(newSelectedOptions);
```

```
  onChange?.(newSelectedOptions);
 };

 const selectedValuesText = selectedOptions.map(
  (value) => options.find((option) => option.value === value)?.label || ""
 );

 return (
  <div className="relative z-20 inline-block w-full" ref={containerRef}>
   <div className="relative flex flex-col items-center">
    <div onClick={toggleDropdown} className="w-full">
     <div className="mb-2 flex h-11 rounded-lg border border-gray-300 py-1.5 pl-3 pr-3
shadow-theme-xs outline-hidden transition focus:border-brand-300 focus:shadow-focus-
ring dark:border-gray-700 dark:bg-gray-900 dark:focus:border-brand-300">
      <div className="flex flex-wrap flex-auto gap-2">
       {selectedValuesText.length > 0 ? (
        selectedValuesText.map((text, index) => (
         <div
          key={index}
          className="group flex items-center justify-center rounded-full border-[0.7px]
border-transparent bg-gray-100 py-1 pl-2.5 pr-2 text-sm text-gray-800 hover:border-gray-
200 dark:bg-gray-800 dark:text-white/90 dark:hover:border-gray-800"
         >
          <span className="flex-initial max-w-full">{text}</span>
          <div className="flex flex-row-reverse flex-auto">
           <div
            onClick={(e) => {
             e.stopPropagation();
             removeOption(selectedOptions[index]);
            }}
            className="pl-2 text-gray-500 cursor-pointer group-hover:text-gray-400
dark:text-gray-400"
           >
            <svg
             className="fill-current"
             role="button"
             width="14"
             height="14"
             viewBox="0 0 14 14"
             xmlns="http://www.w3.org/2000/svg"
            >
             <path
              fillRule="evenodd"
```

```
                clipRule="evenodd"
                d="M3.40717 4.46881C3.11428 4.17591 3.11428 3.70104 3.40717
3.40815C3.70006 3.11525 4.17494 3.11525 4.46783 3.40815L6.99943 5.93975L9.53095
3.40822C9.82385 3.11533 10.2987 3.11533 10.5916 3.40822C10.8845 3.70112 10.8845
4.17599 10.5916 4.46888L8.06009 7.00041L10.5916 9.53193C10.8845 9.82482 10.8845
10.2997 10.5916 10.5926C10.2987 10.8855 9.82385 10.8855 9.53095 10.5926L6.99943
8.06107L4.46783 10.5927C4.17494 10.8856 3.70006 10.8856 3.40717 10.5927C3.11428
10.2998 3.11428 9.8249 3.40717 9.53201L5.93877 7.00041L3.40717 4.46881Z"
              />
            </svg>
          </div>
        </div>
      </div>
    ))
  ) : (
    <input
      placeholder="Please select options..."
      className="w-full h-full p-1 pr-2 text-sm bg-transparent border-0 outline-hidden
appearance-none placeholder:text-gray-800 focus:border-0 focus:outline-hidden
focus:ring-0 dark:placeholder:text-white/90"
      readOnly
      value="Please select options..."
    />
  )}
</div>
<div className="flex items-center py-1 pl-1 pr-1 w-7">
  <button
    type="button"
    onClick={toggleDropdown}
    className="w-5 h-5 text-gray-700 outline-hidden cursor-pointer focus:outline-
hidden dark:text-gray-400"
  >
    <svg
      className={`stroke-current ${isOpen ? "rotate-180" : ""}`}
      width="20"
      height="20"
      viewBox="0 0 20 20"
      fill="none"
      xmlns="http://www.w3.org/2000/svg"
    >
      <path
        d="M4.79175 7.39551L10.0001 12.6038L15.2084 7.39551"
        stroke="currentColor"
```

```
                strokeWidth="1.5"
                strokeLinecap="round"
                strokeLinejoin="round"
               />
              </svg>
             </button>
            </div>
           </div>
          </div>

          {isOpen && (
           <div
            className="absolute left-0 z-40 w-full overflow-y-auto bg-white rounded-lg shadow-
sm top-full max-h-select dark:bg-gray-900"
            onClick={(e) => e.stopPropagation()}
           >
            <div className="flex flex-col">
             {options.map((option, index) => (
              <div
               key={index}
               className={`hover:bg-primary/5 w-full cursor-pointer rounded-t border-b
border-gray-200 dark:border-gray-800`}
               onClick={() => handleSelect(option.value)}
              >
               <div
                className={`relative flex w-full items-center p-2 pl-2 ${
                 selectedOptions.includes(option.value)
                  ? "bg-primary/10"
                  : ""
                }`}
               >
                <div className="mx-2 leading-6 text-gray-800 dark:text-white/90">
                 {option.label}
                </div>
               </div>
              </div>
             ))}
            </div>
           </div>
          )}
         </div>
        </div>
       );
```

```
};

export default MultiSelect;
```

HealthHub /src/components/ui/navigation-menu.tsx

```
import * as React from "react";
import * as NavigationMenuPrimitive from "@radix-ui/react-navigation-menu";
import { cva } from "class-variance-authority";
import { ChevronDownIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function NavigationMenu({
  className,
  children,
  viewport = true,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Root> & {
  viewport?: boolean
}) {
  return (
    <NavigationMenuPrimitive.Root
      data-slot="navigation-menu"
      data-viewport={viewport}
      className={cn(
        "group/navigation-menu relative flex max-w-max flex-1 items-center justify-center",
        className
      )}
      {...props}
    >
      {children}
      {viewport && <NavigationMenuViewport />}
    </NavigationMenuPrimitive.Root>
  );
}

function NavigationMenuList({
  className,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.List>) {
  return (
    <NavigationMenuPrimitive.List
```

```
      data-slot="navigation-menu-list"
      className={cn(
        "group flex flex-1 list-none items-center justify-center gap-1",
        className
      )}
      {...props}
    />
  );
}

function NavigationMenuItem({
  className,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Item>) {
  return (
    <NavigationMenuPrimitive.Item
      data-slot="navigation-menu-item"
      className={cn("relative", className)}
      {...props}
    />
  );
}

const navigationMenuTriggerStyle = cva(
  "group inline-flex h-9 w-max items-center justify-center rounded-md bg-background px-4
py-2 text-sm font-medium hover:bg-accent hover:text-accent-foreground focus:bg-accent
focus:text-accent-foreground disabled:pointer-events-none disabled:opacity-50 data-
[state=open]:hover:bg-accent data-[state=open]:text-accent-foreground data-
[state=open]:focus:bg-accent data-[state=open]:bg-accent/50 focus-visible:ring-ring/50
outline-none transition-[color,box-shadow] focus-visible:ring-[3px] focus-visible:outline-1"
);

function NavigationMenuTrigger({
  className,
  children,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Trigger>) {
  return (
    <NavigationMenuPrimitive.Trigger
      data-slot="navigation-menu-trigger"
      className={cn(navigationMenuTriggerStyle(), "group", className)}
      {...props}
    >
```

```
    {children}{" "}
    <ChevronDownIcon
      className="relative top-[1px] ml-1 size-3 transition duration-300 group-data-
[state=open]:rotate-180"
      aria-hidden="true"
    />
  </NavigationMenuPrimitive.Trigger>
 );
}

function NavigationMenuContent({
 className,
 ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Content>) {
 return (
  <NavigationMenuPrimitive.Content
    data-slot="navigation-menu-content"
    className={cn(
      "data-[motion^=from-]:animate-in data-[motion^=to-]:animate-out data-
[motion^=from-]:fade-in data-[motion^=to-]:fade-out data-[motion=from-end]:slide-in-
from-right-52 data-[motion=from-start]:slide-in-from-left-52 data-[motion=to-end]:slide-
out-to-right-52 data-[motion=to-start]:slide-out-to-left-52 top-0 left-0 w-full p-2 pr-2.5
md:absolute md:w-auto",
      "group-data-[viewport=false]/navigation-menu:bg-popover group-data-
[viewport=false]/navigation-menu:text-popover-foreground group-data-
[viewport=false]/navigation-menu:data-[state=open]:animate-in group-data-
[viewport=false]/navigation-menu:data-[state=closed]:animate-out group-data-
[viewport=false]/navigation-menu:data-[state=closed]:zoom-out-95 group-data-
[viewport=false]/navigation-menu:data-[state=open]:zoom-in-95 group-data-
[viewport=false]/navigation-menu:data-[state=open]:fade-in-0 group-data-
[viewport=false]/navigation-menu:data-[state=closed]:fade-out-0 group-data-
[viewport=false]/navigation-menu:top-full group-data-[viewport=false]/navigation-
menu:mt-1.5 group-data-[viewport=false]/navigation-menu:overflow-hidden group-data-
[viewport=false]/navigation-menu:rounded-md group-data-[viewport=false]/navigation-
menu:border group-data-[viewport=false]/navigation-menu:shadow group-data-
[viewport=false]/navigation-menu:duration-200 **:data-[slot=navigation-menu-
link]:focus:ring-0 **:data-[slot=navigation-menu-link]:focus:outline-none",
      className
    )}
    {...props}
  />
 );
}
```

```
function NavigationMenuViewport({
  className,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Viewport>) {
  return (
    <div
      className={cn(
        "absolute top-full left-0 isolate z-50 flex justify-center"
      )}
    >
      <NavigationMenuPrimitive.Viewport
        data-slot="navigation-menu-viewport"
        className={cn(
          "origin-top-center bg-popover text-popover-foreground data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:zoom-out-95 data-[state=open]:zoom-
in-90 relative mt-1.5 h-[var(--radix-navigation-menu-viewport-height)] w-full overflow-
hidden rounded-md border shadow md:w-[var(--radix-navigation-menu-viewport-
width)]",
          className
        )}
        {...props}
      />
    </div>
  );
}

function NavigationMenuLink({
  className,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Link>) {
  return (
    <NavigationMenuPrimitive.Link
      data-slot="navigation-menu-link"
      className={cn(
        "data-[active=true]:focus:bg-accent data-[active=true]:hover:bg-accent data-
[active=true]:bg-accent/50 data-[active=true]:text-accent-foreground hover:bg-accent
hover:text-accent-foreground focus:bg-accent focus:text-accent-foreground focus-
visible:ring-ring/50 [&_svg:not([class*='text-'])]:text-muted-foreground flex flex-col gap-1
rounded-sm p-2 text-sm transition-all outline-none focus-visible:ring-[3px] focus-
visible:outline-1 [&_svg:not([class*='size-'])]:size-4",
        className
      )}
```

```
    {...props}
   />
  );
}

function NavigationMenuIndicator({
  className,
  ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Indicator>) {
  return (
   <NavigationMenuPrimitive.Indicator
    data-slot="navigation-menu-indicator"
    className={cn(
     "data-[state=visible]:animate-in data-[state=hidden]:animate-out data-
[state=hidden]:fade-out data-[state=visible]:fade-in top-full z-[1] flex h-1.5 items-end
justify-center overflow-hidden",
     className
    )}
    {...props}
   >
    <div className="bg-border relative top-[60%] h-2 w-2 rotate-45 rounded-tl-sm
shadow-md" />
   </NavigationMenuPrimitive.Indicator>
  );
}

export {
  NavigationMenu,
  NavigationMenuList,
  NavigationMenuItem,
  NavigationMenuContent,
  NavigationMenuTrigger,
  NavigationMenuLink,
  NavigationMenuIndicator,
  NavigationMenuViewport,
  navigationMenuTriggerStyle,
};
```

HealthHub /src/components/ui/pagination.tsx

```
import * as React from "react";
import {
  ChevronLeftIcon,
```

```
  ChevronRightIcon,
  MoreHorizontalIcon,
} from "lucide-react";

import { cn } from "@/lib/utils";
import { Button, buttonVariants } from "@/components/ui/button";

function Pagination({ className, ...props }: React.ComponentProps<"nav">) {
  return (
    <nav
      role="navigation"
      aria-label="pagination"
      data-slot="pagination"
      className={cn("mx-auto flex w-full justify-center", className)}
      {...props}
    />
  );
}

function PaginationContent({
  className,
  ...props
}: React.ComponentProps<"ul">) {
  return (
    <ul
      data-slot="pagination-content"
      className={cn("flex flex-row items-center gap-1", className)}
      {...props}
    />
  );
}

function PaginationItem({ ...props }: React.ComponentProps<"li">) {
  return <li data-slot="pagination-item" {...props} />;
}

type PaginationLinkProps = {
  isActive?: boolean
} & Pick<React.ComponentProps<typeof Button>, "size">&
  React.ComponentProps<"a">

function PaginationLink({
  className,
```

```
  isActive,
  size = "icon",
  ...props
}: PaginationLinkProps) {
  return (
    <a
      aria-current={isActive ? "page" : undefined}
      data-slot="pagination-link"
      data-active={isActive}
      className={cn(
        buttonVariants({
          variant: isActive ? "outline" : "ghost",
          size,
        }),
        className
      )}
      {...props}
    />
  );
}

function PaginationPrevious({
  className,
  ...props
}: React.ComponentProps<typeof PaginationLink>) {
  return (
    <PaginationLink
      aria-label="Go to previous page"
      size="default"
      className={cn("gap-1 px-2.5 sm:pl-2.5", className)}
      {...props}
    >
      <ChevronLeftIcon />
      <span className="hidden sm:block">Previous</span>
    </PaginationLink>
  );
}

function PaginationNext({
  className,
  ...props
}: React.ComponentProps<typeof PaginationLink>) {
  return (
```

```
    <PaginationLink
      aria-label="Go to next page"
      size="default"
      className={cn("gap-1 px-2.5 sm:pr-2.5", className)}
      {...props}
    >
      <span className="hidden sm:block">Next</span>
      <ChevronRightIcon />
    </PaginationLink>
  );
}

function PaginationEllipsis({
  className,
  ...props
}: React.ComponentProps<"span">) {
  return (
    <span
      aria-hidden
      data-slot="pagination-ellipsis"
      className={cn("flex size-9 items-center justify-center", className)}
      {...props}
    >
      <MoreHorizontalIcon className="size-4" />
      <span className="sr-only">More pages</span>
    </span>
  );
}

export {
  Pagination,
  PaginationContent,
  PaginationLink,
  PaginationItem,
  PaginationPrevious,
  PaginationNext,
  PaginationEllipsis,
};
```

HealthHub /src/components/ui/popover.tsx

```
import * as React from "react";
import * as PopoverPrimitive from "@radix-ui/react-popover";
```

```
import { cn } from "@/lib/utils";

function Popover({
  ...props
}: React.ComponentProps<typeof PopoverPrimitive.Root>) {
  return <PopoverPrimitive.Root data-slot="popover" {...props} />;
}

function PopoverTrigger({
  ...props
}: React.ComponentProps<typeof PopoverPrimitive.Trigger>) {
  return <PopoverPrimitive.Trigger data-slot="popover-trigger" {...props} />;
}

function PopoverContent({
  className,
  align = "center",
  sideOffset = 4,
  ...props
}: React.ComponentProps<typeof PopoverPrimitive.Content>) {
  return (
    <PopoverPrimitive.Portal>
      <PopoverPrimitive.Content
        data-slot="popover-content"
        align={align}
        sideOffset={sideOffset}
        className={cn(
          "bg-popover text-popover-foreground border-primary/20 shadow-2xl shadow-
primary/10 data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-
[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 z-50 w-72 origin-(--radix-popover-content-transform-origin) rounded-
md border p-4 outline-hidden transition-all duration-300",
          className
        )}
        {...props}
      />
    </PopoverPrimitive.Portal>
  );
}
```

```
function PopoverAnchor({
  ...props
}: React.ComponentProps<typeof PopoverPrimitive.Anchor>) {
  return <PopoverPrimitive.Anchor data-slot="popover-anchor" {...props} />;
}

export { Popover, PopoverTrigger, PopoverContent, PopoverAnchor };
```

HealthHub /src/components/ui/progress.tsx

```
import * as React from "react";
import * as ProgressPrimitive from "@radix-ui/react-progress";

import { cn } from "@/lib/utils";

function Progress({
  className,
  value,
  ...props
}: React.ComponentProps<typeof ProgressPrimitive.Root>) {
  return (
    <ProgressPrimitive.Root
      data-slot="progress"
      className={cn(
        "bg-primary/20 relative h-2 w-full overflow-hidden rounded-full",
        className
      )}
      {...props}
    >
      <ProgressPrimitive.Indicator
        data-slot="progress-indicator"
        className="bg-primary h-full w-full flex-1 transition-all"
        style={{ transform: `translateX(-${100 - (value || 0)}%)` }}
      />
    </ProgressPrimitive.Root>
  );
}

export { Progress };
```

HealthHub /src/components/ui/qrcodedataurl.tsx

```
/**
 * QR Code Generator Component
```

```
 *
 * React wrapper component based on QRCode.js that can convert any text to QR code image
 *
 * Usage example:
 * import QRCodeDataUrl from './components/qrcodedataurl'
 *
 * function App() {
 *   return <QRCodeDataUrl text="https://example.com" /> // Replace with valid URL
 * }
 */

import React, { useEffect, useState } from 'react';
import QRCode from 'qrcode';

interface QRCodeDataUrlProps {
  /**
   * Text content to be encoded as QR code
   * Can be URL, text, contact information, etc.
   * Example: "https://example.com" or "CONTACT:1234567890"
   */
  text: string;

  /**
   * QR code image width (pixels)
   * @default 128
   */
  width?: number;

  /**
   * QR code foreground color (valid CSS color value)
   * @default "#000000" (black)
   */
  color?: string;

  /**
   * QR code background color (valid CSS color value)
   * @default "#ffffff" (white)
   */
  backgroundColor?: string;

  /**
   * Custom CSS class name
   */
```

```
  className?: string;
}

/**
 * QR Code Generator Component
 * @param {QRCodeDataUrlProps} props - Component properties
 */
const QRCodeDataUrl: React.FC<QRCodeDataUrlProps> = ({
  text,
  width = 128,
  color = '#000000',
  backgroundColor = '#ffffff',
  className = '',
}) => {
  const [dataUrl, setDataUrl] = useState<string>('');

  useEffect(() => {
    const generateQR = async () => {
      try {
        const url = await QRCode.toDataURL(text, {
          width,
          color: {
            dark: color,
            light: backgroundColor,
          },
        });
        setDataUrl(url);
      } catch (err) {
        console.error('Failed to generate QR code:', err);
      }
    };

    generateQR();
  }, [text, width, color, backgroundColor]);

  return (
    <div className={`qr-code-container ${className}`}>
      {dataUrl ? (
        <img
          src={dataUrl}
          alt={`QR Code: ${text}`}
          width={width}
          height={width}
```

```
      />
    ) : (
      <div>Generating QR code...</div>
    )}
  </div>
 );
};

export default QRCodeDataUrl;
```

HealthHub /src/components/ui/radio-group.tsx

```
import * as React from "react";
import * as RadioGroupPrimitive from "@radix-ui/react-radio-group";
import { CircleIcon } from "lucide-react";

import { cn } from "@/lib/utils";

function RadioGroup({
 className,
 ...props
}: React.ComponentProps<typeof RadioGroupPrimitive.Root>) {
 return (
  <RadioGroupPrimitive.Root
    data-slot="radio-group"
    className={cn("grid gap-3", className)}
    {...props}
  />
 );
}

function RadioGroupItem({
 className,
 ...props
}: React.ComponentProps<typeof RadioGroupPrimitive.Item>) {
 return (
  <RadioGroupPrimitive.Item
    data-slot="radio-group-item"
    className={cn(
      "border-input text-primary focus-visible:border-ring focus-visible:ring-ring/50 aria-
invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive dark:bg-input/30 aspect-square size-4 shrink-0 rounded-full border shadow-xs
transition-[color,box-shadow] outline-none focus-visible:ring-[3px] disabled:cursor-not-
allowed disabled:opacity-50",
```

```
      className
    )}
    {...props}
  >
    <RadioGroupPrimitive.Indicator
      data-slot="radio-group-indicator"
      className="relative flex items-center justify-center"
    >
      <CircleIcon className="fill-primary absolute top-1/2 left-1/2 size-2 -translate-x-1/2 -
translate-y-1/2" />
    </RadioGroupPrimitive.Indicator>
  </RadioGroupPrimitive.Item>
 );
}

export { RadioGroup, RadioGroupItem };
```

HealthHub /src/components/ui/resizable.tsx

```
import * as React from "react";
import { GripVerticalIcon } from "lucide-react";
import * as ResizablePrimitive from "react-resizable-panels";

import { cn } from "@/lib/utils";

function ResizablePanelGroup({
 className,
 ...props
}: React.ComponentProps<typeof ResizablePrimitive.PanelGroup>) {
 return (
  <ResizablePrimitive.PanelGroup
    data-slot="resizable-panel-group"
    className={cn(
      "flex h-full w-full data-[panel-group-direction=vertical]:flex-col",
      className
    )}
    {...props}
  />
 );
}

function ResizablePanel({
 ...props
```

```
}: React.ComponentProps<typeof ResizablePrimitive.Panel>) {
  return <ResizablePrimitive.Panel data-slot="resizable-panel" {...props} />;
}

function ResizableHandle({
  withHandle,
  className,
  ...props
}: React.ComponentProps<typeof ResizablePrimitive.PanelResizeHandle> & {
  withHandle?: boolean
}) {
  return (
    <ResizablePrimitive.PanelResizeHandle
      data-slot="resizable-handle"
      className={cn(
        "bg-border focus-visible:ring-ring relative flex w-px items-center justify-center
after:absolute after:inset-y-0 after:left-1/2 after:w-1 after:-translate-x-1/2 focus-
visible:ring-1 focus-visible:ring-offset-1 focus-visible:outline-hidden data-[panel-group-
direction=vertical]:h-px data-[panel-group-direction=vertical]:w-full data-[panel-group-
direction=vertical]:after:left-0 data-[panel-group-direction=vertical]:after:h-1 data-[panel-
group-direction=vertical]:after:w-full data-[panel-group-direction=vertical]:after:-
translate-y-1/2 data-[panel-group-direction=vertical]:after:translate-x-0 [&[data-panel-
group-direction=vertical]>div]:rotate-90",
        className
      )}
      {...props}
    >
      {withHandle && (
        <div className="bg-border z-10 flex h-4 w-3 items-center justify-center rounded-xs
border">
          <GripVerticalIcon className="size-2.5" />
        </div>
      )}
    </ResizablePrimitive.PanelResizeHandle>
  );
}

export { ResizablePanelGroup, ResizablePanel, ResizableHandle };
```

HealthHub /src/components/ui/scroll-area.tsx

```
import * as React from "react";
import * as ScrollAreaPrimitive from "@radix-ui/react-scroll-area";
```

```
import { cn } from "@/lib/utils";

function ScrollArea({
  className,
  children,
  ...props
}: React.ComponentProps<typeof ScrollAreaPrimitive.Root>) {
  return (
    <ScrollAreaPrimitive.Root
      data-slot="scroll-area"
      className={cn("relative", className)}
      {...props}
    >
      <ScrollAreaPrimitive.Viewport
        data-slot="scroll-area-viewport"
        className="focus-visible:ring-ring/50 size-full rounded-[inherit] transition-[color,box-
shadow] outline-none focus-visible:ring-[3px] focus-visible:outline-1"
      >
        {children}
      </ScrollAreaPrimitive.Viewport>
      <ScrollBar />
      <ScrollAreaPrimitive.Corner />
    </ScrollAreaPrimitive.Root>
  );
}

function ScrollBar({
  className,
  orientation = "vertical",
  ...props
}: React.ComponentProps<typeof ScrollAreaPrimitive.ScrollAreaScrollbar>) {
  return (
    <ScrollAreaPrimitive.ScrollAreaScrollbar
      data-slot="scroll-area-scrollbar"
      orientation={orientation}
      className={cn(
        "flex touch-none p-px transition-colors select-none",
        orientation === "vertical" &&
          "h-full w-2.5 border-l border-l-transparent",
        orientation === "horizontal" &&
          "h-2.5 flex-col border-t border-t-transparent",
        className
```

```
    )}
    {...props}
   >
    <ScrollAreaPrimitive.ScrollAreaThumb
      data-slot="scroll-area-thumb"
      className="bg-border relative flex-1 rounded-full"
    />
   </ScrollAreaPrimitive.ScrollAreaScrollbar>
  );
}

export { ScrollArea, ScrollBar };
```

HealthHub /components/ui/select.tsx

```
"use client";

import * as React from "react";
import * as SelectPrimitive from "@radix-ui/react-select";
import { Check, ChevronDown, ChevronUp } from "lucide-react";

import { cn } from "@/lib/utils";

const Select = SelectPrimitive.Root;

const SelectGroup = SelectPrimitive.Group;

const SelectValue = SelectPrimitive.Value;

const SelectTrigger = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Trigger>
>(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Trigger
    ref={ref}
    className={cn(
      "flex h-9 w-full items-center justify-between whitespace-nowrap rounded-md border
border-input bg-transparent px-3 py-2 text-sm shadow-sm ring-offset-background data-
[placeholder]:text-muted-foreground focus:outline-none focus:ring-1 focus:ring-ring
disabled:cursor-not-allowed disabled:opacity-50 [&>span]:line-clamp-1",
      className
    )}
    {...props}
```

```
  >
    {children}
    <SelectPrimitive.Icon asChild>
      <ChevronDown className="h-4 w-4 opacity-50" />
    </SelectPrimitive.Icon>
  </SelectPrimitive.Trigger>
));
SelectTrigger.displayName = SelectPrimitive.Trigger.displayName;

const SelectScrollUpButton = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.ScrollUpButton>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollUpButton>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.ScrollUpButton
    ref={ref}
    className={cn(
      "flex cursor-default items-center justify-center py-1",
      className
    )}
    {...props}
  >
    <ChevronUp className="h-4 w-4" />
  </SelectPrimitive.ScrollUpButton>
));
SelectScrollUpButton.displayName = SelectPrimitive.ScrollUpButton.displayName;

const SelectScrollDownButton = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.ScrollDownButton>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollDownButton>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.ScrollDownButton
    ref={ref}
    className={cn(
      "flex cursor-default items-center justify-center py-1",
      className
    )}
    {...props}
  >
    <ChevronDown className="h-4 w-4" />
  </SelectPrimitive.ScrollDownButton>
));
SelectScrollDownButton.displayName =
  SelectPrimitive.ScrollDownButton.displayName;
```

```
const SelectContent = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Content>
>(({ className, children, position = "popper", ...props }, ref) => (
  <SelectPrimitive.Portal>
    <SelectPrimitive.Content
      ref={ref}
      className={cn(
        "relative z-50 max-h-[--radix-select-content-available-height] min-w-[8rem] overflow-
y-auto overflow-x-hidden rounded-md border bg-popover text-popover-foreground
shadow-md data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-
[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 origin-[--radix-select-content-transform-origin]",
        position === "popper" &&
          "data-[side=bottom]:translate-y-1 data-[side=left]:-translate-x-1 data-
[side=right]:translate-x-1 data-[side=top]:-translate-y-1",
        className
      )}
      position={position}
      {...props}
    >
      <SelectScrollUpButton />
      <SelectPrimitive.Viewport
        className={cn(
          "p-1",
          position === "popper" &&
            "h-[var(--radix-select-trigger-height)] w-full min-w-[var(--radix-select-trigger-
width)]"
        )}
      >
        {children}
      </SelectPrimitive.Viewport>
      <SelectScrollDownButton />
    </SelectPrimitive.Content>
  </SelectPrimitive.Portal>
));
SelectContent.displayName = SelectPrimitive.Content.displayName;

const SelectLabel = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Label>,
```

```
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Label>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.Label
    ref={ref}
    className={cn("px-2 py-1.5 text-sm font-semibold", className)}
    {...props}
  />
));
SelectLabel.displayName = SelectPrimitive.Label.displayName;

const SelectItem = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Item>
>(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex w-full cursor-default select-none items-center rounded-sm py-1.5 pl-2 pr-8
text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-
events-none data-[disabled]:opacity-50",
      className
    )}
    {...props}
  >
    <span className="absolute right-2 flex h-3.5 w-3.5 items-center justify-center">
      <SelectPrimitive.ItemIndicator>
        <Check className="h-4 w-4" />
      </SelectPrimitive.ItemIndicator>
    </span>
    <SelectPrimitive.ItemText>{children}</SelectPrimitive.ItemText>
  </SelectPrimitive.Item>
));
SelectItem.displayName = SelectPrimitive.Item.displayName;

const SelectSeparator = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Separator>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Separator>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props}
  />
```

```
));
SelectSeparator.displayName = SelectPrimitive.Separator.displayName;

export {
  Select,
  SelectGroup,
  SelectValue,
  SelectTrigger,
  SelectContent,
  SelectLabel,
  SelectItem,
  SelectSeparator,
  SelectScrollUpButton,
  SelectScrollDownButton,
};
```

HealthHub /src/components/ui/separator.tsx

```
"use client";

import * as React from "react";
import * as SeparatorPrimitive from "@radix-ui/react-separator";

import { cn } from "@/lib/utils";

function Separator({
  className,
  orientation = "horizontal",
  decorative = true,
  ...props
}: React.ComponentProps<typeof SeparatorPrimitive.Root>) {
  return (
    <SeparatorPrimitive.Root
      data-slot="separator-root"
      decorative={decorative}
      orientation={orientation}
      className={cn(
        "bg-border shrink-0 data-[orientation=horizontal]:h-px data-
[orientation=horizontal]:w-full data-[orientation=vertical]:h-full data-
[orientation=vertical]:w-px",
        className
      )}
      {...props}
```

```
    />
  );
}

export { Separator };
```

HealthHub /src/components/ui/sheet.tsx

```
"use client";

import * as React from "react";
import * as SheetPrimitive from "@radix-ui/react-dialog";
import { cva, type VariantProps } from "class-variance-authority";
import { X } from "lucide-react";

import { cn } from "@/lib/utils";

const Sheet = SheetPrimitive.Root;

const SheetTrigger = SheetPrimitive.Trigger;

const SheetClose = SheetPrimitive.Close;

const SheetPortal = SheetPrimitive.Portal;

const SheetOverlay = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Overlay>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Overlay>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Overlay
    className={cn(
      "fixed inset-0 z-50 bg-black/80 backdrop-blur-sm data-[state=open]:animate-in data-
[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
transition-all duration-300",
      className
    )}
    {...props}
    ref={ref}
  />
));
SheetOverlay.displayName = SheetPrimitive.Overlay.displayName;

const sheetVariants = cva(
```

```
  "fixed z-50 gap-4 bg-background p-6 shadow-2xl shadow-primary/10 border-primary/20
transition ease-in-out data-[state=closed]:duration-300 data-[state=open]:duration-500
data-[state=open]:animate-in data-[state=closed]:animate-out",
  {
    variants: {
      side: {
        top: "inset-x-0 top-0 border-b data-[state=closed]:slide-out-to-top data-
[state=open]:slide-in-from-top",
        bottom:
          "inset-x-0 bottom-0 border-t data-[state=closed]:slide-out-to-bottom data-
[state=open]:slide-in-from-bottom",
        left: "inset-y-0 left-0 h-full w-3/4 border-r data-[state=closed]:slide-out-to-left data-
[state=open]:slide-in-from-left sm:max-w-sm",
        right:
          "inset-y-0 right-0 h-full w-3/4 border-l data-[state=closed]:slide-out-to-right data-
[state=open]:slide-in-from-right sm:max-w-sm",
      },
    },
    defaultVariants: {
      side: "right",
    },
  }
);

interface SheetContentProps
  extends React.ComponentPropsWithoutRef<typeof SheetPrimitive.Content>,
    VariantProps<typeof sheetVariants> {}

const SheetContent = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Content>,
  SheetContentProps
>(({ side = "right", className, children, ...props }, ref) => (
  <SheetPortal>
    <SheetOverlay />
    <SheetPrimitive.Content
      ref={ref}
      className={cn(sheetVariants({ side }), className)}
      {...props}
    >
      <SheetPrimitive.Close className="absolute right-4 top-4 rounded-sm opacity-70 ring-
offset-background transition-all hover:opacity-100 hover:rotate-90 hover:scale-110
focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-
none data-[state=open]:bg-secondary duration-300">
```

```
        <X className="h-4 w-4" />
        <span className="sr-only">Close</span>
      </SheetPrimitive.Close>
      {children}
    </SheetPrimitive.Content>
  </SheetPortal>
));
SheetContent.displayName = SheetPrimitive.Content.displayName;

const SheetHeader = ({
  className,
  ...props
}: React.HTMLAttributes<HTMLDivElement>) => (
  <div
    className={cn(
      "flex flex-col space-y-2 text-center sm:text-left",
      className
    )}
    {...props}
  />
);
SheetHeader.displayName = "SheetHeader";

const SheetFooter = ({
  className,
  ...props
}: React.HTMLAttributes<HTMLDivElement>) => (
  <div
    className={cn(
      "flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
      className
    )}
    {...props}
  />
);
SheetFooter.displayName = "SheetFooter";

const SheetTitle = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Title>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Title
    ref={ref}
```

```
    className={cn("text-lg font-semibold text-foreground", className)}
    {...props}
  />
));
SheetTitle.displayName = SheetPrimitive.Title.displayName;

const SheetDescription = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Description>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props}
  />
));
SheetDescription.displayName = SheetPrimitive.Description.displayName;

export {
  Sheet,
  SheetPortal,
  SheetOverlay,
  SheetTrigger,
  SheetClose,
  SheetContent,
  SheetHeader,
  SheetFooter,
  SheetTitle,
  SheetDescription,
};
```

HealthHub /src/components/ui/sidebar.tsx

```
import * as React from "react";
import { Slot } from "@radix-ui/react-slot";
import { VariantProps, cva } from "class-variance-authority";
import { PanelLeftIcon } from "lucide-react";

import { useIsMobile } from "@/hooks/use-mobile";
import { cn } from "@/lib/utils";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Separator } from "@/components/ui/separator";
```

```
import {
  Sheet,
  SheetContent,
  SheetDescription,
  SheetHeader,
  SheetTitle,
} from "@/components/ui/sheet";
import { Skeleton } from "@/components/ui/skeleton";
import {
  Tooltip,
  TooltipContent,
  TooltipProvider,
  TooltipTrigger,
} from "@/components/ui/tooltip";

const SIDEBAR_COOKIE_NAME = "sidebar_state";
const SIDEBAR_COOKIE_MAX_AGE = 60 * 60 * 24 * 7;
const SIDEBAR_WIDTH = "16rem";
const SIDEBAR_WIDTH_MOBILE = "18rem";
const SIDEBAR_WIDTH_ICON = "3rem";
const SIDEBAR_KEYBOARD_SHORTCUT = "b";

type SidebarContextProps = {
  state: "expanded" | "collapsed"
  open: boolean
  setOpen: (open: boolean) => void
  openMobile: boolean
  setOpenMobile: (open: boolean) => void
  isMobile: boolean
  toggleSidebar: () => void
}

const SidebarContext = React.createContext<SidebarContextProps | null>(null);

function useSidebar() {
  const context = React.useContext(SidebarContext);
  if (!context) {
    throw new Error("useSidebar must be used within a SidebarProvider.");
  }

  return context;
}
```

```
function SidebarProvider({
  defaultOpen = true,
  open: openProp,
  onOpenChange: setOpenProp,
  className,
  style,
  children,
  ...props
}: React.ComponentProps<"div"> & {
  defaultOpen?: boolean
  open?: boolean
  onOpenChange?: (open: boolean) => void
}) {
  const isMobile = useIsMobile();
  const [openMobile, setOpenMobile] = React.useState(false);

  // This is the internal state of the sidebar.
  // We use openProp and setOpenProp for control from outside the component.
  const [_open, _setOpen] = React.useState(defaultOpen);
  const open = openProp ?? _open;
  const setOpen = React.useCallback(
    (value: boolean | ((value: boolean) => boolean)) => {
      const openState = typeof value === "function" ? value(open) : value;
      if (setOpenProp) {
        setOpenProp(openState);
      } else {
        _setOpen(openState);
      }

      // This sets the cookie to keep the sidebar state.
      document.cookie = `${SIDEBAR_COOKIE_NAME}=${openState}; path=/; max-
age=${SIDEBAR_COOKIE_MAX_AGE}`;
    },
    [setOpenProp, open]
  );

  // Helper to toggle the sidebar.
  const toggleSidebar = React.useCallback(() => {
    return isMobile ? setOpenMobile((open) => !open) : setOpen((open) => !open);
  }, [isMobile, setOpen, setOpenMobile]);

  // Adds a keyboard shortcut to toggle the sidebar.
  React.useEffect(() => {
```

```
  const handleKeyDown = (event: KeyboardEvent) => {
    if (
      event.key === SIDEBAR_KEYBOARD_SHORTCUT &&
      (event.metaKey || event.ctrlKey)
    ) {
      event.preventDefault();
      toggleSidebar();
    }
  };

  window.addEventListener("keydown", handleKeyDown);
  return () => window.removeEventListener("keydown", handleKeyDown);
}, [toggleSidebar]);

// We add a state so that we can do data-state="expanded" or "collapsed".
// This makes it easier to style the sidebar with Tailwind classes.
const state = open ? "expanded" : "collapsed";

const contextValue = React.useMemo<SidebarContextProps>(
  () => ({
    state,
    open,
    setOpen,
    isMobile,
    openMobile,
    setOpenMobile,
    toggleSidebar,
  }),
  [state, open, setOpen, isMobile, openMobile, setOpenMobile, toggleSidebar]
);

return (
  <SidebarContext.Provider value={contextValue}>
    <TooltipProvider delayDuration={0}>
      <div
        data-slot="sidebar-wrapper"
        style={
          {
            "--sidebar-width": SIDEBAR_WIDTH,
            "--sidebar-width-icon": SIDEBAR_WIDTH_ICON,
            ...style,
          } as React.CSSProperties
        }
```

```
        className={cn(
          "group/sidebar-wrapper has-data-[variant=inset]:bg-sidebar flex min-h-svh w-full",
          className
        )}
        {...props}
      >
        {children}
      </div>
    </TooltipProvider>
  </SidebarContext.Provider>
 );
}

function Sidebar({
 side = "left",
 variant = "sidebar",
 collapsible = "offcanvas",
 className,
 children,
 ...props
}: React.ComponentProps<"div"> & {
 side?: "left" | "right"
 variant?: "sidebar" | "floating" | "inset"
 collapsible?: "offcanvas" | "icon" | "none"
}) {
 const { isMobile, state, openMobile, setOpenMobile } = useSidebar();

 if (collapsible === "none") {
  return (
   <div
    data-slot="sidebar"
    className={cn(
     "bg-sidebar text-sidebar-foreground flex h-full w-(--sidebar-width) flex-col",
     className
    )}
    {...props}
   >
    {children}
   </div>
  );
 }

 if (isMobile) {
```

```
  return (
    <Sheet open={openMobile} onOpenChange={setOpenMobile} {...props}>
      <SheetContent
        data-sidebar="sidebar"
        data-slot="sidebar"
        data-mobile="true"
        className="bg-sidebar text-sidebar-foreground w-(--sidebar-width) p-0
[&>button]:hidden"
        style={
          {
            "--sidebar-width": SIDEBAR_WIDTH_MOBILE,
          } as React.CSSProperties
        }
        side={side}
      >
        <SheetHeader className="sr-only">
          <SheetTitle>Sidebar</SheetTitle>
          <SheetDescription>Displays the mobile sidebar.</SheetDescription>
        </SheetHeader>
        <div className="flex h-full w-full flex-col">{children}</div>
      </SheetContent>
    </Sheet>
  );
}

 return (
  <div
    className="group peer text-sidebar-foreground hidden md:block"
    data-state={state}
    data-collapsible={state === "collapsed" ? collapsible : ""}
    data-variant={variant}
    data-side={side}
    data-slot="sidebar"
  >
    {/* This is what handles the sidebar gap on desktop */}
    <div
      data-slot="sidebar-gap"
      className={cn(
        "relative w-(--sidebar-width) bg-transparent transition-[width] duration-200 ease-
linear",
        "group-data-[collapsible=offcanvas]:w-0",
        "group-data-[side=right]:rotate-180",
        variant === "floating" || variant === "inset"
```

```
          ? "group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)+(--spacing(4)))]"
          : "group-data-[collapsible=icon]:w-(--sidebar-width-icon)"
        )}
      />
      <div
        data-slot="sidebar-container"
        className={cn(
          "fixed inset-y-0 z-10 hidden h-svh w-(--sidebar-width) transition-[left,right,width]
duration-200 ease-linear md:flex",
          side === "left"
            ? "left-0 group-data-[collapsible=offcanvas]:left-[calc(var(--sidebar-width)*-1)]"
            : "right-0 group-data-[collapsible=offcanvas]:right-[calc(var(--sidebar-width)*-1)]",
          // Adjust the padding for floating and inset variants.
          variant === "floating" || variant === "inset"
            ? "p-2 group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)+(--
spacing(4))+2px)]"
            : "group-data-[collapsible=icon]:w-(--sidebar-width-icon) group-data-
[side=left]:border-r group-data-[side=right]:border-l",
          className
        )}
        {...props}
      >
        <div
          data-sidebar="sidebar"
          data-slot="sidebar-inner"
          className="bg-sidebar group-data-[variant=floating]:border-sidebar-border flex h-
full w-full flex-col group-data-[variant=floating]:rounded-lg group-data-
[variant=floating]:border group-data-[variant=floating]:shadow-sm"
        >
          {children}
        </div>
      </div>
    </div>
  );
}

function SidebarTrigger({
  className,
  onClick,
  ...props
}: React.ComponentProps<typeof Button>) {
  const { toggleSidebar } = useSidebar();
```

```
  return (
    <Button
      data-sidebar="trigger"
      data-slot="sidebar-trigger"
      variant="ghost"
      size="icon"
      className={cn("size-7", className)}
      onClick={(event) => {
        onClick?.(event);
        toggleSidebar();
      }}
      {...props}
    >
      <PanelLeftIcon />
      <span className="sr-only">Toggle Sidebar</span>
    </Button>
  );
}

function SidebarRail({ className, ...props }: React.ComponentProps<"button">) {
  const { toggleSidebar } = useSidebar();

  return (
    <button
      data-sidebar="rail"
      data-slot="sidebar-rail"
      aria-label="Toggle Sidebar"
      tabIndex={-1}
      onClick={toggleSidebar}
      title="Toggle Sidebar"
      className={cn(
        "hover:after:bg-sidebar-border absolute inset-y-0 z-20 hidden w-4 -translate-x-1/2
transition-all ease-linear group-data-[side=left]:-right-4 group-data-[side=right]:left-0
after:absolute after:inset-y-0 after:left-1/2 after:w-[2px] sm:flex",
        "in-data-[side=left]:cursor-w-resize in-data-[side=right]:cursor-e-resize",
        "[[data-side=left][data-state=collapsed]_&]:cursor-e-resize [[data-side=right][data-
state=collapsed]_&]:cursor-w-resize",
        "hover:group-data-[collapsible=offcanvas]:bg-sidebar group-data-
[collapsible=offcanvas]:translate-x-0 group-data-[collapsible=offcanvas]:after:left-full",
        "[[data-side=left][data-collapsible=offcanvas]_&]:-right-2",
        "[[data-side=right][data-collapsible=offcanvas]_&]:-left-2",
        className
      )}
```

```
      {...props}
    />
  );
}

function SidebarInset({ className, ...props }: React.ComponentProps<"main">) {
  return (
    <main
      data-slot="sidebar-inset"
      className={cn(
        "bg-background relative flex w-full flex-1 flex-col",
        "md:peer-data-[variant=inset]:m-2 md:peer-data-[variant=inset]:ml-0 md:peer-data-
[variant=inset]:rounded-xl md:peer-data-[variant=inset]:shadow-sm md:peer-data-
[variant=inset]:peer-data-[state=collapsed]:ml-2",
        className
      )}
      {...props}
    />
  );
}

function SidebarInput({
  className,
  ...props
}: React.ComponentProps<typeof Input>) {
  return (
    <Input
      data-slot="sidebar-input"
      data-sidebar="input"
      className={cn("bg-background h-8 w-full shadow-none", className)}
      {...props}
    />
  );
}

function SidebarHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-header"
      data-sidebar="header"
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props}
    />
```

```
  );
}

function SidebarFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-footer"
      data-sidebar="footer"
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props}
    />
  );
}

function SidebarSeparator({
  className,
  ...props
}: React.ComponentProps<typeof Separator>) {
  return (
    <Separator
      data-slot="sidebar-separator"
      data-sidebar="separator"
      className={cn("bg-sidebar-border mx-2 w-auto", className)}
      {...props}
    />
  );
}

function SidebarContent({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-content"
      data-sidebar="content"
      className={cn(
        "flex min-h-0 flex-1 flex-col gap-2 overflow-auto group-data-
[collapsible=icon]:overflow-hidden",
        className
      )}
      {...props}
    />
  );
}
```

```
function SidebarGroup({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-group"
      data-sidebar="group"
      className={cn("relative flex w-full min-w-0 flex-col p-2", className)}
      {...props}
    />
  );
}

function SidebarGroupLabel({
  className,
  asChild = false,
  ...props
}: React.ComponentProps<"div"> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "div";

  return (
    <Comp
      data-slot="sidebar-group-label"
      data-sidebar="group-label"
      className={cn(
        "text-sidebar-foreground/70 ring-sidebar-ring flex h-8 shrink-0 items-center rounded-
md px-2 text-xs font-medium outline-hidden transition-[margin,opacity] duration-200 ease-
linear focus-visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
        "group-data-[collapsible=icon]:-mt-8 group-data-[collapsible=icon]:opacity-0",
        className
      )}
      {...props}
    />
  );
}

function SidebarGroupAction({
  className,
  asChild = false,
  ...props
}: React.ComponentProps<"button"> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "button";

  return (
    <Comp
```

```
      data-slot="sidebar-group-action"
      data-sidebar="group-action"
      className={cn(
        "text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground absolute top-3.5 right-3 flex aspect-square w-5 items-center justify-
center rounded-md p-0 outline-hidden transition-transform focus-visible:ring-2
[&>svg]:size-4 [&>svg]:shrink-0",
        // Increases the hit area of the button on mobile.
        "after:absolute after:-inset-2 md:after:hidden",
        "group-data-[collapsible=icon]:hidden",
        className
      )}
      {...props}
    />
  );
}

function SidebarGroupContent({
  className,
  ...props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-group-content"
      data-sidebar="group-content"
      className={cn("w-full text-sm", className)}
      {...props}
    />
  );
}

function SidebarMenu({ className, ...props }: React.ComponentProps<"ul">) {
  return (
    <ul
      data-slot="sidebar-menu"
      data-sidebar="menu"
      className={cn("flex w-full min-w-0 flex-col gap-1", className)}
      {...props}
    />
  );
}

function SidebarMenuItem({ className, ...props }: React.ComponentProps<"li">) {
```

```
  return (
    <li
      data-slot="sidebar-menu-item"
      data-sidebar="menu-item"
      className={cn("group/menu-item relative", className)}
      {...props}
    />
  );
}

const sidebarMenuButtonVariants = cva(
  "peer/menu-button flex w-full items-center gap-2 overflow-hidden rounded-md p-2 text-
left text-sm outline-hidden ring-sidebar-ring transition-[width,height,padding] hover:bg-
sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 active:bg-sidebar-
accent active:text-sidebar-accent-foreground disabled:pointer-events-none
disabled:opacity-50 group-has-data-[sidebar=menu-action]/menu-item:pr-8 aria-
disabled:pointer-events-none aria-disabled:opacity-50 data-[active=true]:bg-sidebar-accent
data-[active=true]:font-medium data-[active=true]:text-sidebar-accent-foreground data-
[state=open]:hover:bg-sidebar-accent data-[state=open]:hover:text-sidebar-accent-
foreground group-data-[collapsible=icon]:size-8! group-data-[collapsible=icon]:p-2!
[&>span:last-child]:truncate [&>svg]:size-4 [&>svg]:shrink-0",
  {
    variants: {
      variant: {
        default: "hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
        outline:
          "bg-background shadow-[0_0_0_1px_hsl(var(--sidebar-border))] hover:bg-sidebar-
accent hover:text-sidebar-accent-foreground hover:shadow-[0_0_0_1px_hsl(var(--sidebar-
accent))]",
      },
      size: {
        default: "h-8 text-sm",
        sm: "h-7 text-xs",
        lg: "h-12 text-sm group-data-[collapsible=icon]:p-0!",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
);
```

```
function SidebarMenuButton({
  asChild = false,
  isActive = false,
  variant = "default",
  size = "default",
  tooltip,
  className,
  ...props
}: React.ComponentProps<"button"> & {
  asChild?: boolean
  isActive?: boolean
  tooltip?: string | React.ComponentProps<typeof TooltipContent>
} & VariantProps<typeof sidebarMenuButtonVariants>) {
  const Comp = asChild ? Slot : "button";
  const { isMobile, state } = useSidebar();

  const button = (
    <Comp
      data-slot="sidebar-menu-button"
      data-sidebar="menu-button"
      data-size={size}
      data-active={isActive}
      className={cn(sidebarMenuButtonVariants({ variant, size }), className)}
      {...props}
    />
  );

  if (!tooltip) {
    return button;
  }

  if (typeof tooltip === "string") {
    tooltip = {
      children: tooltip,
    };
  }

  return (
    <Tooltip>
      <TooltipTrigger asChild>{button}</TooltipTrigger>
      <TooltipContent
        side="right"
        align="center"
```

```
      hidden={state !== "collapsed" || isMobile}
      {...tooltip}
    />
  </Tooltip>
 );
}

function SidebarMenuAction({
 className,
 asChild = false,
 showOnHover = false,
 ...props
}: React.ComponentProps<"button"> & {
 asChild?: boolean
 showOnHover?: boolean
}) {
 const Comp = asChild ? Slot : "button";

 return (
  <Comp
    data-slot="sidebar-menu-action"
    data-sidebar="menu-action"
    className={cn(
      "text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground peer-hover/menu-button:text-sidebar-accent-foreground absolute top-
1.5 right-1 flex aspect-square w-5 items-center justify-center rounded-md p-0 outline-
hidden transition-transform focus-visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
      // Increases the hit area of the button on mobile.
      "after:absolute after:-inset-2 md:after:hidden",
      "peer-data-[size=sm]/menu-button:top-1",
      "peer-data-[size=default]/menu-button:top-1.5",
      "peer-data-[size=lg]/menu-button:top-2.5",
      "group-data-[collapsible=icon]:hidden",
      showOnHover &&
        "peer-data-[active=true]/menu-button:text-sidebar-accent-foreground group-focus-
within/menu-item:opacity-100 group-hover/menu-item:opacity-100 data-
[state=open]:opacity-100 md:opacity-0",
      className
    )}
    {...props}
  />
 );
}
```

```
function SidebarMenuBadge({
  className,
  ...props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-menu-badge"
      data-sidebar="menu-badge"
      className={cn(
        "text-sidebar-foreground pointer-events-none absolute right-1 flex h-5 min-w-5 items-
center justify-center rounded-md px-1 text-xs font-medium tabular-nums select-none",
        "peer-hover/menu-button:text-sidebar-accent-foreground peer-data-
[active=true]/menu-button:text-sidebar-accent-foreground",
        "peer-data-[size=sm]/menu-button:top-1",
        "peer-data-[size=default]/menu-button:top-1.5",
        "peer-data-[size=lg]/menu-button:top-2.5",
        "group-data-[collapsible=icon]:hidden",
        className
      )}
      {...props}
    />
  );
}

function SidebarMenuSkeleton({
  className,
  showIcon = false,
  ...props
}: React.ComponentProps<"div"> & {
  showIcon?: boolean
}) {
  // Random width between 50 to 90%.
  const width = React.useMemo(() => {
    return `${Math.floor(Math.random() * 40) + 50}%`;
  }, []);

  return (
    <div
      data-slot="sidebar-menu-skeleton"
      data-sidebar="menu-skeleton"
      className={cn("flex h-8 items-center gap-2 rounded-md px-2", className)}
      {...props}
```

```
    >
      {showIcon && (
        <Skeleton
          className="size-4 rounded-md"
          data-sidebar="menu-skeleton-icon"
        />
      )}
      <Skeleton
        className="h-4 max-w-(--skeleton-width) flex-1"
        data-sidebar="menu-skeleton-text"
        style={
          {
            "--skeleton-width": width,
          } as React.CSSProperties
        }
      />
    </div>
  );
}

function SidebarMenuSub({ className, ...props }: React.ComponentProps<"ul">) {
  return (
    <ul
      data-slot="sidebar-menu-sub"
      data-sidebar="menu-sub"
      className={cn(
        "border-sidebar-border mx-3.5 flex min-w-0 translate-x-px flex-col gap-1 border-l px-
2.5 py-0.5",
        "group-data-[collapsible=icon]:hidden",
        className
      )}
      {...props}
    />
  );
}

function SidebarMenuSubItem({
  className,
  ...props
}: React.ComponentProps<"li">) {
  return (
    <li
      data-slot="sidebar-menu-sub-item"
```

```
      data-sidebar="menu-sub-item"
      className={cn("group/menu-sub-item relative", className)}
      {...props}
    />
  );
}

function SidebarMenuSubButton({
  asChild = false,
  size = "md",
  isActive = false,
  className,
  ...props
}: React.ComponentProps<"a"> & {
  asChild?: boolean
  size?: "sm" | "md"
  isActive?: boolean
}) {
  const Comp = asChild ? Slot : "a";

  return (
    <Comp
      data-slot="sidebar-menu-sub-button"
      data-sidebar="menu-sub-button"
      data-size={size}
      data-active={isActive}
      className={cn(
        "text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground active:bg-sidebar-accent active:text-sidebar-accent-foreground
[&>svg]:text-sidebar-accent-foreground flex h-7 min-w-0 -translate-x-px items-center gap-2
overflow-hidden rounded-md px-2 outline-hidden focus-visible:ring-2 disabled:pointer-
events-none disabled:opacity-50 aria-disabled:pointer-events-none aria-disabled:opacity-
50 [&>span:last-child]:truncate [&>svg]:size-4 [&>svg]:shrink-0",
        "data-[active=true]:bg-sidebar-accent data-[active=true]:text-sidebar-accent-
foreground",
        size === "sm" && "text-xs",
        size === "md" && "text-sm",
        "group-data-[collapsible=icon]:hidden",
        className
      )}
      {...props}
    />
  );
```

```
}

export {
  Sidebar,
  SidebarContent,
  SidebarFooter,
  SidebarGroup,
  SidebarGroupAction,
  SidebarGroupContent,
  SidebarGroupLabel,
  SidebarHeader,
  SidebarInput,
  SidebarInset,
  SidebarMenu,
  SidebarMenuAction,
  SidebarMenuBadge,
  SidebarMenuButton,
  SidebarMenuItem,
  SidebarMenuSkeleton,
  SidebarMenuSub,
  SidebarMenuSubButton,
  SidebarMenuSubItem,
  SidebarProvider,
  SidebarRail,
  SidebarSeparator,
  SidebarTrigger,
  useSidebar,
};
```

HealthHub /src/components/ui/skeleton.tsx

```
import { cn } from "@/lib/utils";

function Skeleton({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="skeleton"
      className={cn("bg-accent animate-pulse rounded-md", className)}
      {...props}
    />
  );
}
```

```
export { Skeleton };
```

HealthHub /src/components/ui/slider.tsx

```
import * as React from "react";
import * as SliderPrimitive from "@radix-ui/react-slider";

import { cn } from "@/lib/utils";

function Slider({
  className,
  defaultValue,
  value,
  min = 0,
  max = 100,
  ...props
}: React.ComponentProps<typeof SliderPrimitive.Root>) {
  const _values = React.useMemo(
    () =>
      Array.isArray(value)
        ? value
        : Array.isArray(defaultValue)
          ? defaultValue
          : [min, max],
    [value, defaultValue, min, max]
  );

  return (
    <SliderPrimitive.Root
      data-slot="slider"
      defaultValue={defaultValue}
      value={value}
      min={min}
      max={max}
      className={cn(
        "relative flex w-full touch-none items-center select-none data-[disabled]:opacity-50
data-[orientation=vertical]:h-full data-[orientation=vertical]:min-h-44 data-
[orientation=vertical]:w-auto data-[orientation=vertical]:flex-col",
        className
      )}
      {...props}
    >
      <SliderPrimitive.Track
```

```
      data-slot="slider-track"
      className={cn(
        "bg-muted relative grow overflow-hidden rounded-full data-
[orientation=horizontal]:h-1.5 data-[orientation=horizontal]:w-full data-
[orientation=vertical]:h-full data-[orientation=vertical]:w-1.5"
      )}
    >
      <SliderPrimitive.Range
        data-slot="slider-range"
        className={cn(
          "bg-primary absolute data-[orientation=horizontal]:h-full data-
[orientation=vertical]:w-full"
        )}
      />
    </SliderPrimitive.Track>
    {Array.from({ length: _values.length }, (_, index) => (
      <SliderPrimitive.Thumb
        data-slot="slider-thumb"
        key={index}
        className="border-primary bg-background ring-ring/50 block size-4 shrink-0
rounded-full border shadow-sm transition-[color,box-shadow] hover:ring-4 focus-
visible:ring-4 focus-visible:outline-hidden disabled:pointer-events-none disabled:opacity-
50"
      />
    ))}
  </SliderPrimitive.Root>
 );
}

export { Slider };
```

HealthHub /src/components/ui/sonner.tsx

```
import { useTheme } from "next-themes";
import { Toaster as Sonner, ToasterProps } from "sonner";

const Toaster = ({ ...props }: ToasterProps) => {
 const { theme = "system" } = useTheme();

 return (
  <Sonner
   theme={theme as ToasterProps["theme"]}
   className="toaster group"
```

```
    style={
      {
        "--normal-bg": "var(--popover)",
        "--normal-text": "var(--popover-foreground)",
        "--normal-border": "var(--border)",
      } as React.CSSProperties
    }
    {...props}
   />
  );
};

export { Toaster };
```

HealthHub /src/components/ui/switch.tsx

```
import * as React from "react";
import * as SwitchPrimitive from "@radix-ui/react-switch";

import { cn } from "@/lib/utils";

function Switch({
  className,
  ...props
}: React.ComponentProps<typeof SwitchPrimitive.Root>) {
  return (
    <SwitchPrimitive.Root
      data-slot="switch"
      className={cn(
        "peer data-[state=checked]:bg-primary data-[state=unchecked]:bg-input focus-
visible:border-ring focus-visible:ring-ring/50 dark:data-[state=unchecked]:bg-input/80
inline-flex h-[1.15rem] w-8 shrink-0 items-center rounded-full border border-transparent
shadow-xs transition-all outline-none focus-visible:ring-[3px] disabled:cursor-not-allowed
disabled:opacity-50",
        className
      )}
      {...props}
    >
      <SwitchPrimitive.Thumb
        data-slot="switch-thumb"
        className={cn(
          "bg-background dark:data-[state=unchecked]:bg-foreground dark:data-
[state=checked]:bg-primary-foreground pointer-events-none block size-4 rounded-full
```

```
ring-0 transition-transform data-[state=checked]:translate-x-[calc(100%-2px)] data-
[state=unchecked]:translate-x-0"
      )}
     />
   </SwitchPrimitive.Root>
 );
}

export { Switch };
```

app-9k6qt5daj281/src/components/ui/table.tsx

```
import * as React from "react";

import { cn } from "@/lib/utils";

function Table({ className, ...props }: React.ComponentProps<"table">) {
 return (
   <div
     data-slot="table-container"
     className="relative w-full overflow-x-auto"
   >
     <table
       data-slot="table"
       className={cn("w-full caption-bottom text-sm", className)}
       {...props}
     />
   </div>
 );
}

function TableHeader({ className, ...props }: React.ComponentProps<"thead">) {
 return (
   <thead
     data-slot="table-header"
     className={cn("[&_tr]:border-b", className)}
     {...props}
   />
 );
}

function TableBody({ className, ...props }: React.ComponentProps<"tbody">) {
 return (
```

```
    <tbody
      data-slot="table-body"
      className={cn("[&_tr:last-child]:border-0", className)}
      {...props}
    />
  );
}

function TableFooter({ className, ...props }: React.ComponentProps<"tfoot">) {
  return (
    <tfoot
      data-slot="table-footer"
      className={cn(
        "bg-muted/50 border-t font-medium [&>tr]:last:border-b-0",
        className
      )}
      {...props}
    />
  );
}

function TableRow({ className, ...props }: React.ComponentProps<"tr">) {
  return (
    <tr
      data-slot="table-row"
      className={cn(
        "hover:bg-muted/50 data-[state=selected]:bg-muted border-b transition-colors",
        className
      )}
      {...props}
    />
  );
}

function TableHead({ className, ...props }: React.ComponentProps<"th">) {
  return (
    <th
      data-slot="table-head"
      className={cn(
        "text-foreground h-10 px-2 text-left align-middle font-medium whitespace-nowrap
[&:has([role=checkbox])]:pr-0 [&>[role=checkbox]]:translate-y-[2px]",
        className
      )}
```

```
      {...props}
    />
  );
}

function TableCell({ className, ...props }: React.ComponentProps<"td">) {
  return (
    <td
      data-slot="table-cell"
      className={cn(
        "p-2 align-middle whitespace-nowrap [&:has([role=checkbox])]:pr-0
[&>[role=checkbox]]:translate-y-[2px]",
        className
      )}
      {...props}
    />
  );
}

function TableCaption({
  className,
  ...props
}: React.ComponentProps<"caption">) {
  return (
    <caption
      data-slot="table-caption"
      className={cn("text-muted-foreground mt-4 text-sm", className)}
      {...props}
    />
  );
}

export {
  Table,
  TableHeader,
  TableBody,
  TableFooter,
  TableHead,
  TableRow,
  TableCell,
  TableCaption,
};
```

app-9k6qt5daj281/src/components/ui/tabs.tsx

```
import * as React from "react";
import * as TabsPrimitive from "@radix-ui/react-tabs";

import { cn } from "@/lib/utils";

function Tabs({
  className,
  ...props
}: React.ComponentProps<typeof TabsPrimitive.Root>) {
  return (
    <TabsPrimitive.Root
      data-slot="tabs"
      className={cn("flex flex-col gap-2", className)}
      {...props}
    />
  );
}

function TabsList({
  className,
  ...props
}: React.ComponentProps<typeof TabsPrimitive.List>) {
  return (
    <TabsPrimitive.List
      data-slot="tabs-list"
      className={cn(
        "bg-muted text-muted-foreground inline-flex h-9 w-fit items-center justify-center
rounded-lg p-[3px]",
        className
      )}
      {...props}
    />
  );
}

function TabsTrigger({
  className,
  ...props
}: React.ComponentProps<typeof TabsPrimitive.Trigger>) {
  return (
    <TabsPrimitive.Trigger
      data-slot="tabs-trigger"
```

```
    className={cn(
      "data-[state=active]:bg-background dark:data-[state=active]:text-foreground focus-
visible:border-ring focus-visible:ring-ring/50 focus-visible:outline-ring dark:data-
[state=active]:border-input dark:data-[state=active]:bg-input/30 text-foreground dark:text-
muted-foreground inline-flex h-[calc(100%-1px)] flex-1 items-center justify-center gap-1.5
rounded-md border border-transparent px-2 py-1 text-sm font-medium whitespace-
nowrap transition-[color,box-shadow] focus-visible:ring-[3px] focus-visible:outline-1
disabled:pointer-events-none disabled:opacity-50 data-[state=active]:shadow-sm
[&_svg]:pointer-events-none [&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4",
      className
    )}
    {...props}
  />
 );
}

function TabsContent({
 className,
 ...props
}: React.ComponentProps<typeof TabsPrimitive.Content>) {
 return (
  <TabsPrimitive.Content
    data-slot="tabs-content"
    className={cn("flex-1 outline-none", className)}
    {...props}
  />
 );
}

export { Tabs, TabsList, TabsTrigger, TabsContent };
```

app-9k6qt5daj281/src/components/ui/textarea.tsx

```
import * as React from "react";

import { cn } from "@/lib/utils";

export function Textarea({ className, ...props }: React.ComponentProps<"textarea">) {
 return (
  <textarea
    data-slot="textarea"
    className={cn(
      "border-input placeholder:text-muted-foreground focus-visible:border-ring focus-
```

```
visible:ring-ring/50 aria-invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40
aria-invalid:border-destructive dark:bg-input/30 flex field-sizing-content min-h-16 w-full
rounded-md border bg-transparent px-3 py-2 text-base shadow-xs transition-[color,box-
shadow] outline-none focus-visible:ring-[3px] disabled:cursor-not-allowed
disabled:opacity-50 md:text-sm",
      className
    )}
    {...props}
   />
  );
}
```

app-9k6qt5daj281/src/components/ui/toast.tsx

```
"use client";

import * as React from "react";
import * as ToastPrimitives from "@radix-ui/react-toast";
import { cva, type VariantProps } from "class-variance-authority";
import { X } from "lucide-react";

import { cn } from "@/lib/utils";

const ToastProvider = ToastPrimitives.Provider;

const ToastViewport = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Viewport>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Viewport>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Viewport
   ref={ref}
   className={cn(
    "fixed top-0 z-[100] flex max-h-screen w-full flex-col-reverse p-4 sm:bottom-0 sm:right-
0 sm:top-auto sm:flex-col md:max-w-[420px]",
    className
   )}
   {...props}
  />
));
ToastViewport.displayName = ToastPrimitives.Viewport.displayName;

const toastVariants = cva(
  "group pointer-events-auto relative flex w-full items-center justify-between space-x-2
```

```
overflow-hidden rounded-md border p-4 pr-6 shadow-lg transition-all data-
[swipe=cancel]:translate-x-0 data-[swipe=end]:translate-x-[var(--radix-toast-swipe-end-x)]
data-[swipe=move]:translate-x-[var(--radix-toast-swipe-move-x)] data-
[swipe=move]:transition-none data-[state=open]:animate-in data-[state=closed]:animate-
out data-[swipe=end]:animate-out data-[state=closed]:fade-out-80 data-
[state=closed]:slide-out-to-right-full data-[state=open]:slide-in-from-top-full data-
[state=open]:sm:slide-in-from-bottom-full",
  {
    variants: {
      variant: {
        default: "border bg-background text-foreground",
        destructive:
          "destructive group border-destructive bg-destructive text-destructive-foreground",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  }
);

const Toast = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Root>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Root> &
    VariantProps<typeof toastVariants>
>(({ className, variant, ...props }, ref) => {
  return (
    <ToastPrimitives.Root
      ref={ref}
      className={cn(toastVariants({ variant }), className)}
      {...props}
    />
  );
});
Toast.displayName = ToastPrimitives.Root.displayName;

const ToastAction = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Action>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Action>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Action
    ref={ref}
    className={cn(
```

```
    "inline-flex h-8 shrink-0 items-center justify-center rounded-md border bg-transparent
px-3 text-sm font-medium transition-colors hover:bg-secondary focus:outline-none
focus:ring-1 focus:ring-ring disabled:pointer-events-none disabled:opacity-50 group-
[.destructive]:border-muted/40 group-[.destructive]:hover:border-destructive/30 group-
[.destructive]:hover:bg-destructive group-[.destructive]:hover:text-destructive-foreground
group-[.destructive]:focus:ring-destructive",
    className
  )}
  {...props}
 />
));
ToastAction.displayName = ToastPrimitives.Action.displayName;

const ToastClose = React.forwardRef<
 React.ElementRef<typeof ToastPrimitives.Close>,
 React.ComponentPropsWithoutRef<typeof ToastPrimitives.Close>
>(({ className, ...props }, ref) => (
 <ToastPrimitives.Close
  ref={ref}
  className={cn(
    "absolute right-1 top-1 rounded-md p-1 text-foreground/50 opacity-0 transition-opacity
hover:text-foreground focus:opacity-100 focus:outline-none focus:ring-1 group-
hover:opacity-100 group-[.destructive]:text-red-300 group-[.destructive]:hover:text-red-50
group-[.destructive]:focus:ring-red-400 group-[.destructive]:focus:ring-offset-red-600",
    className
  )}
  toast-close=""
  {...props}
 >
  <X className="h-4 w-4" />
 </ToastPrimitives.Close>
));
ToastClose.displayName = ToastPrimitives.Close.displayName;

const ToastTitle = React.forwardRef<
 React.ElementRef<typeof ToastPrimitives.Title>,
 React.ComponentPropsWithoutRef<typeof ToastPrimitives.Title>
>(({ className, ...props }, ref) => (
 <ToastPrimitives.Title
  ref={ref}
  className={cn("text-sm font-semibold [&+div]:text-xs", className)}
  {...props}
 />
```

```
));
ToastTitle.displayName = ToastPrimitives.Title.displayName;

const ToastDescription = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Description>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Description>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Description
    ref={ref}
    className={cn("text-sm opacity-90", className)}
    {...props}
  />
));
ToastDescription.displayName = ToastPrimitives.Description.displayName;

type ToastProps = React.ComponentPropsWithoutRef<typeof Toast>;

type ToastActionElement = React.ReactElement<typeof ToastAction>;

export {
  type ToastProps,
  type ToastActionElement,
  ToastProvider,
  ToastViewport,
  Toast,
  ToastTitle,
  ToastDescription,
  ToastClose,
  ToastAction,
};
```

app-9k6qt5daj281/src/components/ui/toaster.tsx

```
import { useToast } from "@/hooks/use-toast";
import {
  Toast,
  ToastClose,
  ToastDescription,
  ToastProvider,
  ToastTitle,
  ToastViewport,
} from "@/components/ui/toast";
```

```
export function Toaster() {
  const { toasts } = useToast();

  return (
    <ToastProvider>
      {toasts.map(function ({ id, title, description, action, ...props }) {
        return (
          <Toast key={id} {...props}>
            <div className="grid gap-1">
              {title && <ToastTitle>{title}</ToastTitle>}
              {description && (
                <ToastDescription>{description}</ToastDescription>
              )}
            </div>
            {action}
            <ToastClose />
          </Toast>
        );
      })}
      <ToastViewport />
    </ToastProvider>
  );
}
```

app-9k6qt5daj281/src/components/ui/toggle-group.tsx

```
import * as React from "react";
import * as ToggleGroupPrimitive from "@radix-ui/react-toggle-group";
import { type VariantProps } from "class-variance-authority";

import { cn } from "@/lib/utils";
import { toggleVariants } from "@/components/ui/toggle";

const ToggleGroupContext = React.createContext<
  VariantProps<typeof toggleVariants>
>({
  size: "default",
  variant: "default",
});

function ToggleGroup({
  className,
  variant,
```

```
  size,
  children,
  ...props
}: React.ComponentProps<typeof ToggleGroupPrimitive.Root> &
  VariantProps<typeof toggleVariants>) {
  return (
    <ToggleGroupPrimitive.Root
      data-slot="toggle-group"
      data-variant={variant}
      data-size={size}
      className={cn(
        "group/toggle-group flex w-fit items-center rounded-md data-
[variant=outline]:shadow-xs",
        className
      )}
      {...props}
    >
      <ToggleGroupContext.Provider value={{ variant, size }}>
        {children}
      </ToggleGroupContext.Provider>
    </ToggleGroupPrimitive.Root>
  );
}

function ToggleGroupItem({
  className,
  children,
  variant,
  size,
  ...props
}: React.ComponentProps<typeof ToggleGroupPrimitive.Item> &
  VariantProps<typeof toggleVariants>) {
  const context = React.useContext(ToggleGroupContext);

  return (
    <ToggleGroupPrimitive.Item
      data-slot="toggle-group-item"
      data-variant={context.variant || variant}
      data-size={context.size || size}
      className={cn(
        toggleVariants({
          variant: context.variant || variant,
          size: context.size || size,
```

```
      }),
      "min-w-0 flex-1 shrink-0 rounded-none shadow-none first:rounded-l-md last:rounded-
r-md focus:z-10 focus-visible:z-10 data-[variant=outline]:border-l-0 data-
[variant=outline]:first:border-l",
      className
    )}
    {...props}
  >
    {children}
  </ToggleGroupPrimitive.Item>
 );
}

export { ToggleGroup, ToggleGroupItem };
```

app-9k6qt5daj281/src/components/ui/toggle.tsx

```
import * as React from "react";
import * as TogglePrimitive from "@radix-ui/react-toggle";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@/lib/utils";

const toggleVariants = cva(
 "inline-flex items-center justify-center gap-2 rounded-md text-sm font-medium hover:bg-
muted hover:text-muted-foreground disabled:pointer-events-none disabled:opacity-50
data-[state=on]:bg-accent data-[state=on]:text-accent-foreground [&_svg]:pointer-events-
none [&_svg:not([class*='size-'])]:size-4 [&_svg]:shrink-0 focus-visible:border-ring focus-
visible:ring-ring/50 focus-visible:ring-[3px] outline-none transition-[color,box-shadow]
aria-invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive whitespace-nowrap",
 {
  variants: {
    variant: {
      default: "bg-transparent",
      outline:
        "border border-input bg-transparent shadow-xs hover:bg-accent hover:text-accent-
foreground",
    },
    size: {
      default: "h-9 px-2 min-w-9",
      sm: "h-8 px-1.5 min-w-8",
      lg: "h-10 px-2.5 min-w-10",
```

```
    },
   },
   defaultVariants: {
    variant: "default",
    size: "default",
   },
  }
);

function Toggle({
  className,
  variant,
  size,
  ...props
}: React.ComponentProps<typeof TogglePrimitive.Root> &
  VariantProps<typeof toggleVariants>) {
  return (
   <TogglePrimitive.Root
    data-slot="toggle"
    className={cn(toggleVariants({ variant, size, className }))}
    {...props}
   />
  );
}

export { Toggle, toggleVariants };
```

app-9k6qt5daj281/src/components/ui/tooltip.tsx

```
"use client";

import * as React from "react";
import * as TooltipPrimitive from "@radix-ui/react-tooltip";

import { cn } from "@/lib/utils";

function TooltipProvider({
  delayDuration = 0,
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Provider>) {
  return (
   <TooltipPrimitive.Provider
    data-slot="tooltip-provider"
```

```
      delayDuration={delayDuration}
      {...props}
    />
  );
}

function Tooltip({
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Root>) {
  return (
    <TooltipProvider>
      <TooltipPrimitive.Root data-slot="tooltip" {...props} />
    </TooltipProvider>
  );
}

function TooltipTrigger({
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Trigger>) {
  return <TooltipPrimitive.Trigger data-slot="tooltip-trigger" {...props} />;
}

function TooltipContent({
  className,
  sideOffset = 0,
  children,
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Content>) {
  return (
    <TooltipPrimitive.Portal>
      <TooltipPrimitive.Content
        data-slot="tooltip-content"
        sideOffset={sideOffset}
        className={cn(
          "bg-primary text-primary-foreground animate-in fade-in-0 zoom-in-95 data-
[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-
[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 z-50 w-fit origin-(--
radix-tooltip-content-transform-origin) rounded-md px-3 py-1.5 text-xs text-balance",
          className
        )}
        {...props}
      >
```

```
      {children}
      <TooltipPrimitive.Arrow className="bg-primary fill-primary z-50 size-2.5 translate-y-
[calc(-50%_-_2px)] rotate-45 rounded-[2px]" />
    </TooltipPrimitive.Content>
  </TooltipPrimitive.Portal>
 );
}

export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider };
```

app-9k6qt5daj281/src/components/ui/video.tsx

```
/**
 * Video Player Component
 *
 * Video player based on video-react wrapper, supports custom poster, autoplay, mute and
other features
 *
 * Usage example:
 * <Video
 *   src="" // Video resource URL, defaults to empty string
 *   poster="https://internal-amis-res.cdn.bcebos.com/images/2019-
12/1577157239810/da6376bf988c.png" // Video poster image
 * />
 */

import {
  BigPlayButton,
  ControlBar,
  PlayToggle,
  CurrentTimeDisplay,
  TimeDivider,
  DurationDisplay,
  FullscreenToggle,
  VolumeMenuButton,
  ProgressControl
} from 'video-react';
import 'video-react/dist/video-react.css';

interface VideoProps {
  /** Video resource URL */
src: string;
poster?: string; /** Video poster image URL */
```

```
className?: string; /** Custom class name */
autoPlay?: boolean; /** Whether to autoplay, defaults to false */
muted?: boolean; /** Whether to mute, defaults to false */
controls?: boolean; /** Whether to show controls, defaults to true */
aspectRatio?: string | 'auto' | '16:9' | '4:3'; /** Video aspect ratio, defaults to 'auto' */
}

export default function Video({
className,
src,
poster,
autoPlay = false,
muted = false,
controls = true,
aspectRatio = 'auto'
}: VideoProps) {
return (
  <div className={`min-w-[100px] ${className}`} custom-component="video">
  <style>
    {`
.video-react-paused .video-react-big-play-button.big-play-button-hide {
  display: block;
}

.video-react .video-react-big-play-button {
  width: 48px;
  height: 40px;
  border-radius: 6px;
  border: 1px solid rgba(255, 255, 255, 0.5);
  margin-left: -24px !important;
  margin-top: -20px !important;
  background: rgba(7, 12, 20, 0.6) !important;
}

.video-react .video-react-big-play-button:hover {
  background: rgba(7, 12, 20, 0.8) !important;
}

.video-react .video-react-big-play-button:before {
display: block;
  content: '';
  background:
url(
```

AAACXBIWXMAACE4AAAhOAFFljFgAAAAAXNSR0IArs4c6QAAAARnQU1BAACxjwv8YQUAA
AGVSURBVHgB7ZnhbYMwEIWPqAN0BHcDRiAbdASyQTpB6QRpJyAjdAO8QbsBbNBs4L6Tc
YtaUADb
+H7kk56cgKJ8sX0RHBmNYIwpMBT92w7RWZZ1lBoWQ1rzny/kGbmnVODLc3OdFikpBWZ
85mSI9ku7htbY/RqNXT8WtA6FNJCsEUUR2FEYSqSNIRpK0FGSFT2FEg0t6DiSXfojeRJLkFHI
ybfiYwo6FFKvFd1C0KHIijZL9ueWgo6CFlR8CkFHSTNEUwo6SuTDTFyMSBBkWKwiK1oOT0
gRdCj6rXh+LU7QocjOppIqyPCy15IFmUK6oNg9
+MNN0BMtWfCCHKQKdsiemwXSBHnWniD2gHzygTuSAYu9Ia8QuwxPSBBkseqvmCOloEYO
15pSKfagJlsA+zkdsy1nUCMvkNJLPrSFYEdW7EwriCk4WZlLiCEYRMwRWvBMdjk7CoQT9P2
lmlYUwGw8GphN7AbmULJdINZuJjYQnDOL3O33bqn5SOZm+jFEZRI8hsjGDkLkEUNO9taPL
3veQ/xlrOEbeloBZoEUypwAAAAASUVORK5CYII=)
  no-repeat;
  background-size: contain;
  width: 15px;
  height: 16.25px;
  margin: 0 auto;
  position: relative;
}

.h-full > .video-react.video-react-fluid {
  height: 100%;
  padding-top: 0 !important;
  aspect-ratio: 16 / 9;
}
`}
  </style>
  <Player
    poster={poster}
    src={src}
    autoPlay={autoPlay}
    muted={muted}
    aspectRatio={aspectRatio}
  >
    <ControlBar
    disableDefaultControls
    autoHide
    disableCompletely={!controls}
    >
    <PlayToggle key="play-toggle" />
    <VolumeMenuButton key="volume-menu-button" vertical />
    <CurrentTimeDisplay key="current-time-display" />
    <TimeDivider key="time-divider" />
    <DurationDisplay key="duration-display" />

```
      <ProgressControl key="progress-control" />
      <FullscreenToggle key="fullscreen-toggle" />
      </ControlBar>
      <BigPlayButton position="center" />
    </Player>
    </div>
);
}
```

app-9k6qt5daj281/src/contexts/AuthContext.tsx

```
import { createContext, useContext, useEffect, useState, type ReactNode } from 'react';
import { supabase } from '@/db/supabase';
import type { User } from '@supabase/supabase-js';
import type { Profile } from '@/types';

export async function getProfile(userId: string): Promise<Profile | null> {
  const { data, error } = await supabase
    .from('profiles')
    .select('*')
    .eq('id', userId)
    .maybeSingle();

  if (error) {
    console.error('获取用户信息失败:', error);
    return null;
  }
  return data;
}
interface AuthContextType {
  user: User | null;
  profile: Profile | null;
  loading: boolean;
  signInWithUsername: (username: string, password: string) => Promise<{ error: Error |
null }>;
  signUpWithUsername: (username: string, password: string) => Promise<{ error: Error |
null }>;
  signInWithGoogle: () => Promise<{ error: Error | null }>;
  signOut: () => Promise<void>;
  refreshProfile: () => Promise<void>;
}

const AuthContext = createContext<AuthContextType | undefined>(undefined);
```

```
export function AuthProvider({ children }: { children: ReactNode }) {
  const [user, setUser] = useState<User | null>(null);
  const [profile, setProfile] = useState<Profile | null>(null);
  const [loading, setLoading] = useState(true);

  const refreshProfile = async () => {
    if (!user) {
      setProfile(null);
      return;
    }

    const profileData = await getProfile(user.id);
    setProfile(profileData);
  };

  useEffect(() => {
    supabase.auth.getSession().then(({ data: { session } }) => {
      setUser(session?.user ?? null);
      if (session?.user) {
        getProfile(session.user.id).then(setProfile);
      }
      setLoading(false);
    });
    // In this function, do NOT use any await calls. Use `.then()` instead to avoid deadlocks.
    const { data: { subscription } } = supabase.auth.onAuthStateChange((_event, session) => {
      setUser(session?.user ?? null);
      if (session?.user) {
        getProfile(session.user.id).then(setProfile);
      } else {
        setProfile(null);
      }
    });

    return () => subscription.unsubscribe();
  }, []);

  const signInWithUsername = async (username: string, password: string) => {
    try {
      const email = `${username}@miaoda.com`;
      const { error } = await supabase.auth.signInWithPassword({
        email,
        password,
      });
```

```
    if (error) throw error;
    return { error: null };
  } catch (error) {
    return { error: error as Error };
  }
};

const signUpWithUsername = async (username: string, password: string) => {
  try {
    const email = `${username}@miaoda.com`;
    const { error } = await supabase.auth.signUp({
      email,
      password,
    });

    if (error) throw error;
    return { error: null };
  } catch (error) {
    return { error: error as Error };
  }
};

const signInWithGoogle = async () => {
  try {
    const { data, error } = await supabase.auth.signInWithSSO({
      domain: 'miaoda-gg.com',
      options: { redirectTo: window.location.origin },
    });
    if (error) throw error;
    if (data?.url) window.open(data.url, '_self');
    return { error: null };
  } catch (error) {
    return { error: error as Error };
  }
};

const signOut = async () => {
  await supabase.auth.signOut();
  setUser(null);
  setProfile(null);
};
```

```
  return (
    <AuthContext.Provider value={{ user, profile, loading, signInWithUsername,
signUpWithUsername, signInWithGoogle, signOut, refreshProfile }}>
      {children}
    </AuthContext.Provider>
  );
}

export function useAuth() {
  const context = useContext(AuthContext);
  if (context === undefined) {
    throw new Error('useAuth must be used within an AuthProvider');
  }
  return context;
}
```

app-9k6qt5daj281/src/db/api.ts

```
import { supabase } from './supabase';
import { PostgrestResponse } from '@supabase/supabase-js';

export const db = {
  profiles: {
    get: async (id: string) => {
      return supabase.from('profiles').select('*').eq('id', id).maybeSingle();
    },
    update: async (id: string, updates: any) => {
      return supabase.from('profiles').update(updates).eq('id', id);
    },
    list: async () => {
      return supabase.from('profiles').select('*').order('created_at', { ascending: false });
    }
  },
  healthMetrics: {
    list: async (userId: string) => {
      return supabase.from('health_metrics').select('*').eq('user_id',
userId).order('recorded_at', { ascending: false }).limit(50);
    },
    create: async (data: any) => {
      return supabase.from('health_metrics').insert(data);
    },
    getLatest: async (userId: string) => {
      return supabase.from('health_metrics').select('*').eq('user_id',
```

```
userId).order('recorded_at', { ascending: false }).limit(1).maybeSingle();
    }
  },
  waterIntake: {
    list: async (userId: string) => {
      const startOfDay = new Date();
      startOfDay.setHours(0, 0, 0, 0);
      return supabase.from('water_intake').select('*').eq('user_id', userId).gte('recorded_at',
startOfDay.toISOString());
    },
    create: async (data: any) => {
      return supabase.from('water_intake').insert(data);
    }
  },
  appointments: {
    list: async (userId?: string) => {
      let query = supabase.from('appointments').select('*, doctor:doctors(*)');
      if (userId) query = query.eq('user_id', userId);
      return query.order('appointment_date', { ascending: true });
    },
    create: async (data: any) => {
      return supabase.from('appointments').insert(data);
    },
    update: async (id: string, status: string) => {
      return supabase.from('appointments').update({ status }).eq('id', id);
    }
  },
  doctors: {
    list: async () => {
      return supabase.from('doctors').select('*');
    }
  },
  feedback: {
    list: async () => {
      return supabase.from('feedback').select('*, profile:profiles(email, full_name)');
    },
    create: async (data: any) => {
      return supabase.from('feedback').insert(data);
    }
  },
  medications: {
    list: async (userId: string) => {
      return supabase.from('medications').select('*').eq('user_id', userId);
```

```
    },
    create: async (data: any) => {
      return supabase.from('medications').insert(data);
    }
  },
  orders: {
    list: async (userId?: string) => {
      let query = supabase.from('orders').select('*');
      if (userId) query = query.eq('user_id', userId);
      return query.order('created_at', { ascending: false });
    },
    create: async (data: any) => {
      return supabase.from('orders').insert(data);
    }
  },
  wearables: {
    get: async (userId: string) => {
      return supabase.from('user_wearables').select('*').eq('user_id', userId).eq('status',
'connected').maybeSingle();
    },
    disconnect: async (id: string) => {
      return supabase.from('user_wearables').update({ status: 'disconnected' }).eq('id', id);
    },
    getAuthUrl: async (provider: string, userId: string) => {
      return supabase.functions.invoke('wearable_oauth', {
        method: 'GET',
        headers: { 'Content-Type': 'application/json' },
        body: JSON.stringify({ provider, action: 'authorize', user_id: userId }),
        // Note: For GET requests with query params, we usually append them to the name
      });
    },
    sync: async () => {
      return supabase.functions.invoke('sync_wearable_data');
    }
  }
};
```

app-9k6qt5daj281/src/db/supabase.ts

```
import { createClient } from "@supabase/supabase-js";

const supabaseUrl = import.meta.env.VITE_SUPABASE_URL;
```

```
const supabaseAnonKey = import.meta.env.VITE_SUPABASE_ANON_KEY;

export const supabase = createClient(supabaseUrl, supabaseAnonKey);
```

app-9k6qt5daj281/src/hooks/use-debounce.ts

```
import * as React from "react";

export function useDebounce<T>(value: T, delay?: number): T {
  const [debouncedValue, setDebouncedValue] = React.useState<T>(value);

  React.useEffect(() => {
    const timer = setTimeout(() => setDebouncedValue(value), delay ?? 500);

    return () => {
      clearTimeout(timer);
    };
  }, [value, delay]);

  return debouncedValue;
}
```

app-9k6qt5daj281/src/hooks/use-go-back.ts

```
import { useNavigate } from "react-router-dom";

const useGoBack = () => {
  const navigate = useNavigate();

  const goBack = () => {
    if (window.history.state && window.history.state.idx > 0) {
      navigate(-1); // Go back to the previous page
    } else {
      navigate("/"); // Redirect to home if no history exists
    }
  };

  return goBack;
};

export default useGoBack;
```

app-9k6qt5daj281/src/hooks/use-mobile.ts

```
import * as React from "react";

const MOBILE_BREAKPOINT = 768;

export function useIsMobile() {
  const [isMobile, setIsMobile] = React.useState<boolean | undefined>(undefined);

  React.useEffect(() => {
    const mql = window.matchMedia(`(max-width: ${MOBILE_BREAKPOINT - 1}px)`);
    const onChange = () => {
      setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);
    };
    mql.addEventListener("change", onChange);
    setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);
    return () => mql.removeEventListener("change", onChange);
  }, []);

  return !!isMobile;
}
```

app-9k6qt5daj281/src/hooks/use-supabase-upload.ts

```
import { useCallback, useEffect, useMemo, useState } from 'react'
import { type FileError, type FileRejection, useDropzone } from 'react-dropzone'
import {type SupabaseClient} from '@supabase/supabase-js'

interface FileWithPreview extends File {
  preview?: string
  errors: readonly FileError[]
}

type UseSupabaseUploadOptions = {
  /**
   * Name of bucket to upload files to in your Supabase project
   */
  bucketName: string
  /**
   * Folder to upload files to in the specified bucket within your Supabase project.
   *
   * Defaults to uploading files to the root of the bucket
   *
   * e.g If specified path is `test`, your file will be uploaded as `test/file_name`
```

```
  */
  path?: string
  /**
   * Allowed MIME types for each file upload (e.g `image/png`, `text/html`, etc). Wildcards
are also supported (e.g `image/*`).
   *
   * Defaults to allowing uploading of all MIME types.
   */
  allowedMimeTypes?: string[]
  /**
   * Maximum upload size of each file allowed in bytes. (e.g 1000 bytes = 1 KB)
   */
  maxFileSize?: number
  /**
   * Maximum number of files allowed per upload.
   */
  maxFiles?: number
  /**
   * The number of seconds the asset is cached in the browser and in the Supabase CDN.
   *
   * This is set in the Cache-Control: max-age=<seconds> header. Defaults to 3600 seconds.
   */
  cacheControl?: number
  /**
   * When set to true, the file is overwritten if it exists.
   *
   * When set to false, an error is thrown if the object already exists. Defaults to `false`
   */
  upsert?: boolean

  /**
   * initialized Supabase client instance
   */
  supabase: SupabaseClient
}

type UseSupabaseUploadReturn = ReturnType<typeof useSupabaseUpload>

const useSupabaseUpload = (options: UseSupabaseUploadOptions) => {
  const {
    bucketName,
    path,
    allowedMimeTypes = [],
```

```
  maxFileSize = Number.POSITIVE_INFINITY,
  maxFiles = 1,
  cacheControl = 3600,
  upsert = false,
  supabase
} = options

const [files, setFiles] = useState<FileWithPreview[]>([])
const [loading, setLoading] = useState<boolean>(false)
const [errors, setErrors] = useState<{ name: string; message: string }[]>([])
const [successes, setSuccesses] = useState<string[]>([])

const isSuccess = useMemo(() => {
  if (errors.length === 0 && successes.length === 0) {
    return false
  }
  if (errors.length === 0 && successes.length === files.length) {
    return true
  }
  return false
}, [errors.length, successes.length, files.length])

const onDrop = useCallback(
  (acceptedFiles: File[], fileRejections: FileRejection[]) => {
    const validFiles = acceptedFiles
      .filter((file) => !files.find((x) => x.name === file.name))
      .map((file) => {
        ;(file as FileWithPreview).preview = URL.createObjectURL(file)
        ;(file as FileWithPreview).errors = []
        return file as FileWithPreview
      })

    const invalidFiles = fileRejections.map(({ file, errors }) => {
      ;(file as FileWithPreview).preview = URL.createObjectURL(file)
      ;(file as FileWithPreview).errors = errors
      return file as FileWithPreview
    })

    const newFiles = [...files, ...validFiles, ...invalidFiles]

    setFiles(newFiles)
  },
  [files, setFiles]
```

```
  )

  const dropzoneProps = useDropzone({
    onDrop,
    noClick: true,
    accept: allowedMimeTypes.reduce((acc, type) => ({ ...acc, [type]: [] }), {}),
    maxSize: maxFileSize,
    maxFiles: maxFiles,
    multiple: maxFiles !== 1,
  })

  const onUpload = useCallback(async () => {
    setLoading(true)

    // [Joshen] This is to support handling partial successes
    // If any files didn't upload for any reason, hitting "Upload" again will only upload the files
that had errors
    const filesWithErrors = errors.map((x) => x.name)
    const filesToUpload =
      filesWithErrors.length > 0
        ? [
            ...files.filter((f) => filesWithErrors.includes(f.name)),
            ...files.filter((f) => !successes.includes(f.name)),
          ]
        : files

    const responses = await Promise.all(
      filesToUpload.map(async (file) => {
        const { error } = await supabase.storage
          .from(bucketName)
          .upload(!!path ? `${path}/${file.name}` : file.name, file, {
            cacheControl: cacheControl.toString(),
            upsert,
          })
        if (error) {
          return { name: file.name, message: error.message }
        } else {
          return { name: file.name, message: undefined }
        }
      })
    )

    const responseErrors = responses.filter((x) => x.message !== undefined)
```

```
    // if there were errors previously, this function tried to upload the files again so we
should clear/overwrite the existing errors.
    setErrors(responseErrors)

    const responseSuccesses = responses.filter((x) => x.message === undefined)
    const newSuccesses = Array.from(
      new Set([...successes, ...responseSuccesses.map((x) => x.name)])
    )
    setSuccesses(newSuccesses)

    setLoading(false)
  }, [files, path, bucketName, errors, successes])

  useEffect(() => {
    if (files.length === 0) {
      setErrors([])
    }

    // If the number of files doesn't exceed the maxFiles parameter, remove the error 'Too
many files' from each file
    if (files.length <= maxFiles) {
      let changed = false
      const newFiles = files.map((file) => {
        if (file.errors.some((e) => e.code === 'too-many-files')) {
          file.errors = file.errors.filter((e) => e.code !== 'too-many-files')
          changed = true
        }
        return file
      })
      if (changed) {
        setFiles(newFiles)
      }
    }
  }, [files.length, setFiles, maxFiles])

  return {
    files,
    setFiles,
    successes,
    isSuccess,
    loading,
    errors,
    setErrors,
```

```
    onUpload,
    maxFileSize: maxFileSize,
    maxFiles: maxFiles,
    allowedMimeTypes,
    ...dropzoneProps,
  }
}

export { useSupabaseUpload, type UseSupabaseUploadOptions, type
UseSupabaseUploadReturn }
```

app-9k6qt5daj281/src/hooks/use-toast.tsx

```
import * as React from "react";

import type { ToastActionElement, ToastProps } from "@/components/ui/toast";

const TOAST_LIMIT = 1;
const TOAST_REMOVE_DELAY = 1000000;

type ToasterToast = ToastProps & {
  id: string;
  title?: React.ReactNode;
  description?: React.ReactNode;
  action?: ToastActionElement;
};

const actionTypes = {
  ADD_TOAST: "ADD_TOAST",
  UPDATE_TOAST: "UPDATE_TOAST",
  DISMISS_TOAST: "DISMISS_TOAST",
  REMOVE_TOAST: "REMOVE_TOAST",
} as const;

let count = 0;

function genId() {
  count = (count + 1) % Number.MAX_SAFE_INTEGER;
  return count.toString();
}

type ActionType = typeof actionTypes;
```

```
type Action =
  | {
      type: ActionType["ADD_TOAST"];
      toast: ToasterToast;
    }
  | {
      type: ActionType["UPDATE_TOAST"];
      toast: Partial<ToasterToast>;
    }
  | {
      type: ActionType["DISMISS_TOAST"];
      toastId?: ToasterToast["id"];
    }
  | {
      type: ActionType["REMOVE_TOAST"];
      toastId?: ToasterToast["id"];
    };

interface State {
  toasts: ToasterToast[];
}

const toastTimeouts = new Map<string, ReturnType<typeof setTimeout>>();

const addToRemoveQueue = (toastId: string) => {
  if (toastTimeouts.has(toastId)) {
    return;
  }

  const timeout = setTimeout(() => {
    toastTimeouts.delete(toastId);
    dispatch({
      type: "REMOVE_TOAST",
      toastId: toastId,
    });
  }, TOAST_REMOVE_DELAY);

  toastTimeouts.set(toastId, timeout);
};

export const reducer = (state: State, action: Action): State => {
  switch (action.type) {
    case "ADD_TOAST":
```

```
  return {
    ...state,
    toasts: [action.toast, ...state.toasts].slice(0, TOAST_LIMIT),
  };

case "UPDATE_TOAST":
  return {
    ...state,
    toasts: state.toasts.map((t) =>
      t.id === action.toast.id ? { ...t, ...action.toast } : t
    ),
  };

case "DISMISS_TOAST": {
  const { toastId } = action;

  // ! Side effects ! - This could be extracted into a dismissToast() action,
  // but I'll keep it here for simplicity
  if (toastId) {
    addToRemoveQueue(toastId);
  } else {
    state.toasts.forEach((toast) => {
      addToRemoveQueue(toast.id);
    });
  }

  return {
    ...state,
    toasts: state.toasts.map((t) =>
      t.id === toastId || toastId === undefined
        ? {
            ...t,
            open: false,
          }
        : t
    ),
  };
}
case "REMOVE_TOAST":
  if (action.toastId === undefined) {
    return {
      ...state,
      toasts: [],
```

```
      };
    }
    return {
      ...state,
      toasts: state.toasts.filter((t) => t.id !== action.toastId),
    };
  }
};

const listeners: Array<(state: State) => void> = [];

let memoryState: State = { toasts: [] };

function dispatch(action: Action) {
  memoryState = reducer(memoryState, action);
  listeners.forEach((listener) => {
    listener(memoryState);
  });
}

type Toast = Omit<ToasterToast, "id">;

function toast({ ...props }: Toast) {
  const id = genId();

  const update = (props: ToasterToast) =>
    dispatch({
      type: "UPDATE_TOAST",
      toast: { ...props, id },
    });
  const dismiss = () => dispatch({ type: "DISMISS_TOAST", toastId: id });

  dispatch({
    type: "ADD_TOAST",
    toast: {
      ...props,
      id,
      open: true,
      onOpenChange: (open) => {
        if (!open) dismiss();
      },
    },
  });
```

```
  return {
    id: id,
    dismiss,
    update,
  };
}

function useToast() {
  const [state, setState] = React.useState<State>(memoryState);

  React.useEffect(() => {
    listeners.push(setState);
    return () => {
      const index = listeners.indexOf(setState);
      if (index > -1) {
        listeners.splice(index, 1);
      }
    };
  }, [state]);

  return {
    ...state,
    toast,
    dismiss: (toastId?: string) => dispatch({ type: "DISMISS_TOAST", toastId }),
  };
}

export { useToast, toast };
```

app-9k6qt5daj281/src/lib/utils.ts

```
import { clsx, type ClassValue } from "clsx"
import { twMerge } from "tailwind-merge"

export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs));
}

export type Params = Partial<
  Record<keyof URLSearchParams, string | number | null | undefined>
>;
```

```
export function createQueryString(
  params: Params,
  searchParams: URLSearchParams
) {
  const newSearchParams = new URLSearchParams(searchParams?.toString());

  for (const [key, value] of Object.entries(params)) {
    if (value === null || value === undefined) {
      newSearchParams.delete(key);
    } else {
      newSearchParams.set(key, String(value));
    }
  }

  return newSearchParams.toString();
}

export function formatDate(
  date: Date | string | number,
  opts: Intl.DateTimeFormatOptions = {}
) {
  return new Intl.DateTimeFormat("zh-CN", {
    month: opts.month ?? "long",
    day: opts.day ?? "numeric",
    year: opts.year ?? "numeric",
    ...opts,
  }).format(new Date(date));
}
```

app-9k6qt5daj281/src/pages/Admin.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Profile, Feedback, Order, Appointment } from '@/types';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Tabs, TabsContent, TabsList, TabsTrigger } from '@/components/ui/tabs';
import { Badge } from '@/components/ui/badge';
import { useNavigate } from 'react-router-dom';
import {
  Users,
```

```
  MessageSquare,
  CreditCard,
  Calendar,
  ShieldCheck,
  ArrowUpRight,
  UserCheck,
  Star,
  Activity,
  PieChart
} from 'lucide-react';
import { Doughnut } from 'react-chartjs-2';
import { Chart as ChartJS, ArcElement, Tooltip as ChartTooltip, Legend as ChartLegend }
from 'chart.js';

ChartJS.register(ArcElement, ChartTooltip, ChartLegend);
import { toast } from 'sonner';

export default function AdminPage() {
  const { profile } = useAuth();
  const navigate = useNavigate();
  const [users, setUsers] = useState<Profile[]>([]);
  const [feedbacks, setFeedbacks] = useState<Feedback[]>([]);
  const [orders, setOrders] = useState<Order[]>([]);
  const [appointments, setAppointments] = useState<Appointment[]>([]);
  const [isLoading, setIsLoading] = useState(true);

  useEffect(() => {
    if (profile && profile.role !== 'admin') {
      toast.error("Unauthorized access");
      navigate('/dashboard');
      return;
    }

    if (profile?.role !== 'admin') return;

    const fetchData = async () => {
      const [uRes, fRes, oRes, aRes] = await Promise.all([
        db.profiles.list(),
        db.feedback.list(),
        db.orders.list(),
        db.appointments.list()
      ]);
```

```
    if (uRes.data) setUsers(uRes.data as Profile[]);
    if (fRes.data) setFeedbacks(fRes.data as Feedback[]);
    if (oRes.data) setOrders(oRes.data as Order[]);
    if (aRes.data) setAppointments(aRes.data as Appointment[]);
    setIsLoading(false);
  };

  fetchData();
}, [profile]);

if (profile?.role !== 'admin') {
  return null; // Don't render anything
}

const stats = [
  { label: 'Total Users', value: users.length, icon: Users, color: 'text-blue-400' },
  { label: 'Premium Users', value: users.filter(u => u.premium_status).length, icon:
ShieldCheck, color: 'text-primary' },
  { label: 'Total Revenue', value: `₹${orders.reduce((acc, curr) => acc + (curr.status ===
'completed' ? curr.total_amount : 0), 0)}`, icon: CreditCard, color: 'text-orange-400' },
  { label: 'Feedbacks', value: feedbacks.length, icon: MessageSquare, color: 'text-indigo-400'
}
];

const diseaseCounts: Record<string, number> = {};
users.forEach(u => {
  u.selected_diseases?.forEach(d => {
    diseaseCounts[d] = (diseaseCounts[d] || 0) + 1;
  });
});

const diseaseChartData = {
  labels: Object.keys(diseaseCounts),
  datasets: [{
    data: Object.values(diseaseCounts),
    backgroundColor: [
      '#00ff88', '#1aff9c', '#fb923c', '#818cf8', '#f472b6', '#4ade80', '#2dd4bf'
    ],
    borderWidth: 0
  }]
};

return (
```

```
  <div className="space-y-8 animate-secure-slide">
    <div className="flex items-center gap-4">
      <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-
center">
        <Activity className="text-primary w-6 h-6" />
      </div>
      <div>
        <h1 className="text-3xl font-bold">Admin Control Center</h1>
        <p className="text-muted-foreground">Manage users, subscriptions, and platform
operations</p>
      </div>
    </div>

    {/* Stats Grid with Staggered Animation */}
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
      {stats.map((stat, i) => (
        <Card key={i} className={`bg-card/50 border-border/50 hover:border-primary/30
transition-all duration-300 hover:shadow-[0_0_20px_rgba(0,255,136,0.2)] hover:-translate-
y-1 animate-card-stagger stagger-${i + 1}`}>
          <CardContent className="pt-6">
            <div className="flex items-center justify-between">
              <div>
                <p className="text-sm font-medium text-muted-foreground
uppercase">{stat.label}</p>
                <p className="text-2xl font-bold mt-1">{stat.value}</p>
              </div>
              <div className={`p-3 rounded-xl bg-muted/50 ${stat.color}`}>
                <stat.icon className="w-6 h-6" />
              </div>
            </div>
          </CardContent>
        </Card>
      ))}
    </div>

    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8 mb-8">
      <Card className="lg:col-span-2 bg-card/50 border-border/50">
        <CardHeader>
          <CardTitle className="flex items-center gap-2 text-lg">
            <PieChart className="w-5 h-5 text-primary" />
            Disease Distribution
          </CardTitle>
          <CardDescription>Visual breakdown of patient health conditions</CardDescription>
```

```
        </CardHeader>
        <CardContent className="h-[300px] flex items-center justify-center">
          {Object.keys(diseaseCounts).length > 0 ? (
            <Doughnut data={diseaseChartData} options={{ maintainAspectRatio: false, plugins:
{ legend: { position: 'right', labels: { color: 'white' } } } }} />
          ) : (
            <p className="text-muted-foreground">No disease data collected yet.</p>
          )}
        </CardContent>
      </Card>

      <Card className="bg-card/50 border-border/50">
        <CardHeader>
          <CardTitle className="text-lg">Subscription Overview</CardTitle>
          <CardDescription>Current platform tier distribution</CardDescription>
        </CardHeader>
        <CardContent className="space-y-4">
          <div className="flex justify-between items-center p-3 rounded-xl bg-muted/30
border border-border/50">
            <span className="text-sm font-medium">Free Tier</span>
            <Badge variant="secondary" className="px-3">{users.filter(u =>
!u.premium_status).length}</Badge>
          </div>
          <div className="flex justify-between items-center p-3 rounded-xl bg-primary/10
border border-primary/20">
            <span className="text-sm font-medium text-primary">Premium Tier</span>
            <Badge className="bg-primary text-primary-foreground px-3">{users.filter(u =>
u.premium_status).length}</Badge>
          </div>
          <div className="flex justify-between items-center p-3 rounded-xl bg-muted/30
border border-border/50">
            <span className="text-sm font-medium">Pending Appts</span>
            <Badge variant="outline" className="px-3 border-orange-400 text-orange-
400">{appointments.filter(a => a.status === 'pending').length}</Badge>
          </div>
        </CardContent>
      </Card>
    </div>

    <Tabs defaultValue="users" className="w-full">
      <TabsList className="bg-muted/50 w-full md:w-auto p-1 h-auto grid grid-cols-2
md:grid-cols-4 gap-1">
        <TabsTrigger value="users" className="py-2">User Management</TabsTrigger>
```

```
        <TabsTrigger value="appointments" className="py-
2">Appointments</TabsTrigger>
        <TabsTrigger value="feedbacks" className="py-2">Feedbacks</TabsTrigger>
        <TabsTrigger value="payments" className="py-2">Payments</TabsTrigger>
      </TabsList>

      <TabsContent value="users" className="mt-6">
        <Card className="bg-card/50 border-border/50">
          <CardHeader><CardTitle>Platform Users</CardTitle></CardHeader>
          <CardContent>
            <div className="overflow-x-auto">
              <table className="w-full text-left">
                <thead>
                  <tr className="border-b border-border/50 text-muted-foreground text-sm">
                    <th className="pb-3 font-medium">User</th>
                    <th className="pb-3 font-medium">Role</th>
                    <th className="pb-3 font-medium">Subscription</th>
                    <th className="pb-3 font-medium">Joined</th>
                    <th className="pb-3 font-medium">Actions</th>
                  </tr>
                </thead>
                <tbody className="divide-y divide-border/50">
                  {users.map((user: Profile) => (
                    <tr key={user.id} className="text-sm hover:bg-muted/10">
                      <td className="py-4">
                        <div className="flex items-center gap-3">
                          <div className="w-8 h-8 rounded-full bg-primary/20 flex items-center
justify-center font-bold text-primary text-xs">
                            {(user.full_name || 'U')[0]}
                          </div>
                          <div>
                            <p className="font-medium">{user.full_name || 'Anonymous'}</p>
                            <p className="text-xs text-muted-foreground">{user.email}</p>
                          </div>
                        </div>
                      </td>
                      <td className="py-4">
                        <Badge variant="outline" className={user.role === 'admin' ? 'border-primary
text-primary' : ''}>
                          {user.role}
                        </Badge>
                      </td>
                      <td className="py-4">
```

```
                {user.premium_status ? (
                  <Badge className="bg-primary/20 text-primary border-
primary/50">Premium</Badge>
                ) : (
                  <Badge variant="secondary">Free</Badge>
                )}
               </td>
               <td className="py-4 text-muted-foreground">
                {new Date(user.created_at).toLocaleDateString()}
               </td>
               <td className="py-4">
                <Button variant="ghost" size="sm" className="text-primary hover:bg-
primary/10">Manage</Button>
               </td>
              </tr>
             ))}
            </tbody>
           </table>
          </div>
         </CardContent>
        </Card>
       </TabsContent>

       <TabsContent value="feedbacks" className="mt-6">
        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
         {feedbacks.map((f: Feedback) => (
          <Card key={f.id} className="bg-card/50 border-border/50 relative">
           <CardHeader className="pb-2">
            <div className="flex justify-between items-start">
             <div className="flex gap-1">
              {[...Array(5)].map((_, i) => (
               <Star key={i} className={`w-3 h-3 ${i < f.rating ? 'text-primary fill-primary' :
'text-muted'}`} />
              ))}
             </div>
             <span className="text-[10px] text-muted-foreground">{new
Date(f.created_at).toLocaleDateString()}</span>
            </div>
           </CardHeader>
           <CardContent>
            <p className="text-sm italic">"{f.comment}"</p>
            <div className="mt-4 flex items-center gap-2">
             <div className="w-6 h-6 rounded-full bg-muted flex items-center justify-center
```

```
text-[10px] font-bold">
                {(f.profile?.full_name || 'A')[0]}
              </div>
              <p className="text-xs font-medium text-muted-
foreground">{f.profile?.full_name || f.profile?.email || 'Anonymous'}</p>
            </div>
          </CardContent>
        </Card>
      )}
    </div>
  </TabsContent>

  <TabsContent value="appointments" className="mt-6">
    <Card className="bg-card/50 border-border/50">
      <CardHeader><CardTitle>Platform Appointments</CardTitle></CardHeader>
      <CardContent>
        <div className="overflow-x-auto">
          <table className="w-full text-left">
            <thead>
              <tr className="border-b border-border/50 text-muted-foreground text-sm">
                <th className="pb-3 font-medium">Patient</th>
                <th className="pb-3 font-medium">Doctor</th>
                <th className="pb-3 font-medium">Date & Time</th>
                <th className="pb-3 font-medium">Status</th>
                <th className="pb-3 font-medium text-right">Action</th>
              </tr>
            </thead>
            <tbody className="divide-y divide-border/50">
              {appointments.map((app: Appointment) => (
                <tr key={app.id} className="text-sm hover:bg-muted/10">
                  <td className="py-4 font-medium text-primary">User ID: {app.user_id.slice(0,
8)}...</td>
                  <td className="py-4 font-medium">{app.doctor?.name}</td>
                  <td className="py-4">
                    {new Date(app.appointment_date).toLocaleString()}
                  </td>
                  <td className="py-4">
                    <Badge className={app.status === 'confirmed' ? 'bg-primary/20 text-
primary' : 'bg-muted'}>
                      {app.status}
                    </Badge>
                  </td>
                  <td className="py-4 text-right">
```

```
                <Button variant="outline" size="sm" className="border-
border">Update</Button>
                </td>
               </tr>
              )})}
             </tbody>
            </table>
           </div>
          </CardContent>
         </Card>
        </TabsContent>

        <TabsContent value="payments" className="mt-6">
         <Card className="bg-card/50 border-border/50">
          <CardHeader><CardTitle>Transaction History</CardTitle></CardHeader>
          <CardContent>
           <div className="overflow-x-auto">
            <table className="w-full text-left">
             <thead>
              <tr className="border-b border-border/50 text-muted-foreground text-sm">
               <th className="pb-3 font-medium">Order ID</th>
               <th className="pb-3 font-medium">Customer</th>
               <th className="pb-3 font-medium">Amount</th>
               <th className="pb-3 font-medium">Status</th>
               <th className="pb-3 font-medium">Date</th>
              </tr>
             </thead>
             <tbody className="divide-y divide-border/50">
              {orders.map((order: Order) => (
               <tr key={order.id} className="text-sm hover:bg-muted/10">
                <td className="py-4 font-mono text-xs">{order.id.slice(0, 8)}...</td>
                <td className="py-4">{order.customer_email || 'Guest'}</td>
                <td className="py-4 font-bold text-primary">₹{order.total_amount}</td>
                <td className="py-4">
                 <Badge className={order.status === 'completed' ? 'bg-primary/20 text-
primary' : 'bg-destructive/20 text-destructive'}>
                  {order.status}
                 </Badge>
                </td>
                <td className="py-4 text-muted-foreground">
                 {new Date(order.created_at).toLocaleDateString()}
                </td>
               </tr>
```

```
            ))}
            </tbody>
           </table>
          </div>
         </CardContent>
        </Card>
       </TabsContent>
      </Tabs>
    </div>
  );
}
```

app-9k6qt5daj281/src/pages/Appointments.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Doctor, Appointment } from '@/types';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Select, SelectContent, SelectItem, SelectTrigger, SelectValue } from
'@/components/ui/select';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Calendar, User, Clock, CheckCircle2, XCircle, MoreVertical } from 'lucide-react';
import { toast } from 'sonner';

export default function AppointmentsPage() {
  const { user } = useAuth();
  const [doctors, setDoctors] = useState<Doctor[]>([]);
  const [appointments, setAppointments] = useState<Appointment[]>([]);
  const [selectedDoctor, setSelectedDoctor] = useState('');
  const [date, setDate] = useState('');
  const [reason, setReason] = useState('');
  const [isBooking, setIsBooking] = useState(false);

  useEffect(() => {
    db.doctors.list().then(res => res.data && setDoctors(res.data));
    if (user) {
      db.appointments.list(user.id).then(res => res.data && setAppointments(res.data as
any));
    }
```

```
  }, [user]);

  const handleBook = async (e: React.FormEvent) => {
    e.preventDefault();
    if (!user || !selectedDoctor || !date) {
      toast.error('Please fill in all required fields');
      return;
    }

    setIsBooking(true);
    const { error } = await db.appointments.create({
      user_id: user.id,
      doctor_id: selectedDoctor,
      appointment_date: new Date(date).toISOString(),
      reason,
      status: 'pending'
    });

    setIsBooking(false);
    if (!error) {
      toast.success('Appointment booked successfully!');
      setSelectedDoctor('');
      setDate('');
      setReason('');
      db.appointments.list(user.id).then(res => res.data && setAppointments(res.data as
any));
    }
  };

  return (
    <div className="space-y-8">
      <div className="flex items-center gap-4">
        <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-
center">
          <Calendar className="text-primary w-6 h-6" />
        </div>
        <div>
          <h1 className="text-3xl font-bold">Doctor Appointments</h1>
          <p className="text-muted-foreground">Book and manage your consultations with
specialists</p>
        </div>
      </div>
```

```
<div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
  {/* Booking Form */}
  <Card className="bg-card/50 border-border/50 h-fit sticky top-8">
    <CardHeader>
      <CardTitle>Book a Consultation</CardTitle>
      <CardDescription>Select a doctor and your preferred time slot</CardDescription>
    </CardHeader>
    <CardContent>
      <form onSubmit={handleBook} className="space-y-6">
        <div className="space-y-2">
          <Label>Select Specialist</Label>
          <Select value={selectedDoctor} onValueChange={setSelectedDoctor}>
            <SelectTrigger className="bg-muted/30 border-border/50">
              <SelectValue placeholder="Choose a doctor" />
            </SelectTrigger>
            <SelectContent>
              {doctors.map((doc) => (
                <SelectItem key={doc.id} value={doc.id}>
                  {doc.name} - {doc.specialization}
                </SelectItem>
              ))}
            </SelectContent>
          </Select>
        </div>

        <div className="space-y-2">
          <Label>Appointment Date & Time</Label>
          <Input
            type="datetime-local"
            className="bg-muted/30 border-border/50"
            value={date}
            onChange={(e) => setDate(e.target.value)}
          />
        </div>

        <div className="space-y-2">
          <Label>Reason for Visit</Label>
          <Input
            placeholder="e.g. Regular heart checkup"
            className="bg-muted/30 border-border/50"
            value={reason}
            onChange={(e) => setReason(e.target.value)}
          />
```

```
          </div>

          <Button type="submit" className="w-full bg-primary text-primary-foreground
neon-glow py-6 font-bold" disabled={isBooking}>
            {isBooking ? 'Processing...' : 'Confirm Appointment'}
          </Button>
        </form>
      </CardContent>
    </Card>

    {/* Appointments List */}
    <div className="lg:col-span-2 space-y-6">
      <h2 className="text-xl font-bold">Your Appointments</h2>
      {appointments.length > 0 ? (
        <div className="space-y-4">
          {appointments.map((app) => (
            <Card key={app.id} className="bg-card/50 border-border/50 hover:border-
primary/30 transition-all">
              <CardContent className="p-6">
                <div className="flex flex-col md:flex-row md:items-center justify-between gap-
4">
                  <div className="flex items-center gap-4">
                    <div className="w-12 h-12 rounded-full bg-muted flex items-center justify-
center overflow-hidden border border-primary/20">
                      {app.doctor?.avatar_url ? (
                        <img src={app.doctor.avatar_url} alt={app.doctor.name} className="w-full
h-full object-cover" />
                      ) : (
                        <User className="text-primary w-6 h-6" />
                      )}
                    </div>
                    <div>
                      <p className="font-bold text-lg">{app.doctor?.name || 'Loading
Doctor...'}</p>
                      <p className="text-sm text-primary">{app.doctor?.specialization}</p>
                      <p className="text-xs text-muted-foreground mt-1">Reason: {app.reason ||
'Not specified'}</p>
                    </div>
                  </div>

                  <div className="flex flex-col items-end gap-2 text-right">
                    <div className="flex items-center gap-2 text-sm font-medium">
                      <Clock className="w-4 h-4 text-muted-foreground" />
```

```
                {new Date(app.appointment_date).toLocaleString([], { dateStyle: 'medium',
timeStyle: 'short' })}
              </div>
              <div className={`flex items-center gap-1 px-3 py-1 rounded-full text-xs font-
bold uppercase ${
                app.status === 'confirmed' ? 'bg-primary/20 text-primary' :
                app.status === 'pending' ? 'bg-orange-500/20 text-orange-400' :
                app.status === 'cancelled' ? 'bg-destructive/20 text-destructive' : 'bg-muted
text-muted-foreground'
              }`}>
                {app.status === 'confirmed' && <CheckCircle2 className="w-3 h-3" />}
                {app.status === 'cancelled' && <XCircle className="w-3 h-3" />}
                {app.status}
              </div>
            </div>
          </div>
        </CardContent>
      </Card>
    )}
  </div>
) : (
  <div className="flex flex-col items-center justify-center py-20 bg-muted/20 border
border-dashed border-border/50 rounded-2xl text-center">
    <Calendar className="w-16 h-16 text-muted mb-4" />
    <p className="text-muted-foreground">No upcoming appointments. Book your
first consultation today!</p>
  </div>
)}
</div>
</div>
</div>
);
}
```

app-9k6qt5daj281/src/pages/Dashboard.tsx

```
import React, { useEffect, useState, useCallback, useRef } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { HealthMetric, WaterIntake, UserWearable } from '@/types';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Progress } from '@/components/ui/progress';
```

```
import { Button } from '@/components/ui/button';
import {
  Heart,
  Activity,
  Moon,
  Zap,
  Droplets,
  ArrowUpRight,
  Plus,
  ShieldCheck,
  Flame,
  Smartphone,
  AlertTriangle,
  RefreshCcw,
  CheckCircle2
} from 'lucide-react';
import { toast } from 'sonner';
import {
  Chart as ChartJS,
  CategoryScale,
  LinearScale,
  PointElement,
  LineElement,
  Title,
  Tooltip,
  Legend,
  Filler
} from 'chart.js';
import { Line } from 'react-chartjs-2';
import {
  Dialog,
  DialogContent,
  DialogTrigger,
  DialogHeader,
  DialogTitle
} from '@/components/ui/dialog';
import { Badge } from '@/components/ui/badge';
import WearableConnect from '@/components/WearableConnect';
import { supabase } from '@/db/supabase';

ChartJS.register(
  CategoryScale,
  LinearScale,
```

```
  PointElement,
  LineElement,
  Title,
  Tooltip,
  Legend,
  Filler
);

function AnimatedNumber({ value, suffix = "" }: { value: number | string, suffix?: string }) {
  const [displayValue, setDisplayValue] = useState(value);
  const prevValueValue = useRef(value);

  useEffect(() => {
    if (typeof value === 'number' && typeof prevValueValue.current === 'number') {
      let start = prevValueValue.current;
      const end = value;
      const duration = 1000;
      const startTime = performance.now();

      const animate = (currentTime: number) => {
        const elapsed = currentTime - startTime;
        const progress = Math.min(elapsed / duration, 1);
        const current = Math.floor(start + (end - start) * progress);
        setDisplayValue(current);
        if (progress < 1) {
          requestAnimationFrame(animate);
        }
      };
      requestAnimationFrame(animate);
    } else {
      setDisplayValue(value);
    }
    prevValueValue.current = value;
  }, [value]);

  return <>{displayValue}{suffix}</>;
}

export default function Dashboard() {
  const { user, profile } = useAuth();
  const [metrics, setMetrics] = useState<HealthMetric[]>([]);
  const [waterToday, setWaterToday] = useState<number>(0);
  const [connectedWearable, setConnectedWearable] = useState<UserWearable |
```

```
null>(null);
  const [isLoading, setIsLoading] = useState(true);
  const [isSyncing, setIsSyncing] = useState(false);
  const [lastSynced, setLastSynced] = useState<string | null>(null);

  const fetchData = useCallback(async () => {
    if (!user) return;

    const [mRes, wRes, wearRes] = await Promise.all([
      db.healthMetrics.list(user.id),
      db.waterIntake.list(user.id),
      db.wearables.get(user.id)
    ]);

    if (mRes.data) setMetrics(mRes.data);
    if (wRes.data) {
      const total = wRes.data.reduce((acc, curr) => acc + curr.amount, 0);
      setWaterToday(total);
    }
    if (wearRes.data) {
      setConnectedWearable(wearRes.data);
      setLastSynced(wearRes.data.last_synced_at);
    } else {
      setConnectedWearable(null);
    }
    setIsLoading(false);
  }, [user]);

  useEffect(() => {
    fetchData();

    // Listen for wearable sync events
    const handleSync = (event: any) => {
      const { metrics: newMetrics, last_synced_at } = event.detail;
      if (newMetrics) {
        setMetrics(prev => [newMetrics, ...prev]);
        setLastSynced(last_synced_at);
      }
    };

    window.addEventListener('wearable-synced', handleSync);
    return () => window.removeEventListener('wearable-synced', handleSync);
  }, [fetchData]);
```

```
  // Polling logic: 30 seconds
  useEffect(() => {
    if (!connectedWearable || !user) return;

    const poll = async () => {
      setIsSyncing(true);
      try {
        const { data, error } = await db.wearables.sync();
        if (!error && data?.metrics) {
          setMetrics(prev => [data.metrics, ...prev]);
          setLastSynced(data.last_synced_at);
        }
      } catch (err) {
        console.error('Polling error:', err);
      } finally {
        setIsSyncing(false);
      }
    };

    const interval = setInterval(poll, 25000); // Auto-refresh every 25 seconds
    return () => clearInterval(interval);
  }, [connectedWearable, user]);

  const latest = metrics[0] || {
    heart_rate: 72,
    spo2_level: 98,
    steps: 4520,
    sleep_duration: 7.5,
    calories_burned: 120
  };

  const hrData = metrics.slice(0, 7).reverse();

  const chartData = {
    labels: hrData.map(m => new Date(m.recorded_at).toLocaleTimeString([], { hour: '2-
digit', minute: '2-digit' })),
    datasets: [
      {
        label: 'Heart Rate',
        data: hrData.map(m => m.heart_rate),
        borderColor: '#00ff88',
        backgroundColor: 'rgba(0, 255, 136, 0.1)',
```

```
      fill: true,
      tension: 0.4,
    }
  ]
};

const addWater = async () => {
  if (!user) return;
  const amount = 250;
  const { error } = await db.waterIntake.create({ user_id: user.id, amount });
  if (!error) {
    setWaterToday(prev => prev + amount);
    toast.success('Added 250ml of water');
  }
};

const checkAbnormal = (type: 'heart_rate' | 'spo2_level', value: number) => {
  if (type === 'heart_rate') return value > 100 || value < 60;
  if (type === 'spo2_level') return value < 94;
  return false;
};

const handleConnectWatch = async () => {
  if (!user) return;
  setIsLoading(true);
  try {
    const { data, error } = await db.wearables.getAuthUrl('google_fit', user.id);

    // Since it's a GET request with query params, the previous implementation used
name+params
    // But let's check the actually deployed function signature or just use the logic from
WearableConnect
    const authUrlRes = await
supabase.functions.invoke(`wearable_oauth?provider=google_fit&action=authorize&user_i
d=${user.id}`, {
      method: 'GET'
    });

    if (authUrlRes.error) throw authUrlRes.error;
    if (authUrlRes.data?.url) {
      window.location.href = authUrlRes.data.url;
    }
  } catch (err: any) {
```

```
    toast.error('Failed to start connection: ' + err.message);
  } finally {
    setIsLoading(false);
  }
};

return (
  <div className="space-y-8 animate-page-load pb-10">
    <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">
      <div>
        <h1 className="text-3xl font-bold">Welcome back, <span className="text-
primary">{profile?.full_name || 'Guardian'}</span></h1>
        <div className="flex items-center gap-2 mt-1">
          <p className="text-muted-foreground">Here is your health overview for today.</p>
          {connectedWearable ? (
            <div className="flex flex-col items-start gap-1">
              <Badge variant="outline" className="border-primary/20 text-[10px] h-5 px-2 bg-
primary/5 flex items-center gap-1">
                <div className={`w-2 h-2 rounded-full ${isSyncing ? 'animate-pulse bg-primary' :
'bg-primary shadow-[0_0_5px_#00ff88]'}`} />
                <span className="text-primary font-bold uppercase tracking-
wider">Connected</span>
              </Badge>
              <p className="text-[10px] text-muted-foreground">
                Synced via {connectedWearable.provider === 'google_fit' ? 'Google Fit' :
connectedWearable.provider.replace('_', ' ')}
              </p>
            </div>
          ) : (
            <Badge variant="outline" className="border-destructive/20 text-[10px] h-5 px-2
bg-destructive/5 flex items-center gap-1 text-destructive">
              <div className="w-2 h-2 rounded-full bg-destructive shadow-[0_0_5px_red]" />
              Disconnected
            </Badge>
          )}
        </div>
      </div>
      <div className="flex gap-3">
        {connectedWearable ? (
          <Dialog>
            <DialogTrigger asChild>
              <Button variant="outline" className="border-primary/30 text-primary hover:bg-
primary/10 transition-all">
```

```
            <RefreshCcw className={`mr-2 w-4 h-4 ${isSyncing ? 'animate-spin' : ''}`} />
            Manage Wearable
          </Button>
        </DialogTrigger>
        <DialogContent className="max-w-2xl bg-card border-border/50">
          <WearableConnect />
        </DialogContent>
      </Dialog>
    ) : (
      <div className="flex flex-col items-center gap-2">
        <Button
          className="bg-primary text-primary-foreground neon-glow hover:scale-105
transition-transform font-bold"
          onClick={handleConnectWatch}
          disabled={isLoading}
        >
          <Smartphone className="mr-2 w-4 h-4" />
          {isLoading ? 'Connecting...' : 'Connect My Watch'}
        </Button>
        <p className="text-[10px] text-muted-foreground italic">
          (DaFit users: Sync with Google Fit first)
        </p>
      </div>
    )}

    <Button className="bg-primary text-primary-foreground neon-glow">
      Generate Report
    </Button>
  </div>
</div>

{/* Real-time Metrics Cards with Staggered Animation */}
<div className="grid grid-cols-1 md:grid-cols-3 lg:grid-cols-5 gap-4">
  <MetricCard
    title="Heart Rate"
    value={latest.heart_rate}
    unit=" bpm"
    icon={Heart}
    trend={latest.heart_rate! > 80 ? "+5%" : "Stable"}
    color="text-primary"
    delay="stagger-1"
    animateIcon="heartbeat"
    isAbnormal={checkAbnormal('heart_rate', latest.heart_rate!)}
```

```
  />
  <MetricCard
    title="SpO2 Level"
    value={latest.spo2_level}
    unit="%"
    icon={Activity}
    trend="Optimal"
    color="text-secondary"
    delay="stagger-2"
    animateIcon="spin-slow"
    isAbnormal={checkAbnormal('spo2_level', latest.spo2_level!)}
  />
  <MetricCard
    title="Daily Steps"
    value={latest.steps}
    icon={Zap}
    trend={`${Math.round(((latest.steps || 0) / 10000) * 100)}% of goal`}
    color="text-orange-400"
    delay="stagger-3"
    animateIcon="bounce"
  />
  <MetricCard
    title="Sleep Quality"
    value={latest.sleep_duration}
    unit="h"
    icon={Moon}
    trend="Deep Sleep"
    color="text-indigo-400"
    delay="stagger-4"
  />
  <MetricCard
    title="Calories"
    value={latest.calories_burned || 0}
    unit=" kcal"
    icon={Flame}
    trend="+150 today"
    color="text-red-400"
    delay="stagger-5"
    animateIcon="flicker"
  />
</div>

{lastSynced && (
```

```
      <p className="text-[10px] text-muted-foreground text-right italic -mt-6">
        Last synced at: {new Date(lastSynced).toLocaleTimeString()}
      </p>
    )}

    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
      {/* Heart Rate Chart */}
      <Card className="lg:col-span-2 bg-card/50 border-border/50 backdrop-blur-sm">
        <CardHeader>
          <div className="flex items-center justify-between">
            <div>
              <CardTitle>Health Trends</CardTitle>
              <CardDescription>Real-time heart rate variation (HRV)</CardDescription>
            </div>
            <Button variant="ghost" size="sm" className="text-primary hover:bg-
primary/10">
              View History <ArrowUpRight className="ml-2 w-4 h-4" />
            </Button>
          </div>
        </CardHeader>
        <CardContent>
          <div className="h-[300px]">
            <Line
              data={chartData}
              options={{
                maintainAspectRatio: false,
                scales: {
                  y: {
                    beginAtZero: false,
                    grid: { color: 'rgba(255, 255, 255, 0.05)' },
                    ticks: { color: 'rgba(255, 255, 255, 0.5)' }
                  },
                  x: {
                    grid: { display: false },
                    ticks: { color: 'rgba(255, 255, 255, 0.5)' }
                  }
                },
                plugins: {
                  legend: { display: false }
                }
              }}
            />
          </div>
```

```
        </CardContent>
      </Card>

      {/* Water Tracker Card */}
      <Card className="bg-card/50 border-border/50 overflow-hidden relative group
backdrop-blur-sm">
        <div className="absolute inset-0 bg-primary/5 opacity-0 group-hover:opacity-100
transition-opacity" />
        <CardHeader>
          <CardTitle className="flex items-center gap-2">
            <Droplets className="text-primary" />
            Water Intake
          </CardTitle>
        </CardHeader>
        <CardContent className="space-y-6">
          <div className="text-center relative">
            <div className="absolute inset-0 flex items-center justify-center opacity-10">
              <Droplets className="w-24 h-24 text-primary animate-droplet" />
            </div>
            <span className="text-5xl font-bold text-primary relative z-
10">{waterToday}</span>
            <span className="text-muted-foreground ml-2 relative z-10">/ 2500 ml</span>
          </div>
          <Progress value={(waterToday / 2500) * 100} className="h-4" />
          <div className="flex justify-center">
            <Button
              onClick={addWater}
              className="rounded-full w-16 h-16 bg-primary text-primary-foreground shadow-
lg hover:scale-110 transition-transform neon-glow"
            >
              <Plus className="w-8 h-8" />
            </Button>
          </div>
          <p className="text-center text-sm text-muted-foreground">
            Stay hydrated! Next reminder in 45 minutes.
          </p>
        </CardContent>
      </Card>
    </div>

    {/* Disease Management Alert */}
    {profile?.selected_diseases && Array.isArray(profile.selected_diseases) &&
profile.selected_diseases.length > 0 && (
```

```
      <Card className="border-primary/20 bg-primary/5 backdrop-blur-sm overflow-
hidden relative">
        <div className="absolute top-0 left-0 w-1 h-full bg-primary" />
        <CardContent className="py-4 flex flex-col md:flex-row items-center justify-between
gap-4">
          <div className="flex items-center gap-4">
            <div className="w-10 h-10 rounded-full bg-primary/20 flex items-center justify-
center shrink-0">
              <ShieldCheck className="text-primary w-6 h-6" />
            </div>
            <div>
              <p className="font-bold">Personalized Wellness Protocol Active</p>
              <p className="text-sm text-muted-foreground">Monitoring conditions:
{profile.selected_diseases.join(', ')}</p>
            </div>
          </div>
          <Button variant="outline" className="border-primary/30 text-primary hover:bg-
primary/10" asChild>
            <a href="/medication">Review Medication & Diet</a>
          </Button>
        </CardContent>
      </Card>
    )}
  </div>
 );
}

function MetricCard({ title, value, icon: Icon, trend, color, delay, animateIcon, isAbnormal,
unit }: any) {
 const numericValue = typeof value === 'string' ? parseFloat(value.replace(/[^0-9.]/g, '')) :
value;

 return (
  <Card className={`bg-card/50 border-border/50 hover:border-primary/30 transition-
all duration-300 overflow-hidden relative animate-card-stagger ${delay} hover:shadow-
[0_0_20px_rgba(0,255,136,0.2)] hover:-translate-y-1 ${isAbnormal ? 'border-red-500/50
bg-red-500/5 animate-pulse-warning' : 'animate-card-pulse'}`}>
    <div className="absolute top-0 right-0 p-3 opacity-10">
      <Icon className={`w-12 h-12 ${isAbnormal ? 'text-red-400 animate-pulse' : color}
${animateIcon === 'heartbeat' ? 'animate-heartbeat' : ''} ${animateIcon === 'spin-slow' ?
'animate-spin-slow' : ''} ${animateIcon === 'bounce' ? 'animate-bounce' : ''} ${animateIcon
=== 'flicker' ? 'animate-flicker' : ''}`} />
    </div>
```

```
    <CardHeader className="pb-1">
      <CardTitle className="text-[10px] font-bold text-muted-foreground uppercase
tracking-wider">{title}</CardTitle>
    </CardHeader>
    <CardContent className="pb-4">
      <div className="flex items-baseline gap-1">
        <div className={`text-xl font-bold ${isAbnormal ? 'text-red-400' : ''}`}>
          <AnimatedNumber value={numericValue || 0} suffix={unit || ""} />
        </div>
        {isAbnormal && <AlertTriangle className="w-3 h-3 text-red-400 animate-pulse" />}
      </div>
      <div className="flex items-center gap-1 mt-1">
        <p className={`text-[10px] ${isAbnormal ? 'text-red-400' : trend.includes('+') ||
trend.includes('Stable') || trend.includes('Optimal') || trend.includes('Deep') ? 'text-
primary' : 'text-muted-foreground'}`}>
          {trend}
        </p>
        {isAbnormal && <span className="text-[10px] text-red-400 font-bold
uppercase">Alert</span>}
      </div>
    </CardContent>
    {isAbnormal && <div className="absolute bottom-0 left-0 w-full h-[2px] bg-red-500
animate-pulse" />}
  </Card>
 );
}
```

app-9k6qt5daj281/src/pages/Feedback.tsx

```
import React, { useState } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Textarea } from '@/components/ui/textarea';
import { Star, Send, MessageSquare, Heart } from 'lucide-react';
import { toast } from 'sonner';

export default function FeedbackPage() {
  const { user } = useAuth();
  const [rating, setRating] = useState(5);
  const [comment, setComment] = useState('');
```

```
  const [isSubmitting, setIsSubmitting] = useState(false);

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    if (!user) return;

    setIsSubmitting(true);
    const { error } = await db.feedback.create({
      user_id: user.id,
      rating,
      comment
    });

    setIsSubmitting(false);
    if (!error) {
      toast.success('Thank you for your feedback!');
      setComment('');
      setRating(5);
    }
  };

  return (
    <div className="max-w-3xl mx-auto space-y-8">
      <div className="text-center space-y-4">
        <div className="inline-flex items-center justify-center w-16 h-16 rounded-full bg-
primary/20 mb-4">
          <MessageSquare className="text-primary w-8 h-8" />
        </div>
        <h1 className="text-4xl font-extrabold tracking-tight">How are we doing?</h1>
        <p className="text-muted-foreground">Your feedback helps us improve the
HealthHub experience for everyone.</p>
      </div>

      <Card className="bg-card/50 border-border/50 backdrop-blur-sm overflow-hidden
relative">
        <div className="absolute top-0 left-0 w-1 h-full bg-primary" />
        <CardHeader>
          <CardTitle>Share Your Thoughts</CardTitle>
          <CardDescription>Rate your experience and leave a comment</CardDescription>
        </CardHeader>
        <CardContent>
          <form onSubmit={handleSubmit} className="space-y-8">
            <div className="flex flex-col items-center gap-4">
```

```
          <Label className="text-lg font-bold">Your Rating</Label>
          <div className="flex gap-4">
            {[1, 2, 3, 4, 5].map((star) => (
              <button
                key={star}
                type="button"
                onClick={() => setRating(star)}
                className="transition-all hover:scale-125"
              >
                <Star className={`w-10 h-10 ${rating >= star ? 'text-primary fill-primary' : 'text-
muted-foreground opacity-30 hover:opacity-100'}`} />
              </button>
            ))}
          </div>
          <p className="text-sm font-medium text-primary">
            {rating === 5 ? 'Excellent!' : rating === 4 ? 'Great!' : rating === 3 ? 'Good' : rating ===
2 ? 'Could be better' : 'Poor'}
          </p>
        </div>

        <div className="space-y-4">
          <Label htmlFor="comment" className="text-lg font-bold">Message</Label>
          <Textarea
            id="comment"
            placeholder="What do you like most? What can we improve?"
            className="min-h-[150px] bg-muted/30 border-border/50 focus:border-primary
text-lg"
            value={comment}
            onChange={(e) => setComment(e.target.value)}
          />
        </div>

        <Button type="submit" className="w-full bg-primary text-primary-foreground py-8
text-xl font-bold neon-glow" disabled={isSubmitting}>
          {isSubmitting ? 'Sending...' : (
            <>
              Submit Feedback <Send className="ml-2 w-5 h-5" />
            </>
          )}
        </Button>
      </form>
    </CardContent>
  </Card>
```

```
    <div className="flex justify-center items-center gap-2 text-muted-foreground py-8">
      <Heart className="text-destructive w-4 h-4 fill-destructive" />
      <p className="text-sm italic">Designed for a healthier future</p>
    </div>
  </div>
 );
}

function Label({ children, className, htmlFor }: any) {
 return <label htmlFor={htmlFor} className={`block text-sm font-medium leading-none
peer-disabled:cursor-not-allowed peer-disabled:opacity-70
${className}`}>{children}</label>;
}
```

app-9k6qt5daj281/src/pages/HealthMetrics.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { HealthMetric } from '@/types';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Activity, Heart, Zap, Moon, Plus, History, Droplets, Thermometer, AlertTriangle,
RefreshCw } from 'lucide-react';
import { toast } from 'sonner';
import { Line } from 'react-chartjs-2';
import {
 Chart as ChartJS,
 CategoryScale,
 LinearScale,
 PointElement,
 LineElement,
 Title,
 Tooltip,
 Legend,
 Filler
} from 'chart.js';

ChartJS.register(
```

```
  CategoryScale,
  LinearScale,
  PointElement,
  LineElement,
  Title,
  Tooltip,
  Legend,
  Filler
);

export default function HealthMetricsPage() {
  const { user } = useAuth();
  const [metrics, setMetrics] = useState<HealthMetric[]>([]);
  const [isAdding, setIsAdding] = useState(false);
  const [isSyncing, setIsSyncing] = useState(false);
  const [formData, setFormData] = useState({
    heart_rate: 70,
    spo2_level: 98,
    steps: 5000,
    sleep_duration: 7
  });

  // Simulated live data for demo
  const [liveData, setLiveData] = useState({
    heart_rate: 72,
    spo2_level: 98,
    blood_pressure_sys: 120,
    blood_pressure_dia: 80,
    temperature: 36.6,
    steps: 5432,
    sleep_duration: 7.5
  });

  useEffect(() => {
    if (user) {
      db.healthMetrics.list(user.id).then(res => res.data && setMetrics(res.data));
    }

    // Simulate live data updates
    const interval = setInterval(() => {
      setLiveData(prev => ({
        ...prev,
        heart_rate: Math.max(60, Math.min(100, prev.heart_rate + (Math.random() - 0.5) * 2)),
```

```
      spo2_level: Math.max(95, Math.min(100, prev.spo2_level + (Math.random() - 0.5) *
0.5)),
      steps: prev.steps + Math.floor(Math.random() * 10)
    }));
  }, 3000);

  return () => clearInterval(interval);
}, [user]);

const handleSync = () => {
  setIsSyncing(true);
  setTimeout(() => {
    setIsSyncing(false);
    toast.success('Wearable data synced successfully');
  }, 1500);
};

const handleSubmit = async (e: React.FormEvent) => {
  e.preventDefault();
  if (!user) return;

  const { error } = await db.healthMetrics.create({
    user_id: user.id,
    ...formData
  });

  if (!error) {
    toast.success('Health metrics updated');
    setIsAdding(false);
    db.healthMetrics.list(user.id).then(res => res.data && setMetrics(res.data));
  }
};

const isAbnormal = (type: string, value: number) => {
  switch(type) {
    case 'heart_rate': return value < 60 || value > 100;
    case 'spo2': return value < 95;
    case 'bp_sys': return value < 90 || value > 140;
    case 'bp_dia': return value < 60 || value > 90;
    case 'temp': return value < 36.1 || value > 37.2;
    case 'sleep': return value < 6;
    default: return false;
  }
```

```
  };

  const chartData = (label: string, field: keyof HealthMetric, color: string) => ({
    labels: metrics.slice(0, 10).reverse().map(m => new
Date(m.recorded_at).toLocaleDateString()),
    datasets: [{
      label,
      data: metrics.slice(0, 10).reverse().map(m => m[field]),
      borderColor: color,
      backgroundColor: `${color}20`,
      fill: true,
      tension: 0.4
    }]
  });

  return (
    <div className="space-y-8">
      <div className="flex items-center justify-between">
        <div className="flex items-center gap-4">
          <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-
center">
            <Activity className="text-primary w-6 h-6" />
          </div>
          <div>
            <h1 className="text-3xl font-bold">Health Analytics</h1>
            <p className="text-muted-foreground">Real-time wearable device monitoring</p>
          </div>
        </div>
        <div className="flex gap-3">
          <Button
            variant="outline"
            className="border-primary/30 text-primary hover:bg-primary/10"
            onClick={handleSync}
            disabled={isSyncing}
          >
            <RefreshCw className={`mr-2 w-4 h-4 ${isSyncing ? 'animate-spin' : ''}`} />
            {isSyncing ? 'Syncing...' : 'Sync Wearable'}
          </Button>
          <Button className="bg-primary text-primary-foreground neon-glow" onClick={() =>
setIsAdding(!isAdding)}>
            <Plus className="mr-2 w-4 h-4" /> Log Manually
          </Button>
        </div>
```

```
    </div>

    {/* Live Wearable Indicators */}
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
      <HeartRateCard value={liveData.heart_rate} isAbnormal={isAbnormal('heart_rate',
liveData.heart_rate)} />
      <SpO2Card value={liveData.spo2_level} isAbnormal={isAbnormal('spo2',
liveData.spo2_level)} />
      <BloodPressureCard
        systolic={liveData.blood_pressure_sys}
        diastolic={liveData.blood_pressure_dia}
        isAbnormal={isAbnormal('bp_sys', liveData.blood_pressure_sys) ||
isAbnormal('bp_dia', liveData.blood_pressure_dia)}
      />
      <TemperatureCard value={liveData.temperature} isAbnormal={isAbnormal('temp',
liveData.temperature)} />
    </div>

    <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
      <StepCounterCard value={liveData.steps} goal={10000} />
      <SleepTrackerCard value={liveData.sleep_duration} isAbnormal={isAbnormal('sleep',
liveData.sleep_duration)} />
    </div>

    {isAdding && (
      <Card className="bg-card/50 border-primary/30 animate-fade-in">
        <CardHeader><CardTitle>Manual Data Entry</CardTitle></CardHeader>
        <CardContent>
          <form onSubmit={handleSubmit} className="grid grid-cols-1 md:grid-cols-4 gap-
4">
            <div className="space-y-2">
              <Label>Heart Rate (bpm)</Label>
              <Input type="number" value={formData.heart_rate} onChange={e =>
setFormData({...formData, heart_rate: parseInt(e.target.value)})} />
            </div>
            <div className="space-y-2">
              <Label>SpO2 (%)</Label>
              <Input type="number" value={formData.spo2_level} onChange={e =>
setFormData({...formData, spo2_level: parseInt(e.target.value)})} />
            </div>
            <div className="space-y-2">
              <Label>Steps</Label>
              <Input type="number" value={formData.steps} onChange={e =>
```

```
setFormData({...formData, steps: parseInt(e.target.value)})} />
          </div>
          <div className="space-y-2">
            <Label>Sleep (hours)</Label>
            <Input type="number" step="0.5" value={formData.sleep_duration} onChange={e
=> setFormData({...formData, sleep_duration: parseFloat(e.target.value)})} />
          </div>
          <div className="md:col-span-4 flex justify-end gap-3 mt-4">
            <Button type="button" variant="outline" onClick={() =>
setIsAdding(false)}>Cancel</Button>
            <Button type="submit" className="bg-primary text-primary-foreground">Save
Metrics</Button>
          </div>
        </form>
      </CardContent>
    </Card>
  )}

  <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
    <MetricChartCard title="Heart Rate Intensity" description="Resting vs Active heart rate
over time" icon={Heart} data={chartData('Heart Rate', 'heart_rate', '#00ff88')} />
    <MetricChartCard title="Blood Oxygen Levels" description="Blood oxygen saturation
(SpO2) consistency" icon={Activity} data={chartData('SpO2 Level', 'spo2_level', '#1aff9c')}
/>
    <MetricChartCard title="Activity Trends" description="Total daily steps tracked via
wearable" icon={Zap} data={chartData('Steps', 'steps', '#fb923c')} />
    <MetricChartCard title="Sleep Cycles" description="Restorative sleep duration
patterns" icon={Moon} data={chartData('Sleep Duration', 'sleep_duration', '#818cf8')} />
  </div>

  <Card className="bg-card/50 border-border/50">
    <CardHeader>
      <CardTitle className="flex items-center gap-2">
        <History className="w-5 h-5 text-primary" />
        Recent Log History
      </CardTitle>
    </CardHeader>
    <CardContent>
      <div className="overflow-x-auto">
        <table className="w-full text-left">
          <thead>
            <tr className="border-b border-border/50 text-muted-foreground text-sm">
              <th className="pb-3 font-medium">Date</th>
```

```
            <th className="pb-3 font-medium">Heart Rate</th>
            <th className="pb-3 font-medium">SpO2</th>
            <th className="pb-3 font-medium">Steps</th>
            <th className="pb-3 font-medium">Sleep</th>
          </tr>
        </thead>
        <tbody className="divide-y divide-border/50">
          {metrics.slice(0, 10).map((m) => (
            <tr key={m.id} className="text-sm">
              <td className="py-4">{new Date(m.recorded_at).toLocaleString()}</td>
              <td className="py-4 font-bold text-primary">{m.heart_rate} bpm</td>
              <td className="py-4 text-secondary">{m.spo2_level}%</td>
              <td className="py-4">{m.steps?.toLocaleString()}</td>
              <td className="py-4">{m.sleep_duration}h</td>
            </tr>
          ))}
        </tbody>
      </table>
    </div>
  </CardContent>
 </Card>
</div>
);
}

// Animated Heart Rate Component
function HeartRateCard({ value, isAbnormal }: { value: number; isAbnormal: boolean }) {
 const bpm = Math.round(value);
 const beatDuration = 60 / bpm;

 return (
  <Card className={`bg-card/50 border-border/50 relative overflow-hidden transition-all
duration-500 ${isAbnormal ? 'border-red-500/50 animate-pulse-warning' : 'border-
primary/20'}`}>
   <CardContent className="pt-6">
    <div className="flex items-center justify-between mb-4">
     <div className="flex items-center gap-2">
      <Heart
       className={`w-5 h-5 ${isAbnormal ? 'text-red-400' : 'text-primary'}`}
       style={{
        animation: `heartbeat ${beatDuration}s ease-in-out infinite`
       }}
      />
```

```
          <span className="text-sm font-medium text-muted-foreground">Heart
Rate</span>
        </div>
        {isAbnormal && <AlertTriangle className="w-4 h-4 text-red-400 animate-pulse" />}
      </div>

      <div className="space-y-2">
        <div className="text-4xl font-bold text-primary animate-count-up">{bpm}</div>
        <div className="text-xs text-muted-foreground">BPM</div>
      </div>

      {/* ECG Line Animation */}
      <div className="mt-4 h-12 relative overflow-hidden">
        <svg className="w-full h-full" viewBox="0 0 200 40">
          <path
            d="M0,20 L40,20 L45,10 L50,30 L55,20 L200,20"
            fill="none"
            stroke="currentColor"
            strokeWidth="2"
            className={`${isAbnormal ? 'text-red-400' : 'text-primary'} animate-ecg`}
            style={{ filter: 'drop-shadow(0 0 4px currentColor)' }}
          />
        </svg>
      </div>
    </CardContent>
  </Card>
 );
}

// Animated SpO2 Component
function SpO2Card({ value, isAbnormal }: { value: number; isAbnormal: boolean }) {
  const percentage = Math.round(value);
  const circumference = 2 * Math.PI * 45;
  const offset = circumference - (percentage / 100) * circumference;

  return (
    <Card className={`bg-card/50 border-border/50 relative overflow-hidden transition-all
duration-500 ${isAbnormal ? 'border-amber-500/50 animate-pulse-warning' : 'border-
primary/20'}`}>
      <CardContent className="pt-6">
        <div className="flex items-center justify-between mb-4">
          <div className="flex items-center gap-2">
            <Droplets className={`w-5 h-5 ${isAbnormal ? 'text-amber-400' : 'text-primary'}`}
```

```
/>
          <span className="text-sm font-medium text-muted-foreground">Blood
Oxygen</span>
        </div>
        {isAbnormal && <AlertTriangle className="w-4 h-4 text-amber-400 animate-pulse"
/>}
      </div>

      <div className="flex items-center justify-center">
        <div className="relative w-32 h-32">
          <svg className="w-full h-full transform -rotate-90">
            <circle
              cx="64"
              cy="64"
              r="45"
              fill="none"
              stroke="currentColor"
              strokeWidth="8"
              className="text-muted/20"
            />
            <circle
              cx="64"
              cy="64"
              r="45"
              fill="none"
              stroke="currentColor"
              strokeWidth="8"
              strokeDasharray={circumference}
              strokeDashoffset={offset}
              className={`${isAbnormal ? 'text-amber-400' : 'text-primary'} transition-all
duration-1000 ease-out`}
              style={{
                filter: `drop-shadow(0 0 8px ${isAbnormal ? '#fbbf24' : '#00ff88'})`,
                strokeLinecap: 'round'
              }}
            />
          </svg>
          <div className="absolute inset-0 flex flex-col items-center justify-center">
            <div className="text-3xl font-bold text-primary animate-count-
up">{percentage}</div>
            <div className="text-xs text-muted-foreground">SpO₂ %</div>
          </div>
        </div>
```

```
      </div>
     </CardContent>
    </Card>
  );
}

// Animated Blood Pressure Component
function BloodPressureCard({ systolic, diastolic, isAbnormal }: { systolic: number; diastolic:
number; isAbnormal: boolean }) {
  return (
    <Card className={`bg-card/50 border-border/50 relative overflow-hidden transition-all
duration-500 ${isAbnormal ? 'border-red-500/50 animate-pulse-warning' : 'border-
primary/20'}`}>
     <CardContent className="pt-6">
      <div className="flex items-center justify-between mb-4">
       <div className="flex items-center gap-2">
        <Activity className={`w-5 h-5 ${isAbnormal ? 'text-red-400' : 'text-primary'}`} />
        <span className="text-sm font-medium text-muted-foreground">Blood
Pressure</span>
       </div>
       {isAbnormal && <AlertTriangle className="w-4 h-4 text-red-400 animate-pulse" />}
      </div>

      <div className="space-y-3">
       <div className="flex items-baseline gap-2">
        <div className="text-3xl font-bold text-primary animate-count-
up">{Math.round(systolic)}</div>
        <div className="text-xl text-muted-foreground">/</div>
        <div className="text-3xl font-bold text-secondary animate-count-
up">{Math.round(diastolic)}</div>
       </div>
       <div className="text-xs text-muted-foreground">mmHg (Sys/Dia)</div>
      </div>

      {/* Animated Bar */}
      <div className="mt-4 space-y-2">
       <div className="h-2 bg-muted/30 rounded-full overflow-hidden">
        <div
         className={`h-full ${isAbnormal ? 'bg-red-400' : 'bg-primary'} rounded-full
transition-all duration-1000 ease-out animate-bar-fill`}
         style={{
          width: `${Math.min((systolic / 140) * 100, 100)}%`,
          boxShadow: `0 0 8px ${isAbnormal ? '#f87171' : '#00ff88'}`
```

```
          }}
         />
        </div>
      </div>
    </CardContent>
  </Card>
 );
}

// Animated Temperature Component
function TemperatureCard({ value, isAbnormal }: { value: number; isAbnormal: boolean }) {
 const temp = value.toFixed(1);
 const fillPercentage = ((value - 35) / (38 - 35)) * 100;

 return (
  <Card className={`bg-card/50 border-border/50 relative overflow-hidden transition-all
duration-500 ${isAbnormal ? 'border-orange-500/50 animate-pulse-warning' : 'border-
primary/20'}`}>
    <CardContent className="pt-6">
      <div className="flex items-center justify-between mb-4">
        <div className="flex items-center gap-2">
          <Thermometer className={`w-5 h-5 ${isAbnormal ? 'text-orange-400' : 'text-
primary'}`} />
          <span className="text-sm font-medium text-muted-
foreground">Temperature</span>
        </div>
        {isAbnormal && <AlertTriangle className="w-4 h-4 text-orange-400 animate-pulse"
/>}
      </div>

      <div className="flex items-center gap-6">
        {/* Thermometer Visual */}
        <div className="relative w-8 h-32 bg-muted/30 rounded-full overflow-hidden">
          <div
            className={`absolute bottom-0 w-full ${isAbnormal ? 'bg-gradient-to-t from-
orange-400 to-orange-300' : 'bg-gradient-to-t from-primary to-primary/50'} transition-all
duration-1000 ease-out`}
            style={{
              height: `${Math.min(fillPercentage, 100)}%`,
              boxShadow: `0 0 12px ${isAbnormal ? '#fb923c' : '#00ff88'}`
            }}
          />
        </div>
```

```
        <div className="space-y-2">
          <div className="text-4xl font-bold text-primary animate-count-up">{temp}</div>
          <div className="text-xs text-muted-foreground">°C</div>
        </div>
      </div>
    </CardContent>
  </Card>
 );
}

// Animated Step Counter Component
function StepCounterCard({ value, goal }: { value: number; goal: number }) {
 const percentage = Math.min((value / goal) * 100, 100);
 const circumference = 2 * Math.PI * 50;
 const offset = circumference - (percentage / 100) * circumference;
 const isMilestone = value >= goal;

 return (
  <Card className="bg-card/50 border-border/50 border-primary/20 relative overflow-
hidden">
    <CardContent className="pt-6">
      <div className="flex items-center justify-between mb-4">
        <div className="flex items-center gap-2">
          <Zap className="w-5 h-5 text-primary" />
          <span className="text-sm font-medium text-muted-foreground">Daily
Steps</span>
        </div>
        {isMilestone && <span className="text-2xl animate-bounce">✨</span>}
      </div>

      <div className="flex items-center gap-6">
        <div className="relative w-36 h-36">
          <svg className="w-full h-full transform -rotate-90">
            <circle
              cx="72"
              cy="72"
              r="50"
              fill="none"
              stroke="currentColor"
              strokeWidth="10"
              className="text-muted/20"
            />
```

```
            <circle
              cx="72"
              cy="72"
              r="50"
              fill="none"
              stroke="currentColor"
              strokeWidth="10"
              strokeDasharray={circumference}
              strokeDashoffset={offset}
              className="text-primary transition-all duration-1000 ease-out"
              style={{
                filter: 'drop-shadow(0 0 8px #00ff88)',
                strokeLinecap: 'round'
              }}
            />
          </svg>
          <div className="absolute inset-0 flex flex-col items-center justify-center">
            <div className="text-2xl font-bold text-primary animate-count-
up">{Math.round(value).toLocaleString()}</div>
            <div className="text-xs text-muted-foreground">of {goal.toLocaleString()}</div>
          </div>
        </div>

        <div className="flex-1 space-y-2">
          <div className="text-sm text-muted-foreground">Progress</div>
          <div className="text-3xl font-bold text-
primary">{Math.round(percentage)}%</div>
          {isMilestone && (
            <div className="text-xs text-primary font-bold animate-pulse">Goal Achieved!
</div>
          )}
        </div>
      </div>
    </CardContent>
  </Card>
 );
}

// Animated Sleep Tracker Component
function SleepTrackerCard({ value, isAbnormal }: { value: number; isAbnormal: boolean }) {
 const hours = value.toFixed(1);
 const percentage = Math.min((value / 8) * 100, 100);
```

```
  return (
    <Card className={`bg-card/50 border-border/50 relative overflow-hidden transition-all duration-500 ${isAbnormal ? 'border-amber-500/50 animate-pulse-warning' : 'border-primary/20'}`}>
      <CardContent className="pt-6">
        <div className="flex items-center justify-between mb-4">
          <div className="flex items-center gap-2">
            <Moon className={`w-5 h-5 ${isAbnormal ? 'text-amber-400' : 'text-primary'} animate-breathing`} />
            <span className="text-sm font-medium text-muted-foreground">Sleep Duration</span>
          </div>
          {isAbnormal && <AlertTriangle className="w-4 h-4 text-amber-400 animate-pulse" />}
        </div>

        <div className="space-y-4">
          <div className="flex items-baseline gap-2">
            <div className="text-4xl font-bold text-primary animate-count-up">{hours}</div>
            <div className="text-sm text-muted-foreground">hours</div>
          </div>

          {/* Horizontal Progress Bar */}
          <div className="space-y-2">
            <div className="flex justify-between text-xs text-muted-foreground">
              <span>0h</span>
              <span>8h (Recommended)</span>
            </div>
            <div className="h-3 bg-muted/30 rounded-full overflow-hidden">
              <div
                className={`h-full ${isAbnormal ? 'bg-amber-400' : 'bg-primary'} rounded-full transition-all duration-1000 ease-out`}
                style={{
                  width: `${percentage}%`,
                  boxShadow: `0 0 8px ${isAbnormal ? '#fbbf24' : '#00ff88'}`
                }}
              />
            </div>
          </div>

          {isAbnormal && (
            <div className="text-xs text-amber-400 font-medium">⚠ Insufficient sleep detected</div>
```

```
        )}
      </div>
    </CardContent>
  </Card>
 );
}

function MetricChartCard({ title, description, icon: Icon, data }: any) {
 return (
  <Card className="bg-card/50 border-border/50 overflow-hidden">
   <CardHeader>
    <div className="flex items-center gap-3">
     <div className="w-10 h-10 rounded-lg bg-muted flex items-center justify-center">
      <Icon className="w-5 h-5 text-primary" />
     </div>
     <div>
      <CardTitle>{title}</CardTitle>
      <CardDescription>{description}</CardDescription>
     </div>
    </div>
   </CardHeader>
   <CardContent>
    <div className="h-[200px]">
     <Line data={data} options={{ maintainAspectRatio: false, plugins: { legend: { display:
false } }, scales: { x: { display: false } } }} />
    </div>
   </CardContent>
  </Card>
 );
}
```

app-9k6qt5daj281/src/pages/Home.tsx

```
import React from 'react';
import { Link } from 'react-router-dom';
import { Button } from '@/components/ui/button';
import { Activity, ShieldCheck, Zap, Heart, Brain, Clock } from 'lucide-react';
import { useAuth } from '@/contexts/AuthContext';

export default function Home() {
 const { user } = useAuth();

 return (
```

```
<div className="flex flex-col items-center">
 {/* Hero Section */}
 <section className="w-full py-12 md:py-24 lg:py-32 xl:py-48 flex flex-col items-center
text-center space-y-8 animate-fade-in relative overflow-hidden">
   <div className="absolute inset-0 z-0 opacity-20 pointer-events-none">
    <img
     src="https://miaoda-site-img.s3cdn.medo.dev/images/KLing_c63b3c08-f44c-4c26-
b86e-97a7c6248c0b.jpg"
     alt="Hero Background"
     className="w-full h-full object-cover"
    />
    <div className="absolute inset-0 bg-gradient-to-b from-neon-dark via-transparent
to-neon-dark" />
   </div>
   <div className="space-y-4 relative z-10">
    <div className="inline-flex items-center gap-2 px-4 py-2 rounded-full border border-
primary/30 bg-primary/10 text-primary text-sm font-medium animate-pulse">
     <Zap className="w-4 h-4" />
     Next-Gen Wellness Platform
    </div>
    <h1 className="text-4xl md:text-6xl lg:text-7xl font-extrabold tracking-tighter">
     Your Health, <span className="gradient-text">Intelligently</span> Monitored.
    </h1>
    <p className="mx-auto max-w-[700px] text-muted-foreground md:text-xl">
     HealthHub combines wearable tech with AI-powered insights to provide a futuristic
health management experience.
    </p>
   </div>
   <div className="flex gap-4">
    {user ? (
     <Link to="/dashboard">
      <Button size="lg" className="h-12 px-8 bg-primary text-primary-foreground
hover:scale-105 transition-transform neon-glow">
       Go to Dashboard
      </Button>
     </Link>
    ) : (
     <>
      <Link to="/login">
       <Button size="lg" className="h-12 px-8 bg-primary text-primary-foreground
hover:scale-105 transition-transform neon-glow">
        Get Started Free
       </Button>
```

```
          </Link>
          <Link to="/login">
            <Button size="lg" variant="outline" className="h-12 px-8 border-primary text-
primary hover:bg-primary/10 transition-colors">
              Learn More
            </Button>
          </Link>
        </>
      )}
    </div>
  </section>

  {/* Features Grid */}
  <section className="w-full py-12 md:py-24 grid grid-cols-1 md:grid-cols-3 gap-8">
    {[
      { icon: Activity, title: 'Smart Monitoring', desc: 'Real-time heart rate, steps, and sleep
tracking from your wearable devices.' },
      { icon: Brain, title: 'AI Nutritionist', desc: 'Personalized meal plans optimized for your
health conditions and goals.' },
      { icon: ShieldCheck, title: 'Medical Grade', desc: 'Secure data handling and reminders
for doctor-prescribed medications.' }
    ].map((feature, i) => (
      <div key={i} className="p-8 rounded-2xl border border-border/50 bg-card
hover:border-primary/50 transition-all group">
        <div className="w-12 h-12 rounded-xl bg-primary/10 flex items-center justify-
center mb-6 group-hover:scale-110 transition-transform">
          <feature.icon className="w-6 h-6 text-primary" />
        </div>
        <h3 className="text-xl font-bold mb-2">{feature.title}</h3>
        <p className="text-muted-foreground">{feature.desc}</p>
      </div>
    ))}
  </section>

  {/* Medical Disclaimer */}
  <div className="w-full mt-24 p-6 rounded-xl border border-destructive/30 bg-
destructive/5 text-center">
    <p className="text-sm text-muted-foreground">
      <span className="font-bold text-destructive">MEDICAL DISCLAIMER:</span> This
application is for informational purposes only and does not provide medical advice. Always
seek the advice of your physician or other qualified health provider with any questions you
may have regarding a medical condition.
    </p>
```

```
    </div>

    <footer className="w-full py-12 border-t border-border/50 mt-24 text-center text-
muted-foreground">
      <p>&copy; 2026 HealthHub Smart Health Monitoring & AI Wellness Platform</p>
    </footer>
   </div>
  );
}
```

app-9k6qt5daj281/src/pages/Login.tsx

```
import React, { useState } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '@/contexts/AuthContext';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Card, CardContent, CardDescription, CardFooter, CardHeader, CardTitle } from
'@/components/ui/card';
import { Tabs, TabsContent, TabsList, TabsTrigger } from '@/components/ui/tabs';
import { Activity, Github, Mail, Chrome } from 'lucide-react';
import { toast } from 'sonner';

export default function Login() {
  const [username, setUsername] = useState('');
  const [password, setPassword] = useState('');
  const [isLoading, setIsLoading] = useState(false);
  const { signInWithUsername, signUpWithUsername, signInWithGoogle } = useAuth();
  const navigate = useNavigate();

  const handleAuth = async (type: 'login' | 'signup') => {
    if (!username || !password) {
      toast.error('Please fill in all fields');
      return;
    }

    setIsLoading(true);
    const { error } = type === 'login'
      ? await signInWithUsername(username, password)
      : await signUpWithUsername(username, password);

    setIsLoading(false);
```

```
  if (error) {
    toast.error(error.message);
  } else {
    toast.success(type === 'login' ? 'Welcome back!' : 'Account created!');
    navigate('/dashboard');
  }
 };

 return (
  <div className="flex items-center justify-center min-h-[80vh]">
    <Card className="w-full max-w-md bg-card/50 border-border/50 backdrop-blur-xl
neon-border">
      <CardHeader className="text-center">
        <div className="flex justify-center mb-4">
          <div className="w-12 h-12 bg-primary rounded-xl flex items-center justify-center
neon-glow">
            <Activity className="text-primary-foreground w-6 h-6" />
          </div>
        </div>
        <CardTitle className="text-2xl font-bold tracking-tight">Welcome to
HealthHub</CardTitle>
        <CardDescription>Enter your credentials to access your wellness
dashboard</CardDescription>
      </CardHeader>
      <CardContent>
        <Tabs defaultValue="login" className="w-full">
          <TabsList className="grid w-full grid-cols-2 bg-muted/50 mb-6">
            <TabsTrigger value="login">Login</TabsTrigger>
            <TabsTrigger value="signup">Sign Up</TabsTrigger>
          </TabsList>

          <div className="space-y-4">
            <div className="space-y-2">
              <Label htmlFor="username">Username</Label>
              <Input
                id="username"
                placeholder="johndoe"
                className="bg-muted/30 border-border/50 focus:border-primary"
                value={username}
                onChange={(e) => setUsername(e.target.value.toLowerCase().replace(/[^a-z0-
9_]/g, ''))}
              />
            </div>
```

```
          <div className="space-y-2">
            <Label htmlFor="password">Password</Label>
            <Input
              id="password"
              type="password"
              className="bg-muted/30 border-border/50 focus:border-primary"
              value={password}
              onChange={(e) => setPassword(e.target.value)}
            />
          </div>
        </div>

        <TabsContent value="login" className="mt-6">
          <Button
            className="w-full bg-primary text-primary-foreground hover:scale-[1.02]
transition-transform font-bold"
            onClick={() => handleAuth('login')}
            disabled={isLoading}
          >
            {isLoading ? 'Processing...' : 'Login to Dashboard'}
          </Button>
        </TabsContent>

        <TabsContent value="signup" className="mt-6">
          <Button
            className="w-full bg-primary text-primary-foreground hover:scale-[1.02]
transition-transform font-bold"
            onClick={() => handleAuth('signup')}
            disabled={isLoading}
          >
            {isLoading ? 'Processing...' : 'Create Account'}
          </Button>
        </TabsContent>
      </Tabs>

      <div className="relative my-6">
        <div className="absolute inset-0 flex items-center">
          <span className="w-full border-t border-border/50" />
        </div>
        <div className="relative flex justify-center text-xs uppercase">
          <span className="bg-card px-2 text-muted-foreground">Or continue with</span>
        </div>
      </div>
```

```
        <div className="grid grid-cols-3 gap-3">
          <Button variant="outline" className="border-border/50 hover:bg-primary/10
hover:text-primary" onClick={() => signInWithGoogle()}>
            <Chrome className="w-4 h-4" />
          </Button>
          <Button variant="outline" className="border-border/50 hover:bg-primary/10
hover:text-primary">
            <Github className="w-4 h-4" />
          </Button>
          <Button variant="outline" className="border-border/50 hover:bg-primary/10
hover:text-primary">
            <Mail className="w-4 h-4" />
          </Button>
        </div>
      </CardContent>
      <CardFooter className="text-center justify-center">
        <p className="text-xs text-muted-foreground italic">
          HealthHub uses secure encryption for your health data
        </p>
      </CardFooter>
    </Card>
  </div>
 );
}
```

app-9k6qt5daj281/src/pages/Medication.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Medication } from '@/types';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Pill, Upload, FileText, Plus, ShieldAlert, CheckCircle2 } from 'lucide-react';
import { toast } from 'sonner';
import { supabase } from '@/db/supabase';

export default function MedicationPage() {
  const { user, profile } = useAuth();
```

```
  const [meds, setMeds] = useState<Medication[]>([]);
  const [isUploading, setIsUploading] = useState(false);
  const [newName, setNewName] = useState('');

  useEffect(() => {
    if (user) {
      db.medications.list(user.id).then(res => res.data && setMeds(res.data));
    }
  }, [user]);

  const handleUpload = async (e: React.ChangeEvent<HTMLInputElement>) => {
    const file = e.target.files?.[0];
    if (!file || !user) return;

    setIsUploading(true);
    const fileName = `${user.id}/${Date.now()}_${file.name.replace(/[^a-zA-Z0-9.]/g, '')}`;

    const { data, error } = await supabase.storage
      .from('neoncare_prescriptions')
      .upload(fileName, file);

    if (error) {
      toast.error('Upload failed: ' + error.message);
    } else {
      const { data: { publicUrl } } =
supabase.storage.from('neoncare_prescriptions').getPublicUrl(fileName);
      await db.medications.create({
        user_id: user.id,
        name: 'New Prescription',
        type: 'prescribed',
        prescription_url: publicUrl
      });
      toast.success('Prescription uploaded successfully');
      const res = await db.medications.list(user.id);
      if (res.data) setMeds(res.data);
    }
    setIsUploading(false);
  };

  const addMed = async () => {
    if (!newName || !user) return;
    const { error } = await db.medications.create({
      user_id: user.id,
```

```
    name: newName,
    type: 'suggested'
  });
  if (!error) {
    toast.success('Medication added');
    setNewName('');
    const res = await db.medications.list(user.id);
    if (res.data) setMeds(res.data);
  }
};

return (
  <div className="space-y-8">
    <div className="flex items-center gap-4">
      <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-
center">
        <Pill className="text-primary w-6 h-6" />
      </div>
      <div>
        <h1 className="text-3xl font-bold">Medication Management</h1>
        <p className="text-muted-foreground">Track your medications and upload
prescriptions</p>
      </div>
    </div>

    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
      {/* Add Med / Upload Section */}
      <div className="space-y-6">
        <Card className="bg-card/50 border-border/50">
          <CardHeader>
            <CardTitle>Add Medication</CardTitle>
          </CardHeader>
          <CardContent className="space-y-4">
            <div className="space-y-2">
              <Label htmlFor="med-name">Medication Name</Label>
              <div className="flex gap-2">
                <Input
                  id="med-name"
                  placeholder="e.g. Metformin"
                  value={newName}
                  onChange={(e) => setNewName(e.target.value)}
                />
                <Button size="icon" onClick={addMed} className="bg-primary">
```

```
            <Plus className="w-5 h-5" />
          </Button>
        </div>
      </div>

      <div className="relative my-4">
        <div className="absolute inset-0 flex items-center"><span className="w-full
border-t border-border/50" /></div>
        <div className="relative flex justify-center text-xs uppercase"><span
className="bg-card px-2 text-muted-foreground">Or</span></div>
      </div>

      <div className="space-y-2">
        <Label>Upload Prescription</Label>
        <div className="flex flex-col items-center justify-center border-2 border-dashed
border-border/50 rounded-xl p-6 hover:border-primary/50 transition-colors bg-
muted/20">
          <Upload className="w-8 h-8 text-muted-foreground mb-2" />
          <p className="text-xs text-muted-foreground mb-4 text-center">PDF, JPG or PNG
(Max 5MB)</p>
          <Input
            type="file"
            className="hidden"
            id="file-upload"
            accept="image/*,application/pdf"
            onChange={handleUpload}
            disabled={isUploading}
          />
          <Button variant="outline" asChild className="w-full">
            <label htmlFor="file-upload">
              {isUploading ? 'Uploading...' : 'Choose File'}
            </label>
          </Button>
        </div>
      </div>
    </CardContent>
  </Card>

  <Card className="bg-destructive/10 border-destructive/20">
    <CardHeader className="flex flex-row items-center gap-2 pb-2">
      <ShieldAlert className="text-destructive w-5 h-5" />
      <CardTitle className="text-sm">Medical Disclaimer</CardTitle>
    </CardHeader>
```

```
          <CardContent>
            <p className="text-xs text-muted-foreground">
              All medication suggestions are based on general knowledge for your conditions.
Always consult a doctor before starting new medications.
            </p>
          </CardContent>
        </Card>
      </div>

      {/* Meds List Section */}
      <Card className="lg:col-span-2 bg-card/50 border-border/50 min-h-[500px]">
        <CardHeader>
          <CardTitle>Your Medications</CardTitle>
          <CardDescription>A list of your current and suggested
medications</CardDescription>
        </CardHeader>
        <CardContent>
          {meds.length > 0 ? (
            <div className="space-y-4">
              {meds.map((med) => (
                <div key={med.id} className="flex items-center justify-between p-4 rounded-xl
border border-border/50 bg-muted/10 hover:border-primary/30 transition-all">
                  <div className="flex items-center gap-4">
                    <div className={`w-10 h-10 rounded-full flex items-center justify-center
${med.type === 'prescribed' ? 'bg-primary/20' : 'bg-muted'}`}>
                      {med.type === 'prescribed' ? <FileText className="text-primary w-5 h-5" /> :
<Pill className="text-muted-foreground w-5 h-5" />}
                    </div>
                    <div>
                      <p className="font-bold">{med.name}</p>
                      <p className="text-xs text-muted-foreground flex items-center gap-1">
                        {med.type === 'prescribed' ? (
                          <><CheckCircle2 className="w-3 h-3 text-primary" /> Doctor
Prescribed</>
                        ) : (
                          'Suggested for ' + (profile?.selected_diseases?.[0] || 'Health')
                        )}
                      </p>
                    </div>
                  </div>
                  {med.prescription_url && (
                    <Button variant="link" asChild className="text-primary">
                      <a href={med.prescription_url} target="_blank" rel="noreferrer">View
```

```
File</a>
                </Button>
              )}
             </div>
            ))}
           </div>
          ) : (
           <div className="flex flex-col items-center justify-center h-full py-20 text-center">
            <Pill className="w-16 h-16 text-muted mb-4" />
            <p className="text-muted-foreground">No medications found. Start by adding
one or uploading a prescription.</p>
           </div>
          )}
        </CardContent>
      </Card>
    </div>
   </div>
  );
}
```

app-9k6qt5daj281/src/pages/NotFound.tsx

```
import { Link } from "react-router-dom";
import PageMeta from "@/components/common/PageMeta";

export default function NotFound() {
  return (
   <>
    <PageMeta title="Page Not Found" description="" />
    <div className="relative flex flex-col items-center justify-center min-h-screen p-6
overflow-hidden z-1">
      <div className="mx-auto w-full max-w-[242px] text-center sm:max-w-[472px]">
        <h1 className="mb-8 font-bold text-gray-800 text-title-md dark:text-white/90
xl:text-title-2xl">
          ERROR
        </h1>

        <img src="/images/error/404.svg" alt="404" className="dark:hidden" />
        <img
          src="/images/error/404-dark.svg"
          alt="404"
          className="hidden dark:block"
        />
```

```
        <p className="mt-10 mb-6 text-base text-gray-700 dark:text-gray-400 sm:text-lg">
          The page may have been deleted or does not exist. Please check the
          URL is correct.
        </p>

        <Link
          to="/"
          className="inline-flex items-center justify-center rounded-lg border border-gray-
300 bg-white px-5 py-3.5 text-sm font-medium text-gray-700 shadow-theme-xs hover:bg-
gray-50 hover:text-gray-800 dark:border-gray-700 dark:bg-gray-800 dark:text-gray-400
dark:hover:bg-white/[0.03] dark:hover:text-gray-200"
        >
          Back to home
        </Link>
      </div>
      {/* <!-- Footer --> */}
      <p className="absolute text-sm text-center text-gray-500 -translate-x-1/2 bottom-6
left-1/2 dark:text-gray-400">
        &copy; {new Date().getFullYear()}
      </p>
    </div>
  </>
 );
}
```

app-9k6qt5daj281/src/pages/Nutrition.tsx

```
import React, { useState } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { Card, CardContent, CardHeader, CardTitle } from '@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Label } from '@/components/ui/label';
import { RadioGroup, RadioGroupItem } from '@/components/ui/radio-group';
import { Utensils, Brain, Zap, CheckCircle2 } from 'lucide-react';
import { toast } from 'sonner';

export default function Nutrition() {
  const { profile } = useAuth();
  const [dietType, setDietType] = useState('veg');
  const [isGenerating, setIsGenerating] = useState(false);
  const [plan, setPlan] = useState<any>(null);
```

```
 const generatePlan = () => {
  setIsGenerating(true);
  // Simulate AI generation delay
  setTimeout(() => {
    const diseases = profile?.selected_diseases || [];
    const h = Number(profile?.height) || 170;
    const w = Number(profile?.weight) || 70;
    const bmi = (w / (h / 100)**2);

    let recommendations = [
      'Focus on complex carbohydrates given your BMI.',
      'Drink at least 3 liters of water daily.'
    ];

    if (diseases.includes('Diabetes')) {
      recommendations.push('Maintain strict low glycemic index food intake.');
    }
    if (diseases.includes('Hypertension')) {
      recommendations.push('Restrict salt/sodium intake to under 5g per day.');
    }
    if (bmi > 25) {
      recommendations.push('Incorporate 30 minutes of brisk walking to support weight
management.');
    }

    const generatedPlan = {
      breakfast: dietType === 'veg' ? 'Oatmeal with almonds, pumpkin seeds and apple +
Green tea' : '2-3 Masala Egg whites with sautéed spinach + 1 slice Whole grain toast',
      lunch: dietType === 'veg' ? '1 cup Brown rice with Moong Dal, sautéed seasonal
vegetables and small bowl of curd' : '150g Chicken Masala with 2 Whole Wheat Rotis and
fresh cucumber salad',
      snacks: 'Roasted Makhana (Fox nuts) or 5-6 soaked Walnuts',
      dinner: dietType === 'veg' ? '150g Grilled Paneer Tikka with sautéed broccoli, bell
peppers and carrots' : '150g Baked Lemon Garlic Fish with sautéed okra and green beans',
      recommendations: recommendations
    };
    setPlan(generatedPlan);
    setIsGenerating(false);
    toast.success('AI Nutrition plan generated!');
  }, 2000);
 };

 return (
```

```
  <div className="space-y-8">
    <div className="flex items-center gap-4">
      <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-
center">
        <Utensils className="text-primary w-6 h-6" />
      </div>
      <div>
        <h1 className="text-3xl font-bold">AI Nutritionist</h1>
        <p className="text-muted-foreground">Personalized Indian diet plans powered by
AI</p>
      </div>
    </div>

    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
      <Card className="bg-card/50 border-border/50">
        <CardHeader>
          <CardTitle>Plan Preferences</CardTitle>
        </CardHeader>
        <CardContent className="space-y-6">
          <div className="space-y-2">
            <Label>Dietary Preference</Label>
            <RadioGroup value={dietType} onValueChange={setDietType} className="grid
grid-cols-2 gap-4">
              <Label
                htmlFor="veg"
                className="flex flex-col items-center justify-between rounded-md border-2
border-muted bg-popover p-4 hover:bg-accent hover:text-accent-foreground [&:has([data-
state=checked])]:border-primary"
              >
                <RadioGroupItem value="veg" id="veg" className="sr-only" />
                <span>Vegetarian</span>
              </Label>
              <Label
                htmlFor="non-veg"
                className="flex flex-col items-center justify-between rounded-md border-2
border-muted bg-popover p-4 hover:bg-accent hover:text-accent-foreground [&:has([data-
state=checked])]:border-primary"
              >
                <RadioGroupItem value="non-veg" id="non-veg" className="sr-only" />
                <span>Non-Veg</span>
              </Label>
            </RadioGroup>
          </div>
```

```
        <div className="p-4 rounded-lg bg-primary/10 border border-primary/20 space-y-
2">
          <p className="text-xs font-bold text-primary uppercase">Current Health
Context</p>
          <div className="text-sm space-y-1">
            <p>BMI: {profile?.weight && profile?.height ? (Number(profile.weight) /
(Number(profile.height) / 100)**2).toFixed(1) : 'N/A'}</p>
            <p>Diseases: {profile?.selected_diseases &&
Array.isArray(profile.selected_diseases) ? profile.selected_diseases.join(', ') : 'None'}</p>
          </div>
        </div>

        <Button
          className="w-full bg-primary text-primary-foreground neon-glow py-6 font-bold
text-lg"
          onClick={generatePlan}
          disabled={isGenerating}
        >
          {isGenerating ? (
            <>
              <Zap className="mr-2 h-5 w-5 animate-bounce" />
              Generating...
            </>
          ) : (
            <>
              <Brain className="mr-2 h-5 w-5" />
              Generate AI Plan
            </>
          )}
        </Button>
      </CardContent>
    </Card>

    <Card className="lg:col-span-2 bg-card/50 border-border/50 min-h-[400px]">
      <CardHeader>
        <CardTitle>Your Personalized Plan</CardTitle>
      </CardHeader>
      <CardContent>
        {plan ? (
          <div className="space-y-6 animate-fade-in">
            <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
              <MealCard title="Breakfast" content={plan.breakfast} time="08:00 AM" index={0}
```

```
isVeg={dietType === 'veg'} />
            <MealCard title="Lunch" content={plan.lunch} time="01:30 PM" index={1}
isVeg={dietType === 'veg'} />
            <MealCard title="Snacks" content={plan.snacks} time="05:00 PM" index={2}
isVeg={dietType === 'veg'} />
            <MealCard title="Dinner" content={plan.dinner} time="08:30 PM" index={3}
isVeg={dietType === 'veg'} />
          </div>
          <div className="mt-8 space-y-4">
            <h4 className="font-bold flex items-center gap-2">
              <CheckCircle2 className="text-primary w-5 h-5" />
              AI Recommendations
            </h4>
            <ul className="space-y-2">
              {plan.recommendations.map((rec: string, i: number) => (
                <li key={i} className="flex gap-3 text-muted-foreground bg-muted/30 p-3
rounded-lg border border-border/50">
                  <span className="text-primary font-bold">{i+1}.</span>
                  {rec}
                </li>
              ))}
            </ul>
          </div>
        </div>
      ) : (
        <div className="flex flex-col items-center justify-center h-full py-20 text-center
space-y-4">
          <div className="w-16 h-16 bg-muted rounded-full flex items-center justify-
center">
            <Utensils className="text-muted-foreground w-8 h-8" />
          </div>
          <p className="text-muted-foreground max-w-xs">
            Adjust your preferences and click generate to see your AI-tailored nutrition plan.
          </p>
        </div>
      )}
    </CardContent>
  </Card>
 </div>
</div>
);
}
```

```
function MealCard({ title, content, time, index, isVeg }: any) {
  return (
    <div className={`p-4 rounded-xl border border-border/50 bg-card hover:border-
primary/30 transition-all duration-300 group animate-meal-card stagger-${index + 1}
hover:shadow-[0_0_15px_rgba(0,255,136,0.2)] hover:-translate-y-1 ${isVeg ?
'hover:shadow-[0_0_15px_rgba(0,255,136,0.3)]' : 'hover:shadow-
[0_0_15px_rgba(26,255,156,0.3)]'}`}>
      <div className="flex justify-between items-start mb-2">
        <h3 className="font-bold text-primary">{title}</h3>
        <span className="text-[10px] bg-muted px-2 py-1 rounded-full text-muted-
foreground">{time}</span>
      </div>
      <p className="text-sm">{content}</p>
    </div>
  );
}
```

app-9k6qt5daj281/src/pages/PaymentSuccess.tsx

```
import React, { useEffect, useState } from 'react';
import { useSearchParams, useNavigate, Link } from 'react-router-dom';
import { supabase } from '@/db/supabase';
import { Button } from '@/components/ui/button';
import { Card, CardContent, CardHeader, CardTitle } from '@/components/ui/card';
import { CheckCircle2, Loader2, ArrowRight, ShieldCheck } from 'lucide-react';
import { useAuth } from '@/contexts/AuthContext';

export default function PaymentSuccess() {
  const [searchParams] = useSearchParams();
  const sessionId = searchParams.get('session_id');
  const [status, setStatus] = useState<'verifying' | 'success' | 'error'>('verifying');
  const navigate = useNavigate();
  const { refreshProfile } = useAuth();

  useEffect(() => {
    if (!sessionId) {
      setStatus('error');
      return;
    }

    const verify = async () => {
      try {
        const { data, error } = await supabase.functions.invoke('verify_stripe_payment', {
```

```
        body: { sessionId }
      });
      if (error || !data?.data?.verified) throw new Error('Verification failed');

      await refreshProfile();
      setStatus('success');
    } catch (err) {
      console.error(err);
      setStatus('error');
    }
  };

  verify();
 }, [sessionId, refreshProfile]);

 return (
  <div className="flex items-center justify-center min-h-[70vh]">
   <Card className="w-full max-w-md bg-card/50 border-border/50 text-center py-8">
    <CardContent className="space-y-6">
     {status === 'verifying' && (
      <div className="flex flex-col items-center gap-4 py-8">
       <Loader2 className="w-16 h-16 text-primary animate-spin" />
       <CardTitle className="text-2xl">Verifying Payment...</CardTitle>
       <p className="text-muted-foreground">Please wait while we confirm your
subscription.</p>
      </div>
     )}

     {status === 'success' && (
      <div className="flex flex-col items-center gap-4 py-8">
       <div className="w-20 h-20 bg-primary/20 rounded-full flex items-center justify-
center neon-glow">
        <CheckCircle2 className="w-12 h-12 text-primary" />
       </div>
       <CardTitle className="text-3xl font-bold">Payment Successful
(Demo)</CardTitle>
       <p className="text-muted-foreground">Welcome to HealthHub Premium. Your
account has been upgraded successfully.</p>
       <div className="flex flex-col gap-3 pt-4 w-full">
        <Button className="w-full bg-primary text-primary-foreground neon-glow font-
bold" asChild>
         <Link to="/dashboard">Go to Dashboard <ArrowRight className="ml-2 w-4 h-
4" /></Link>
```

```
            </Button>
           </div>
          </div>
        )}

        {status === 'error' && (
          <div className="animate-fade-in space-y-6 py-8 text-destructive">
            <div className="flex justify-center">
              <div className="w-20 h-20 bg-destructive/20 rounded-full flex items-center
justify-center">
                <ShieldCheck className="w-12 h-12 text-destructive" />
              </div>
            </div>
            <CardTitle className="text-2xl font-bold">Something went wrong</CardTitle>
            <p className="text-muted-foreground">We couldn't verify your payment. Please
contact support or try again.</p>
            <Button variant="outline" className="border-border/50" onClick={() =>
navigate('/subscriptions')}>
              Back to Subscriptions
            </Button>
          </div>
        )}
      </CardContent>
    </Card>
  </div>
 );
}
```

app-9k6qt5daj281/src/pages/Profile.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { Card, CardContent, CardHeader, CardTitle, CardDescription } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Select, SelectContent, SelectItem, SelectTrigger, SelectValue } from
'@/components/ui/select';
import { Badge } from '@/components/ui/badge';
import { User, Mail, Scale, Ruler, Activity, ShieldCheck, Save, Trash2 } from 'lucide-react';
import { toast } from 'sonner';
```

```
import MultiSelect from '@/components/ui/multi-select';

const diseasesOptions = [
  { label: 'Diabetes', value: 'Diabetes' },
  { label: 'Hypertension', value: 'Hypertension' },
  { label: 'Thyroid', value: 'Thyroid' },
  { label: 'Heart Disease', value: 'Heart Disease' },
  { label: 'Obesity', value: 'Obesity' },
  { label: 'Asthma', value: 'Asthma' },
  { label: 'Kidney Disease', value: 'Kidney Disease' },
];

export default function ProfilePage() {
  const { profile, user, refreshProfile } = useAuth();
  const [formData, setFormData] = useState<any>({
    full_name: '',
    age: '',
    height: '',
    weight: '',
    activity_level: '',
    selected_diseases: []
  });
  const [isSaving, setIsSaving] = useState(false);

  useEffect(() => {
    if (profile) {
      setFormData({
        full_name: profile.full_name || '',
        age: profile.age || '',
        height: profile.height || '',
        weight: profile.weight || '',
        activity_level: profile.activity_level || 'sedentary',
        selected_diseases: profile.selected_diseases || []
      });
    }
  }, [profile]);

  const bmi = formData.weight && formData.height
    ? (formData.weight / (formData.height / 100)**2).toFixed(1)
    : 'N/A';

  const handleSave = async (e: React.FormEvent) => {
    e.preventDefault();
```

```
    if (!user) return;

    setIsSaving(true);
    const { error } = await db.profiles.update(user.id, {
      ...formData,
      age: formData.age ? parseInt(formData.age) : null,
      height: formData.height ? parseFloat(formData.height) : null,
      weight: formData.weight ? parseFloat(formData.weight) : null,
      updated_at: new Date().toISOString()
    });

    setIsSaving(false);
    if (!error) {
      toast.success('Profile updated successfully');
      refreshProfile();
    } else {
      toast.error('Failed to update profile');
    }
  };

  return (
    <div className="max-w-4xl mx-auto space-y-8">
      <div className="flex items-center justify-between">
        <div className="flex items-center gap-4">
          <div className="w-16 h-16 bg-primary/20 rounded-2xl flex items-center justify-
center">
            <User className="text-primary w-8 h-8" />
          </div>
          <div>
            <h1 className="text-3xl font-bold">Your Profile</h1>
            <p className="text-muted-foreground">Manage your health profile and personal
information</p>
          </div>
        </div>
        {profile?.premium_status && (
          <Badge className="bg-primary/20 text-primary border-primary/50 text-sm py-1 px-
4">
            <ShieldCheck className="w-4 h-4 mr-2" /> PREMIUM MEMBER
          </Badge>
        )}
      </div>

      <form onSubmit={handleSave} className="grid grid-cols-1 md:grid-cols-3 gap-8">
```

```
{/* Left Column - Core Info */}
<div className="md:col-span-2 space-y-8">
  <Card className="bg-card/50 border-border/50">
    <CardHeader>
      <CardTitle>Basic Information</CardTitle>
    </CardHeader>
    <CardContent className="space-y-6">
      <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
        <div className="space-y-2">
          <Label>Full Name</Label>
          <Input
            placeholder="Enter your name"
            value={formData.full_name}
            onChange={e => setFormData({...formData, full_name: e.target.value})}
          />
        </div>
        <div className="space-y-2">
          <Label>Email Address</Label>
          <div className="flex items-center px-3 h-10 rounded-md border border-
border/50 bg-muted/20 text-muted-foreground text-sm">
            <Mail className="w-4 h-4 mr-2" /> {profile?.email}
          </div>
        </div>
      </div>
      <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
        <div className="space-y-2">
          <Label>Age</Label>
          <Input
            type="number"
            placeholder="25"
            value={formData.age}
            onChange={e => setFormData({...formData, age: e.target.value})}
          />
        </div>
        <div className="space-y-2">
          <Label>Activity Level</Label>
          <Select
            value={formData.activity_level}
            onValueChange={val => setFormData({...formData, activity_level: val})}
          >
            <SelectTrigger>
              <SelectValue placeholder="Select activity level" />
            </SelectTrigger>
```

```
            <SelectContent>
              <SelectItem value="sedentary">Sedentary (Little/no exercise)</SelectItem>
              <SelectItem value="light">Light (1-3 days/week)</SelectItem>
              <SelectItem value="moderate">Moderate (3-5 days/week)</SelectItem>
              <SelectItem value="active">Active (6-7 days/week)</SelectItem>
              <SelectItem value="very-active">Very Active (Elite athlete)</SelectItem>
            </SelectContent>
          </Select>
        </div>
      </div>
    </CardContent>
  </Card>

  <Card className="bg-card/50 border-border/50">
    <CardHeader>
      <CardTitle>Health Conditions</CardTitle>
      <CardDescription>Select any pre-existing medical conditions for tailored
recommendations</CardDescription>
    </CardHeader>
    <CardContent>
      <MultiSelect
        options={diseasesOptions}
        onChange={(val) => setFormData({...formData, selected_diseases: val})}
        value={formData.selected_diseases}
      />
    </CardContent>
  </Card>
</div>

{/* Right Column - Stats & BMI */}
<div className="space-y-8">
  <Card className="bg-card/50 border-border/50 border-primary/20">
    <CardHeader>
      <CardTitle className="text-lg">Physical Stats</CardTitle>
    </CardHeader>
    <CardContent className="space-y-6">
      <div className="space-y-2">
        <Label className="flex justify-between">Height <span>(cm)</span></Label>
        <div className="relative">
          <Ruler className="absolute left-3 top-3 w-4 h-4 text-muted-foreground" />
          <Input
            type="number"
            className="pl-10"
```

```
            placeholder="175"
            value={formData.height}
            onChange={e => setFormData({...formData, height: e.target.value})}
           />
          </div>
         </div>
         <div className="space-y-2">
          <Label className="flex justify-between">Weight <span>(kg)</span></Label>
          <div className="relative">
           <Scale className="absolute left-3 top-3 w-4 h-4 text-muted-foreground" />
           <Input
            type="number"
            className="pl-10"
            placeholder="70"
            value={formData.weight}
            onChange={e => setFormData({...formData, weight: e.target.value})}
           />
          </div>
         </div>

         <div className="pt-6 border-t border-border/50 text-center">
          <div className="text-4xl font-extrabold text-primary">{bmi}</div>
          <div className="text-xs font-bold uppercase tracking-widest text-muted-
foreground mt-1">Calculated BMI</div>
          <Badge className={`mt-4 ${
           parseFloat(bmi) < 18.5 ? 'bg-blue-500/20 text-blue-400' :
           parseFloat(bmi) < 25 ? 'bg-primary/20 text-primary' :
           parseFloat(bmi) < 30 ? 'bg-orange-500/20 text-orange-400' :
           'bg-destructive/20 text-destructive'
          }`}>
           {parseFloat(bmi) < 18.5 ? 'Underweight' :
            parseFloat(bmi) < 25 ? 'Normal' :
            parseFloat(bmi) < 30 ? 'Overweight' : 'Obese'}
          </Badge>
         </div>
        </CardContent>
       </Card>

       <Button type="submit" className="w-full bg-primary text-primary-foreground neon-
glow py-6 font-bold text-lg" disabled={isSaving}>
        {isSaving ? 'Saving...' : <><Save className="mr-2 w-5 h-5" /> Save Profile</>}
       </Button>
```

```
        <Button variant="ghost" className="w-full text-destructive hover:bg-
destructive/10">
          <Trash2 className="mr-2 w-4 h-4" /> Deactivate Account
        </Button>
      </div>
    </form>
  </div>
 );
}
```

app-9k6qt5daj281/src/pages/SamplePage.tsx

```
/**
 * Sample Page
 */

import PageMeta from "../components/common/PageMeta";

export default function SamplePage() {
  return (
    <>
      <PageMeta title="Home" description="Home Page Introduction" />
      <div>
        <h3>This is a sample page</h3>
      </div>
    </>
  );
}
```

app-9k6qt5daj281/src/pages/Subscriptions.tsx

```
import React, { useState } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { Card, CardContent, CardHeader, CardTitle, CardFooter } from
'@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Badge } from '@/components/ui/badge';
import { Check, ShieldCheck, Zap, Star, Sparkles } from 'lucide-react';
import { db } from '@/db/api';
import { toast } from 'sonner';
import PaymentSuccess from '@/components/PaymentSuccess';

export default function Subscriptions() {
  const { profile, user } = useAuth();
```

```
const [isLoading, setIsLoading] = useState(false);
const [showSuccess, setShowSuccess] = useState(false);

const plans = [
  {
    name: 'Free',
    price: '₹0',
    description: 'Basic health monitoring for individuals',
    features: [
      'Real-time Heart Rate',
      'Daily Step Tracking',
      'Basic Water Tracker',
      '1 Doctor Appointment/mo',
      'Email Support'
    ],
    current: !profile?.premium_status,
    buttonText: 'Current Plan',
    variant: 'outline'
  },
  {
    name: 'Premium',
    price: '₹59',
    period: '/month',
    description: 'Advanced AI insights and unlimited access',
    features: [
      'Everything in Free',
      'AI Nutritionist (Indian Style)',
      'SpO2 & Sleep Analytics',
      'Unlimited Appointments',
      'Medication Reminders',
      'Priority 24/7 Support',
      'Advanced Health Reports'
    ],
    current: profile?.premium_status,
    buttonText: profile?.premium_status ? 'Active Plan' : 'Upgrade to Premium (Demo)',
    variant: 'default',
    popular: true,
    methods: 'UPI, Card, Net Banking'
  }
];

const handleUpgrade = async () => {
  if (!user) return;
```

```
  setIsLoading(true);

  // Demo payment - directly update subscription status
  setTimeout(async () => {
    try {
      // Update user profile to premium
      const { error: updateError } = await db.profiles.update(user.id, {
        premium_status: true
      });

      if (updateError) throw updateError;

      // Create order record
      const { error: orderError } = await db.orders.create({
        user_id: user.id,
        amount: 59,
        currency: 'INR',
        status: 'completed',
        payment_method: 'Demo Payment',
        transaction_id: `DEMO_${Date.now()}`
      });

      if (orderError) throw orderError;

      // Show success animation
      setShowSuccess(true);
      toast.success('Payment Successful! ', {
        description: 'Welcome to HealthHub Premium',
        duration: 5000
      });

      // Reload page to reflect premium status
      setTimeout(() => {
        window.location.reload();
      }, 3000);

    } catch (error: any) {
      toast.error('Subscription update failed: ' + error.message);
      setIsLoading(false);
    }
  }, 1500);
};
```

```
  // Show success screen
  if (showSuccess) {
    return (
      <div className="min-h-[60vh] flex items-center justify-center">
        <PaymentSuccess />
      </div>
    );
  }

  return (
    <div className="space-y-12 animate-page-load">
      <div className="text-center space-y-4 max-w-2xl mx-auto">
        <h1 className="text-4xl font-extrabold tracking-tight">Choose Your <span
className="gradient-text">Wellness</span> Tier</h1>
        <p className="text-muted-foreground">Unlock the full power of AI-powered health
monitoring and personalized nutritionist guidance.</p>
      </div>

      <div className="grid grid-cols-1 md:grid-cols-2 gap-8 max-w-5xl mx-auto">
        {plans.map((plan, i) => (
          <Card key={i} className={`relative bg-card/50 border-border/50 flex flex-col
hover:border-primary/50 transition-all duration-300 hover:shadow-
[0_0_30px_rgba(0,255,136,0.2)] hover:-translate-y-2 animate-card-stagger stagger-${i + 1}
${plan.popular ? 'neon-border scale-105 z-10 animate-card-pulse' : ''}`}>
            {plan.popular && (
              <div className="absolute -top-4 left-1/2 -translate-x-1/2">
                <Badge className="bg-primary text-primary-foreground flex gap-1 px-4 py-1">
                  <Star className="w-3 h-3 fill-current" /> MOST POPULAR
                </Badge>
              </div>
            )}
            <CardHeader className="text-center pt-10">
              <CardTitle className="text-2xl">{plan.name}</CardTitle>
              <div className="flex items-baseline justify-center gap-1 mt-4">
                <span className="text-5xl font-extrabold">{plan.price}</span>
                {plan.period && <span className="text-muted-
foreground">{plan.period}</span>}
              </div>
              <p className="text-sm text-muted-foreground mt-2">{plan.description}</p>
            </CardHeader>
            <CardContent className="flex-1 space-y-4 py-8">
              {plan.features.map((feature, j) => (
                <div key={j} className={`flex items-center gap-3 text-sm animate-fade-in stagger-
```

```
${j + 1}`}>
              <div className="w-5 h-5 rounded-full bg-primary/20 flex items-center justify-
center shrink-0">
                <Check className="text-primary w-3 h-3 animate-checkbox-tick" />
              </div>
              {feature}
            </div>
          )})}
          {plan.methods && (
            <div className="mt-4 pt-4 border-t border-border/50">
              <p className="text-[10px] text-muted-foreground uppercase tracking-widest
text-center mb-1">Available via Demo:</p>
              <p className="text-xs font-medium text-center text-
primary/80">{plan.methods}</p>
            </div>
          )}
        </CardContent>
        <CardFooter className="pb-10">
          <Button
            className={`w-full py-6 font-bold text-lg transition-transform hover:scale-105
${plan.variant === 'default' ? 'bg-primary text-primary-foreground neon-glow' : 'border-
primary/30 text-primary'}`}
            variant={plan.variant as any}
            disabled={plan.current || isLoading}
            onClick={plan.name === 'Premium' ? handleUpgrade : undefined}
          >
            {isLoading && plan.name === 'Premium' ? 'Processing Payment...' :
plan.buttonText}
          </Button>
        </CardFooter>
      </Card>
    ))}
  </div>

  {/* Trust Badges */}
  <div className="pt-12 border-t border-border/50 flex flex-wrap justify-center gap-8
md:gap-16">
    {[
      { icon: ShieldCheck, text: 'Secure Payments' },
      { icon: Zap, text: 'Instant Access' },
      { icon: Sparkles, text: 'AI-Powered' }
    ].map((badge, i) => (
      <div key={i} className="flex items-center gap-2 text-muted-foreground">
```

```
          <badge.icon className="w-5 h-5 text-primary" />
          <span className="text-sm font-medium uppercase tracking-
widest">{badge.text}</span>
        </div>
      ))}
    </div>
  </div>
 );
}
```

app-9k6qt5daj281/src/pages/WaterTracker.tsx

```
import React, { useState, useEffect } from 'react';
import { useAuth } from '@/contexts/AuthContext';
import { db } from '@/db/api';
import { WaterIntake } from '@/types';
import { Card, CardContent, CardHeader, CardTitle } from '@/components/ui/card';
import { Button } from '@/components/ui/button';
import { Progress } from '@/components/ui/progress';
import { Droplets, Bell, Check, Clock, Info } from 'lucide-react';
import { toast } from 'sonner';

export default function WaterTracker() {
  const { user } = useAuth();
  const [history, setHistory] = useState<WaterIntake[]>([]);
  const [totalToday, setTotalToday] = useState(0);
  const [reminders, setReminders] = useState(true);

  const goal = 2500;

  useEffect(() => {
    if (user) {
      db.waterIntake.list(user.id).then(res => {
        if (res.data) {
          setHistory(res.data);
          const total = res.data.reduce((acc, curr) => acc + curr.amount, 0);
          setTotalToday(total);

          // Simple hourly reminder simulation
          if (reminders && total < goal) {
            const lastLog = res.data[0];
            const now = new Date();
            if (!lastLog || (now.getTime() - new Date(lastLog.recorded_at).getTime()) > 3600000)
```

```
{
            toast.info("Time to drink some water! Stay hydrated.", {
              description: "You've reached " + total + "ml today.",
              icon: <Droplets className="text-primary w-4 h-4" />
            });
          }
        }
      }
    });
  }
 }, [user]);

 const addWater = async (amount: number) => {
  if (!user) return;
  const { error } = await db.waterIntake.create({ user_id: user.id, amount });
  if (!error) {
    const res = await db.waterIntake.list(user.id);
    if (res.data) {
      setHistory(res.data);
      setTotalToday(res.data.reduce((acc, curr) => acc + curr.amount, 0));
    }
    toast.success(`Added ${amount}ml of water`);
  }
 };

 return (
  <div className="space-y-8 animate-page-load">
    <div className="flex items-center justify-between">
      <div className="flex items-center gap-4">
        <div className="w-12 h-12 bg-primary/20 rounded-xl flex items-center justify-center
animate-droplet">
          <Droplets className="text-primary w-6 h-6" />
        </div>
        <div>
          <h1 className="text-3xl font-bold">Water Intake Tracker</h1>
          <p className="text-muted-foreground">Monitor and stay hydrated throughout the
day</p>
        </div>
      </div>
      <Button
        variant={reminders ? "default" : "outline"}
        className={reminders ? "bg-primary text-primary-foreground animate-reminder-
pulse" : "border-border"}
```

```
        onClick={() => setReminders(!reminders)}
      >
        {reminders ? <Bell className="mr-2 w-4 h-4" /> : <Bell className="mr-2 w-4 h-4"
/>}
        {reminders ? 'Reminders On' : 'Reminders Off'}
      </Button>
    </div>

    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
      {/* Tracker Visualization */}
      <Card className="lg:col-span-2 bg-card/50 border-border/50 relative overflow-
hidden">
        <div className="absolute bottom-0 left-0 w-full bg-gradient-to-t from-primary/30 to-
primary/10 transition-all duration-1000 animate-water-fill" style={{ height:
`${Math.min((totalToday / goal) * 100, 100)}%` }} />
        <CardHeader className="relative z-10">
          <CardTitle>Daily Progress</CardTitle>
        </CardHeader>
        <CardContent className="relative z-10 space-y-12 py-12">
          <div className="text-center space-y-2">
            <span className="text-7xl font-bold text-primary">{totalToday}</span>
            <span className="text-2xl text-muted-foreground ml-2">ml</span>
            <p className="text-muted-foreground italic">Daily Goal: {goal}ml</p>
          </div>

          <div className="max-w-md mx-auto">
            <Progress value={(totalToday / goal) * 100} className="h-4 bg-muted" />
            <div className="flex justify-between mt-2 text-xs text-muted-foreground">
              <span>0ml</span>
              <span>{goal}ml</span>
            </div>
          </div>

          <div className="flex flex-wrap justify-center gap-4">
            {[250, 500, 750].map((amt, idx) => (
              <Button
                key={amt}
                variant="outline"
                className={`w-32 h-32 flex-col gap-2 border-primary/30 hover:bg-primary/10
transition-all duration-300 rounded-2xl hover:scale-105 hover:shadow-
[0_0_20px_rgba(0,255,136,0.3)] animate-card-stagger stagger-${idx + 1}`}
                onClick={() => addWater(amt)}
              >
```

```
            <Droplets className={`w-8 h-8 ${amt === 250 ? 'opacity-50' : amt === 500 ?
'opacity-75' : ''} text-primary animate-droplet`} />
            <span className="font-bold">+{amt}ml</span>
          </Button>
        )}
      </div>
    </CardContent>
  </Card>

  {/* Reminders & History */}
  <div className="space-y-6">
    <Card className="bg-card/50 border-border/50">
      <CardHeader>
        <CardTitle className="text-lg flex items-center gap-2">
          <Clock className="w-5 h-5 text-primary" />
          Hourly Reminders
        </CardTitle>
      </CardHeader>
      <CardContent className="space-y-4">
        {[8, 10, 12, 14, 16, 18, 20].map((hour) => (
          <div key={hour} className="flex items-center justify-between p-3 rounded-lg bg-
muted/30 border border-border/50">
            <span className="text-sm font-medium">{hour > 12 ? hour - 12 : hour}:00 {hour
>= 12 ? 'PM' : 'AM'}</span>
            {totalToday >= (hour - 7) * 200 ? (
              <div className="bg-primary/20 text-primary p-1 rounded-full"><Check
className="w-4 h-4" /></div>
            ) : (
              <div className="text-xs text-muted-foreground">Upcoming</div>
            )}
          </div>
        )}
      </CardContent>
    </Card>

    <Card className="bg-primary/10 border-primary/20">
      <CardContent className="py-4 flex gap-3">
        <Info className="text-primary w-5 h-5 shrink-0" />
        <p className="text-xs text-muted-foreground leading-relaxed">
          Drinking water consistently helps maintain SpO2 levels and kidney health,
especially if you have selected Asthma or Kidney conditions.
        </p>
      </CardContent>
```

```
        </Card>
      </div>
    </div>
  </div>
 );
}
```

app-9k6qt5daj281/src/types/index.ts

```
import type React from 'react';

export * from './types';

export interface Option {
 label: string;
 value: string;
 icon?: React.ComponentType<{ className?: string }>;
 withCount?: boolean;
}
```

app-9k6qt5daj281/src/types/types.ts

```
export type UserRole = 'user' | 'admin';
export type AppointmentStatus = 'pending' | 'confirmed' | 'cancelled' | 'completed';
export type OrderStatus = 'pending' | 'completed' | 'cancelled' | 'refunded';

export interface Profile {
 id: string;
 email: string | null;
 full_name: string | null;
 role: UserRole;
 age: number | null;
 height: number | null;
 weight: number | null;
 activity_level: string | null;
 selected_diseases: string[] | null;
 premium_status: boolean;
 created_at: string;
 updated_at: string;
}

export interface HealthMetric {
 id: string;
 user_id: string;
```

```
  heart_rate: number | null;
  steps: number | null;
  sleep_duration: number | null;
  spo2_level: number | null;
  calories_burned: number | null;
  recorded_at: string;
}

export interface UserWearable {
  id: string;
  user_id: string;
  provider: string;
  status: 'connected' | 'disconnected';
  last_synced_at: string | null;
  created_at: string;
}

export interface WaterIntake {
  id: string;
  user_id: string;
  amount: number;
  recorded_at: string;
}

export interface Doctor {
  id: string;
  name: string;
  specialization: string;
  experience: number;
  avatar_url: string | null;
}

export interface Appointment {
  id: string;
  user_id: string;
  doctor_id: string;
  reason: string | null;
  appointment_date: string;
  status: AppointmentStatus;
  created_at: string;
  doctor?: Doctor;
}
```

```
export interface Feedback {
  id: string;
  user_id: string | null;
  rating: number;
  comment: string | null;
  created_at: string;
  profile?: {
    email: string | null;
    full_name: string | null;
  };
}

export interface Order {
  id: string;
  user_id: string | null;
  items: any;
  total_amount: number;
  currency: string;
  status: OrderStatus;
  stripe_session_id: string | null;
  stripe_payment_intent_id: string | null;
  customer_email: string | null;
  customer_name: string | null;
  completed_at: string | null;
  created_at: string;
}

export interface Medication {
  id: string;
  user_id: string;
  name: string;
  dosage: string | null;
  frequency: string | null;
  type: string | null;
  prescription_url: string | null;
  created_at: string;
}
```

app-9k6qt5daj281/src/types/virtual-modules.d.ts

```
// src/types/virtual-modules.d.ts

declare module '@/db/supabase' {
```

```
  export const supabase: ReturnType<typeof import('@supabase/supabase-
js').createClient>;
}

declare module '@/types/types' {
  export interface Profile {
    [key: string]: unknown;
  }
}
```

app-9k6qt5daj281/supabase/functions/create_stripe_checkout/index.ts

```
import { createClient } from "jsr:@supabase/supabase-js@2";
import Stripe from "npm:stripe@19.1.0";

const supabaseUrl = Deno.env.get("SUPABASE_URL")!;
const supabaseKey = Deno.env.get("SUPABASE_SERVICE_ROLE_KEY")!;
const supabase = createClient(supabaseUrl, supabaseKey);

const corsHeaders = {
  "Access-Control-Allow-Origin": "*",
  "Access-Control-Allow-Headers": "authorization, x-client-info, apikey, content-type",
};

Deno.serve(async (req) => {
  if (req.method === "OPTIONS") return new Response(null, { headers: corsHeaders });

  try {
    const { items, currency = 'usd' } = await req.json();
    const authHeader = req.headers.get("Authorization");
    const token = authHeader?.replace("Bearer ", "");
    const { data: { user } } = token ? await supabase.auth.getUser(token) : { data: { user: null
} };

    if (!user) throw new Error("Unauthorized");

    const stripeSecretKey = Deno.env.get("STRIPE_SECRET_KEY");
    if (!stripeSecretKey) throw new Error("STRIPE_SECRET_KEY not configured");

    const stripe = new Stripe(stripeSecretKey, { apiVersion: "2025-01-27.acacia" as any });
    const origin = req.headers.get("origin") || "";

    const session = await stripe.checkout.sessions.create({
```

```
      line_items: items.map((item: any) => ({
        price_data: {
          currency,
          product_data: { name: item.name, images: item.image_url ? [item.image_url] : [] },
          unit_amount: Math.round(item.price * 100),
        },
        quantity: item.quantity,
      })),
      mode: "payment",
      success_url: `${origin}/payment-success?session_id={CHECKOUT_SESSION_ID}`,
      cancel_url: `${origin}/subscriptions`,
      metadata: { user_id: user.id },
    });

    // Create a pending order
    await supabase.from("orders").insert({
      user_id: user.id,
      items,
      total_amount: items.reduce((sum: number, i: any) => sum + i.price * i.quantity, 0),
      currency,
      status: "pending",
      stripe_session_id: session.id,
    });

    return new Response(JSON.stringify({ code: "SUCCESS", data: { url: session.url } }), {
      headers: { ...corsHeaders, "Content-Type": "application/json" }
    });
  } catch (error: any) {
    return new Response(JSON.stringify({ code: "FAIL", message: error.message }), {
      status: 500,
      headers: { ...corsHeaders, "Content-Type": "application/json" }
    });
  }
});
```

app-9k6qt5daj281/supabase/functions/sync_wearable_data/index.ts

```
import { serve } from "https://deno.land/std@0.168.0/http/server.ts";
import { createClient } from "https://esm.sh/@supabase/supabase-js@2.38.4";

const corsHeaders = {
  'Access-Control-Allow-Origin': '*',
  'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
```

```
};

serve(async (req) => {
  if (req.method === 'OPTIONS') {
    return new Response('ok', { headers: corsHeaders });
  }

  const supabaseUrl = Deno.env.get('SUPABASE_URL')!;
  const supabaseServiceKey = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!;
  const supabase = createClient(supabaseUrl, supabaseServiceKey);

  const authHeader = req.headers.get('Authorization')!;
  const token = authHeader.replace('Bearer ', '');
  const { data: { user }, error: userError } = await supabase.auth.getUser(token);

  if (userError || !user) {
    return new Response(JSON.stringify({ error: 'Unauthorized' }), { status: 401, headers: {
...corsHeaders, 'Content-Type': 'application/json' } });
  }

  // Get active wearable
  const { data: wearable, error: wearableError } = await supabase
    .from('user_wearables')
    .select('*')
    .eq('user_id', user.id)
    .eq('status', 'connected')
    .maybeSingle();

  if (wearableError || !wearable) {
    return new Response(JSON.stringify({ error: 'No connected wearable' }), { status: 404,
headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
  }

  // In a real implementation, we would refresh tokens and fetch from provider APIs here.
  // For the demo, we'll simulate fetching real-time data to demonstrate the dashboard
update.

  const simulatedData = {
    heart_rate: Math.floor(Math.random() * (90 - 65 + 1) + 65), // 65-90 bpm
    steps: Math.floor(Math.random() * 500) + 50, // simulated incremental steps
    spo2_level: Math.floor(Math.random() * (100 - 95 + 1) + 95), // 95-100%
    sleep_duration: 7.5,
    calories_burned: Math.floor(Math.random() * 10) + 1, // simulated incremental calories
```

```
  };

  // Get current metrics to add to them for steps/calories
  const { data: latestMetrics } = await supabase
    .from('health_metrics')
    .select('*')
    .eq('user_id', user.id)
    .order('recorded_at', { ascending: false })
    .limit(1)
    .maybeSingle();

  const newMetrics = {
    user_id: user.id,
    heart_rate: simulatedData.heart_rate,
    steps: (latestMetrics?.steps || 0) + simulatedData.steps,
    spo2_level: simulatedData.spo2_level,
    sleep_duration: simulatedData.sleep_duration,
    calories_burned: (latestMetrics?.calories_burned || 0) + simulatedData.calories_burned,
    recorded_at: new Date().toISOString(),
  };

  const { data, error: insertError } = await supabase
    .from('health_metrics')
    .insert(newMetrics)
    .select()
    .single();

  if (insertError) {
    return new Response(JSON.stringify({ error: insertError.message }), { status: 500,
headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
  }

  // Update last synced at
  await supabase
    .from('user_wearables')
    .update({ last_synced_at: new Date().toISOString() })
    .eq('id', wearable.id);

  return new Response(JSON.stringify({
    success: true,
    provider: wearable.provider,
    metrics: data,
    last_synced_at: new Date().toISOString()
```

```
  }), { headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
});
```

app-9k6qt5daj281/supabase/functions/verify_stripe_payment/index.ts

```
import { createClient } from "jsr:@supabase/supabase-js@2";
import Stripe from "npm:stripe@19.1.0";

const supabaseUrl = Deno.env.get("SUPABASE_URL")!;
const supabaseKey = Deno.env.get("SUPABASE_SERVICE_ROLE_KEY")!;
const supabase = createClient(supabaseUrl, supabaseKey);

const corsHeaders = {
  "Access-Control-Allow-Origin": "*",
  "Access-Control-Allow-Headers": "authorization, x-client-info, apikey, content-type",
};

Deno.serve(async (req) => {
  if (req.method === "OPTIONS") return new Response(null, { headers: corsHeaders });

  try {
    const { sessionId } = await req.json();
    const stripeSecretKey = Deno.env.get("STRIPE_SECRET_KEY");
    if (!stripeSecretKey) throw new Error("STRIPE_SECRET_KEY not configured");

    const stripe = new Stripe(stripeSecretKey, { apiVersion: "2025-01-27.acacia" as any });
    const session = await stripe.checkout.sessions.retrieve(sessionId);

    if (session.payment_status === "paid") {
      const userId = session.metadata?.user_id;

      // Update order
      await supabase.from("orders")
        .update({ status: "completed", completed_at: new Date().toISOString() })
        .eq("stripe_session_id", sessionId);

      // Upgrade user profile
      if (userId) {
        await supabase.from("profiles")
          .update({ premium_status: true })
          .eq("id", userId);
      }
```

```
        return new Response(JSON.stringify({ code: "SUCCESS", data: { verified: true } }), {
          headers: { ...corsHeaders, "Content-Type": "application/json" }
        });
      }

      return new Response(JSON.stringify({ code: "SUCCESS", data: { verified: false } }), {
        headers: { ...corsHeaders, "Content-Type": "application/json" }
      });
    } catch (error: any) {
      return new Response(JSON.stringify({ code: "FAIL", message: error.message }), {
        status: 500,
        headers: { ...corsHeaders, "Content-Type": "application/json" }
      });
    }
});
```

app-9k6qt5daj281/supabase/functions/wearable_oauth/index.ts

```
import { serve } from "https://deno.land/std@0.168.0/http/server.ts";
import { createClient } from "https://esm.sh/@supabase/supabase-js@2.38.4";

const corsHeaders = {
  'Access-Control-Allow-Origin': '*',
  'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
};

serve(async (req) => {
  if (req.method === 'OPTIONS') {
    return new Response('ok', { headers: corsHeaders });
  }

  const url = new URL(req.url);
  const provider = url.searchParams.get('provider');
  const action = url.searchParams.get('action');

  const supabaseUrl = Deno.env.get('SUPABASE_URL')!;
  const supabaseServiceKey = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!;
  const supabase = createClient(supabaseUrl, supabaseServiceKey);

  if (action === 'authorize') {
    const userId = url.searchParams.get('user_id');
    if (!userId) {
      return new Response(JSON.stringify({ error: 'user_id is required' }), { status: 400,
```

```
headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
    }

    if (provider === 'google_fit') {
      const clientId = Deno.env.get('GOOGLE_FIT_CLIENT_ID');
      const redirectUri =
`${supabaseUrl}/functions/v1/wearable_oauth?provider=google_fit&action=callback&user
_id=${userId}`;
      const authUrl =
`https://accounts.google.com/o/oauth2/v2/auth?response_type=code&client_id=${clientId
}&redirect_uri=${encodeURIComponent(redirectUri)}&scope=${encodeURIComponent('htt
ps://www.googleapis.com/auth/fitness.activity.read
https://www.googleapis.com/auth/fitness.body.read
https://www.googleapis.com/auth/fitness.heart_rate.read
https://www.googleapis.com/auth/fitness.sleep.read')}&access_type=offline&prompt=cons
ent`;
      return new Response(JSON.stringify({ url: authUrl }), { headers: { ...corsHeaders,
'Content-Type': 'application/json' } });
    }

    if (provider === 'fitbit') {
      const clientId = Deno.env.get('FITBIT_CLIENT_ID');
      const redirectUri =
`${supabaseUrl}/functions/v1/wearable_oauth?provider=fitbit&action=callback&user_id=$
{userId}`;
      const authUrl =
`https://www.fitbit.com/oauth2/authorize?response_type=code&client_id=${clientId}&red
irect_uri=${encodeURIComponent(redirectUri)}&scope=activity%20heartrate%20sleep%2
0weight`;
      return new Response(JSON.stringify({ url: authUrl }), { headers: { ...corsHeaders,
'Content-Type': 'application/json' } });
    }
  }

  if (action === 'callback') {
    const code = url.searchParams.get('code');
    const userId = url.searchParams.get('user_id');
    const appUrl = 'https://' + Deno.env.get('SUPABASE_PROJECT_ID') + '.supabase.co'; //
This should be the real app URL

    // We'll use a placeholder for the frontend URL
    const frontendUrl = `https://app-9k6qt5daj281.react-
spa.miaoda.io/dashboard?wearable_sync=success`;
```

```
  if (!code || !userId) {
    return new Response(JSON.stringify({ error: 'Missing code or user_id' }), { status: 400,
headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
  }

  let tokens;
  if (provider === 'google_fit') {
    const clientId = Deno.env.get('GOOGLE_FIT_CLIENT_ID');
    const clientSecret = Deno.env.get('GOOGLE_FIT_CLIENT_SECRET');
    const redirectUri =
`${supabaseUrl}/functions/v1/wearable_oauth?provider=google_fit&action=callback&user
_id=${userId}`;

    const res = await fetch('https://oauth2.googleapis.com/token', {
      method: 'POST',
      headers: { 'Content-Type': 'application/x-www-form-urlencoded' },
      body: new URLSearchParams({
        code,
        client_id: clientId!,
        client_secret: clientSecret!,
        redirect_uri: redirectUri,
        grant_type: 'authorization_code',
      }),
    });
    tokens = await res.json();
  } else if (provider === 'fitbit') {
    const clientId = Deno.env.get('FITBIT_CLIENT_ID');
    const clientSecret = Deno.env.get('FITBIT_CLIENT_SECRET');
    const redirectUri =
`${supabaseUrl}/functions/v1/wearable_oauth?provider=fitbit&action=callback&user_id=$
{userId}`;

    const authHeader = btoa(`${clientId}:${clientSecret}`);
    const res = await fetch('https://api.fitbit.com/oauth2/token', {
      method: 'POST',
      headers: {
        'Content-Type': 'application/x-www-form-urlencoded',
        'Authorization': `Basic ${authHeader}`,
      },
      body: new URLSearchParams({
        code,
        redirect_uri: redirectUri,
```

```
        grant_type: 'authorization_code',
      }),
    });
    tokens = await res.json();
  }

  if (tokens && tokens.access_token) {
    const expiresAt = new Date(Date.now() + (tokens.expires_in || 3600) *
1000).toISOString();
    await supabase.from('user_wearables').upsert({
      user_id: userId,
      provider,
      access_token: tokens.access_token,
      refresh_token: tokens.refresh_token,
      expires_at: expiresAt,
      status: 'connected',
      last_synced_at: new Date().toISOString(),
    }, { onConflict: 'user_id,provider' });

    return Response.redirect(frontendUrl, 302);
  } else {
    console.error('Tokens Error:', tokens);
    return new Response(JSON.stringify({ error: 'Failed to exchange tokens', details: tokens
}), { status: 500, headers: { ...corsHeaders, 'Content-Type': 'application/json' } });
  }
 }

 return new Response(JSON.stringify({ error: 'Invalid request' }), { status: 400, headers: {
...corsHeaders, 'Content-Type': 'application/json' } });
});
```

app-9k6qt5daj281/supabase/migrations/00001_initial_schema.sql

```
-- Enum types
CREATE TYPE public.user_role AS ENUM ('user', 'admin');
CREATE TYPE public.appointment_status AS ENUM ('pending', 'confirmed', 'cancelled',
'completed');
CREATE TYPE public.order_status AS ENUM ('pending', 'completed', 'cancelled', 'refunded');

-- Profiles table
CREATE TABLE public.profiles (
 id uuid REFERENCES auth.users(id) PRIMARY KEY,
 email text,
```

```
  full_name text,
  role public.user_role DEFAULT 'user',
  age integer,
  height numeric, -- in cm
  weight numeric, -- in kg
  activity_level text,
  selected_diseases text[], -- Array of disease strings
  premium_status boolean DEFAULT false,
  created_at timestamptz DEFAULT now(),
  updated_at timestamptz DEFAULT now()
);

-- Health Metrics (Wearable Data)
CREATE TABLE public.health_metrics (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id uuid REFERENCES public.profiles(id) NOT NULL,
  heart_rate integer,
  steps integer,
  sleep_duration numeric, -- in hours
  spo2_level integer,
  recorded_at timestamptz DEFAULT now()
);

-- Water Intake
CREATE TABLE public.water_intake (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id uuid REFERENCES public.profiles(id) NOT NULL,
  amount numeric NOT NULL, -- in ml
  recorded_at timestamptz DEFAULT now()
);

-- Doctors
CREATE TABLE public.doctors (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  name text NOT NULL,
  specialization text NOT NULL,
  experience integer,
  avatar_url text
);

-- Appointments
CREATE TABLE public.appointments (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
```

```
  user_id uuid REFERENCES public.profiles(id) NOT NULL,
  doctor_id uuid REFERENCES public.doctors(id) NOT NULL,
  reason text,
  appointment_date timestamptz NOT NULL,
  status public.appointment_status DEFAULT 'pending',
  created_at timestamptz DEFAULT now()
);

-- Feedback
CREATE TABLE public.feedback (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id uuid REFERENCES public.profiles(id),
  rating integer CHECK (rating >= 1 AND rating <= 5),
  comment text,
  created_at timestamptz DEFAULT now()
);

-- Orders (Subscription)
CREATE TABLE public.orders (
    id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
    user_id uuid REFERENCES auth.users(id),
    items jsonb NOT NULL,
    total_amount numeric(12,2) NOT NULL,
    currency text NOT NULL DEFAULT 'usd',
    status public.order_status DEFAULT 'pending',
    stripe_session_id text UNIQUE,
    stripe_payment_intent_id text,
    customer_email text,
    customer_name text,
    completed_at timestamptz,
    created_at timestamptz DEFAULT now(),
    updated_at timestamptz DEFAULT now()
);

-- Medications
CREATE TABLE public.medications (
  id uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id uuid REFERENCES public.profiles(id) NOT NULL,
  name text NOT NULL,
  dosage text,
  frequency text,
  type text, -- 'suggested' or 'prescribed'
  prescription_url text,
```

```
  created_at timestamptz DEFAULT now()
);

-- Helper functions and triggers
CREATE OR REPLACE FUNCTION is_admin(uid uuid)
RETURNS boolean LANGUAGE sql SECURITY DEFINER AS $$
  SELECT EXISTS (
    SELECT 1 FROM profiles p
    WHERE p.id = uid AND p.role = 'admin'::user_role
  );
$$;

-- Trigger for new user
CREATE OR REPLACE FUNCTION handle_new_user()
RETURNS trigger
LANGUAGE plpgsql
SECURITY DEFINER SET search_path = public
AS $$
DECLARE
user_count int;
BEGIN
SELECT COUNT(*) INTO user_count FROM profiles;
INSERT INTO public.profiles (id, email, role)
VALUES (
  NEW.id,
  NEW.email,
  CASE WHEN user_count = 0 THEN 'admin'::public.user_role ELSE 'user'::public.user_role
END
);
RETURN NEW;
END;
$$;

CREATE TRIGGER on_auth_user_confirmed
  AFTER UPDATE ON auth.users
  FOR EACH ROW
  WHEN (OLD.confirmed_at IS NULL AND NEW.confirmed_at IS NOT NULL)
  EXECUTE FUNCTION handle_new_user();

-- RLS Policies
ALTER TABLE profiles ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Admins have full access to profiles" ON profiles FOR ALL TO authenticated
USING (is_admin(auth.uid()));
```

```
CREATE POLICY "Users can view their own profile" ON profiles FOR SELECT TO
authenticated USING (auth.uid() = id);
CREATE POLICY "Users can update their own profile" ON profiles FOR UPDATE TO
authenticated USING (auth.uid() = id)
  WITH CHECK (role IS NOT DISTINCT FROM (SELECT role FROM profiles WHERE id =
auth.uid()));

ALTER TABLE health_metrics ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can manage own health metrics" ON health_metrics FOR ALL TO
authenticated USING (auth.uid() = user_id);
CREATE POLICY "Admins can view all health metrics" ON health_metrics FOR SELECT TO
authenticated USING (is_admin(auth.uid()));

ALTER TABLE water_intake ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can manage own water intake" ON water_intake FOR ALL TO
authenticated USING (auth.uid() = user_id);

ALTER TABLE doctors ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Everyone can view doctors" ON doctors FOR SELECT TO authenticated
USING (true);
CREATE POLICY "Admins can manage doctors" ON doctors FOR ALL TO authenticated
USING (is_admin(auth.uid()));

ALTER TABLE appointments ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can manage own appointments" ON appointments FOR ALL TO
authenticated USING (auth.uid() = user_id);
CREATE POLICY "Admins can manage all appointments" ON appointments FOR ALL TO
authenticated USING (is_admin(auth.uid()));

ALTER TABLE feedback ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can create feedback" ON feedback FOR INSERT TO authenticated
WITH CHECK (auth.uid() = user_id);
CREATE POLICY "Admins can view all feedback" ON feedback FOR SELECT TO
authenticated USING (is_admin(auth.uid()));

ALTER TABLE orders ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can view own orders" ON orders FOR SELECT TO authenticated
USING (auth.uid() = user_id);
CREATE POLICY "Service role can manage orders" ON orders FOR ALL TO authenticated
USING (auth.jwt()->>'role' = 'service_role');

ALTER TABLE medications ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Users can manage own medications" ON medications FOR ALL TO
```

```
authenticated USING (auth.uid() = user_id);

-- Insert some sample doctors
INSERT INTO public.doctors (name, specialization, experience) VALUES
('Dr. Sarah Neon', 'Cardiologist', 12),
('Dr. James Green', 'General Physician', 8),
('Dr. Elena Smart', 'Nutritionist', 10),
('Dr. Mark Health', 'Endocrinologist', 15);
```

app-9k6qt5daj281/supabase/migrations/00002_storage_setup.sql

```
-- Create bucket for prescriptions
INSERT INTO storage.buckets (id, name, public) VALUES ('neoncare_prescriptions',
'neoncare_prescriptions', true);

-- Policies for prescriptions
CREATE POLICY "Anyone can view prescriptions" ON storage.objects FOR SELECT TO
authenticated USING (bucket_id = 'neoncare_prescriptions');
CREATE POLICY "Users can upload prescriptions" ON storage.objects FOR INSERT TO
authenticated WITH CHECK (bucket_id = 'neoncare_prescriptions' AND auth.uid()::text =
(storage.foldername(name))[1]);
```

app-9k6qt5daj281/supabase/migrations/00003_admin_role_adjustment.sql

```
-- Update the trigger function to handle the specific admin username
CREATE OR REPLACE FUNCTION public.handle_new_user()
RETURNS trigger
LANGUAGE plpgsql
SECURITY DEFINER SET search_path = public
AS $$
DECLARE
  user_count int;
  is_prajwal boolean;
BEGIN
  SELECT COUNT(*) INTO user_count FROM profiles;
  -- Check if the email corresponds to 'prajwal@miaoda.com'
  is_prajwal := (NEW.email = 'prajwal@miaoda.com');

  INSERT INTO public.profiles (id, email, role, full_name)
  VALUES (
    NEW.id,
    NEW.email,
    CASE
      WHEN is_prajwal THEN 'admin'::public.user_role
```

```
      ELSE 'user'::public.user_role
    END,
    CASE
      WHEN is_prajwal THEN 'Prajwal'
      ELSE NULL
    END
  );
  RETURN NEW;
END;
$$;
```

app-9k6qt5daj281/supabase/migrations/00004_add_wearable_integration.sql

```
ALTER TABLE health_metrics ADD COLUMN IF NOT EXISTS calories_burned numeric;

CREATE TABLE IF NOT EXISTS user_wearables (
 id uuid DEFAULT gen_random_uuid() PRIMARY KEY,
 user_id uuid REFERENCES auth.users(id) ON DELETE CASCADE NOT NULL,
 provider text NOT NULL, -- 'google_fit', 'fitbit'
 access_token text,
 refresh_token text,
 expires_at timestamp with time zone,
 last_synced_at timestamp with time zone,
 status text DEFAULT 'connected', -- 'connected', 'disconnected'
 created_at timestamp with time zone DEFAULT now(),
 updated_at timestamp with time zone DEFAULT now(),
 UNIQUE(user_id, provider)
);

ALTER TABLE user_wearables ENABLE ROW LEVEL SECURITY;

DO $$
BEGIN
 IF NOT EXISTS (
  SELECT 1 FROM pg_policies
  WHERE tablename = 'user_wearables' AND policyname = 'Users can manage their own
wearables'
 ) THEN
  CREATE POLICY "Users can manage their own wearables" ON user_wearables
    FOR ALL USING (auth.uid() = user_id);
 END IF;
END $$;
```