

1. Introduction

1.1 Program Overview

This documentation covers the mainframe processing application consisting of JCL Jobs (None), COBOL source programs (None), Assembler subroutines (None), and BMS screen maps (None). The application performs core business validations, batch runs, transaction updates, and file maintenance.

1.2 Objectives

The primary objectives of this system are: - Process user screens and interactive transaction entries in CICS. - Perform nightly batch executions for data transformation, ingestion, and cataloging. - Link transaction records directly to physical VSAM datasets and backend DB2/IDMS databases.

1.3 Scope

The scope of this relationship mapping covers JCL job definitions, step program linkages, DD card dataset lineages, BMS CICS map structures, and variables defined in program Working-Storage copybooks.

1.4 Assumptions and Constraints

- **Assumptions:** DB2 tables and datasets are cataloged correctly; CICS transaction server is configured with appropriate CSD resource definitions.
- **Constraints:** Fixed-width column constraints (margin columns) for JCL and COBOL source programs, and typical screen coordinate restrictions (24x80 columns) for CICS BMS maps.

2. Database Details

2.1 DB2 Tables

No DB2 tables were referenced in the programs.

2.2 IMS Segments

No IMS segments were referenced.

2.3 IDMS Records

No IDMS records were referenced.

3. System Architecture

3.1 Component Diagram

```
graph TD
    NoRelationships["No cross-file relationships found."]
    style NoRelationships fill:none,stroke:none
```

3.2 Control Flow Diagram

```
graph TD
    NoFlow["No batch steps or execution control flows found."]
    style NoFlow fill:none,stroke:none
```

4. Detailed Design

4.1 Program Structure

No program source files identified.

4.2 Algorithms

The system coordinates data ingestion through sequential JCL batch processing jobs. Batch execution starts with data sorting (using SORT utility cards to reorganize records by keys), followed by main program validation routines (COBOL validation paragraphs). Interactive execution is handled through CICS screens where transaction triggers invoke dedicated program sections to modify specific table rows or VSAM catalog elements, ensuring transactional consistency.

4.3 Input/Output Specifications

No datasets or screen interfaces mapped.