

Forms

Forms are used to collect user information.

Form is a block level element and most of the form elements are inline level.

Syntax: `<form action=""> </form>`

Tags of Form:

1. form
2. label
3. input
4. select
5. option
6. button
7. fieldset
8. legend
9. textarea

Form:

Form is a semantic element which indicates the of it. It will contain all the form elements.

Label:

It specifies the purpose of the input field.

Input:

It helps to receive the user input

To link label tag and input tag we have to use **for** and **id**

attributes.

Select:

It will create a drop down list with a set of options.

Option:

It used to define the options in the drop down list.

Fieldset:

This tag is used to group the set of fields together that will display a border to those fields.

Legend:

It will provide a name to the fieldset border.

Textarea:

It is used to take multiline input based on rows and cols.
rows and cols attributes specify the visible height and width of textarea.

Button:

It will create a button based on type attribute.
Type attribute will specify the purpose of the button.

Attribute of Input Tag:

1. type
2. id
3. name

4. value
5. list
6. multiple
7. readonly
8. disabled
9. required
10. placeholder
11. min
12. max
13. minlength
14. maxlength
15. step
16. size
17. autofocus
18. autocomplete
19. pattern

Values of type attribute:

1. text
2. email
3. password
4. number
5. tel

6. radio
7. checkbox
8. button
9. submit
10. reset
11. search
12. date
13. time
14. datetime-local
15. week
16. month
17. color
18. image
19. file
20. url
21. range