

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 30

Server version: 8.0.45 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> USE prajju;
```

Database changed

```
mysql> CREATE TABLE Student(
```

```
    -> rno INT,
```

```
    -> sname VARCHAR(25),
```

```
    -> age INT,
```

```
    -> course VARCHAR(10),
```

```
    -> address VARCHAR(20),
```

```
    -> fname VARCHAR(25),
```

```
    -> mname VARCHAR(25),
```

```
    -> aadrno BIGINT,
```

```
    -> phno BIGINT
```

```
    -> );
```

Query OK, 0 rows affected (0.02 sec)

mysql>

mysql> DESC Student;

Field	Type	Null	Key	Default	Extra
rno	int	YES		NULL	
sname	varchar(25)	YES		NULL	
age	int	YES		NULL	
course	varchar(10)	YES		NULL	
address	varchar(20)	YES		NULL	
fname	varchar(25)	YES		NULL	
mname	varchar(25)	YES		NULL	
aadrno	bigint	YES		NULL	
phno	bigint	YES		NULL	

9 rows in set (0.00 sec)

mysql>

mysql> INSERT INTO Student

VALUES(11,'Anil',22,'bcom','pune','Ramesh','Sita',123456789012,9876543210);

Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO Student

VALUES(22,'Sunil',25,'bba','chennai','Mahesh','Latha',123456789013,9876543211);

Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO Student

VALUES(33,'Vikas',28,'mba','delhi','Suresh','Radha',123456789014,9876543212);

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Student  
VALUES(44,'Roy',21,'mca','mumbai','Ganesh','Meena',123456789015,9876543213);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(55,'Rock',24,'bcom','pune','Ravi','Kavya',123456789016,9876543214);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(66,'James',29,'mba','delhi','Raj','Uma',123456789017,9876543215);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(77,'Mark',23,'bba','mumbai','Arun','Rekha',123456789018,9876543216);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(88,'Monica',26,'mca','chennai','Kiran','Anu',123456789019,9876543217);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(99,'Sathish',20,'bcom','pune','Hari','Divya',123456789020,9876543218);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Student  
VALUES(100,'Ganesh',27,'mba','delhi','Manoj','Pooja',123456789021,9876543219);  
  
Query OK, 1 row affected (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM Student;
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+
| rno | sname | age | course | address | fname | mname | aadrno | phno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 11 | Anil | 22 | bcom | pune | Ramesh | Sita | 123456789012 | 9876543210 |
| 22 | Sunil | 25 | bba | chennai | Mahesh | Latha | 123456789013 | 9876543211 |
| 33 | Vikas | 28 | mba | delhi | Suresh | Radha | 123456789014 | 9876543212 |
| 44 | Roy | 21 | mca | mumbai | Ganesh | Meena | 123456789015 | 9876543213 |
| 55 | Rock | 24 | bcom | pune | Ravi | Kavya | 123456789016 | 9876543214 |
| 66 | James | 29 | mba | delhi | Raj | Uma | 123456789017 | 9876543215 |
| 77 | Mark | 23 | bba | mumbai | Arun | Rekha | 123456789018 | 9876543216 |
| 88 | Monica | 26 | mca | chennai | Kiran | Anu | 123456789019 | 9876543217 |
| 99 | Sathish | 20 | bcom | pune | Hari | Divya | 123456789020 | 9876543218 |
| 100 | Ganesh | 27 | mba | delhi | Manoj | Pooja | 123456789021 | 9876543219 |
+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
10 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT rno,sname,address FROM Student;
```

```
+-----+-----+-----+
| rno | sname | address |
+-----+-----+-----+
| 11 | Anil | pune |
| 22 | Sunil | chennai |
| 33 | Vikas | delhi |
| 44 | Roy | mumbai |
| 55 | Rock | pune |
| 66 | James | delhi |
```

```
| 77 | Mark | mumbai |
| 88 | Monica | chennai |
| 99 | Sathish | pune |
| 100 | Ganesh | delhi |
```

```
+-----+-----+-----+
```

10 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE rno>55;

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 66 | James | 29 | mba | delhi | Raj | Uma | 123456789017 | 9876543215 |
| 77 | Mark | 23 | bba | mumbai | Arun | Rekha | 123456789018 | 9876543216 |
| 88 | Monica | 26 | mca | chennai | Kiran | Anu | 123456789019 | 9876543217 |
| 99 | Sathish | 20 | bcom | pune | Hari | Divya | 123456789020 | 9876543218 |
| 100 | Ganesh | 27 | mba | delhi | Manoj | Pooja | 123456789021 | 9876543219 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

5 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE address='pune';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 11 | Anil | 22 | bcom | pune | Ramesh | Sita | 123456789012 | 9876543210 |
| 55 | Rock | 24 | bcom | pune | Ravi | Kavya | 123456789016 | 9876543214 |
| 99 | Sathish | 20 | bcom | pune | Hari | Divya | 123456789020 | 9876543218 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE address='chennai';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 22 | Sunil | 25 | bba | chennai | Mahesh | Latha | 123456789013 | 9876543211 |
```

```
| 88 | Monica | 26 | mca | chennai | Kiran | Anu | 123456789019 | 9876543217 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

2 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE address='mumbai';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 44 | Roy | 21 | mca | mumbai | Ganesh | Meena | 123456789015 | 9876543213 |
```

```
| 77 | Mark | 23 | bba | mumbai | Arun | Rekha | 123456789018 | 9876543216 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

2 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE age BETWEEN 20 AND 30;

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

11	Anil	22	bcom	pune	Ramesh	Sita	123456789012	9876543210
22	Sunil	25	bba	chennai	Mahesh	Latha	123456789013	9876543211
33	Vikas	28	mba	delhi	Suresh	Radha	123456789014	9876543212
44	Roy	21	mca	mumbai	Ganesh	Meena	123456789015	9876543213
55	Rock	24	bcom	pune	Ravi	Kavya	123456789016	9876543214
66	James	29	mba	delhi	Raj	Uma	123456789017	9876543215
77	Mark	23	bba	mumbai	Arun	Rekha	123456789018	9876543216
88	Monica	26	mca	chennai	Kiran	Anu	123456789019	9876543217
99	Sathish	20	bcom	pune	Hari	Divya	123456789020	9876543218
100	Ganesh	27	mba	delhi	Manoj	Pooja	123456789021	9876543219

+-----+-----+-----+-----+-----+-----+-----+-----+-----+

10 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE address='pune' OR address='chennai';

+-----+-----+-----+-----+-----+-----+-----+-----+-----+

rno	sname	age	course	address	fname	mname	aadrno	phno
-----	-------	-----	--------	---------	-------	-------	--------	------

+-----+-----+-----+-----+-----+-----+-----+-----+-----+

11	Anil	22	bcom	pune	Ramesh	Sita	123456789012	9876543210
22	Sunil	25	bba	chennai	Mahesh	Latha	123456789013	9876543211
55	Rock	24	bcom	pune	Ravi	Kavya	123456789016	9876543214
88	Monica	26	mca	chennai	Kiran	Anu	123456789019	9876543217
99	Sathish	20	bcom	pune	Hari	Divya	123456789020	9876543218

+-----+-----+-----+-----+-----+-----+-----+-----+-----+

5 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE address='mumbai' OR address='delhi';

```

+-----+-----+-----+-----+-----+-----+-----+-----+
| rno | sname | age | course | address | fname | mname | aadrno | phno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 33 | Vikas | 28 | mba | delhi | Suresh | Radha | 123456789014 | 9876543212 |
| 44 | Roy | 21 | mca | mumbai | Ganesh | Meena | 123456789015 | 9876543213 |
| 66 | James | 29 | mba | delhi | Raj | Uma | 123456789017 | 9876543215 |
| 77 | Mark | 23 | bba | mumbai | Arun | Rekha | 123456789018 | 9876543216 |
| 100 | Ganesh | 27 | mba | delhi | Manoj | Pooja | 123456789021 | 9876543219 |
+-----+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

mysql>

mysql> SELECT * FROM Student WHERE age<25;

```

+-----+-----+-----+-----+-----+-----+-----+-----+
| rno | sname | age | course | address | fname | mname | aadrno | phno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 11 | Anil | 22 | bcom | pune | Ramesh | Sita | 123456789012 | 9876543210 |
| 44 | Roy | 21 | mca | mumbai | Ganesh | Meena | 123456789015 | 9876543213 |
| 55 | Rock | 24 | bcom | pune | Ravi | Kavya | 123456789016 | 9876543214 |
| 77 | Mark | 23 | bba | mumbai | Arun | Rekha | 123456789018 | 9876543216 |
| 99 | Sathish | 20 | bcom | pune | Hari | Divya | 123456789020 | 9876543218 |
+-----+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

mysql>

mysql> SELECT sname FROM Student;

```

+-----+
| sname |

```



```
+-----+
```

```
| Anil |
```

```
| Sunil |
```

```
| Vikas |
```

```
| Roy |
```

```
| Rock |
```

```
| James |
```

```
| Mark |
```

```
| Monica |
```

```
| Sathish |
```

```
| Ganesh |
```

```
+-----+
```

10 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT sname,address FROM Student;
```

```
+-----+-----+
```

```
| sname | address |
```

```
+-----+-----+
```

```
| Anil | pune |
```

```
| Sunil | chennai |
```

```
| Vikas | delhi |
```

```
| Roy | mumbai |
```

```
| Rock | pune |
```

```
| James | delhi |
```

```
| Mark | mumbai |
```

```
| Monica | chennai |
```

```
| Sathish | pune |
```

```
| Ganesh | delhi |
```

```
+-----+-----+
```

```
10 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT sname,fname,mname FROM Student;
```

```
+-----+-----+-----+
```

```
| sname | fname | mname |
```

```
+-----+-----+-----+
```

```
| Anil | Ramesh | Sita |
```

```
| Sunil | Mahesh | Latha |
```

```
| Vikas | Suresh | Radha |
```

```
| Roy | Ganesh | Meena |
```

```
| Rock | Ravi | Kavya |
```

```
| James | Raj | Uma |
```

```
| Mark | Arun | Rekha |
```

```
| Monica | Kiran | Anu |
```

```
| Sathish | Hari | Divya |
```

```
| Ganesh | Manoj | Pooja |
```

```
+-----+-----+-----+
```

```
10 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM Student WHERE sname='Anil';
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 11 | Anil | 22 | bcom | pune | Ramesh | Sita | 123456789012 | 9876543210 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

1 row in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE course='bcom';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 11 | Anil | 22 | bcom | pune | Ramesh | Sita | 123456789012 | 9876543210 |
```

```
| 55 | Rock | 24 | bcom | pune | Ravi | Kavya | 123456789016 | 9876543214 |
```

```
| 99 | Sathish | 20 | bcom | pune | Hari | Divya | 123456789020 | 9876543218 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE course='mba';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| rno | sname | age | course | address | fname | mname | aadrno | phno |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

```
| 33 | Vikas | 28 | mba | delhi | Suresh | Radha | 123456789014 | 9876543212 |
```

```
| 66 | James | 29 | mba | delhi | Raj | Uma | 123456789017 | 9876543215 |
```

```
| 100 | Ganesh | 27 | mba | delhi | Manoj | Pooja | 123456789021 | 9876543219 |
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Student WHERE course='mca' OR course='mba';

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

rno	sname	age	course	address	fname	mname	aadrno	phno
33	Vikas	28	mba	delhi	Suresh	Radha	123456789014	9876543212
44	Roy	21	mca	mumbai	Ganesh	Meena	123456789015	9876543213
66	James	29	mba	delhi	Raj	Uma	123456789017	9876543215
88	Monica	26	mca	chennai	Kiran	Anu	123456789019	9876543217
100	Ganesh	27	mba	delhi	Manoj	Pooja	123456789021	9876543219

5 rows in set (0.00 sec)

mysql>

mysql> SELECT sname,address FROM Student WHERE course='bba';

sname	address
Sunil	chennai
Mark	mumbai

2 rows in set (0.00 sec)

mysql>

mysql> SELECT sname,fname,mname FROM Student WHERE address='delhi';

sname	fname	mname
Vikas	Suresh	Radha
James	Raj	Uma
Ganesh	Manoj	Pooja

```
+-----+-----+-----+
```

3 rows in set (0.00 sec)

mysql>

mysql> SELECT sname,fname,mname FROM Student WHERE address='delhi' OR
address='mumbai';

```
+-----+-----+-----+
```

```
| sname | fname | mname |
```

```
+-----+-----+-----+
```

```
| Vikas | Suresh | Radha |
```

```
| Roy   | Ganesh | Meena |
```

```
| James | Raj    | Uma   |
```

```
| Mark  | Arun   | Rekha |
```

```
| Ganesh | Manoj  | Pooja |
```

```
+-----+-----+-----+
```

5 rows in set (0.00 sec)

mysql>