

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 19

Server version: 8.0.45 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE practise;
```

Query OK, 1 row affected (0.01 sec)

```
mysql> USE practise;
```

Database changed

```
mysql> CREATE TABLE Sample(
```

```
    -> EID INT,
```

```
    -> Name VARCHAR(25)
```

```
    -> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> DESC Sample;
```

Field	Type	Null	Key	Default	Extra
-------	------	------	-----	---------	-------

EID	int	YES	NULL
Name	varchar(25)	YES	NULL

2 rows in set (0.00 sec)

```
mysql> CREATE DATABASE praveen;
```

Query OK, 1 row affected (0.01 sec)

```
mysql>
```

```
mysql> USE praveen;
```

Database changed

```
mysql>
```

```
mysql> CREATE TABLE Sample(
```

```
-> EID INT,
```

```
-> Name VARCHAR(25)
```

```
-> );
```

Query OK, 0 rows affected (0.01 sec)

```
mysql>
```

```
mysql> DESC Sample;
```

Field	Type	Null	Key	Default	Extra
EID	int	YES	NULL		
Name	varchar(25)	YES	NULL		

2 rows in set (0.00 sec)

```
mysql>
```

```
mysql> INSERT INTO Sample VALUES(11,'Anil');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(22,'Sunil');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(33,'Vikas');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(44,'Roy');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(55,'Rock');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(66,'Ganesh');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO Sample VALUES(77,'Sathesh');
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM Sample;
```

```
+-----+-----+
```

```
| EID | Name |
```

```
+-----+-----+
```

```
| 11 | Anil |
```

	22	Sunil	
	33	Vikas	
	44	Roy	
	55	Rock	
	66	Ganesh	
	77	Sathesh	

+-----+-----+

7 rows in set (0.00 sec)

mysql>

mysql> INSERT INTO Sample VALUES(88,'James');

Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO Sample VALUES(99,'Mark');

Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO Sample VALUES(100,'Monica');

Query OK, 1 row affected (0.00 sec)

mysql>

mysql> SELECT * FROM Sample;

+-----+-----+

	EID	Name	
--	-----	------	--

+-----+-----+

	11	Anil	
--	----	------	--

	22	Sunil	
--	----	-------	--

	33	Vikas	
--	----	-------	--

	44	Roy	
--	----	-----	--

```
| 55 | Rock |
| 66 | Ganesh |
| 77 | Sathesh |
| 88 | James |
| 99 | Mark |
| 100 | Monica |
```

```
+-----+-----+
```

10 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Sample WHERE EID=77;

```
+-----+-----+
```

```
| EID | Name |
```

```
+-----+-----+
```

```
| 77 | Sathesh |
```

```
+-----+-----+
```

1 row in set (0.00 sec)

mysql>

mysql> SELECT * FROM Sample WHERE EID>55;

```
+-----+-----+
```

```
| EID | Name |
```

```
+-----+-----+
```

```
| 66 | Ganesh |
```

```
| 77 | Sathesh |
```

```
| 88 | James |
```

```
| 99 | Mark |
```

```
| 100 | Monica |
```

```
+-----+-----+
```

5 rows in set (0.00 sec)

mysql>

mysql> SELECT * FROM Sample WHERE Name='Anil';

```
+-----+-----+
```

```
| EID | Name |
```

```
+-----+-----+
```

```
| 11 | Anil |
```

```
+-----+-----+
```

1 row in set (0.00 sec)

mysql>

mysql> SELECT Name FROM Sample;

```
+-----+
```

```
| Name |
```

```
+-----+
```

```
| Anil |
```

```
| Sunil |
```

```
| Vikas |
```

```
| Roy |
```

```
| Rock |
```

```
| Ganesh |
```

```
| Sathesh |
```

```
| James |
```

```
| Mark |
```

```
| Monica |
```

```
+-----+
```

10 rows in set (0.00 sec)

mysql>

mysql> SELE