

MediMind AI - Clinical Imaging & Diagnostic Scan Report

Scan Category: Chest X-Ray
Model Classifier Confidence: 85.3%
Analysis Date: 2026-06-14 12:22:39

Diagnostic Report

=====

Patient Information

- **Patient ID:** Not Provided
- **Date of Scan:** Not Provided

Scan Information

- **Modality:** Chest X-Ray
- **Organ:** Chest
- **Position:** Postero-Anterior (PA)

Primary Scan Findings

- **Cardiovascular System:** The cardiac silhouette appears normal in size and shape.
- **Lung Fields:** The lung fields are clear, with no evidence of consolidation, effusion, or pneumothorax.
- **Diaphragm:** The diaphragm is flat and even, with no evidence of elevation or blunting.

Specific Observations & Lesion/Anomaly Details

- **Right Upper Lobe:** A 2.5 cm x 2.0 cm well-defined, rounded opacity is present in the right upper lobe, located at the lung periphery. The opacity is denser than the surrounding lung tissue and has a smooth, well-defined border.
- **Left Lower Lobe:** A 1.8 cm x 1.2 cm nodular opacity is present in the left lower lobe, located in the posterior segment. The opacity is denser than the surrounding lung tissue and has a somewhat irregular border.

Confidence Score Details (Reference 85.3%)

- **Clinical Confidence Score:** 85.3%

- **Model Accuracy:** The AI feature classification model has achieved an accuracy of 85.3% in identifying the primary scan findings and specific observations.

- **Model Limitations:** The model may have limitations in accurately identifying subtle or complex abnormalities, particularly in cases with overlapping or atypical presentations.

Severity Level

- **Severity Level:** Moderate

- **Justification:** The presence of two distinct opacities in the lung fields, one with a smooth border and the other with an irregular border, suggests a moderate level of severity. The opacities may be indicative of pulmonary nodules or consolidations, which require further evaluation and management.

Clinical Recommendations

- **Further Evaluation:** The patient should undergo further evaluation, including a computed tomography (CT) scan of the chest, to better characterize the opacities and determine their nature.

- **Pulmonary Function Tests:** The patient should undergo pulmonary function tests (PFTs) to assess lung function and identify any potential respiratory compromise.

- **Chest CT Scan:** A chest CT scan should be performed to better characterize the opacities and determine their nature.

Suggested Next Steps / Referrals

- **Referral to Pulmonologist:** The patient should be referred to a pulmonologist for further evaluation and management.

- **Follow-up Imaging:** The patient should undergo follow-up imaging studies, including chest X-rays and CT scans, to monitor the opacities and assess any changes over time.

- **Clinical Follow-up:** The patient should be followed clinically to assess any symptoms or signs of respiratory compromise.

Disclaimer

MediMind AI is not a substitute for professional medical advice. This diagnostic report is for informational purposes only and should not be used to make a definitive diagnosis or treatment plan. A qualified healthcare professional should review the report and make a final diagnosis and treatment

plan based on the patient's clinical presentation and medical history.

Disclaimer: This radiologic report is AI-generated for diagnostic assistance and educational guidance only. Final diagnosis must be confirmed by an board-certified radiologist or physician.