

AMENDMENT NO. 2 DECEMBER 2025
TO
IS 15622 : 2017 PRESSED CERAMIC TILES — SPECIFICATION
(First Revision)

[Page 5, Table 5, Sl No. (ii) (j)] — Substitute the following for the existing:

‘Sl No.	Characteristic	Requirement	Method of Test, Ref to Part of IS 13630
(1)	(2)	(3)	(4)
ii) j)	Slip resistance/Co-efficient of friction — Measurement of surface frictional properties of tiles intended for use on floors	Manufacturer to declare	As per IS 18433 (Part 1) or IS 18433 (Part 2)’

[Page 5, Table 5, Sl No. (iii) (c)] — Insert the following at the end:

‘Sl No.	Characteristic	Requirement	Method of Test, Ref to Part of IS 13630
(1)	(2)	(3)	(4)
iii) d)	Determination of lead and cadmium given off by Glazed tiles	Manufacturer to declare values	(Part 16)’

[Page 6, Table 6, Sl No. (ii) (m)] — Substitute the following for the existing:

‘Sl No.	Characteristic	Nominal Size (N)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
ii) m)	Slip resistance/Co-efficient of friction — Measurement of surface frictional properties of tiles intended for use on floors	Manufacturer to declare		As per IS 18433 (Part 1) or IS 18433 (Part 2)’

[Page 6, Table 6, Sl No. (iii) (c)] — Insert the following at the end:

‘Sl No.	Characteristic	Nominal Size (N)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
iii) d)	Determination of lead and cadmium given off by Glazed tiles	Manufacturer to declare values		(Part 16)’

Price Group 2

Amendment No. 2 to IS 15622 : 2017

[Page 7, Table 7, Sl No. (ii) (m)] — Substitute the following for the existing:

‘Sl No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
ii)	m) Slip resistance/Co-efficient of friction — Measurement of surface frictional properties of tiles intended for use on floors	Manufacturer to declare		As per IS 18433 (Part 1) or IS 18433 (Part 2)’

[Page 7, Table 7, Sl No. (iii) (c)] — Insert the following at the end:

‘Sl No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
iii)	d) Determination of lead and cadmium given off by Glazed tiles	Manufacturer to declare values		(Part 16)’

[Page 8, Table 8, Sl No. (ii) (m)] — Substitute the following for the existing:

‘Sl No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
ii)	m) Slip resistance/Co-efficient of friction — Measurement of surface frictional properties of tiles intended for use on floors	Manufacturer to declare		As per IS 18433 (Part 1) or IS 18433 (Part 2)’

[Page 8, Table 8, Sl No. (iii) (c)] — Insert the following at the end:

‘Sl No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
iii)	d) Determination of lead and cadmium given off by Glazed tiles	Manufacturer to declare values		(Part 16)’

[Page 9, Table 9, Sl No. (ii) (m)] — Substitute the following for the existing:

'SI No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
ii)	m) Slip resistance/Co-efficient of friction — Measurement of surface frictional properties of tiles intended for use on floors	Manufacturer to declare		As per IS 18433 (Part 1) or IS 18433 (Part 2)'

[Page 10, Table 9, Sl No. (iii) (c)] — Insert the following at the end:

'SI No.	Characteristic	Nominal Size (<i>N</i>)		Method of Test, Ref to Part of IS 13630
		$N \leq 20$ cm	$N > 20$ cm	
(1)	(2)	(3)	(4)	(5)
iii)	d) Determination of lead and cadmium given off by Glazed tiles	Manufacturer to declare values		(Part 16)'

(Page 11, Annex A) — Substitute the following for the existing:

'IS No.	Title
IS 13630	Ceramic tiles — Methods of test, sampling and basis for acceptance
(Part 1) : 2019	Determination of dimensions and surface quality (<i>second revision</i>)
(Part 2) : 2019	Determination of water absorption and bulk density (<i>second revision</i>)
(Part 3) : 2019	Determination of moisture expansion using boiling water (<i>second revision</i>)
(Part 4) : 2019	Determination of linear thermal expansion (<i>second revision</i>)
(Part 5) : 2019	Determination of resistance to thermal shock (<i>second revision</i>)
(Part 6) : 2019	Determination of modulus of rupture and breaking strength (<i>second revision</i>)
(Part 7) : 2019	Determination of stain and chemical resistance of unglazed tiles (<i>second revision</i>)
(Part 8) : 2019	Determination of stain and chemical resistance of glazed tiles (<i>second revision</i>)
(Part 9) : 2019	Determination of crazing resistance of glazed tiles (<i>second revision</i>)
(Part 10) : 2019	Determination of frost resistance (<i>second revision</i>)
(Part 11) : 2019	Determination of resistance of surface abrasion of glazed tiles (<i>second revision</i>)
(Part 12) : 2019	Determination of resistance to deep abrasion unglazed tiles (<i>second revision</i>)
(Part 13) : 2019	Determination of scratch hardness of surface according to Mohs' scale (<i>second revision</i>)
(Part 14) : 2019	Determination of impact resistance by measurement of coefficient of restitution (<i>first revision</i>)

Amendment No. 2 to IS 15622 : 2017

<i>'IS No.</i>	<i>Title</i>
(Part 15) : 2019	Sampling and basis for acceptance (<i>first revision</i>)
IS 13712 : 2019	Ceramic tiles — Definitions, classifications, characteristics and marking (<i>second revision</i>)'

(Page 11, Annex A) — Insert the following new entries at appropriate place:

<i>'IS No.</i>	<i>Title</i>
IS 13630	Ceramic tiles — Methods of test, sampling and basis for acceptance
(Part 16) : 2019	Determination of lead and cadmium given off by glazed tiles
IS 18433	Measurement of surface frictional properties — Method of test
(Part 1) : 2023	Pendulum test
(Part 2) : 2023	Ramp test'