

AMENDMENT NO. 4 JUNE 2021

TO

IS 15778 : 2007 CHLORINATED POLYVINYL CHLORIDE (CPVC) PIPES FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES — SPECIFICATION

(Page 3, clause **6.3.3**) — Substitute ‘IS 13360 (Part 3/Sec 10) or IS 13360 (Part 3/Sec 11) or IS 13360 (Part 3/Sec 12)’ for ‘IS 13360 (Part 3/Sec 1)’.

(Page 5, clause **9.3**) — Substitute the following for the existing:

‘9.3 Effect on Water

The pipes shall not have any detrimental effect on the composition of water flowing through them. When tested by the method described in IS 12235 (Part 4) and IS 12235 (Part 10), the quantities of lead, dialkyl tin C4 and higher homologues (measured as tin), and any other toxic substances extracted from the internal walls of the pipes shall not exceed the concentrations as specified in **10.3** of IS 4985 and meet the other requirements given in **10.3.1** of IS 4985.

NOTE — Implementation of the phase out programme for use of lead stabilizers in PVC pipe and fitting of the Government of India shall be borne in mind.’

(Page 7, Annex A) — Substitute the following for the existing:

‘ANNEX A

(Clause 2)

LIST OF REFERRED INDIAN STANDARDS

<i>IS No.</i>	<i>Title</i>
4905 : 2015/ ISO 24153 : 2009	Random sampling and randomization procedures (first revision)

Price Group 1

Amendment No. 4 to IS 15778 : 2007

<i>IS No.</i>	<i>Title</i>
4985 : 2021	Unplasticized PVC pipes for water supplies — Specification (<i>fourth revision</i>)
12235	Thermoplastics pipes and fittings — Methods of test (<i>first revision</i>)
(Part 1) : 2004	Measurement of dimensions
(Part 2) : 2004	Determination of Vicat softening temperature
(Part 3) : 2004	Test for opacity
(Part 4) : 2004	Determining the detrimental effect on the composition of water
(Part 5/Sec 1) : 2004	Longitudinal reversion, Section 1 Determination methods
(Part 5/Sec 2) : 2004	Longitudinal reversion, Section 2 Determination parameters
(Part 8/Sec 1) : 2004	Resistance to internal hydrostatic pressure, Section 1 Resistance to internal hydrostatic pressure at constant internal water pressure
(Part 10) : 2004	Determination of organotin as tin aqueous solution
(Part 13) : 2004	Determination of tensile strength and elongation
(Part 14) : 2004	Determination of density/relative density (specific gravity)
(Part 19) : 2004	Flattening test
IS 13360	Plastics — Methods of testing
(Part 3/Sec 10) : 2016/ ISO 1183-1 : 2012	Physical and dimensional properties, Section 10 Determination of density of non-cellular plastics — Immersion method, liquid pyknometer method and titration method
(Part 3/Sec 11) : 2016/ ISO 1183-2 : 2004	Physical and dimensional properties, Section 11 Determination of density of non-cellular plastics — Density gradient column method

Amendment No. 4 to IS 15778 : 2007

<i>IS No.</i>	<i>Title</i>
(Part 3/Sec 12) : 2016/ ISO 1183-3 : 1999	Physical and dimensional properties, Section 12 Determination of density of non-cellular plastics — Gas pyknometer method
15225 : 2002	Chlorinated polyvinyl chloride compounds used for pipes and fittings — Specification'