

AMENDMENT NO. 3 OCTOBER 2022

TO

IS 15806 : 2018 COMBINE HARVESTER RECOMMENDATIONS ON SELECTED PERFORMANCE AND OTHER CHARACTERISTICS

(*First Revision*)

(Page 2, Clause 3.3) — Insert the following at the end:

‘Such modification(s) shall be incorporated permanently or as an optional feature on combine harvester that has already undergone commercial test.’

(Page 2, Clause 3.4) — Substitute the following for the existing text:

‘3.4 Technical Extension

The testing station which carried out the original test can issue “technical extension report” by conducting required test(s) on combine harvester for certain parameters/improvements such as modification in the cooling system/special characteristics, changes related to statutory/regulatory requirements etc. For reference, a list of parameters eligible for issuing technical extension is given in Table 2. The improvements shall be incorporated permanently/or as an optional feature on combine harvester model which had already undergone commercial test. The results shall be reported in the technical extension report. A separate test report shall be released for the technical extension and shall contain the reference of original test report.’

(Page 3, Clause 4) — Insert the following new clause after 4.2.4.

‘4.3 In case of a parameter not meeting evaluative requirements of this standard, the ‘repeat test’ as defined in 3.2.3 may be conducted. In case of a parameter not meeting evaluative requirements of this standard even after the repeat test, the manufacturer shall withdraw the combine harvester from test and incomplete commercial test report shall be released by the testing authority. Subsequently, the manufacturer shall offer a fresh sample for complete initial commercial test again.’

(Page 3, Clause 5.4) — Insert the following at the end:

‘No field test shall be conducted, if no major breakdowns and conforming field performance were observed in the field test during ICT.’

[Page 5, Table 1, Sl No. v) b), col (6)] — Substitute ‘As per road transport condition’ for ‘In actual field condition.’

[Page 5, Table 1, Sl No. vii) a) to g)] — Delete.

(Page 8, Clause 6.1.1) — Substitute the following for the existing text:

‘If manufacturer desires, the features enlisted in Table 2 may be declared as optional features which are not affecting combine harvester performance with base model, same shall be inspected/verified on the same sample under test and shall be incorporated in the Initial Commercial Test (ICT) report. The optional features available on ‘Base model’ will be considered to be available on all the ‘Variant (s)’ of base model.’

Amendment No. 3 to IS 15806 : 2018

(Page 8, Table 2) — Substitute the following for the existing table:

Table 2 Optional Parameters of Base Model Qualifying for Issuing Administrative/Technical Extension

(Clause 3.3, 3.4, 6.1.1 and 6.1.2)

Sl No.	Optional Features of Base Model	Tests/Inspection that will be required on Addition of the Feature on Base Model
(1)	(2)	(3)
i)	Change in prime-mover make and model within ± 10 percent variation in power and engine speed (for tractor operated as well as self-propelled combines)	No test required. Only physical inspection
ii)	Location and type of operating controls like pedal, gear shift levers, system loading/unloading levers etc.	No test required. Only physical inspection
iii)	Power assisted/manual steering systems	Inspection against the CMVR requirements
iv)	Type of actuation systems for brake and clutch (mechanical/hydraulic/pneumatic)	For brakes, inspection to be done against the CMV Rules. In other cases, only physical inspection and measurement of actuation forces is to be done
v)	Changes in instrument panel and gauges	Inspection against relevant standard
vi)	Sheet metal/styling including color and decals/sticker change	No test required. Only physical inspection
vii)	Single/dual/dry/wet/independent clutch/increase in size of clutch	No test required. Only physical inspection
viii)	Change in air cleaner type from wet to dry and vice versa, specification, location etc.	Physical inspection only if air cleaner is changed from wet to dry type. Air cleaner oil pull over test as per IS 5994 if the air cleaner is changed from dry to wet type or combination thereof
ix)	Fitment/change of engine accessories such as air compressors, oil coolers, water separators, expansion tank with special coolant, additional hydraulic pumps, fuel tanks etc.	No test required. Only physical inspection
x)	Type and increase in size of brake systems-disc, drum, oil immersed brakes	Inspection and brake test as per the CMVR requirement
xi)	Different tyre sizes – front and rear – One step up/lower tyres (radius index of tyre shall remain within ± 50 mm) and are used on the recommended rim as per IS 13154/ITTAC/JATMA/ECE and ETRTO	Nominal speed test
xii)	Change in position of fuel tank, its material and capacity	No test required. Only physical inspection
xiii)	Change in power transmission system from tractor PTO/engine to the functioning units of the combine harvester	No test is required if the variation in speed of functional units such as thresher, reel, blades, cleaning sieves etc, is within ± 10 percent of the base model

Table 2 (Concluded)

SI No.	Optional Features of Base Model	Tests/Inspection that will be required on Addition of the Feature on Base Model
(1)	(2)	(3)
xiv)	Provision of additional safety devices for overloads and change in type of overload protection device and other safety devices such as spark arresters in engine exhaust, stone trap before concave, guards against all moving parts, anti-slip surface at operator's platform, ladder, fire extinguisher, rear view mirror, sensors etc.	No test required only physical inspection
xv)	Change in overall dimension of the combine harvester (length, width and height, mass)	Inspection against the requirements under CMVR
xvi)	Provision of (or changes) in straw chaffer, spreader and Straw Management System (SMS)	Physical inspection, relevant lab and field test for chaffing quality and spreading performance
xvii)	Change in position and size of grain tank, change in speed of grain unloading auger, provision of grain tank cover, provision of alarm system for indicating "Tank is full" etc.	Physical verification
xviii)	Labelling of control and gauges	No test required, only physical inspection
xix)	Provision of rpm indicator for thresher, SMS rotor etc.	No test required, only physical inspection
xx)	Provision of tilting type steering column, adjustable seat etc. for enhancing operators comfort level	No test required, only physical inspection
xxi)	Change in track width by changing the axle	Relevant test and test as per CMV rules
xxii)	Change in fuel injection pump from rotary to inline and vice versa	No test required if there is no change in speed and the change in power is within $\pm 5\%$
xxiii)	declaration of parameters like Max. Power, specific fuel consumption, crank shaft torque, coolant temperature, discard limits of engine components etc.	Applicant can submit re-declaration of the said parameters and administrative extension can be issued
xxiv)	Provision of gadgets/dampeners/etc, for reducing noise and vibration	Relevant tests to be conducted
xxv)	Changes in the mechanisms of threshing/cleaning/etc. for enhanced field performance or for suitability of additional crop	Relevant field tests to be conducted

(Page 10, Table 4, SI No. iii) Col 4) — Substitute 'Power declaration variation exceeding ± 10 percent but not exceeding ± 20 percent of the declared values of base model' for 'Power declaration exceeding 5 percent but not exceeding 20 percent of the declared values of base model'.