

AMENDMENT NO. 2 MAY 2013
TO
IS 13136 : 1991 ARMS AND AMMUNITION — RIFLE — AIR RIFLE SPRING
OPERATED — SPECIFICATION

(Page 11, Annex A) — Substitute the following for the existing annex:

ANNEX A
(Clauses 1.1 and 4.1)
LIST OF PARTS AND MATERIALS FOR BARREL BREAK-DOWN TYPE AIR RIFLE

Sl No.	Name of Parts	Materials
1.	Stock	Wood conforming to IS 7549 : 1975 or Plastic moulded for example, Nylon 66, Polymethene or Polypropylene
2.	Butt cap or plate	Cellulose acetate, polystyrene, high density polythene or similar plastic materials or rubber
3.	Chamber or cylinder	Seamless steel tube of steel CDS-1 (as drawn) of IS 3074 : 2005 or CDS 370 (as drawn) of IS 3601 : 2006
4.	Piston bush	Mild steel or 11C10 S25 IS 4431 : 1978 or E250A of IS 2062 : 2011
5.	Piston catcher	Steel 55C8, IS 5517 : 1993 or 15C8 of IS 4432 : 1988 hardened and tempered to Rockwell C 45/50
6.	Locking piece in barrel piece	Steel 55C8, IS 5517 : 1993 or 15C8 of IS 4432 : 1988 or 40Ni6Cr4Mo3 of IS 5517 : 1993 hardened and tempered to Rockwell C45/50
7.	Locking piece in chamber piece	Steel 55C8, IS 5517 : 1993 or 15C8 of IS 4432 : 1988 or 40Ni6Cr4Mo3 of IS 5517 : 1993 hardened and tempered to Rockwell C45/50
8.	Chamber or cylinder piece	Mild steel bright bar or 11C10 S25, IS 4431 : 1978 or Fe410WA of IS 2062 : 2006
9.	Front sight sleeve	Class 2 of IS 1875 : 1992
10.	Fiber washer (on piston head behind leather washer)	Fibre sheet; 2 mm thick
11.	Barrel	Seamless steel tube of steel CDS1 (as drawn) or IS 3074 : 2005 or CDS 370 of IS 3601 : 2006
12.	Front sight base	Grade EDD or DD of IS 1079 : 1994 or Mild steel of Class 2, IS 1875 : 1992
13.	Rear sight u plate	Grade EDD or DD of IS 1079 : 1994, or Mild steel of Class 2 of IS 1875 : 1992
14.	Rear sight long plate	10Cr2 of IS 2507 : 1975
15.	Trigger	Mild Steel or Class 2, IS 1875 : 1992, or E250A of IS 2062 : 2011
16.	Curved piece	Mild steel or Class 2, IS 1875 : 1992, or E250A of IS 2062 : 2011
17.	Support piece	Mild steel or Class 2, IS 1875 : 1992 or E250A of IS 2062 : 2011
18.	Trigger guard	Grade EDD or DD of IS 1079 : 1994 or E250A of IS 2062 : 2011
19.	Trigger spring	Grade as per IS 4454 (Part 1) : 2001 or IS 4454 (Part 2) : 2001 hardened or tempered.
20.	Cocking lever	Mild steel or Class 2 IS 1875 : 1992. Case hardened (full length) or E250A of IS 2062 : 2011
21.	Locking pipe	CDS200 (annealed) of IS 3601 : 2006 or CDS1 of IS 3074 : 2005
22.	Trigger link	15CB of IS 4432 : 1988 or 40 Ni6Cr4Mo3 of IS 5517 : 1993 Case hardened and tempered to Rockwell C45/50

Price Group 3

Amendment No. 2 to IS 13136 : 1991

Sl No.	Name of Parts	Materials
23.	Leather washer at piston	Polyurethane, 92 shore A Hardness
24.	End cap	E250A of IS 2062 : 2011 or St42 of IS 1079 : 1988 Fe410 of IS 1079 : 1994
25.	Spring guide	Injection moulded component Nylon 6 or Nylon 66
26.	Barrel piece gasket	Leather or neoprene 'O' ring
27.	Washer (between leather and fiber washers at piston head)	Polyurethane, 92 shore A Hardness
28.	Main spring	Cr-V Valve Spring Steel 50Cr4V2, IS 7494 : 1981 or Grade 3, IS 4454 (Part 1) : 2001 or Grade ID, IS 4454 (Part 3) : 1975
29.	Barrel piece or block	Mild steel bright bar or 11C10 S25, IS 4431 : 1978 or E250A of IS 2062 : 2011
30.	Spring locking piece in barrel piece	Grade 3 or 4 of IS 4454 (Part 1) : 2001 or Grade SW or VW of IS 4454 (Part 2) : 2001
31.	Machine screw	E250A of IS 2062 : 2011
32.	Machine screw	
33.	Machine screw	
34.	Machine screw	
35.	Knurled screw	
36.	Front sight hood or cover	Grade 1 or 2 of IS 2507 : 1975
37.	Piston	Seamless steel tube of steel Grade CDS 1 of IS 3074 : 2005
38.	Wood screw	E250A of IS 2062 : 2011
39.	Wood screw	
40.	Wood screw	
41.	Cheese head machine screw	E250A of IS 2062 : 2011
42.	Cheese head machine screw	
43.	C'sunk machine screw	
44.	C'sunk machine screw	
45.	C'sunk machine screw	
46.	C'sunk machine screw	
47.	Fan type or shake proof washer	Grade EDD or DD of IS 1079 : 1994 or E250A of IS 2062 : 2011
48.	Dowel pin	E250A of IS 2062 : 2011
49.	Dowel pin	
50.	Dowel pin	
51.	Dowel pin	
52.	Dowel pin	
53.	Blade front sight	Class 2 of IS 1875 : 1992 or E250A of IS 2062 : 2011
54.	Front sight hood or cover	Grade 1 or 2 of IS 2507 : 1975

Amendment No. 2 to IS 13136 : 1991

(Page 13, Annex B) — Substitute the following for the existing annex:

ANNEX B
(Clauses 1.1 and 4.1)

LIST OF PARTS AND MATERIALS FOR SIDE/UNDER LEVER TYPE AIR RIFLE

SI No.	Name of Parts	Materials
1.	Chamber	Seamless steel tube of steel 40Cr4Mo3 IS 1570 (Part 4) : 1988 or CDS-1 (as drawn) of IS 3074 : 1979 or CDS 38 (as drawn) of IS 3601 : 2005
2.	Barrel	Seamless steel tube of steel 40Cr4Mo3, IS 1570 (Part 4) : 1988 or CDS-1 (as drawn) of IS 3074 : 2005 or CDS 38, IS 3601 : 2006 or Grade 35C4 of IS 1570 (Part 2) : 1979
3.	Chamber piece	Grade 20C8 (cold drawn and annealed) of IS 1570 (Part 3) : 1979 or Fe410S of IS 2062 : 2006
4.	Dowel pin	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/Sec 1) : 1979
5.	Pellet loader	40C8, IS 1570 (Part 2/Sec1) : 1979
6.	Pellet loader spring	Grade 3 or 4 of IS 4454 (Part 1) : 2001 or Grade SW or VW of IS 4454 (Part 2) : 2001
7.	Dowel pin	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/Sec 1) : 1979
8.	Lock nut	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/Sec 1) : 1979
9.	Arrow indicator	IS 733 : 1983
10.	Trigger case	Type 0 of IS 513 : 2008
11.	Trigger	7C4 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
12.	Trigger adjusting grub screw	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/ Sec 1) : 1979
13.	Pawl	17Mn1Cr95 of IS 4432 : 1967 or C15Mn75 of IS 4432 : 1988 case hardened to Rockwell C45 to 50
14.	Pawl lever	Type 0 of IS 513 : 2008
15.	Safety lever	Type 0 of IS 513 : 2008
16.	Trigger spring	Grade 3 or 4 of IS 4454 (Part 1) : 2001 or Grade SW or VW of IS 4454 (Part 2) : 2001
17.	Dowel pin	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/ Sec 1) : 1979
18.	Torsion spring	Grade 3 or 4 of IS 4454 (Part 1) : 2001 or Grade SW or VW of IS 4454 (Part 2) : 2001
19.	Distance washer	E250A of IS 2062 : 2011 or 20C8 of IS 1570 (Part 2/ Sec 1) : 1979
20.	Dowel pin	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or Fe410WA of IS 2062 : 2006
21.	Safety pawl	Case hardening steel IS 4432 : 1988, Grade 17Mn1Cr95
22.	Dowel pin	Mild steel case hardened
23.	Safety lever	Cold rolled cold assorted mild steel sheet
24.	Safety clamp	Mild steel bright bar
25.	Washer	Mild steel
26.	C'sunk machine screw	Mild steel case hardened
27.	Round flat head screw	Mild steel
28.	Washer	Mild steel
29.	Locking washer	Spring steel
30.	Stop plate	Cold rolled cold assorted mild steel sheet
31.	C'sunk machine screw	Mild steel case hardened

Amendment No. 2 to IS 13136 : 1991

Sl No.	Name of Parts	Materials
32.	Piston	Case hardening steel IS 4432 : 1988 Grade 17 Mn1Cr95
33.	Piston bush	Mild steel
34.	Dowel pin	Mild steel
35.	Leather washer	Chrome leather
36.	Fibre washer	Fibre sheet
37.	Delrin washer	Delrin
38.	C' sunk machine screw	Mild steel case hardened
39.	Spring guide	ERW Tube to IS 1239 (Part 1) : 2004
40.	Main spring	Grade 3, IS 4454 (Part 1) : 2001 Grade 3 or 2 or Grade 50 Cr4V2, IS 7494 : 1981 or Grade ID IS 4454 (Part 3) : 1975
41.	End cover cap	Grade E250A of IS 2062 : 2012
42.	Dowel pin	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or Grade E250A of IS 2062 : 2011
43.	Cocking lever	Class 2 of IS 1875 : 1992 or Grade E250A of IS 2062 : 2011Rear end case hardened
44.	Cocking lever bush	Grade E250A of IS 2062 : 2006
45.	Cocking link	Case hardening steel IS 4432 : 1988 Grade 17Mn1Cr95 or C15Mn75 of IS 4432 : 1988 case hardened to Rockwell C45 to 50
46.	Rivet pin	20C8 IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
47.	Locking spring	Grade 1 or 2 of IS 2507 : 1975
48.	Dowel pin	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
49.	Hollow dowel pin	Grade 1 or 2 of IS 2507 : 1975
50.	Butt	Wood
51.	But cap	Low density polythene or high density polythene or rubber
52.	Wood screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
53.	Wood screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
54.	Wood screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979or E250A of IS 2062 : 2011
55.	Support	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
56.	Spring washer	Grade 1 or 2 of IS 2507 : 1975
57.	Round flat head screw	20C8 of IS 1570 (Part 2/Sec1) : 1979 or E250A of IS 2062 : 2011
58.	Trigger plate	E250A of IS 2062 : 2011
59.	Trigger guard	E250A of IS 2062 : 2011
60.	Cheese head machine screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
61.	Rear sight base	Grade EDD or DD of IS 1079 : 2009 or 7C4 of IS 1570 (Part 2/Sec 1) : 1979 or Class 2 of IS 1875 : 1992
62.	Rear sight plate	Grade 1 or 2 of IS 2507 : 1975
63.	R/right 'u' plate	Grade 1 or 2 of IS 2507 : 1975
64.	Knurling screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
65.	Round head screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
66.	Round head screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
67.	Round flat head screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
68.	Front sight base	Grade EDD or DD of IS 1079 : 2009 or TC4 of IS 1570 (Part 2/Sec 1) : 1979 or Class 2 of IS 1875 : 1992
69.	Front sight tube	Case hardening steel Grade 17 Mn1Cr95, IS 4432 : 1988 or C15Mn75 of IS 4432 : 1988 case hardened to Rockwell C45 to 50
70.	Round head screw	20C8 of IS 1570 (Part 2/Sec 1) : 1979 or E250A of IS 2062 : 2011
71.	Retaining ring	Grade 1 or 2 of IS 2507 : 1975

Amendment No. 2 to IS 13136 : 1991

(Page 15, Annex C) — Substitute the following for the existing annex:

ANNEX C

(Clause 2)

LIST OF REFERRED INDIAN STANDARDS

<i>IS No.</i>	<i>Title</i>	<i>IS No.</i>	<i>Title</i>
513 : 2008	Cold rolled low carbon steel sheets and strips (<i>third revision</i>)	2507 : 1975	Cold rolled steel strip for springs (<i>first revision</i>)
733 : 1983	Wrought aluminum and aluminum alloy bars, rods and sections (for general engineering purposes) (<i>third revision</i>)	3074 : 2005	Steel tubes for automotive purposes (<i>second revision</i>)
		3601 : 2006	Steel tubes for mechanical and general engineering purposes (<i>second revision</i>)
1079 : 2009	Hot rolled carbon steel sheets and strips (<i>fifth revision</i>)	3748 : 1990	Tool and die steels (<i>second revision</i>)
1239 (Part1) : 2004	Steel tubes, tubular and other wrought steel fittings — Specification: Part 1 Steel tubes (<i>sixth revision</i>)	4431 : 1978	Carbon and carbon manganese free-cutting steel (<i>first revision</i>)
		4432 : 1988	Case hardening steels (<i>first revision</i>)
1570 (Part 2/Sec 1) : 1979	Schedules for wrought steels: Carbon steels (unalloyed steels), Section 1 Wrought products (Other than wires) with specified chemical composition and related properties (<i>first revision</i>)	4454 (Part 1) : 2001	Steel wires for cold formed springs: Patented and cold drawn steel wires — unalloyed (<i>third revision</i>)
		(Part 2) : 2001	Oil hardened and tempered spring steel wire and valve spring wire unalloyed (<i>second revision</i>)
(Part 3) : 1979	Carbon and carbon-manganese free cutting steels (<i>first revision</i>)	5517 : 1993	Steels for hardening and tempering (<i>second revision</i>)
(Part 4) : 1988	Alloy steels with specified chemical and mechanical properties	7494 : 1981	Steels for valves for internal combustion engines (<i>first revision</i>)
		7549 : 1975	Timber half wrought for sporting rifles
1875 : 1978	Carbon steel billets, blooms, slabs and bars for forgings (<i>fourth revision</i>)		
2062 : 2011	Hot rolled low, medium and high tensile structural steel (<i>sixth revision</i>)		