


AMENDMENT NO. 1 SEPTEMBER 2005
TO
IS 13337 : 1992 STRAIGHT REDUCER COUPLING BODY FOR OIL HYDRAULIC
SYSTEM — SPECIFICATION

(Pages 2 and 3, Table 1) — Substitute the following for the existing table:

Table 1 Dimensions for Straight Reducer Coupling Body
(Clause 3)

All dimensions in millimetres.



Light Series, L

ϕd_1	ϕd_2	ϕd	ϕd_3	ϕd_4	l_1	l_3	l
8	6	M 12 × 1.5	4	6	10	16	30.5
10	6	M 12 × 1.5	4	7	10	16	30.5
10	8	M 14 × 1.5	6	7	10	16	30.5
12	6	M 12 × 1.5	4	9	10	16	30.5
12	8	M 14 × 1.5	6	9	10	16	30.5
12	10	M 16 × 1.5	8	9	11	16	31.5
15	6	M 12 × 1.5	4	11	10	16	30.5
15	8	M 14 × 1.5	6	11	10	16	30.5
15	10	M 16 × 1.5	8	11	11	16	31.5
15	12	M 18 × 1.5	10	11	11	16	31.5
18	6	M 12 × 1.5	4	14	10	16	31.5
18	8	M 14 × 1.5	6	14	10	16	31.5
18	10	M 16 × 1.5	8	14	11	16	32.5
18	12	M 18 × 1.5	10	14	11	16	32.5
18	15	M 22 × 1.5	12	14	12	16	33.5
22	6	M 12 × 1.5	4	18	10	15	32.5
22	8	M 14 × 1.5	6	18	10	15	32.5
22	10	M 16 × 1.5	8	18	11	15	33.5
22	12	M 18 × 1.5	10	18	11	15	33.5
22	15	M 22 × 1.5	12	18	12	15	34.5
22	18	M 26 × 1.5	15	18	12	15	34.5

Price Group 1

Amend No. 1 to IS 13337 : 1992

Table 1 (Continued)

ϕd_1	ϕd_2	ϕd	ϕd_3	ϕd_4	l_1	l_2	l
28	6	M 12 $\times$ 1.5	4	24	10	15	33.5
28	8	M 14 $\times$ 1.5	6	24	10	15	33.5
28	10	M 16 $\times$ 1.5	8	24	11	15	34.5
28	12	M 18 $\times$ 1.5	10	24	11	15	34.5
28	15	M 22 $\times$ 1.5	12	24	12	15	35.5
28	18	M 26 $\times$ 1.5	15	24	12	15	35.5
28	22	M 30 $\times$ 2.0	19	24	14	15	37.5
35	6	M12 $\times$ 1.5	4	30	10	16	38.5
35	8	M14 $\times$ 1.5	6	30	10	16	38.5
35	10	M16 $\times$ 1.5	8	30	11	16	39.5
35	12	M18 $\times$ 1.5	10	30	11	16	39.5
35	15	M22 $\times$ 1.5	12	30	12	16	40.5
35	18	M26 $\times$ 1.5	15	30	12	16	40.5
35	22	M30 $\times$ 2.0	19	30	14	16	42.5
35	28	M36 $\times$ 2.0	24	30	14	16	42.5
42	6	M12 $\times$ 1.5	4	36	10	16	40.5
42	8	M14 $\times$ 1.5	6	36	10	16	40.5
42	10	M16 $\times$ 1.5	8	36	11	16	40.5
42	12	M18 $\times$ 1.5	10	36	11	16	40.5
42	15	M22 $\times$ 1.5	12	36	12	16	41.5
42	18	M26 $\times$ 1.5	15	36	12	16	41.5
42	22	M30 $\times$ 2.0	19	36	14	16	43.5
42	28	M36 $\times$ 2.0	24	36	14	16	43.5
42	35	M45 $\times$ 2.0	30	36	16	16	45.5

Heavy Series, H

ϕd_1	ϕd_2	ϕd	ϕd_3	ϕd_4	l_1	l_2	l
8	6	M14 $\times$ 1.5	4	4	12	-	32
10	6	M14 $\times$ 1.5	4	6	12	16	33
10	8	M16 $\times$ 1.5	5	6	12	16	33
12	6	M14 $\times$ 1.5	4	7	12	16	34
12	8	M16 $\times$ 1.5	5	7	12	16	34
12	10	M18 $\times$ 1.5	7	7	12	-	34
14	6	M14 $\times$ 1.5	4	8	12	18	36
14	8	M16 $\times$ 1.5	5	8	12	18	36
14	10	M18 $\times$ 1.5	7	8	12	18	36
14	12	M20 $\times$ 1.5	8	8	12	18	36
16	6	M14 $\times$ 1.5	4	12	12	18	36
16	8	M16 $\times$ 1.5	5	12	12	18	36
16	10	M18 $\times$ 1.5	7	12	12	18	36
16	12	M20 $\times$ 1.5	8	12	12	18	36
16	14	M22 $\times$ 1.5	10	12	14	18	38
20	6	M14 $\times$ 1.5	4	15	12	22	41
20	8	M16 $\times$ 1.5	5	15	12	22	41
20	10	M18 $\times$ 1.5	7	15	12	22	41
20	12	M20 $\times$ 1.5	8	15	12	22	41
20	14	M22 $\times$ 1.5	10	15	14	22	43
20	16	M24 $\times$ 1.5	12	15	14	22	43

Amend No. 1 to IS 13337 : 1992

Table 1 (Concluded)

ϕd_1	ϕd_2	ϕd	ϕd_3	ϕd_4	l_1	l_2	l
25	6	M14 $\times$ 1.5	4	19	12	23	44
25	8	M16 $\times$ 1.5	5	19	12	23	44
25	10	M18 $\times$ 1.5	7	19	12	23	44
25	12	M20 $\times$ 1.5	8	19	12	23	44
25	14	M22 $\times$ 1.5	10	19	14	23	45
25	16	M24 $\times$ 1.5	12	19	14	23	45
25	20	M30 $\times$ 1.5	16	19	16	23	48
30	6	M14 $\times$ 1.5	4	25	12	23	46
30	8	M16 $\times$ 1.5	5	25	12	23	46
30	10	M18 $\times$ 1.5	7	25	12	23	46
30	12	M20 $\times$ 1.5	8	25	12	23	46
30	14	M22 $\times$ 1.5	10	25	14	23	48
30	16	M24 $\times$ 1.5	12	25	14	23	48
30	20	M30 $\times$ 2.0	16	25	16	23	50
30	25	M36 $\times$ 2.0	20	25	18	23	52
38	6	M14 $\times$ 1.5	4	32	12	25	50
38	8	M16 $\times$ 1.5	5	32	12	25	50
38	10	M18 $\times$ 1.5	7	32	12	25	50
38	12	M20 $\times$ 1.5	8	32	12	25	50
38	14	M22 $\times$ 1.5	10	32	14	25	52
38	16	M24 $\times$ 1.5	12	32	14	25	52
38	20	M30 $\times$ 2.0	16	32	16	25	54
38	25	M36 $\times$ 2.0	20	32	18	25	56
38	30	M42 $\times$ 2.0	25	32	20	25	58

(BP 17)

Reprography Unit, BIS, New Delhi, India