

AMENDMENT NO. 3 AUGUST 2021

TO

**IS 2701 : 1986 SPECIFICATION FOR BRUSH, CARRIAGE
WASHING (WITHOUT HANDLE)**

(Second Revision)

(Page 3, clause 1) — Insert the following new clause after **1** and renumber the subsequent clauses:

‘2 REFERENCES

The standards listed below contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

<i>IS No.</i>	<i>Title</i>
707 : 2011	Timber technology and utilization of wood, bamboo and cane — Glossary of terms (<i>third revision</i>)
1078 : 1987	Specification for copper naphthenate (<i>second revision</i>)
1745 : 2018	Petroleum hydrocarbon solvents — Specification (<i>third revision</i>)
1844 : 1993	Bristles — Specification (<i>second revision</i>)
5060 : 1969	Glossary of terms used in brushware industry’

(Page 4, clause 2.0) — Substitute ‘IS 707’ for ‘IS 707 : 1987’.

(Page 4, clause 2.0) — Substitute ‘IS 5060’ for ‘IS 5060 : 1969’.

(Page 4, clause 2.1) — Insert the following new clause:

‘2.1 Approved Tender Sample

The sample accepted by the indentor or inspection authority as basis for supply. When a sample is tested and approved by the purchaser or an inspection authority, the results of such tests as will permit the supplier to meet the limits prescribed for deliveries, shall be made available to the supplier.’

[Page 4, clause 3.1.1 (a)] — Insert the following at the end:

‘it is suitable for dry cleaning, and’

[Page 4, clause 3.1.1 (b)] — Insert the following at the end:

‘ and it is suitable for wet cleaning.’

(Page 4, clause 3.1.1) — Insert the following at the end:

‘In both cases, the filling material shall conform to the approved tender sample.’

(Page 4, clause 3.1.1.1) — Substitute the following for the existing:

‘It shall be clean, free from dust and other extraneous matter and shall conform to the approved tender sample.’

(Page 4, clause 3.1.1.2) — Substitute the following for the existing:

‘Selected, straight, thoroughly cleaned, and of natural colour shall be used. The fibers shall be same in quality and solidarity with the approved tender sample.’

(Page 7, clause 3.4.1) — Substitute ‘IS 1078’ for ‘IS 1078 : 1973’.

(Page 7, clause 3.4.1) — Substitute ‘IS 1745’ for ‘IS 1745 : 1978’

(Page 7, clause 3.4.2) — Insert the following clause:

‘In general workmanship and finish, the brushes shall match the approved tender sample.’

(Page 7, clause **3.5.1**) — Insert the following at the end of **3.5.1**:

‘When a small bunch of bristles is subjected to a straight pull with thumb and finger grip, these shall not come out.’

(Page 7, clause **3.5.2.2**) — Substitute ‘IS 1844’ for ‘IS 1844 : 1975’.

(Page 8, clause **4.1.2**) — Substitute the following for the existing:

‘4.1.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.’

(Page 8, clause 4.1. 2, Note) — Delete

(Page 8, clause **7.1**) — Insert the following new clauses:

‘7.2 The suppliers/manufacturers shall submit three identical brushes for approval, provided the indent is for more than 10 brushes, keeping in view that identically similar brushes shall have to be supplied to the consumer at the time of final supply’.

7.3 The indenter or inspection authority shall retain one out of the three samples approved.’

(Page 13, clause **D-2.1**) — Insert the following NOTE after **D-2.1**:

‘NOTE— For description of filling materials (*see* **3.1.1**, **3.1.1.1** and **3.1.1.2**) and workmanship and finish (*see* **3.4**), the brushes selected shall be matched with the approved tender sample, and shall be suitably stamped and sealed by the indenter or the inspection authority and the supplier and kept at a place agreed to between the two.’