

IS 12740 : 1989

Indian Standard

(Reaffirmed 2014)

(Reaffirmed 2020)

**HOUSEHOLD SEWING MACHINES — STAND —
SPECIFICATION**

UDC 687.053 [621-229.4]

© BIS 1990

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

January 1990

Price Group 1

Sewing Machines Sectional Committee, LMD 18

FOREWORD

This Indian Standard was adopted by the Bureau of Indian Standards on 7 August 1989, after the draft finalized by the Sewing Machines Sectional Committee had been approved by the Light Mechanical Engineering Division Council.

While preparing the standard assistance has been derived from JISB 9053-1963 'Specification for treadle driven (stand) for sewing machine for home use' issued by Japanese Industrial Standards Committee.

IS 12740 : 1989

Indian Standard

HOUSEHOLD SEWING MACHINES — STAND — SPECIFICATION

1 SCOPE

1.1 This standard lays down the requirements for stand, a treadle driving equipment, used with common type tables of sewing machines for household purposes.

2 REFERENCES

IS No.	Title
210 : 1978	Grey iron castings (<i>third revision</i>)
1570 (Part 2) : 1979	Schedules for wrought steels: Part 2 Carbon steel (unalloyed steel)

3 NOMENCLATURE

3.1 Nomenclature shall be as shown in Fig. 1.

4 MATERIALS

4.1 Cast iron parts shall be manufactured from cast iron corresponding to FG 150 of IS 210 : 1978.

4.2 Steel parts shall be manufactured from any suitable steel, such as 20C8 or 40C8 of IS 1570 (Part 2) : 1979.

5 HARDNESS

5.1 Bearing surface of band wheel crank and hinge pins for treadle shall have a minimum hardness of 400 HV.

6 DIMENSIONS

6.1 Dimensions of main parts shall conform to the following:

Height of leg (including rollers)	720 mm, <i>Min</i>
Width of brace	495 mm, <i>Min</i>
Diameter of band wheel (bottom of belt groove)	420 mm, <i>Min</i>
Size of treadle	300 mm × 225 mm.

7 WORKMANSHIP AND FINISH

7.1 Wheel groove and wheel rim shall have a smooth finish.

7.2 Parts shall be assembled firmly and shall function satisfactorily.

7.3 Band wheel crank shall function smoothly with minimum play.

7.4 Treadle shall function smoothly with minimum play.

7.5 All the hinge and bearing parts shall be properly lubricated.

7.6 All the legs shall be fitted with rollers. The rollers shall turn smoothly and all the four legs shall sit firmly on the floor.

7.7 Belt shifter and belt guide shall be properly located and belt shifter with spring shall function satisfactorily.

7.8 Band wheel shall have a projection for the purpose of hooking-up the belt and this projection shall function satisfactorily.

7.9 All parts shall be sufficiently strong and rigid.

7.10 Castings shall be free from detrimental defects such as sand-drops, blow holes, cracks, pins, burrs, etc. Castings shall be painted with stoving paint and shall be oven baked. The paint coating shall be smooth and free from run, dust, marks, peeling, etc.

8 MARKING

8.1 The stand may be marked with manufacturer's name or trade-mark.

9 PACKING

9.1 Each item of the painted cast iron component shall be wrapped separately in paper/polyethylene bag after proper cleaning and removing dust, etc. in such a manner that no dust can enter it.

9.2 All the hardware item, pitman bearing, etc. shall be packed in a polyethylene bag.

9.3 Wrapped items of the stand shall be packed in a strong wooden box along with a spanner as per best prevailing practice in the trade. The number of stand sets to be packed in a packing case shall be as agreed to between the supplier and the purchaser.




FIG. 1 NOMENCLATURE OF HOUSEHOLD SEWING MACHINE STAND (TREADLE DRIVING EQUIPMENT)

Standard Mark

The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act, 1986* and the Rules and Regulations made thereunder. The Standard Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well defined system of inspection, testing and quality control which is devised and supervised by BIS and operated by the producer. Standard marked products are also continuously checked by BIS for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Revision of Indian Standards

Indian Standards are reviewed periodically and revised, when necessary and amendments, if any, are issued from time to time. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition. Comments on this Indian Standard may be sent to BIS giving the following reference:

Doc : No. LMD 18 (5224)

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002
Telephones : 331 01 31, 331 13 75

Telegrams : Manaksanstha
(Common to all Offices)

Regional Offices :

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110002

Telephone

{ 331 01 31
331 13 75

Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola
CALCUTTA 700054

36 24 99

Northern : SCO 445-446, Sector 35-C, CHANDIGARH 160036

{ 2 18 43
3 16 41

Southern : C. I. T. Campus, IV Cross Road, MADRAS 600113

{ 41 24 42
41 25 19
41 29 16

Western : Manakalaya, E9 MIDC, Marol, Andheri (East)
BOMBAY 400093

6 32 92 95

Branches : AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR.
GUWAHATI. HYDERABAD. JAIPUR. KANPUR. PATNA.
TRIVANDRUM.

**AMENDMENT NO. 1 MAY 2017
TO
IS 12740 : 1989 HOUSEHOLD SEWING
MACHINE—STAND — SPECIFICATION**

(Page 1, *clause 8.1*) — Insert the following new clauses :

‘8.2 BIS Certification Marking

The product may also be marked with the Standard Mark.

8.2.1 The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which a license for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.’

AMENDMENT NO. 2 JULY 2018
TO
IS 12740 : 1989 HOUSEHOLD SEWING MACHINES —
STAND — SPECIFICATION

(Page 1, *clause 2*) — Substitute the following for the existing clause:

<i>IS No.</i>	<i>Title</i>
210 : 2009	Grey iron castings — Specifications (<i>fifth revision</i>)
1570 (Part 2) : 1979	Schedules for wrought steels: Part 2 carbon steel (unalloyed steel)
10748 : 2004	Hot-rolled Steel Strip for Welded Tubes and Pipes (<i>second revision</i>)

(Page 1, *clause 4.1*) — Substitute the following for the existing clause:

‘**4.1** Cast iron parts shall be manufactured from cast iron corresponding to FG 150 of IS 210. Alternate materials — Sheet metal (HR coil) or Mild Steel section as per IS 10748 can be used.’