

**AMENDMENT NO. 1 SEPTEMBER 1997  
TO  
IS 13008 : 1990 SHALLOW CORRUGATED ASBESTOS  
CEMENT SHEETS — SPECIFICATION**

( Page 1, clause 3.1, line 5 ) — Insert the following matter after 'IS 269 : 1989':

'or 43 grade ordinary Portland cement conforming to IS 8112 : 1989 or 53 grade ordinary Portland cement conforming to IS 12269 : 1987'.

( Page 1, clause 3.1, line 8 ) — Substitute 'IS 1489 ( Part 1 ) : 1991 or IS 1489 ( Part 2 ) : 1991' for 'IS 1489 : 1976'.

( Page 1, Table 1 ) — Insert the following Note at the end of the table:

'NOTE — By mutual agreement between the purchaser and the manufacturer, the sheets may be supplied in lengths and widths other than those specified in the table '

( Page 3, Annex A ):

a) Substitute the following for '1489 : 1976 Specification for Portland-pozzolana cement ( second revision )':

'1489 ( Part 1 ) : 1991 Specification for Portland-pozzolana cement : Part 1 Flyash based ( third revision )

1489 ( Part 2 ) : 1991 Specification for Portland-pozzolana cement : Part 2 Calcined clay based ( third revision )'.

b) Insert the following after '7639 : 1975 Methods of sampling of asbestos cement products':

'8112 : 1989                      Specification for 43 grade ordinary Portland cement ( first revision )'

c) Insert the following at the end:

'12269 : 1987                      Specification for 53 grade ordinary Portland cement'

( CED 53 )