

**AMENDMENT NO. 1 JANUARY 1996
TO
IS 13828 : 1993 IMPROVING EARTHQUAKE
RESISTANCE OF LOW STRENGTH MASONRY
BUILDINGS — GUIDELINES**

(*Second cover page, Foreword, para 2, line 10*) — Add 'and 1993' after 'in 1976'

(*Page 1, clause 1.1.1*) — Substitute the following for the existing clause

"1.1.1 The provisions of this standard are applicable in all seismic zones. No special provisions are considered necessary for buildings in seismic zones I and II if cement-sand mortar not leaner than 1 : 6 is used in masonry and 'through' stones or bonding elements are used in stone walls."


(*Page 1, clause 2*) — Substitute '1597 (Part 1) : 1992' for '1597 (Part 1) : 1967' and '1904 : 1986' for '1904 : 1984'

(*Page 3, Table 1, col 2*) — Substitute 'less than 0.05' for the existing matter against category A and '1 equal to or more than 0.12' for the existing matter against category E

(*Page 3, clause 8.1.6, last line*) — Substitute '1.5' for '1.5'

(*Page 4, clause 8.3.1*) — Substitute 'IS 1597 (Part 1) : 1992' for 'IS 1597 (Part 1) : 1967'

(*Page 6, Figure 4*) — Substitute the following for the existing figure




1

Amend No. 1 to IS 13828 : 1993

(Page 6, Table 2) — Add the following matter after (iv) :

'v) Width of opening of ventilator b8, Max 750 mm 750 mm'

(Page 6, Figure 5) — Substitute the following for the existing figure:



W = Window t₂ = Thickness of concrete in jamb
t = Wall thickness v = Vertical bar
t₁ = Lintel thickness d = Diameter of reinforcing bars

FIG. 5 STRENGTHENING MASONRY AROUND OPENING

(Page 6, Table 3) — Against building category A, delete 1 and 2 and c, f in the first line and substitute in col 2 '1, 2 and 3' for '3' in the second line as given below:

(1)	(2)	(3)
A	1, 2 and 3	b, c, f, g

(Page 11) — Insert the composition of the Earthquake Resistant Subcommittee, CED 39:1 as follows:.

'Earthquake Resistant Construction Subcommittee, CED 39 : 1

Convener

Representing

DR A. S. ARYA

In personal capacity (72/6 Civil Lines, Roorkee)

2

Amend No. 1 to IS 13828 : 1993

<i>Members</i>	<i>Representing</i>
SHRI N. K. BHATTACHARYA	Engineer-in-Chief's Branch, New Delhi
SHRI B. K. CHAKRABORTY	Housing and Urban Development Corporation, New Delhi
SHRI D. P. SINGH (<i>Alternate</i>)	
SHRI D. N. GHOSAL	North Eastern Council, Shillong
DR SUDHIR K. JAIN	Indian Institute of Technology, Kanpur
DR A. S. R. SAI (<i>Alternate</i>)	
SHRI M. P. JAISINGH	Central Buildings Research Institute, Roorkee
JOINT DIRECTOR STANDARDS (B&S) CB-1	Railway Board, Ministry of Railways
ASSTT DIRECTOR (B & S) CB-1 (<i>Alternate</i>)	
SHRI V. KAPUR	Public Works Department, Govt of Himachal Pradesh, Shimla
SHRI V. K. KAPOOR (<i>Alternate</i>)	
SHRI M. KUNDU	Hindustan Prefab Limited, New Delhi
SHRI A. K. LAL	National Buildings Organization, New Delhi
SHRI T. R. BHATIA (<i>Alternate</i>)	
DR B. C. MATHUR	University of Roorkee, Department of Earthquake Engineering, Roorkee
DR (MRS) P. R. BOSE (<i>Alternate</i>)	
SHRI G. M. SHOUNTHU	Public Works Department, Jammu & Kashmir
DR P. SRINIVASULU	Structural Engineering Research Centre (CSIR), Madras
DR N. LAKSHMANAN (<i>Alternate</i>)	
SHRI SUBRATA CHAKRAVARTY	Public Works Department, Government of Assam, Guwahati
SUPERINTENDING ENGINEER (DESIGN)	Public Works Department, Government of Gujrat
SUPERINTENDING SURVEYOR OF WORKS (NDZ)	Central Public Works Department, New Delhi
SUPERINTENDING ENGINEER (D) (<i>Alternate</i>)	

(CED 39)