

AMENDMENT NO. 1 FEBRUARY 2021

TO

**IS 16192 (PART 1) : 2014 AUTOMOTIVE VEHICLES —
WHEEL RIMS FOR TWO AND THREE WHEELED
VEHICLES**

**PART 1 LIGHT ALLOY WHEEL RIMS —
METHOD OF TESTS AND REQUIREMENTS**

(First cover page, title) — Substitute the following for the existing:

‘भारतीय मानक

**स्वचल वाहन — दो और तीन पहिए वाले
वाहनों के लिए व्हील रिम**

**भाग 1 हल्के मिश्र धातु के व्हील रिम —
परीक्षण पद्धतियाँ और अपेक्षाएँ**

Indian Standard

**Automotive Vehicles — Wheel Rims
for Two and Three Wheeled Vehicles**

**Part 1 Light Alloy Wheel Rims —
Methods of Tests and Requirements’**

Price Group 1

(Page 1, title) — Substitute the following for the existing title:

‘Indian Standard

AUTOMOTIVE VEHICLES — WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES

PART 1 LIGHT ALLOY WHEEL RIMS — METHODS OF TESTS AND REQUIREMENTS’

(Page 1, clause 1) — Insert the following at the end of the clause:

‘NOTE — This standard applies to the wheel rims of e-rickshaws/e-carts also.’

(Page 1, clause 2) — Substitute the following for the existing:

‘2 REFERENCE

The following standard contains provisions, which through reference in this text, constitute provisions of this standard. At the time of proposal, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below:

<i>IS No.</i>	<i>Title</i>
10694 (Part 1) : 2009	Automotive vehicles — Rims — General requirements: Part 1 Nomenclature, designation, marking and measurement (<i>second revision</i>)’

(Page 3, clause 4.5.2) — Substitute the following for the existing:

‘4.5.2 After being subjected to 100 000 cycles of the torsion test as specified in Annex D, there shall be no evidence of harmful cracks, significant deformation or any abnormal looseness at joints.’

(Page 3, clause 6) — Substitute the following for the existing:

‘6 MARKING

6.1 Wheel rims shall be durably and legibly marked with the following:

- a) Size designation shall be as per IS 10694 (Part 1),
- b) Name or trade-mark of the wheel rim manufacturer,
- c) Date of manufacturing preferably in the form of year and month or year and quarter of the year (for example 2009 indicates Sept 2020; 20 IV indicates fourth quarter of 2020);
- d) The letter ‘HD’ for rims designed for three wheeled goods carriages, and
- e) Light alloy wheels for tubeless tyres application shall be marked with the words “TUBELESS or TUBELESS TYRE APPLICATION or SUITABLE FOR TUBELESS TYRES”.

6.2 The markings shall be made as per 4 of IS 10694 (Part 1).

6.3 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the product(s) may be marked with the standard mark.’

(Page 6, clause C-2.1, first line) — Substitute C-1 for C-1.1.