

AMENDMENT NO. 4 JUNE 2021

TO

IS 14735 : 1999 UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) INJECTION MOULDED FITTINGS FOR SOIL AND WASTE DISCHARGE SYSTEM FOR INSIDE AND OUTSIDE BUILDINGS INCLUDING VENTILATION AND RAIN WATER SYSTEM — SPECIFICATION

(Page 2, clause 2) — Substitute the following for the existing:

‘The following standards contain provisions which, through reference in this text, constitute provision of this standard. At the time of publication the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate, the possibility of applying the most recent editions of the standards.

<i>IS No.</i>	<i>Title</i>
1070 : 1992	Reagent grade water — Specification (<i>third revision</i>)
4905 : 2015/ ISO 24153 : 2009	Random sampling and randomization procedures (<i>first revision</i>)
4985 : 2021	Unplasticized PVC pipes for water supplies — Specification (<i>fourth revision</i>)
IS 5382 : 2018/ ISO 4633 : 2015	Rubber seals — Joint rings for water supply, drainage and sewerage pipelines — Specification for materials (<i>second revision</i>)
6307 : 1985	Specification for rigid PVC sheets (<i>first revision</i>)
7834 (Part 1) : 1987	Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirements (<i>first revision</i>)

Price Group 1

Amendment No. 4 to IS 14735 : 1999

<i>IS No.</i>	<i>Title</i>
12235	Thermoplastics pipes and fittings — Methods of test (<i>first revision</i>)
(Part 2) : 2004	Determination of Vicat softening temperature
(Part 4) : 2004	Determining the detrimental effect on the composition of water
(Part 6) : 2004	Stress relief test
(Part 10) : 2004	Determination of organotin as tin aqueous solution
13592 : 2013	Unplasticized polyvinyl chloride (PVC-U) pipes for soil and waste discharge system for inside and outside buildings including ventilation and rain water system — Specification (<i>first revision</i>)

(Page 4, *clause 12, Title*) — Substitute ‘**PHYSICAL AND CHEMICAL REQUIREMENTS**’ for ‘**PHYSICAL TEST REQUIREMENTS**’.

(Page 4, *clause 12.3*) — Insert the following at the end:

‘12.4 Effect on Water

The fittings shall not have any detrimental effect on the composition of water flowing through them. When tested by the method described in IS 12235 (Part 4) and IS 12235 (Part 10), the quantities of lead, dialkyl tin C4 and higher homologues (measured as tin), and any other toxic substances extracted from the internal walls of the pipes shall not exceed the concentrations as specified in **10.3** of IS 4985 and meet the other requirements given in **10.3.1** of IS 4985.

NOTE — Implementation of the phase out programme for use of lead stabilizers in PVC pipe and fitting manufacturing of the Government of India shall be borne in mind.’

(Page 5, *Table 7*) — Insert the following row at the end:

Sl No.	Test	Clause	Acceptance Test	Type Test
(1)	(2)	(3)	(4)	
xii)	Effect on water	12.4		Y

Amendment No. 4 to IS 14735 : 1999

(Page 5, clause **19.1.1**) — Substitute the following for the existing:

‘**19.1.1** Batch number shall be marked on the carton/packing and shall include the details of production in the following manner:

Year	Month	Day	Machine No.	Shift
XXXX	XX	XX	XXX	X

(Page 5, clauses **19.2** and **19.2.1**) — Substitute the following for the existing:

‘19.2 BIS Certification Marking

The fittings conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the fittings may be marked with the Standard Mark.’