

AMENDMENT NO.1 MAY 1992
TO
IS 7215 : 1974 TOLERANCES FOR FABRICATION OF
STEEL STRUCTURES

(*Page 3, clause 0.3*) — Substitute the following for the existing clause:

‘Depending upon the importance and accuracy of workmanship required in the fabrication and erection, steel structures are broadly classified into three groups as follows:

Group A — Steel railway and road bridges and other structures subjected to dynamic loadings which require closer tolerances than those specified for Group B and Group C.

Group B — Steel structures having special characteristics and structures subjected to dynamic loading excluding wind/seismic, like crane gantry girders, its supporting structure, chimneys, microwave and transmission linetowers, sub-station and power station structures, industrial buildings and bunkers, etc.

Group C — Steel structures not subjected to dynamic loading, like platform galleries, stairs, etc, and which do not require closer tolerances as required for Group B structures.’

(*Page 3, clause 0.3.1*) — Substitute the following for the existing clause:

‘0.3.1 In this standard only Groups B and C are covered. The fabrication tolerances for Group A Structures are not covered in this standard.’

(*Page 4, clause 1.2*) ---- Substitute the following for the existing clause:

‘1.2 The tolerances specified in this standard do not apply to structures like steel railway and road bridges.’

(*Page 4, clause 1.3*) — Substitute the following for the existing clause:

‘1.3 This standard is not applicable to thin-walled welded construction.’

(CED 7)