

AMENDMENT NO. 3 JUNE 2026
TO
IS 1341 : 2018 STEEL BUTT HINGES — SPECIFICATION
(Sixth Revision)

(Page 1, clause 3) — Substitute the following for the existing:

‘3 CONSTRUCTION AND TYPE

3.1 Based on construction, steel butt hinges shall be classified as follows:

- a) Plain joint hinges;
- b) Washer hinges; and
- c) Bearing hinges.

3.2 Further, steel butt hinges shall be of the following types:

- a) Light weight ‘LW’ steel butt hinges (*see* Table 2);
- b) Light weight ‘LWU’ unequal flap hinges (*see* Table 3);
- c) Medium weight ‘MWU’ unequal flap hinges (*see* Table 4);
- d) Medium weight ‘MW’ steel butt hinges (*see* Table 5);
- e) Broad type ‘BR’ steel butt hinges (*see* Table 6);
- f) Square type ‘SQ’ steel butt hinges (*see* Table 7);
- g) Heavy weight (Type 1) ‘HW1’ steel butt hinges (*see* Table 8); and
- h) Heavy weight (Type 2) ‘HW2’ steel butt hinges (*see* Table 9).’

(Page 1, clause 4) — Substitute the following for the existing:

‘4.1 Materials used for the manufacture of steel butt hinges shall comply with the requirements given in standards mentioned in col (4) of Table 1.

4.2 Other steel materials may also be used as agreed between the manufacturer and the purchaser. However, the Indian Standard and grade of that material shall be declared by the manufacturer.

Table 1 Requirements of Materials for Steel Butt Hinges

(Clause 4.1)

SI No.	Part	Material	Reference to IS
(1)	(2)	(3)	(4)
i)	Flap	Mild steel	IS 1079, IS 513 (Part 1), IS 10748, IS 11513 and IS 5986
ii)	Pin	Mild steel wire	IS 280 and IS 7887

Price Group 2

Amendment No. 3 to IS 1341 : 2018

(Page 1, clause 5.2) — Insert the following at the end:

5.3 In each type of steel butt hinges, any other dimensions, that is, combination of length, breadth, thickness of flap and diameter of pin, may also be manufactured as agreed between the manufacturer and the purchaser. However, the thickness of the flap and the diameter of the pin shall not be less than the nearest higher size of hinge in same type. Also, in such cases, the number of screw holes, holes for screw number and positions of holes shall be declared by the manufacturer.

5.3.1 The tolerances on any other dimensions shall be as follows:

- a) Length: ± 0.5 mm; and
- b) Breadth: ± 1.0 mm.

However, for heavy weight hinges above 125 mm (size of hinge), the tolerance on length and breadth shall be ± 1.5 mm.

5.3.2 For thickness of flap, where specified as '*C Min*', from Table 2 to Table 9, a manufacturing tolerance of -0.05 mm shall be allowed on the finished product with respect to the specified value.

NOTE — For example, in Table 2, where the thickness of flap (*C Min*) is specified as 0.65 mm for size 15, the minimum acceptable thickness on the finished product shall be 0.60 mm.'

(Page 1, clause 6.2.2) — Substitute the following for the existing:

6.2.2 The minimum number of knuckles in the hinge of different sizes shall be as specified in Table 2 to Table 9. For any other dimensions, that is, combination of length, breadth, thickness of the flap and diameter of the pin, the minimum number of knuckles shall be declared by the manufacturer.'

(Page 1, clause 6.3, line 2) — Substitute '9' for '10'.

[Page 2, Table 2, clause reference, see also Amendment No. 1 and 2] — Substitute '(Clauses 3.2, 5.1, 5.3.2, 6.2.2, 6.3, 6.4 and 6.4.1)' for '(Clauses 3, 5.1, 6.2.2, 6.3, 6.4 and 6.4.1)'.

[Page 3, Table 3, Table 4, Table 5 and Table 6, clause reference, see also Amendment No. 2] — Substitute '(Clauses 3.2, 5.1, 5.3.2, 6.2.2, 6.3, 6.4 and 6.4.1)' for '(Clauses 3, 5.1, 6.2.2, 6.3, 6.4 and 6.4.1)'.

[Page 4, Table 7, Table 8 and Table 9, clause reference, see also Amendment No. 2] — Substitute '(Clauses 3.2, 5.1, 5.3.2, 6.2.2, 6.3, 6.4 and 6.4.1)' for '(Clauses 3, 5.1, 6.2.2, 6.3, 6.4 and 6.4.1)'.

(Page 5, clause 7) — Substitute the following for the existing:

'7 CORROSION RESISTANCE AND FINISH

7.1 Unless otherwise specified, hinges shall be finished bright with smooth surface and when tested for neutral salt spray test as per IS 5528 for following durations, shall pass the corrosion resistance requirements of respective grades:

- a) Grade 0 — No requirement;
- b) Grade 1 — Mild resistance, up to 24 h;
- c) Grade 2 — Moderate resistance, up to 48 h;
- d) Grade 3 — High resistance, up to 96 h; and
- e) Grade 4 — Very high resistance, up to 240 h.

7.2 After testing, the hinge sample(s) shall not show any corrosion on the visible surfaces.

7.3 Hinges in other finishes may also be supplied by manufacturer subject to conformity with the corrosion resistance requirements.'

Amendment No. 3 to IS 1341 : 2018

(Page 5, clause 9, see also Amendment No. 1) — Substitute the following for the existing:

‘9.1 Hinges shall be packed in cardboard boxes or in any other packing which avoids damages to the product and injury to the purchaser.

9.2 Each package shall be marked showing the following particulars:

- a) Manufacturer’s name or brand name or trade name;
- b) Construction (*see 3.1*) and type of hinges (*see 3.2*);
- c) Dimensions of hinges, that is, length, breadth and thickness of flap;
- d) Corrosion resistance grade;
- e) Grade and IS of material (both flap and pin); and
- f) Quantity of hinges.’

(Page 6, Annex A) — Substitute the following for the existing:

<i>‘IS No.</i>	<i>Title</i>
IS 205 : 1992	Non-ferrous metal butt hinges — Specification (<i>fourth revision</i>)
IS 280 : 2006	Mild steel wire for general engineering purposes (<i>fourth revision</i>)
IS 513 (Part 1) : 2016	Cold reduced carbon steel sheet and strip: Part 1 Cold forming and drawing purpose (<i>sixth revision</i>)
IS 1079 : 2017	Hot rolled carbon steel sheet, plate and strip — Specification (<i>seventh revision</i>)
IS 5528 : 2024/ ISO 9227 : 2022	Corrosion tests in artificial atmospheres — Salt spray tests (<i>second revision</i>)
IS 5986 : 2017	Hot rolled steel sheet, plate and strip for forming and flanging purposes — Specification (<i>fourth revision</i>)
IS 6760 : 1972	Specification for slotted countersunk head wood screws
IS 7887 : 1992	Mild steel wire rod for general engineering purposes — Specification (<i>first revision</i>)
IS 10748 : 2025	Hot-rolled steel plates, sheets and strips for welded tubes and pipes — Specification (<i>third revision</i>)
IS 11513 : 2017	Hot rolled carbon steel strip for cold rolling purposes — Specification (<i>second revision</i>)’

(Page 7, Annex C) — ‘Delete’.