

AMENDMENT NO. 2 APRIL 2018
TO
IS 6403 : 1981 CODE OF PRACTICE FOR
DETERMINATION OF BEARING CAPACITY OF
SHALLOW FOUNDATIONS

(First Revision)

(Page 6, clause 4.2, line 2) — Substitute ‘IS 2132 : 1986‡’ for ‘IS : 2132-1972‡’ and substitute the following for the corresponding footnote:

‡Code of practice for thin-walled tube sampling of soils (*second revision*).’

(Page 6, clause 5.0, line 11) — Substitute ‘IS 2720 (Part 11) : 1993* and IS 2720 (Part 13) : 1986\$’ for ‘IS : 2720 (Parts XI and XIII)*’ and substitute the following for the corresponding footnote marked with ‘*’:

*Methods of test for soils: Part 11 Determination of the shear strength parameters of a specimen tested in unconsolidated undrained triaxial compression without the measurement of pore water pressure (*first revision*).

\$Methods of test for soils: Part 13 Direct shear test (*second revision*).’

(Page 6, clause 5.0, line 12) — Substitute ‘IS 1888 : 1982†’ for ‘IS : 1888-1981†’.

[Page 14, clause 6.1 (a)] — Insert the following sentence at the end:

‘The minimum factor of safety against shear failure shall be 2.5 on the net ultimate bearing capacity.’

(Page 15, clauses 6.1 (b) and 6.1.1) — Substitute ‘IS 1904 : 1986*’ for ‘IS : 1904-1978*’ and substitute the following for the corresponding footnote:

*Code of practice for design and construction of foundations in soils: General requirements (*third revision*).’