

AMENDMENT NO. 1 DECEMBER 2006
TO

**IS 9052 : 1978 CODE OF SAFETY FOR ALUMINIUM
CHLORIDE, ANHYDROUS**

(Page 4, clause 3) — Insert the following new clause at the beginning and renumber the subsequent clause:

'3.1 General Information

- | | | |
|----------------------|---|-------------------|
| a) Molecular formula | : | AlCl ₃ |
| b) Molecular weight | : | 133.34 |
| c) CAS No. | : | 7446-70-0 |
| d) UN No. | : | 1726' |

(Page 5, clause 4.1.3) — Insert the following at the end:

'Animal studies show that aluminium chloride may cause possible reproductive hazard — may cause fetotoxic and embryotoxic effects. The TLV as recommended by American Conference of Governmental Industrial Hygienists (ACGIH) is 2 mg/m³, as Aluminium.'

(Page 6, clause 6.1.3) — Insert the following new clause after 6.1.3:

'6.2 Incompatibles — Water can react violently with anhydrous aluminium chloride to release corrosive hydrogen chloride.

Strong oxidizing agents can react vigorously.

Alkali metals (potassium or sodium) — produce strong explosion on impact.

Nitrobenzene or nitromethane mixtures are thermally unstable and may lead to explosive decomposition.

Polymerizable materials, for example, monomers such as ethylene, ethylene oxide, isobutene or allyl chloride) can polymerize or react violently.

Oxygen difluoride, phenyl azide, perchloryl benzene, perchloryl fluoride and benzene, sodium tetrahydroborate or strong bases can react explosively.

Mixture of benzoyl chloride and naphthalene, mixture of aniline and ethyleneimine or mixture of sodium peroxide and aluminium - violent exothermic reactions can occur upon contact.

(CHD 8)