

AMENDMENT NO. 5 JANUARY 2014
TO
IS 9206 : 1979 DIMENSION OF CAPS FOR TUNGSTEN
FILAMENT GENERAL SERVICE ELECTRIC LAMPS

[Page 4, clause 2.1 (a) (see also Amendment No. 4)] — Substitute the following for the existing:


- ‘a) B-22/25 × 26 and Table 1’
 B-22/23 × 26 and

(Page 4, Table 1) — Substitute the following for the existing table:

Table 1 Dimensions of Normal Bayonet Cap B-22/25 × 26 and B-22/23 × 26



(Clause 7)

All dimensions in millimeters.



Price Group 1

Amendment No. 5 to IS 9206 : 1979



Amendment No. 5 to IS 9206 : 1979

SI No. (1)	Dimension (2)	Minimum (3)	Maximum (4)
i)	<i>A</i> (5)	21.75	22.15
ii)	<i>C</i>	1.9	2.5
iii)	<i>D</i> (1) ¹⁾	6.0	6.8
iv)	<i>D</i> 1(2)	—	8.0
v)	<i>E</i>	1.8	2.2
vi)	<i>F</i>	2.3	2.7
vii)	<i>G</i> (4)	10.0	—
viii)	<i>H</i> (4)	4.8	—
ix)	<i>J</i>	4.0	—
x)	<i>K</i> ¹⁾	10.3	10.5
xi)	<i>N</i> (5)	6.7	
xii)	<i>P</i> (3) ¹⁾	7.5	8.5
xiii)	<i>S</i> (B-22/25x26)	23.0	23.5
xiv)	<i>S</i> 1 (B-22/23x26)	21.3	21.7
xv)	<i>U</i>	—	1.75
xvi)	<i>A</i> ¹⁾	88°	92°

¹⁾This dimension is solely for design and is not to be gauged on the finished lamp.

NOTES

- 1 Dimension *D* is applicable to unmounted cap only.
- 2 Dimension *D*1 is applicable to caps on finished lamps only. The contact making surfaces shall protrude beyond the insulation surface.
- 3 Dimension *P* denotes the length over which the skirt shall be cylindrical.
- 4 The dimension is checked with the millimeter scale.
- 5 Dimension *N* denotes the length over which both the minimum and maximum limits of dimension *A* shall be observed. Below dimension *N*, only the limits of dimension *A* maximum apply.
- 6 In the area where the contact of the lamp holder may land on the insulation surface of caps with round contacts during insertion into the lamp holder, this surface shall be shaped in such a way as to allow the holder contacts to easily reach the intended operating position.

Amendment No. 5 to IS 9206 : 1979

- 7** The drawings are intended only to illustrate the dimensions essential for interchangeability.
 - 8** The drawings shown are purely informative for purpose of rationalization.
-