

 ShopCPS.com 

PIPE • HOSE • PRIMER • WASHOUT BAGS • EQUIPMENT • WEAR PARTS



— 2025 —

PRODUCT CATALOG


1 STOP SHOP!

LOCATIONS

GEORGIA: [678.370.0000](tel:678.370.0000)

TEXAS: [817.600.6456](tel:817.600.6456)

CALIFORNIA: [951.218.5331](tel:951.218.5331)

OUTSIDE SALES SUPPORT

FLORIDA: [813.459.6432](tel:813.459.6432)

WISCONSIN: [262.270.8907](tel:262.270.8907)

TOLL FREE

For sales call

[877.434.7867](tel:877.434.7867) (877.434.PUMP)

Order Online 

 ShopCPS.com

 ShopCPS.com 

PIPE • HOSE • PRIMER • WASHOUT BAGS • EQUIPMENT • WEAR PARTS



— 2025 —

PRODUCT CATALOG


1 STOP SHOP!



**ONE-STOP SHOP WITH
WORLDWIDE DISTRIBUTION**

The highest quality products at the lowest prices.

NEW
Products Featured Inside!

TOLL FREE
877.434.7867

 **1 STOP SHOP!**

WORLDWIDE DISTRIBUTION

WITH LOCATIONS IN

GEORGIA • CALIFORNIA • TEXAS



**ORDER
ONLINE!**

SAME DAY SHIPPING

On Most Orders Received Before 1PM EST

GEORGIA

2025
PRODUCT CATALOG 

TEXAS


CONCRETE
PUMP SUPPLY

CALIFORNIA


CONCRETE
PUMP SUPPLY

**MORE SPACE
MORE INVENTORY**

OUTSIDE SALES SUPPORT

FLORIDA & WISCONSIN

Call | 877.434.7867 Go Online |  ShopCPS.com





— WELCOME TO YOUR 2025 — **PRODUCT CATALOG**

CPS has provided exceptional service to the concrete pumping industry for more than 30 years. We are one of North America's largest distributors of spare parts for all makes and models of concrete pumps. In addition, we produce and sell a full lineup of Concrete Pump Primers, boom pipe, and hoses. We are the home of the original Envirosac Concrete Washout Bag and offer a line of washout pans.

Expertise, inventory, and service are what set us apart from the rest. Our staff has over 200 combined years of experience. We don't just know the industry, we're founded by true industry pioneers. There is not a larger or more wide-ranging inventory in the concrete pumping business. We are the only ONE STOP SHOP.

The combination of expertise and on-hand inventory allows us to provide you with superior customer service. Our goal is to provide you with the product you need when you need it, to ensure you get your job done. We are service business that supplies a product. This is especially true when it comes to pipe and hose, with the shortest lead times and fastest turnaround for custom orders in days.

Please use this system catalog to search through our vast offerings of quality system, priming and washout products. Follow us on Facebook and visit our website for monthly specials and offers. And as always, feel free to call us with any questions at **877-434-7867**. Simply stated, CPS strives to be the Pumper's Choice, a One Stop Shop, for all.

BOOM SYSTEMS

Request a quote at **ConcretePumpSupply.com** where you can upload your pump specifications to receive a customized, competitively priced estimate.



TABLE OF CONTENTS

EPIC PUMP SERIES	3	LAY DOWN PIPE & HIGH RISE SYSTEM	18
CPS EQUIPMENT	5	CPS ACCESSORIES	19
BOOM PIPE	8	HD PIPE BENDS	20
DECK PIPE	9	REDUCERS	21
BOOM ELBOWS	10	PLACING REDUCERS	22
BOOM REDUCERS	11	CONCRETE PUMP HOSES	23
BACKEND	12	WEAR PARTS/PUTZ	29
CLAMPS	13	WEAR PARTS/SCHWING	39
GASKETS	14	BAGS	45
WELD ON ENDS	15	PANS	46
CLEAN OUT BALLS	16	PUMP PRIMERS & CONCRETE SUPPORT PRODUCTS	47
HYDRAULIC DIVERSION VALVE WITH HAND PUMP	17		



EPIC PUMP SERIES

The EPiC 45s is a 45 yard per hour machine designed by concrete pumpers for concrete pumpers. Pioneers of the industry with over 50 years in concrete pumping real world experience are behind the familiar but unique design. We decided to include normally expensive upgrades as standard features for people who need a unit that just works.

This is just the start. Join us. Be bold, be **EPiC**.

EPIC 45S

FEATURES

- › Hydraulic cycling: switch-free
- › Swing-out hopper: easy access
- › 75 hp engine: no DEF
- › Hopper agitator: standard
- › Multi-function Teleradio: included
- › Auto grease pump: 11 points

SPECIFICATIONS

MAX VOLUME OUTPUT	45 YD ³ /HR (34.5 M ³ /HR)
MAX CONCRETE PRESSURE	900 PSI (62 BAR)
MAX AGGREGATE SIZE	1.25" (32 MM)
CONCRETE CYLINDER DIAMETER	6" (150 MM)
CONCRETE CYLINDER STROKE LENGTH	39" (1000 MM)
PUMPING CYLINDER SIZE	90X50X1000 MM
MAXIMUM STROKES PER MINUTE	38
CONCRETE VALVE TYPE	S-TUBE 1512
HYDRAULIC SYSTEM	OPEN LOOP CIRCUIT
HYDRAULIC PUMP	KAWASAKI K3VL1112 (112CC/REV)
HYDRAULIC TANK CAPACITY	53 GAL (200 L)
ENGINE	HATZ 4H50 TIER 4 FINAL
HORSEPOWER	75 HP (55.4 KW)
FUEL TANK CAPACITY	28 GAL (105 L)
OUTLET DIAMETER	5" HD (127 MM)
HOPPER CAPACITY	12.3 CU FT. (350 L)
HOPPER HEIGHT (W/O COLLAR)	47" (1.2 M)
AXLE	SINGLE - STANDARD
AXLE CAPACITY	7,500 LB (3,400 KG)
BRAKES	ELECTRIC, DEXTER
OUTRIGGERS	MANUAL - STANDARD
LENGTH	176.7" (4.49 M)
WIDTH	76.7" (1.95 M)
HEIGHT	82.6" (2.1 M)
WEIGHT (APPROX)	6,170 LB (2800 KG)

 **1 STOP SHOP!**




CPS EQUIPMENT

Request a quote at ShopCPS.com

B18R MINI PLACER

Our crawlers and placers are some of the most innovative pieces of equipment in the concrete pumping industry. Both options give pumpers access to pour concrete where a boom or trailer may fall short. Both come equipped with remotes and have multiple power options.





Boom Unfolding Height - 18'10"

RANGE OF MOTION

FEATURES

- › ACPA standard HBC remote
- › Infinite Rotation
- › Dual Power – Electric and Gas w/ Diesel Option
- › Heavy duty slewing gear
- › Emergency hand pump
- › Split frame detachable boom unit
- › Multiple Adjustable pick points (4 pick points)



FOOTPRINT

CPS PIPE IS PROVEN

Our single wall and twin wall pipe kits offer both long life and great value. With well over 1,000 kits produced, we know how to deliver. Our processes include laser precision cutting and welding, top notch paint with your custom color scheme, and built to fit crates. We offer 4.4", 4.6", and 4.8" diameters with the fastest production times in the industry.

FEATURES

- › Heat induction hardening
- › High carbon steel
- › Custom paint to match your colors

BENEFITS

- › Longer wear life
- › Better performance
- › Fits any boom type available



BOOM PIPE

TW - TWIN WALL

DESCRIPTION					P/N
BOOM PIPE 3000MM 10 FT DN125 4.8" CPS TWIN-WALL					B3000TW
INNER WALL	OUTER WALL	INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
3.1mm	1.7mm	DN125	85	104.9lbs/47.6kg	295lbs/134.22kg
BOOM PIPE 3000MM 10 FT DN112 4.4" CPS TWIN-WALL					B3000TW-4.4
INNER WALL	OUTER WALL	INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
2.5 mm	1.7mm	DN112	85	84.2lbs/38..2kg	235.2lbs/106.68kg
BOOM PIPE 3000MM 10 FT DN117 4.6" CPS TWIN-WALL					B3000TW-4.6
INNER WALL	OUTER WALL	INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
2.5 mm	1.7 mm	DN117	85	87.7lbs/39.8kg	245.7lbs/111.48kg

HS - HARDENED SINGLE

DESCRIPTION					P/N
BOOM PIPE 3000MM 10 FT DN125 4.8" CPS HARDENED-SINGLE					B3000HS
WALL THICKNESS	INSIDE DIAMETER		WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
4.8mm	DN125		85	104.8lbs/47.6kg	295.9lbs/134.22kg



DECK PIPE

TW - TWIN WALL

DESCRIPTION					P/N
DECK PIPE 3000MM 10 FT DN125 4.8" CPS TWIN-WALL					D3000TW
INNER WALL	OUTER WALL	INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
5.1mm	2.0mm	DN125	85	156.3lbs/70.9kg	398.3lbs/1780.67kg
DECK PIPE 3000MM 10 FT DN117 4.6" CPS TWIN-WALL					D3000TW-4.6
INNER WALL	OUTER WALL	INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
5.0mm	2.0mm	DN117	85	145.3lbs/65.9kg	303lbs / 137.57kg

HS - HARDENED SINGLE

DESCRIPTION					P/N
DECK PIPE 3000MM 10 FT DN125 4.8" CPS HARDENED-SINGLE					D3000HS
WALL THICKNESS		INSIDE DIAMETER	WORKING PRESSURE (BAR)	WEIGHT	WEIGHT FULL W/ CONCRETE (KG)
7mm		DN125	85	155.4lbs/70.5kg	349.4lbs/158.49kg

BOOM & DECK PIPE STANDARD FEATURES



**Over 8 Years
in Production**

BOOM ELBOWS

TW - TWIN WALL

DESCRIPTION	P/N
10-DEGREE BOOM ELBOW CPS TWIN-WALL	10TW
15-DEGREE BOOM ELBOW CPS TWIN-WALL	15TW
20-DEGREE BOOM ELBOW CPS TWIN-WALL	20TW
30-DEGREE BOOM ELBOW CPS TWIN-WALL	30TW
45-DEGREE BOOM ELBOW CPS TWIN-WALL	45TW
90-DEGREE BOOM ELBOW CPS TWIN-WALL	90TW
90-DEGREE SHORT-RADIUS BOOM ELBOW CPS TWIN-WALL	90TW-SHORT
TWIN-WALL PUTZ STYLE S-PIPE (DECK)	ZPIPE

MANGANESE CAST ELBOWS

DESCRIPTION	P/N
10-DEGREE BOOM ELBOW CPS SINGLE-WALL	10C
15-DEGREE BOOM ELBOW CPS SINGLE-WALL	15C
20-DEGREE BOOM ELBOW CPS SINGLE-WALL	20C
30-DEGREE BOOM ELBOW CPS SINGLE-WALL	30C
45-DEGREE BOOM ELBOW CPS SINGLE-WALL	45C
90-DEGREE BOOM ELBOW CPS SINGLE-WALL	90C
90-DEG SHORT-RADIUS BOOM ELBOW CPS SINGLE-WALL	90C-SHORT



BOOM REDUCERS

PUTZ, ALLIANCE, KCP, CONCORD & EVERDIGM REDUCERS

DESCRIPTION	P/N
PUTZ REDUCER, 1200 MM, ZX-SK HARDENED SINGLE, W/ HARDFACED	PR1200HHS
HARDENED STEEL REDUCER, DN150/6" ZX TO DN125/5" SK, 1200MM/47.25" LENGTH (PUTZ)	PR1200HS
TWIN WALL REDUCER, DN150/6" ZX TO DN125/5" SK, 1200MM/47.25" LENGTH (PUTZ)	PR1200TW-HD
TWIN WALL PLUS REDUCER, DN150/6" ZX TO DN125/5" SK, 1200MM/47.25" LENGTH (PUTZ)	PR1200TW-4.6
BIG ASS REDUCER, TWIN-WALL DN150/6" ZX TO DN125/5" SK, 1200MM/47.25" LENGTH (PUTZ)	PR1200H460
HARDENED STEEL REDUCER, DN150/6" SK TO DN125/5" SK, 1200MM/47.25" LENGTH (PUTZ)	PR1200HS-SK
CHROME CARBIDE LINED REDUCER, ZX-SK, 1200MM (SHWING)	PR1200CC
BACKEND REDUCER PIPE, DN150 ZX X DN125 SK, 1410MM LENGTH, CC-LINED	J651410Z0
REDUCER, KCP, 1800MM, ZX TO 148MM, CC-LINED	KR1800CC
HARDENED STEEL REDUCER, 1290MM (SCHWING)	SR1290HS
SCHWING REDUCER, 1330 MM, HARDENED SINGLE	SR1330HS
HARDENED STEEL REDUCER, 1460MM (SCHWING)	SR1460HS
SCHWING REDUCER, 1460 MM, CHROME CARBIDE	SR1460CC
CHROME CARBIDE REDUCER, 1500MM (SCHWING)	SR1500CC
HARDENED STEEL REDUCER, 1500MM (SCHWING)	SR1500HS
SCHWING REDUCER, 1550 MM, HARDENED SINGLE	SR1550HS
SCHWING REDUCER, 1600MM, 63" OAL/HARDENED SINGLE, W/ HARDFACE	SR1600HHS
CHROME CARBIDE REDUCER, 1600MM (SCHWING)	SR1600CC
HARDENED STEEL REDUCER, 1600MM (SCHWING)	SR1600HS
HARDENED STEEL REDUCER, 1650MM (SCHWING)	SR1650HS

BACKEND

PUTZ, ALLIANCE, KCP, CONCORD & EVERDIGM ELBOWS SCHWING ELBOWS

DESCRIPTION	P/N
HARDENED STEEL 14-DEGREE HOPPER ELBOW DN180/7" (SCHWING)	714HOP
HARDENED STEEL SWING-OUT ELBOW DN180/7" TO DN150/6" (SCHWING)	7690SCH
HARDENED STEEL H.F. 14-DEGREE HOPPER ELBOW DN180/7" (SCHWING)	714HOP.HF
HARDENED STEEL SWING-OUT ELBOW INTERIOR HARD FACED DN180/7" TO DN150/6" (SCHWING)	7690SCH.HF
HARDENED STEEL 90-DEGREE ELBOW DN150/6", NO TANGENT (SCHWING)	690SCH
HARDENED STEEL 90-DEGREE ELBOW DN150/6", SHORT TANGENT (SCHWING)	690SCH-SHORT
HARDENED STEEL 90-DEGREE ELBOW DN150/6", LONG TANGENT (SCHWING)	690SCH-LONG
HARDENED STEEL H.F. 90-DEGREE ELBOW DN150/6", NO TANGENT (SCHWING)	690SCH.HF
HARDENED STEEL H.F. 90-DEGREE ELBOW DN150/6", SHORT TANGENT (SCHWING)	690SCH-SHORT.HF
HARDENED STEEL H.F. 90-DEGREE ELBOW DN150/6", LONG TANGENT (SCHWING)	690SCH-LONG.HF
HARDENED STEEL BIG ASS 90-DEGREE ELBOW, DN150/6" ZX/ZX (PUTZ)	690PZX.HF
HARDENED STEEL 90-DEGREE ELBOW DN150/6" ZX/ZX (PUTZ)	690PZX
HARDENED STEEL 90-DEGREE ELBOW DN150/6" ZX/SK (PUTZ)	690PSK
HARDENED STEEL H.F. SWING-OUT ELBOW, DN180/7" TO DN150/6" NO PORT (PUTZ)	7690PU.HF
HARDENED STEEL H.F. SWING-OUT ELBOW, DN180/7" TO DN150/6" W/PORT (PUTZ)	7690PU-PORT.HF
HARDENED STEEL SWING-OUT ELBOW, DN180/7" TO DN150/6" NO PORT (PUTZ)	7690PU
HARDENED STEEL SWING-OUT ELBOW, DN180/7" TO DN150/6" W/PORT (PUTZ)	7690PU-PORT



CLAMPS

CLAMPS

DESCRIPTION	P/N
COUPLING, 2" HD	C20SD
COUPLING, 2.5" HD	C25SD
COUPLING, 3" HD ADJUSTABLE	C30SD
COUPLING, 4" HD ADJUSTABLE	C40SD
COUPLING, 5" HD ADJUSTABLE	C50SD
COUPLING DN125 METRIC BOOM	417249.CPS
COUPLING DN125 METRIC BOOM, FOOT MOUNT	534296.CPS
1-BOLT 5"HD QUICK CLAMP (ONE BOLT CLAMP)	C50BD

COUPLING HARDWARE REPAIR KITS

DESCRIPTION	P/N
REBUILD KIT 2" HD SNAP CLAMP	CB20SD
REBUILD KIT 2.5" HD SNAP CLAMP	CB25SD
REBUILD KIT 3" HD SNAP CLAMP	CB30SD
REBUILD KIT 4" HD SNAP CLAMP	CB40SD
REBUILD KIT 5" HD SNAP CLAMP	CB50SD
HANDLE KIT 2" HD SNAP CLAMP	CH20SD
HANDLE KIT 2.5" HD SNAP CLAMP	CH25SD
HANDLE KIT 3" HD SNAP CLAMP	CH30SD
HANDLE KIT 4" HD SNAP CLAMP	CH40SD
HANDLE KIT 5" HD SNAP CLAMP	CH50SD



GASKETS

GASKET TYPES

DESCRIPTION	P/N
1.5" HD COUPLING GASKET	CG15D
1.5" GROOVED COUPLING GASKET	CG15G
2" HD COUPLING GASKET	CG20D
2" GROOVED COUPLING GASKET	CG20G
2.5" HD COUPLING GASKET	CG25D
2.5" GROOVED COUPLING GASKET	CG25G
3" HD COUPLING GASKET	CG30D
4" HD COUPLING GASKET	CG40D
5" HD COUPLING GASKET	CG50D
6" HD COUPLING GASKET	CG60D
148MM METRIC V-LIP BOOM GASKET	CG148M
GASKET, METRIC SWIVEL LUBED (RED)	CG148M.RED
148MM CAVITY BOOM GASKET	055559001
148MM EXTENDED LIP GASKET	081669004
O-RING, 170.81 X 7.0 DIN3771 NBR 70 SHORE`	069042009
SEALING DN 150 D RING	10004761



WELD ON ENDS

WELD ON ENDS

DESCRIPTION	P/N
WELD-ON END, 1.5" HD	WE15D
WELD ON END, 2" HD	WE20D
WELD ON END, 2.5" HD	WE25D
WELD ON END, 3" HD	WE30D
WELD ON END, 4" HD	WE40D
WELD ON END, 5" HD	WE50D
WELD ON END, 6" HD	WE60D
WELD-ON END, 148MM METRIC	WE50M
BOOM WELD END W/ INSERT F. HARDENED SINGLE PIPE	BWE-HS
BOOM WELD END W/ INSERT F. TWIN WALL PIPE	BWE-TW
DECK WELD END W/ INSERT F. HARDENED SINGLE PIPE	DWE-HS
DECK WELD END W/ INSERT F. TWIN WALL PIPE	DWE-TW
BOOM WELD END 4.4"/DN112	BWE-4.4



CLEAN OUT BALLS



CLEAN OUT ACCESSORIES

DESCRIPTION	P/N
BOOM RED DEVIL	BGO-D50
CLEAN OUT SPONGE(SQUARE)	888
SPONGE PIG, 150 X 180	SPIG150CB

HARD CLEAN OUT BALLS

DESCRIPTION	P/N
CLEAN OUT BALL 2" HARD (60MM)	COBH20
CLEAN OUT BALL 2.5" HARD (80MM)	COBH25
CLEAN OUT BALL 3" HARD (90MM)	COBH30
CLEAN OUT BALL 4" HARD (120MM)	COBH40
CLEAN OUT BALL 5" HARD (DN150)	COBH50
CLEAN OUT BALL 6" HARD (DN175)	COBH60

SOFT CLEAN OUT BALLS

DESCRIPTION	P/N
CLEAN OUT BALL 2" SOFT (60MM)	COBS20
CLEAN OUT BALL 2.5" SOFT (80MM)	COBS25
CLEAN OUT BALL 3" SOFT (90MM)	COBS30
CLEAN OUT BALL 4" SOFT (120MM)	COBS40
CLEAN OUT BALL 5" SOFT (DN150)	COBS50
CLEAN OUT BALL 6" SOFT (DN175)	COBS60

HYDRAULIC DIVERSION VALVE WITH HAND PUMP



LAY DOWN PIPE



DESCRIPTION	P/N
2" HD PIPE X 120" 3.0MM W/ HD ENDS 11-GAUGE	T2011A10D
2.5" HD PIPE X 120" 3.0MM W/ HD ENDS 11-GAUGE	T2511A10D
3" HD PIPE X 120" 3.0 MM W/ HD ENDS 11-GAUGE	T3011A10D
4" HD PIPE X 120" 3.0MM W/ HD ENDS 11-GAUGE	T4011A10D
5" HD PIPE X 120" 3.0MM W/ HD ENDS 11-GAUGE	T5011A10D

HIGH RISE SYSTEM

7 Gauge, 1/4" & 3/8" Wall
Options Available

DESCRIPTION	P/NC
HYDRAULIC DIVERSION VALVE W/ HAND PUMP	HDV-05
FLOOR ANCHOR PLATE, 5" HD	FAP-50
5" HD 90-DEG ELBOW 24"-CLR, 10MM WALL, HEAT TREATED, W/ STAND BRACKET	SB050DH
5"HD 45-DEG 24"-CLR, 10MM WALL, HEAT TREATED	PB504524D10H
1-BOLT 5"HD QUICK CLAMP (ONE BOLT CLAMP)	C50BD
5"HD PIPE X 120", 7-GAUGE (4.8MM) HEAT TREATED 7-GAUGE	T5007A10HD
5"HD PIPE X 120", 1/4" (6.35MM) HEAT TREATED QUARTER WALL	T5025A10HD
5"HD 22.5-DEG ELBOW 24"-CLR, 10MM WALL, HEAT TREATED	PB502224D10-X
5" 90-DEG ELBOW 18"-CLR HD, 10MM WALL, HEAT TREATED	PB509018D10-X

CPS ACCESSORIES

 **1 STOP SHOP!**



SKID PAN

DESCRIPTION	P/N
CONCRETE HOSE SKID PAN	TS-54

SLING

DESCRIPTION	P/N
NYLON SLING, 1 X 6'	EE1-801

WALL HOOK

DESCRIPTION	P/N
2" HD WALL HOOK	30391008
2.5" HD WALL HOOK	30391098
3" HD WALL HOOK W/HANDLE	30391976

NOZZLE

DESCRIPTION	P/N
2" HD SHOTCRETE NOZZLE ASSEMBLY, HEAVY RAISED END	23808-HDR
2.5" HD SHOTCRETE NOZZLE ASSEMBLY, ALUMINUM	23930-R

AIR CUFF

DESCRIPTION	P/N
HOSE AIR CUFF 5" – CLAM SHELL DESIGN	HAC-50

HAMMER SHUT-OFF VALVE

DESCRIPTION	P/N
HEAVY DUTY HAMMER SHUT OFF VALVE 2" THROUGH 5" HD AVAILABLE	HV__D

HD PIPE BENDS

HD ELBOWS

DESCRIPTION	P/N
2" 90-DEGREE ANGLE, 48" RADIUS	PB209048D
2" 45-DEGREE ANGLE, 48" RADIUS	PB204548D
2" 90-DEGREE ANGLE, 16" RADIUS	PB209016D
2" 45-DEGREE ANGLE, 16" RADIUS	PB204516D
2.5" 90-DEGREE ANGLE, 48" RADIUS	PB259048D
2.5" 45-DEGREE ANGLE, 48" RADIUS	PB254548D
2.5" 90-DEGREE ANGLE, 16" RADIUS	PB259016D
2.5" 45-DEGREE ANGLE, 16" RADIUS	PB254516D
3" 90-DEGREE ANGLE, 48" RADIUS	PB309048D
3" 45-DEGREE ANGLE, 48" RADIUS	PB304548D
3" 90-DEGREE ANGLE, 16" RADIUS	PB309016D
3" 45-DEGREE ANGLE, 16" RADIUS	PB304516D
3" 90-DEGREE ANGLE, 7.5" RADIUS	PB309007D
4" 90-DEGREE ANGLE, 48" RADIUS	PB409048D
4" 45-DEGREE ANGLE, 48" RADIUS	PB404548D
4" 90-DEGREE ANGLE, 32" RADIUS	PB409032D
4" 45-DEGREE ANGLE, 32" RADIUS	PB404532D
4" 90-DEGREE ANGLE, 18" RADIUS	PB409018D
4" 45-DEGREE ANGLE, 18" RADIUS	PB404518D
5" 90-DEGREE ANGLE, 48" RADIUS	PB509048D
5" 45-DEGREE ANGLE, 48" RADIUS	PB504548D
5" 90-DEGREE ANGLE, 36" RADIUS	PB509036D

HD PIPE BENDS

HD ELBOWS

DESCRIPTION	P/N
5" 45-DEGREE ANGLE, 36" RADIUS	PB504536D
5" 45-DEGREE ANGLE, 24" RADIUS	PB504524D
5" 90-DEGREE ANGLE, 18" RADIUS	PB509018D
5" 45-DEGREE ANGLE, 18" RADIUS	PB504518D
5" 90-DEGREE ANGLE, 14" RADIUS	PB509014D
5" 45-DEGREE ANGLE, 14" RADIUS	PB504514D

WALL THICKNESS BY ELBOW DIAMETER					
2"	4.5MM	3"	6.0MM	5"	6.5MM
2.5"	5.0MM	4"	6.0MM	5" H	10MM

REDUCERS

REDUCING ELBOWS

DESCRIPTION	P/N
REDUCING ELBOW 90-DEGREE 5" HD TO 4" HD	RE5040D
REDUCING ELBOW 90-DEGREE 5" HD TO 3" HD	RE5030D
REDUCING ELBOW 90-DEGREE 4" HD TO 3" HD	RE4030D
REDUCING ELBOW 90-DEGREE 3" HD TO 2" HD	RE3020D


PLACING REDUCERS

HARDENED STEEL REDUCERS

DESCRIPTION	P/N
REDUCER 2" X 1.5", 12" LONG, HD ENDS	R201512D
REDUCER 2" X 1.5", 12" LONG, HD TO MPT ENDS	R201512DM
REDUCER 2" X 1.5", 18" LONG, HD ENDS	R201518D
REDUCER 2.5" X 2", 12" LONG, HD ENDS	R252012D
REDUCER 2.5" X 2", 28" LONG, HD ENDS	R252028D
REDUCER 2.5" X 2", 36" LONG, HD ENDS	R252036D
REDUCER 3" X 2", 15" LONG, HD ENDS	R302015D
REDUCER 3" X 2", 28" LONG, HD ENDS	R302028D
REDUCER 3" X 2", 36" LONG, HD ENDS	R302036D
REDUCER 3" X 2.5", 12" LONG, HD ENDS	R302512D
REDUCER 3" X 2.5", 28" LONG, HD ENDS	R302528D
REDUCER 3" X 2.5", 36" LONG, HD ENDS	R302536D
REDUCER 4" X 2", 36" LONG, HD ENDS	R402036D
REDUCER 4" X 2.5", 36" LONG, HD ENDS	R402536D
REDUCER 4" X 3", 12" LONG, HD ENDS	R403012D
REDUCER 4" X 3", 28" LONG, HD ENDS	R403028D
REDUCER 4" X 3", 36" LONG, HD ENDS	R403036D
REDUCER 4" X 3", 52" LONG, HD ENDS	R403052D
REDUCER 5" X 2.5", 30" LONG, HD ENDS	R502530D
REDUCER 5" X 2.5", 36" LONG, HD ENDS	R502536D
REDUCER 5" X 3", 28" LONG, HD ENDS	R503028D
REDUCER 5" X 3", 28" LONG, METRIC TO HD ENDS	R503028DH
REDUCER 5" X 3", 36" LONG, METRIC TO HD ENDS	R503036MDH
REDUCER 5" X 3", 36" LONG, HD ENDS	R503036D
REDUCER 5" X 4", 12" LONG, METRIC TO HD ENDS	R504012MDH
REDUCER 5" X 4", 24" LONG, METRIC TO HD ENDS	R504024MDH
REDUCER 5" X 4", 28" LONG, METRIC TO HD ENDS	R504028MDH
REDUCER 5" X 4", 30" LONG, HD ENDS	R504030D
REDUCER 5" X 4", 36" LONG, HD ENDS	R504036D
REDUCER 5" X 4", 36" LONG, METRIC TO HD ENDS	R504036MDH



1 STOP SHOP!



CONCRETE PUMP HOSES

Request a quote at ShopCPS.com

IVG HOSE

CPS is proud to represent IVG hose, a premium brand of hose that is respected the world-over. IVG hoses are all CPMA / ASME certified and we offer both textile and wire reinforcement.

FEATURES

- **TUBE** black, smooth, NR/SBR rubber that withstands the abrasive nature of concrete
- **COVER** black, smooth (wrapped finish) NR/SBR, abrasion and weather resistant
- **FITTING OPTIONS** U.S. Heavy Duty (HD), Metric 148mm (M), Male National Pipe Thread (MNPT)
- **STEM** hardened up to 60 HRC

FABRIC REINFORCED

DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
1.25" / 32	1.89" / 48	0.71	1.06	85 / 1250	170 / 2550
1.5" / 38	2.20" / 56	0.93	1.38	85 / 1250	170 / 2550
2" / 51	2.72" / 69	1.18	1.76	85 / 1250	170 / 2550
2.5" / 63.5	3.33" / 84.5	1.67	2.49	85 / 1250	170 / 2550
3" / 76	4.02" / 102	2.51	3.74	85 / 1250	170 / 2550
3.5" / 90	4.57" / 116	2.86	4.26	85 / 1250	170 / 2550
4" / 102	5.04" / 128	3.19	4.75	85 / 1250	170 / 2550
4.5" / 114	5.55" / 141	3.75	5.58	85 / 1250	170 / 2550
5" / 127	6.04" / 153.5	3.92	5.83	85 / 1250	170 / 2550

WIRE REINFORCED

DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
2" / 51	2.81" / 71.5	2.27	3.38	100 / 1500	200 / 3000
2.5" / 63.5	3.29" / 83.5	2.71	4.03	100 / 1500	200 / 3000
3" / 76	3.82" / 97	3.32	4.94	100 / 1500	200 / 3000
4" / 102	4.84" / 123	4.30	6.40	100 / 1500	200 / 3000
4.5" / 114	5.59" / 142	5.76	8.57	100 / 1500	200 / 3000
5" / 127	5.91" / 150	5.55	8.26	100 / 1500	200 / 3000

SCAN TO BUY



RHINO HOSE

Our Rhino hose, made by Trelleborg, is perfect for any pumping application. This tried-and-true hose has been performing since day one in the field. The CPMA / ASME certified hose is available in both textile and wire reinforcement.

FEATURES

- › **TUBE** NR - black, abrasion resistant rubber
- › **COVER** NR/BR black, smooth with cloth impression, abrasion, ozone, and weather resistant
- › **FITTING OPTIONS** U.S. Heavy Duty (HD), Metric 148mm (M), Male National Pipe Thread (MNPT)
- › **STEM** hardened up to 60 HRC

FABRIC REINFORCED


DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
1.5" / 38	2.20" / 56	1.04	1.55	85 / 1233	170 / 2466
2" / 51	2.80" / 72	1.61	2.40	85 / 1233	170 / 2466
2.5" / 63	3.35" / 85	2.04	3.03	85 / 1233	170 / 2466
3" / 76	3.94" / 100	2.70	4.02	85 / 1233	170 / 2466
3.5" / 90	4.65" / 118	3.72	5.54	85 / 1233	170 / 2466
4" / 102	5.12" / 130	4.15	6.17	85 / 1233	170 / 2466
4.5" / 114	5.59" / 142	4.58	6.82	85 / 1233	170 / 2466
5" / 127	6.10" / 155	5.01	7.46	70 / 1015	140 / 2030

WIRE REINFORCED

DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
2" / 51	2.76" / 70	1.81	2.69	100 / 1450	200 / 2900
2.5" / 63	3.46" / 88	3.08	4.58	100 / 1450	200 / 2900
3" / 76	4.02" / 102	3.71	5.52	100 / 1450	200 / 2900
4" / 102	5.12" / 130	5.56	8.28	100 / 1450	200 / 2900
4.5" / 114	5.59" / 142	6.14	9.13	100 / 1450	200 / 2900
5" / 127	6.10" / 155	7.43	11.05	100 / 1450	200 / 2900



SCAN
TO BUY



CPS HOSE

Our CPS brand hose is the perfect solution for shotcrete applications. With just the right amount of stiffness, these hoses will stand up to any spray application. All CPS hoses are ASME / CPMA certified. *More options may be in stock, call for availability.

FEATURES

- **TUBE** Natural and Synthetic rubber for high abrasion resistance
- **COVER** Synthetic black rubber, brasion, ozone, and weather resistant
- **FITTING OPTIONS** U.S. Heavy Duty (HD), Metric 148mm (M), Male National Pipe Thread (MNPT)
- **STEM** hardened up to 60 HRC

FABRIC REINFORCED

DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
2" / 51	2.86" / 72.64	1.65	2.45	90 / 1300	180 / 2600
2.5" / 64	3.40" / 86.36	1.95	2.90	90 / 1300	180 / 2600



SCAN TO BUY

REDUCED WHIP HOSE


The RHINO reduced whip hose is designed to reduce the whipping effect when air becomes compressed and released in the delivery system. The design will help mitigate the risk of injury and the abrasion resistance gives it extended service life.

FEATURES

- **TUBE** Abrasion resistant NR/SBR, black, smooth
- **COVER** Abrasion and weather resistant NR/SBR, black, fabric impression
- **FITTING OPTIONS** U.S. Heavy Duty (HD), Metric 148mm (M)
- **STEM** hardened up to 60 HRC

WIRE REINFORCED

DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
4" / 102	5.04" / 128	5.53	8.23	100 / 1450	200 / 2900
4.5" / 114	5.51" / 140	6.04	9.00	100 / 1450	200 / 2900
5" / 127	6.10" / 155	6.95	10.35	100 / 1450	200 / 2900



SCAN TO BUY

LAY FLAT


CPS Layflat hose is 1/3 lighter than traditional boom hose. It is ideal for a number of applications including ICF forms, tall walls, columns, and even underwater concrete placement. The construction of the hose allows for maneuverability and consistent flow. Custom lengths available.

FEATURES

- › **FITTING OPTIONS** 4" HD, 5" HD, 5" Metric, 5" Metric x 4"HD reducing stem
- › **STEM** hardened up to 60 HRC
- › **MATERIAL** Kevlar jacket with extruded polyurethane



DN (IN/MM)	WALL THICKNESS (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
3" / 85.5 + 2	0.23" / 5.8	1.06	1.57	85 / 1250	170 / 2500
4" / 110.5 + 2	0.17" / 4.2	1.16	1.73	85 / 1250	170 / 2500
5" / 135.5 + 2	0.18" / 4.5	1.64	2.45	85 / 1250	170 / 2500



SCAN TO BUY

CONE


Our cone hose is great for high pressure pumping and placing applications, the reduction smooths concrete flow and minimizes splash. It eliminates the need for a steel reducer and additional couplings.

FEATURES

- › **TUBE** Abrasion resistant NR/SBR, black, smooth
- › **COVER** Abrasion and weather resistant NR/SBR, black, fabric impression
- › **FITTING OPTIONS** 5" HD or 5" Metric (single-ended hose)
- › **STEM** hardened up to 60 HRC
- › **MATERIAL** All natural rubber (NR) construction with 4 layer wire reinforcement



DN (IN/MM)	WALL THICKNESS	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
5 TO 4" / 125 TO 100	0.52" / 13.2	6.24	9.29	85 / 1250	180 / 2650



SCAN TO BUY

TAN (NON-MARKING)


Our Tan Non-Marking hose is designed for all gunning utilization's (shotcrete, plaster, grout and etc.). Great for use with pumping dams and other concrete structures, our hose can handle all types of materials and is ideal for pools due its non-marking, cover design.

FEATURES

- **TUBE** Tan SBR resistant to abrasion and ozone
- **COVER** Tan mix of SBR/NR/BR materials
- **FITTING OPTIONS** U.S. Heavy Duty (HD), Male National Pipe Thread (MNPT)
- **STEM** hardened up to 60 HRC



DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
1.5" / 38	2.28" / 58	1.20	1.79	85 / 1233	170 / 2500
2" / 51	2.76" / 70	1.40	2.09	85 / 1233	170 / 2500



SCAN TO BUY


MULTI-PURPOSE AIR & WATER

CPS offers a ¾" compressed air and water hose for industrial applications. The hose features a Styrene-Butadiene Rubber (SBR) reinforcement with synthetic threads. The coating is a smooth, black SBR and can be used in an extreme range of temperatures. All come equipped with a universal (Chicago) fitting and can be cut to your desired length.



DN (IN/MM)	O.D. (IN/MM)	WEIGHT (LBS / FT)	WEIGHT (KG / M)	WORKING PRESSURE (BAR / PSI)	BURST PRESSURE (BAR / PSI)
.75" / 19	1.14" / 29	.39	0.58	20 / 300	60 / 900

SCAN
TO BUY



WEAR PARTS / PUTZ



AUGER MOTOR FOR AGITATOR

DESCRIPTION	P/N
HYDRAULIC MOTOR, AGITATOR	484279
AUGER MOTOR SHAFT	484279-SHAFT

BEARING FLANGE ASSEMBLY

DESCRIPTION	P/N
O-RING, 60 X 4 DIN3770 NB70	043909003
RUBBER SEAL 60MM MIXER SHAFT	242574006
BUSHING, 60 X 65 X 40 DU-B	222484006.CPS
BEARING HOUSING ASSYEMBLY (OPEN)	221547009
RUBBER DISC 50 MIL	084013000.CPS
BUSHING 50.9 X 64.5 X 40.0	235087005

MIXER SHAFTS

DESCRIPTION	P/N
MIXER SHAFT END RS905/7 60MM	275587002.CPS

AUGER PADDLES

DESCRIPTION	P/N
AGITATOR PADDLE LEFT HARDFACED RS905A/907	406795.CPS
AGITATOR PADDLE RIGHT HARDFACED RS905A/907	406796.CPS



S-TUBE AND WEAR PLATE

DESCRIPTION	P/N
S-TUBE S1512P CPL, TK, C	430336.CPS
S-TUBE S2018N	406926.CPS
S-TUBE S2018N *HARD-FACED	406926..HF.CPS
SPECTACLE WEAR PLATE	261122002.CPS
SPECTACLE PLATE	229488005.CPS
FULL T.C. - SPECTACLE WEAR PLATE	261122002ZF
WEAR PLATE - CARBIDE	261122002ZN
WEAR RING ND230Z	261123001.CPS
WEAR RING - FULL T.C.	261123001ZF
WEAR RING N ND200	251031006.CPS
WEAR RING - CARBIDE	261123001ZN
BIG MOUTH THRUST RING DN230	458878
S-TUBE HEX NUT	337180000
OUTER HOUSING W/ SEALS	508068.CPS
SPLINED UPPER BEARING ASSY. 90MM	274893001SP
SPLINED WEAR SLEEVE 80MM	400494SP
SPLINED BEARING, S-TUBE SHAFT G3(80MM)	401783SP
S-TUBE S2318 BIGMOUTH 90MM *HARD-FACED (NON HARD FACED ALSO AVAILABLE)	434023.HF.CPS

SWING LEVER

DESCRIPTION	P/N
SHIFT LEVER W/SQ DIAM 80	458733.CPS
SHIFT LEVER SHAFT 90MM	458703.CPS
BALL CUP, 60/70 X 38	275694005.CPS

WEAR PARTS / PUTZ



AUGER MOTOR FOR AGITATOR

DESCRIPTION	P/N
SWING-OUT ELBOW 90DEG 7'-6" NO-PORT HARD-FACED	7690PU.HF
ELBOW SWING 90DEG 7'-6" NO-PORT	7690PU
CAST SWING OUT ELBOW W/PORT	7690PU-PORT
CAST SWING OUT ELBOW, HARD-FACED, W/PORT	7690PU-PORT.HF
SEALING COVER, ZXV125	547200060
CLAMP COUPLING ZX-K 5 FOR PRIMING PORT	265984000.CPS
WEDGE FOR SWING-OUT ELBOW	426793
WEDGE FOR SWING-OUT ELBOW	522382.CPS
EYE BOLT FOR WEDGE M36 X 1.5	262639002.CPS
TIE ROD, M36 X 1.5,	264392004.CPS

BOTTOM HOPPER DOOR

DESCRIPTION	P/N
CLOSING SLIDE HOPPER DOOR	242334000.CPS
ROUND CORD D-15 NBR70	233915001
STUD	407313

CONNECTING RINGS

DESCRIPTION	P/N
INTERMEDIATE RING, D230/200	252200001.CPS
O-RING, 210 X 8 DIN3771 NBR70	41466001
O-RING, 235 X 5 DIN 3771 NBR70	43635005

MAIN PUMPING CYLINDERS

DESCRIPTION	P/N
HYDRAULIC CYLINDER	262824008.CPS
PROXIMITY SWITCH	270321001.CPS
HEX NUT	03371701
TURNBUCKLE SLEEVE	088185002.CPS
TIE ROD	088184003.CPS

MATERIAL CYLINDER

DESCRIPTION	P/N
DELIVERY CYLINDER	239867001.CPS
DELIVERY CYLINDER 280 X 2100	231149002.CPS

PISTON CUPS

DESCRIPTION	P/N
GUIDE RING	807940060
GUIDE RING DN250	2755059006.CPS
8" DELIVERY PISTON	080372004.CPS
9" PISTON RAM	262893000.CPS
9" GUIDE BAND DN 230	080672005.CPS
9" PISTON SEAL	080373003.CPS
9" PISTON FRAME ASSEMBLY	085813005.CPS

PLUNGER CYLINDER

DESCRIPTION	P/N
PLUNGER CYLINDER 160 X 6	262840008VP

WEAR PARTS / PUTZ



FILTERS

DESCRIPTION	P/N
FILTER INSERT 10MY	222895006
BOOM FILTER	273827007
BOOM FILTER	425836
SUCTION FILTER	416341

HYDRAULIC PUMP

DESCRIPTION	P/N
HYDRAULIC PUMP-R125 A4VG125HD W/CHARGE PUMP (FRONT)	273904001
HYDR.PUMP R 125 A4VG125HD W/FEED PUMP (REAR)	266680002

ACCUMULATOR PUMP

DESCRIPTION	P/N
HYDRAULIC PUMP, A10V028(13)DR	067370003

BOOM PUMPS

DESCRIPTION	P/N
HYD.PUMP L 16.0 A2F16/6.1/A6	679250050
COUPLER FOR ABOVE PUMP	24792009.CPS
SEAL SET, INPUT MODULE	741709
SEAL SET, STACK VALVE	471710

PTO BOX

DESCRIPTION	P/N
G64 PTO GEAR GOX	278023000.CPS
G64 HOUSING	284945004.CPS

AGITATOR ASSEMBLY PUTZ TK'S

DESCRIPTION	P/N
HYDRAULIC MOTOR, AGITATOR	484279
SEAL SET F. 484279VP *CPS*	239696007.CPS
MIXER SHAFT RH	288387008.CPS
BEARING FLANGE KIT	242572008.CPS
60MM BUSHING	222484006.CPS
O-RING 60MM	043909003
RUBBER SEAL 60MM MIXER SHAFT	242574006
MIXER SHAFT LH 40MM	050755004.CPS
SUPPORT FLANGE 40MM	220229001.CPS
RUBBER DISC 140 X 36 X 8	210304004
40MM BUSHING	202791007.CPS
TORQUE ARM F.OMH U.OMRA	258034006.CPS
CENTERING DISC FOR MIXER SHAFT	559160000

REAR HOUSING

DESCRIPTION	P/N
WEAR SLEEVE, D220 X 210 X 115	228383004.CPS

WEAR PARTS / PUTZ



AUGER MOTOR FOR AGITATOR

DESCRIPTION	P/N
WEAR PLATE	444384.CPS
CUTTING RING	251231000.CPS
THRUST RING	249304004
O-RING 170MM X 5MM	233925004
S-TUBE 1512P	430336.CPS
WEAR PLATE	430406X
CUTTING RING	430408X
THRUST RING	430378
O-RING 170MM X 5MM	043435001
S-TUBE HEX NUT	033718000
WASHER	274873005

FRONT HOUSING FOR PUTZ TK'S

DESCRIPTION	P/N
FRONT BEARING FLANGE	027783009.CPS
SPLINED WEAR SLEEVE	400494SP
FRONT THRUST WASHER	066586005.CPS
SNAP RING	042174004

REAR HOUSING

DESCRIPTION	P/N
S-TUBE OUTLET BEARING	410504.CPS
WEAR SLEEVE	261611005.CPS

SWING LEVER & PLUNGER CYLINDERS FOR PUTZ TK'S

DESCRIPTION	P/N
SHIFT LEVER W/ SQ DIAM 80	458733.CPS
PLUNGER CYLINDER 60MM	262840008.CPS
PISTON ROD 60MM	254427002.CPS
BALL CUP/SOCKET	275694005.CPS

HOPPER DOOR FOR PUTZ TK'S

DESCRIPTION	P/N
CLOSING SLIDE HOPPER DOOR	242334000.CPS
ROUND CORD	233915001
HOPPER TRAP DOOR BOLT	407313
HOPPER TRAP DOOR BUSHING	066181002

WEAR PARTS / PUTZ



MISC PARTS PUTZ TK'S

DESCRIPTION	P/N
SWITCHING CAM	277389004
HOPPER GRATE	419553.CPS
SOLENOID COIL, 12V ACCUMULATOR	267378009
MECHANICAL LIMIT SWITCH	452208.CPS
E-STOP BOX	433369
RUBBER BEARING FOR HOPPER GRATE	432235.CPS
FILTER	311660
FUEL FILTER ELEMENT FOR A950092	A950093

PISTON CUPS PUTZ TK'S

DESCRIPTION	P/N
GUIDE RING D180-7"	056123009
DELIVERY PISTON SEAL, (7") D180	056720004
GUIDE RING, D130 X D150 X 20.5	019447007.CPS
DELIVERY PISTON SEAL, D150	056839005.CPS

WATERBOX AND WATER PUMP

DESCRIPTION	P/N
RUBBER BUFFER , D50 X 60 M8 X 26	019011006.CPS
SPACER FLANGE	401503.CPS
PISTON ROD FLANGE	263558001.CPS

DIFFERENTIAL CYLINDERS PUTZ TK'S

DESCRIPTION	P/N
GUIDE RING, 63 X 24	065976001.CPS
ROD SEALS SET, CPL., D 63	24294009
O-RING, 102 X 4 NDIN3771 FPM 75	42762005
BACK-UP RING, 110 X 3.4 X 1.5	61121009
WIPER RING, 63 X 71 X 7 P38	62814001
SEAL KIT, E2-45	067021006.CPS
GUIDE RING, 45 X 19	66582009
WIPER RING, D45 X 53 X 7 P38	67023004
BACK-UP RING	67473007

GEAR PUMPS

DESCRIPTION	P/N
SINGLE GEAR PUMP	235383000.CPS

WEAR PARTS / SCHWING



AGITATORS

DESCRIPTION	P/N
AGITATOR BEARING, DRIVE SIDE L.H.*CPS*	10061072.CPS
AGITATOR BEARING, R.H.*CPS*	10061073.CPS
BUSHING/BEARING (HOPPER)	10061074.CPS
FLANGE SHAFT LH	10061075.CPS
SEALING CONE	10061076
BUSHING D 60/68 X 23	10061077
BAR MACHINED BUSHING	10061078.CPS
ALUMINUM PLATE 6061-T651, COVER, 1.22'''	10061079
FLANGED SHAFT	10061080.CPS
ROUND DISC	10061081
BUSHING-2.367 X 1.957" BRONZE 660"	10061082.CPS
BRASS DISC, 0.197 C360-H02"	10061083
SEAL KIT FOR AUGER MOTOR	30321012
MOTOR HYD F/AGITATOR SCHWING	10039180.CPS

PISTON RAMS

DESCRIPTION	P/N
RAM, FLANGE STYLE DN150(6)*CPS	10161863.CPS
RAM-FLANGE STYLE DN 180-7"	10161781.CPS
RAM,8" FLANGE STYLE DN200	10161754.CPS
RAM FLANGE STYLE DN230 (9")	106161634.CPS
RAM FLANGE STYLE DN 250 (10")	10161980.CPS

MATERIAL CYLINDERS

DESCRIPTION	P/N
PUMPING CYLINDER DN 230 X 2133	10009377.CPS
TRANSITION PIECE W/ FLANGE DN230/210 *CPS*	10078435.CPS
O-RING, 265 X 5	10000663
ROCK VALVE REDUCER DN 250/220	10181242.CPS
PUMPING CYLINDER DN 250 X 2500	10178873.CPS

HOPPER DOOR PARTS FOR SP

DESCRIPTION	P/N
SEAL-GASKET, RING DN 250	10035783.CPS
GATE DISCHARGE ROCK VALVE	10080782.CPS
CLAMP PIECE, LH (HOPPER DOOR)	10032789.CPS
CLAMP PIECE, RH (HOPPER DOOR)	10032788.CPS

MATERIAL CYLINDERS

DESCRIPTION	P/N
CYLINDER 150MM(6") X 1000MM O.A.L.-(1125MM) CHROME	30373731.CPS

WEAR PARTS / SCHWING



ACCESSORIES

DESCRIPTION	P/N
CARBIDE WEAR INSERT DN 230	10080782.CPS
DISCHARGE FLAP, HOPPER DOOR SHORT-ROCK	30330517
CLAMP-CUP, TENSION DN 150	10043559.CPS
WEDGE FOR DOOR	10004709CB
GEARSHIFT FORK WITH SHIFTING ROD	10012464.CPS
THREADED STUD BOLT	10002386
PIPE SADDLE,(PLASTIC)DN 125 PIPE ALL-KVM	10038880
WMT - AGITATOR, E-ROCK HOPPER	10167220.CPS
METRIC TIP COUPLING W/ FLANGE	10133242.CPS

AGITATOR PARTS FOR SP

DESCRIPTION	P/N
SEAL KIT FOR WHITE HYD.MOTOR PE444002	30321012
BUSHING/BEARING(HOPPER)	10061074.CPS
BUSHING D 60/68 X 23	10061077
SEALING CONE	10061076
BEARING FLANGE CLOSED	10011747.CPS
BUSHING 56/D 45 X 45	10007772
BAR - ROUND 2 1/2" 8620H BUSHING	10064515.CPS
ROLL PIN 13 X 60 DIN1481	10065383
COUPLING HOPPER MOTOR BUSHING	10064514.CPS

WEAR PARTS

DESCRIPTION	P/N
ROCK VALVE DN210/180 M *CPS*	10059467.CPS
SHAFT - SLEWING SHORT ROCK 2 BOLT STYLE *CPS*	10064073.CPS
VALVE-ROCK,DN220/180 B *CPS*	10181912.CPS
SHAFT - SLEWING - B-ROCK	10180090.CPS
KIDNEY SEAL DN135	10032182.CPS
KIDNEY SEAL DN 180	10029138.CPS
KIDNEY PLATE DN135 OUTLET SIDE*CPS*	10025851.CPS
HOUSING LINING DN180 KIDNEY PLATE	10018046.CPS
CUTTING RING DN 165	10063938.CPS
CUTTING RING DN210 STANDARD	10063939.CPS
BACK-UP RING DN210 FOR 10059467	10158880.CPS
CUTTING RING, DN220	10181916.CPS
PRESSURE SPRING DN165	10064473
PRESSURE SPRING DN 210	10064472
PRESSURE SPRING DN 220	10181917
PRESSURE SPRING DN 230 RUBBER	10166975
PLT-LINING,ROCK VALVE,DN180,INLET	10129807.CPS
WEAR PLATE DN150 - 6" ROCKVALVE	10129809.CPS
CASTING-WEAR PLATE,DN200-8	10074767.CPS
WEAR PLATE DN 230	10074768.CPS
BASE PLATE DN 180/200/230 (NON CARBIDE)	10074769.CPS
BASE PLATE, DN250 FOR STD PLATE	10166657.CPS
ROCK VALVE, OUTLET INSERT	10018029.CPS

WEAR PARTS / SCHWING

 **1 STOP SHOP!**

CARBIDE WEAR PARTS

DESCRIPTION	P/N
CARBIDE WEAR INSERT DN230	10081097ZF
CARBIDE CUTTING RING DN210	10081098ZF
WEAR PLATE SMALL (HARDENED FOR CARBIDE BASEPLATE)	10146064ZF
BASE PLATE FOR CARBIDE INSERTS	10146062ZF
WEAR PLATE LARGE (HARDENED FOR CARBIDE BASEPLATE)	10146063ZF
CARBIDE INSERT DN220 RIGHT	10190439ZF
CARBIDE INSERT DN220 LEFT	10183355ZF
CUTTING RING D220 CARBIDE	10182449ZF
WEAR PLATE SMALL CARBIDE	10183641ZF
WEAR PLATE LARGE CARBIDE	10183640ZF
PLT-BASE, CARBIDE, E-ROCK, DN220	10183638ZF



ORDER
ONLINE!

SAME DAY SHIPPING

On Most Orders Received Before 1PM EST

WEAR PARTS FOR SP

DESCRIPTION	P/N
ROCK VALVE DN165/135 SHORT	30394421.CPS
ROCK VALVE, DN 165/135 LONG COMPLETE	30394422.CPS
RAM-FLANGE STYLE DN 180-7"	10161781.CPS
PLT-LINING, ROCK VALVE, DN180, INLET	10129807.CPS
RAM, FLANGE STYLE DN150(6)	10161863.CPS
WEAR PLATE DN150 - 6" ROCKVALVE	10129809.CPS
CUTTING RING DN165	10063938.CPS
PRESSURE SPRING DN165	10064473
KIDNEY SEAL DN135 *CPS*	10032182.CPS
KIDNEY PLATE DN135 OUTLET SIDE	10025851.CPS
SEALING LID 1"	10066146.CPS

BUSHINGS & O-RINGS FOR SP

DESCRIPTION	P/N
O-RING, 150 X 4 BUNA N70	10000458
BEARING BUSHING D 70/85 X 57	10067810.CPS
O-RING, 70 X 8	10017436
O-RING, 150 X 3 BUNA N70	10032815
O-RING, 12 X 3.5	10000203
O-RING, 148 X 5 NBR 90	10000455
O-RING, 65 X 8 NBR 80	10004677
O-RING, 35 X 3	10000627
BUSHING, D 2.563 X 2.559" C932	10025626.CPS

BAGS



SHELL
Woven
polypropylene,
fiber



SAFETY FACTOR
5:1



LINER
Polyethylene,
solid wall 6mm

PUMP WASHOUT

DESCRIPTION	DIMENSIONS	CAPACITY	P/N
XL PUMP WASHOUT - LINED	72" X 42" X 16"	1.3 CU YD, 1.0 CU M	BAG_PU_XL_LIN
XL PUMP WASHOUT - UNLINED	72" X 42" X 16"	1.3 CU YD, 1.0 CU M	BAG_PU_XL
XL PUMP WASHOUT - SELF STANDING, LINED	72" X 42" X 16"	1.3 CU YD, 1.0 CU M	BAG_PU_OT
MED PUMP WASHOUT - LINED	43" X 43" X 19"	.85 CU YD, .65 CU M	BAG_HYBRID_MD
MED PUMP WASHOUT - OPEN TOP LINED	42" X 42" X 20"	.80 CU YD, .60 CU M	BAG_OT_LIN

READY MIX & GENERAL CONSTRUCTION WASHOUT

DESCRIPTION	DIMENSIONS	CAPACITY	P/N
LG READY MIX - LINED	42" X 42" X 43"	2.0 CU YD, 1.5 CU M	BAG_RM_LG_LIN
READY MIX CHUTE - LINED	19" X 19" X 20"	0.1 CU YD, .076 CU M	BAG_RM_CHUTE-LI
READY MIX LARGE CHUTE - LINED	25" X 25" X 20"	0.2 CU YD, .15 CU M	BAG_RM_CHUTE-LG-LI
READY MIX XL CHUTE - LINED	32" X 32" X 32"	0.7 CU YD, .54 CU M	BAG_RM_CHUTE-XL-LI
GENERAL USE - UNLINED	35" X 35" X 40"	1.05 CU YD, .80 CU M	BAG_BULK_LG



**SCAN
TO BUY**



PANS



4.8mm heavy duty construction



Angled walls for stackability



Corner lift eyes



8" forklift pockets



25,000lbs D rings

STEEL

READY MIX & GENERAL CONSTRUCTION WASHOUT

DESCRIPTION	DIMENSIONS	CAPACITY	P/N
STANDARD CAPACITY STEEL PAN	72" X 72" X 14"	1.5 CU YD (249 GAL)	PAN_727214P
LARGE CAPACITY STEEL PAN	72" X 72" X 24"	2.7 CU YD (402 GAL)	PAN_727224P
SMALL PLASTIC PAN	62" X 48" X 12"	.75 CU YD (130 GAL)	PAN.PL_624812
PLASTIC DRIP PAN	72" X 48" X 6"	.44 CU YD (89 GAL)	PAN.PL_724806

PLASTIC



Light-weight (60lbs)



Light-weight (60lbs)



Low height



Forklift pockets

SCAN TO BUY



PUMP PRIMERS

PRIMERS

DESCRIPTION	OPTIONS		
SLICK WILLIE 2 - INDUSTRY LEADING POWDER PRIMER	BOX (50)	PAIL (50)	DRUM (750)
PRIME-A-PAC - BENTONITE BASED FORMULA	BOX (18)	PAIL (18)	DRUM (180)
KICK START - HIGH VISCOSITY LIQUID PRIMER	BOX 40Z (27) 2 PRIMES PER		BOX 20Z (50)



CONCRETE SUPPORT PRODUCTS

SUPPORT PRODUCTS

DESCRIPTION	OPTIONS		
SLOW WILLIE - DELAY SET	BOX (20)	PAIL (20)	
CRETEBUSTER - CONCRETE REMOVER	1 GAL	5 GAL	55 GAL OR 275 TOTE
WILLIE SHIELD - FORM RELEASE AGENT	5 GAL	55 GAL	275 TOTE
ENVIRO SLIDE - PREMIUM FORM RELEASE AGENT	5 GAL	55 GAL	275 TOTE





 **1 STOP SHOP!**

TO ORDER

For North American Sales Call **877.434.7867 (PUMP)**
Go Online ***ConcretePumpSupply.com*** OR



**WORLDWIDE
DISTRIBUTION**

WITH LOCATIONS IN

GEORGIA • CALIFORNIA • TEXAS

OUTSIDE SALES SUPPORT

FLORIDA • WISCONSIN