ETSI TS 128 550 V18.5.0 (2024-07)

5G;
Management and orchestration;
Performance assurance
(3GPP TS 28.550 version 18.5.0 Release 18)

Reference
RTS/TSGS-0528550vi50

Keywords
5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under Committee Support Staff.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under https://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights 2
Legal Notice 2
Modal verbs terminology 2
Foreword 7
1 Scope 8
2 References 8
3 Definitions and abbreviations 9
3.1 Definitions 9
3.2 Abbreviations 9
4 Concepts and overview 9
4.1 Overview 9
4.2 Management data analytics 9
4.3 PM services 10
4.4 PM services for multiple tenant support 10
5 Specification level requirements 11
5.1 Use cases 11
5.1.0 Introduction 11
5.1.1 NF PM services 11
5.1.1.1 NF measurement job control service 11
5.1.1.1.1 Creation of measurement job for NF(s) 11
5.1.1.1.2 Termination of measurement job for NF(s) 12
5.1.1.1.3 Query of measurement jobs for NF(s) 12
5.1.1.2 NF performance data file reporting service 13
5.1.1.2.1 3GPP NF performance data file reporting 13
5.1.1.3 NF performance data streaming service 13
5.1.1.3.1 3GPP NF performance data streaming 13
5.1.1.4 NF performance threshold monitoring 14
5.1.1.4.1 Creation of threshold monitoring for NF performance measurements 14
5.1.1.4.2 Termination of threshold monitoring for NF performance measurements 15
5.1.2 NSSI PM services 16
5.1.2.1 NSSI measurement job control service 16
5.1.2.1.1 Creation of measurement job for NSSI(s) 16
5.1.2.1.2 Termination of measurement job for NSSI(s) 17
5.1.2.1.3 Query of measurement jobs for NSSI(s) 17
5.1.2.2 NSSI performance data file reporting service 18
5.1.2.2.1 NSSI performance data file reporting 18
5.1.2.3 NSSI performance data streaming service 18
5.1.2.3.1 NSSI performance data streaming 18
5.1.2.4 NSSI performance threshold monitoring 19
5.1.2.4.1 Creation of threshold monitoring for NSSI performance measurements 19
5.1.2.4.2 Termination of threshold monitoring for NSSI performance measurements 20
5.1.3 NSI PM services 21
5.1.3.1 NSI measurement job control service 21
5.1.3.1.1 Creation of measurement job for NSI(s) 21
5.1.3.1.2 Termination of measurement job for NSI(s) 23
5.1.3.1.3 Query of measurement jobs for NSI(s) 23
5.1.3.2 NSI performance data file reporting service 24
5.1.3.2.1 NSI performance data file reporting 24
5.1.3.3 NSI performance data streaming service 24
5.1.3.3.1 NSI performance data streaming 24
5.1.3.4 NSI performance threshold monitoring 25
5.1.3.4.1 Creation of threshold monitoring for NSI performance measurements 25
5.1.3.4.2 Termination of threshold monitoring for NSI performance measurements 26

5.1.4 Network/Sub-network PM services 27
5.1.4.1 Network/Sub-network measurement job control service 27
5.1.4.1.1 Creation of measurement job for network(s)/sub-network(s) 27
5.1.4.1.2 Termination of measurement job for network(s)/sub-network(s) 28
5.1.4.1.3 Query of measurement jobs for network(s) 28
5.1.4.2 Network/Sub-network performance data file reporting service 29
5.1.4.2.1 Network/Sub-network performance data file reporting 29
5.1.4.3 Network/Sub-network performance data streaming service 29
5.1.4.3.1 Network/Sub-network performance data streaming 29
5.1.5 Management data analytics 30
5.1.5.1 Management data analytics for NSIs/NSSIs 30
5.1.5.2 Management data analytics for network 31
5.1.6 MnS responsible for KPI job control 32
5.1.6.1 Creation of KPI job 32
5.1.6.2 Termination of KPI job 32
5.1.6.3 Query of KPI jobs 33
5.1.7 Performance management supporting multiple tenants in the NSaaS scenario 33
5.2 Requirements 34
5.2.1 Requirements for NF measurement job control service 34
5.2.2 Requirements for NF performance data file reporting service 34
5.2.3 Requirements for NF performance data streaming service 34
5.2.4 Requirements for NSSI measurement job control service 34
5.2.5 Requirements for NSSI performance data file reporting service 35
5.2.6 Requirements for NSSI performance data streaming service 35
5.2.7 Requirements for NSI measurement job control service 35
5.2.8 Requirements for NSI performance data file reporting service 35
5.2.9 Requirements for NSI performance data streaming service 35
5.2.10 Requirements for network/sub-network measurement job control service 36
5.2.11 Requirements for network/sub-network performance data file reporting service 36
5.2.12 Requirements for network/sub-network performance data streaming service 36
5.2.13 Management data analytics service 36
5.2.14 Management service for NF performance threshold monitoring 37
5.2.15 Requirements for MnS responsible for KPI production 37
5.2.16 Requirements for performance management supporting multiple tenants 37

6. Performance assurance specific operations and notifications 37
6.1 Measurement job control related operations 37
6.1.1 Operation createMeasurementJob (M) 37
6.1.1.1 Definition 37
6.1.1.2 Input parameters 39
6.1.1.3 Output parameters 42
6.1.1.4 Exceptions 42
6.1.2 Operation stopMeasurementJob (M) 42
6.1.2.1 Definition 42
6.1.2.2 Input parameters 43
6.1.2.3 Output parameters 43
6.1.2.4 Exceptions 43
6.1.3 Operation listMeasurementJobs (M) 43
6.1.3.1 Definition 43
6.1.3.2 Input parameters 43
6.1.3.3 Output parameters 44
6.1.3.4 Exceptions 44
6.2 Performance data streaming related operations 44
6.3 Performance threshold monitoring related operations and notifications 44

7. Performance assurance services components 44
7.1 Measurement job control services 44
7.2 Performance data file reporting services 45
7.3 Performance data streaming services 46
7.4 Management service for performance threshold monitoring 47
7.5 MnS responsible for KPI job control 48
7.6 Management service components used for configurable performance measurement control 48

8 RESTful HTTP-based solution set of performance measurement job control service specific operations and notifications....50
8.1 Mapping of operations....50
8.1.1 Introduction....50
8.1.2 Operation `createMeasurementJob`....50
8.1.3 Operation `listMeasurementJobs`....50
8.1.4 Operation `stopMeasurementJob`....51
8.2 Resources....51
8.2.0 Resource structure....51
8.2.1 Resource definitions....52
8.2.1.1 Void....52
8.2.1.2 Resource "`/measJobs`"....52
8.2.1.2.1 Description....52
8.2.1.2.2 URI....52
8.2.1.2.3 HTTP methods....52
8.2.1.3 Resource "`/measJobs/{jobId}`"....53
8.2.1.3.1 Description....53
8.2.1.3.2 URI....53
8.2.1.3.3 HTTP methods....54
8.3 Data type definitions....55
8.3.1 General....55
8.3.2 Void....55
8.3.3 Void....55
8.3.4 Structured general data types....55
8.3.5 Structured path data types....55
8.3.6 Query, message body and resource data types....56
8.3.6.1 Type measJobCreation-RequestType....56
8.3.6.2 Type measJobCreation-ResponseType....56
8.3.6.3 Type measJobsRetrieval-ResponseType....56
8.3.6.4 Type error-ResponseType....56
8.3.6.5 Type measJobInfo-ResourceType....57
8.3.7 Referenced structured data types....57
8.3.7.1 Type schedule-Type....57
8.3.7.2 Type timeInterval-Type....57
8.3.7.3 Type scheduleOfDay-Type....57
8.3.7.4 Void....58
8.3.7.5 Type unsupportedMeas-Type....58
8.3.8 Simple data types and enumerations....58
8.3.8.1 General....58
8.3.8.2 Simple data types....58
8.3.8.3 Enumeration reportingMethod-Type....58
8.3.8.4 Enumeration priority-Type....58
8.3.8.5 Enumeration scheduleOption-Type....59
8.3.8.6 Enumeration dayOfWeek-Type....59
9 Void....59
Annex A (informative): Void....60
Annex B (informative): Procedures for performance assurance services....61
B.1 NF measurement job creation....61
B.2 NSSI measurement job creation....62
B.3 NSI measurement job creation....63
B.4 Network measurement job creation....65
B.5 NF measurement job termination....66
B.6 NSSI measurement job termination....67
B.7 NSI measurement job termination....68

B.8 Network measurement job termination 69

Annex C (normative): Performance Data Stream Unit content description 70

Annex D (informative): Performance data streaming holistic sequence 71

D.1 Performance data streaming for starting measurement collection 71
D.1.1 Sequence flow 71
D.1.2 PlantUML codes 72

D.2 Performance data streaming for stopping measurement collection 73
D.2.1 Sequence flow 73
D.2.2 PlantUML codes 74

Annex E (normative): OpenAPI specification 75
E.1 Introduction 75
E.2 OpenAPI document " TS28550_PerMeasJobCtlMnS.yaml" 75

E.3 Void 75

Annex F (normative): Threshold crossing notifications triggering 76

F.1 Threshold crossing notifications triggering for cumulative counters 76

F.2 Threshold crossing notifications triggering for measurements that are not cumulative counters 77

Annex G (normative): ASN.1 definition for performance data stream units 78
G.1 ASN.1 definition rule 78
G.2 ASN.1 definition 78

Annex H (normative): NSI and NSSI performance assurance 80

H.1 General 80

H.2 Procedure of NSI and NSSI performance assurance 80

Annex I (normative): GPB schema for performance data stream units 82

I.1 Performance Data Stream Units (GPB) schema 82

Annex J (Informative): Example of ASN.1 Streaming of PMs 84

Annex K (informative): Change history 85

History 86

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document specifies the stage 1, 2 and 3 of performance assurance related management services for 5G networks including network slicing.

The present document does not specify the performance data, i.e. performance measurements, Key Performance Indicators (KPIs).

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TS 28.552: "Management and orchestration; 5G performance measurements".

[3] 3GPP TS 28.541: "Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3".

[4] ITU-T Recommendation X.721 (1992): "Information technology - Open Systems Interconnection - Structure of management information: Definition of management information".

[5] 3GPP TS 28.622: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".

[6] ISO 8601:2000(E) Data elements and interchange formats – Information interchange – Representation of dates and times".

[7] 3GPP TS 28.532: "Management and orchestration; Generic management services".

[8] Void

[9] Void

[10] Void

[11] Void

[12] Void

[13] 3GPP TS 28.628: "Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".

[14] 3GPP TS 32.158: "Management and orchestration; Design rules for Representational State Transfer (REST) Solution Sets (SS)".

[15] ITU-T Recommendation X.680 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation" (Same as the ISO/IEC International Standard 8824-1).

[16] ITU-T Recommendation X.681 (08/2015) "Information Technology - Abstract Syntax Notation One (ASN.1): Information object specification" (Same as the ISO/IEC International Standard 8824-2).

[17] ITU-T Recommendation X.691 (08/2015) "Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)" (Same as the ISO/IEC International Standard 8825-2).

[18] IETF RFC 6455: "The WebSocket Protocol".

[19] IETF RFC 793: "TRANSMISSION CONTROL PROTOCOL".

[20] Void.

[21] 3GPP TS 28.554: "Management and orchestration; 5G end to end Key Performance Indicators (KPI)".

[22] 3GPP TS 23.288: " Technical Specification Group Services and System Aspects; Architecture enhancements for 5G System (5GS) to support network data analytics services".

[23] 3GPP TS 28.530: "Technical Specification Group Services and System Aspects; Management and orchestration; Concepts, use cases and requirements".

[24] 3GPP TS 28.531: " Management and orchestration; Provisioning".

[25] 3GPP TS 28.623: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

4 Concepts and overview

4.1 Overview

The 5G networks and network slicing are designed to support eMBB, URLLC and mIoT services. Some services have ultra-low latency, high data capacity, and strict reliability requirements, as any faults or performance issues in the networks can cause service failure which may result in property damage and body injury. Therefore, it is necessary to collect real-time performance data that can be used by analytic applications (e.g., network optimization, SON, etc.) to detect the potential issues in advance, and take appropriate actions to prevent or mitigate the issues. Also, the performance data shall be able to be consumed by multiple analytic applications with specific purposes.

4.2 Management data analytics

The raw performance data of NFs of the mobile network can be analysed, together with other management data (e.g., alarm information, configuration data),and formed into one or more management analytical data for NFs, sub-networks, NSSIs or NSIs. The management analytical data can be used to diagnose ongoing issues impacting the performance of the mobile network and predict any potential issues (e.g., potential failure and/or performance degradation). For example, the analysis of NSI/NSSI resource usage can form a management analytical data indicating whether a certain

resource is deteriorating. The analysis and correlation of the overall performance data of mobile network may indicate overload situation and potential failure(s).

SON Capacity and Coverage Optimization (CCO) is one typical case that may consume the management analytical data. CCO provides optimal coverage and capacity for the E-UTRAN, see clause 4.5 of TS 28.628 [13], which may also be applicable for 5G radio networks. The management analytical data related to coverage and capacity help the SON CCO to realise the situation of coverage and capacity or interference, and to trigger corresponding optimization if needed.

NOTE: Details of the management analytical data including e.g. format, categorisation and method/algorithm of calculations are to be defined.

4.3 PM services

The PM for 5G networks and network slicing is comprised of the management services listed in the table 4.3-1 below:

Table 4.3-1: PM services for 5G networks and network slicing

Management service	Description
Measurement job control service for NF	The management service for creating, terminating and querying the measurement job(s) for the NF(s).
Performance data file reporting service for NF	The management service for reporting the NF performance data file.
Performance data streaming service for NF	The management service for reporting the NF performance data steam.
Measurement job control service for NSSI	The management service for creating, terminating and querying the measurement job(s) for the NSSI(s).
Performance data file reporting service for NSSI	The management service for reporting the NSSI performance data file.
Performance data streaming service for NSSI	The management service for reporting the NSSI performance data stream.
Measurement job control service for NSI	The management service for creating, terminating and querying the measurement job(s) for the NSI(s).
Performance data file reporting service for NSI	The management service for reporting the NSI performance data file.
Performance data streaming service for NSI	The management service for reporting the NSI performance data stream.
Measurement job control service for network/sub-network	The management service for creating, terminating and querying the measurement job(s) for the network(s)/subnetwork(s). The measurement job for the network(s)/subnetwork(s) is to collect the network/subnetwork performance data that are not specific to network slicing.
Performance data file reporting service for network/sub-network	The management service for reporting the file of the network/subnetwork performance data that is not specific to network slicing.
Performance data streaming service for network/sub-network	The management service for reporting the stream of the network/subnetwork performance data that is not specific to network slicing.
MnS responsible for KPI job control	The management service for creating, terminating and querying the KPI job(s)

4.4 PM services for multiple tenant support

The MnS consumer, acting on behalf of a tenant, may get the performance measurements of a network slice.. Performance measurements specified in TS 28.552 [1] can be split into sub-counters per S-NSSAI. 3GPP management system can use these sub-counters to distinguish performance measurements for different tenants, which might be required when performance measurements are exposed as part of Network Slice as a Service (NSaaS) specified in TS 28.530 [23].

5 Specification level requirements

5.1 Use cases

5.1.0 Introduction

The steps of the use cases are logical illustration on how the management service request can be fulfilled. Depending on the deployment scenario, other steps can be used to fulfil the management service request.

5.1.1 NF PM services

5.1.1.1 NF measurement job control service

5.1.1.1.1 Creation of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a measurement job for collecting the performance data of NF(s).	
Actors and Roles	An authorized consumer of NF measurement job control service.	
Telecom resources	NF(s); Producer of the NF measurement job control service.	
Assumptions	N/A	
Pre-conditions	- The NF(s) have been deployed. - The NF measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to create measurement job for collecting the performance data of NF(s).	
Step 1 (M)	The authorized consumer requests the NF measurement job control service producer to create measurement job to collect the performance data of NF(s). The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The NF measurement job control service producer requests the NF(s) to collect the performance data, per the received measurement job creation request.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The measurement job for NF(s) has been created, and the NF measurement job control service producer generates the performance data for the NF measurement job.	
Traceability	**REQ-MJCS_NF-FUN-1, REQ-MJCS_NF-FUN-2, REQ-MJCS_NF-FUN-3, REQ-MJCS_NF-FUN-4 and REQ-MJCS_NF-FUN-7**	

5.1.1.1.2 Termination of measurement job for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the NF measurement job control service producer to terminate a NF measurement job.	
Actors and Roles	An authorized consumer of NF measurement job control service.	
Telecom resources	NF(s) NF measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NF measurement job has been created.	
Begins when	The authorized consumer does not need the NF measurement job that is collecting the performance data of NF(s).	
Step 1 (M)	The authorized consumer requests the NF measurement job control service producer to terminate a measurement job that is collecting the performance data of NF(s).	
Step 2 (M)	The NF measurement job control service producer terminates the measurement job and may request the NF(s) to stop collecting the measurements requested by the measurement job.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NF measurement job is terminated, or still retained but not does not serve the subject consumer anymore.	
Traceability	**REQ-MJCS_NF-FUN-5**	

5.1.1.1.3 Query of measurement jobs for NF(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to query the ongoing NF measurement jobs (i.e. the NF measurement jobs that have been created by the subject consumer and not terminated).	
Actors and Roles	An authorized consumer of NF measurement job control service.	
Telecom resources	NF(s) NF measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NF measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to query the ongoing NF measurement jobs.	
Step 1 (M)	The authorized consumer queries the information about the ongoing NF measurement jobs from the NF measurement job control service producer.	
Step 2 (M)	The NF measurement job control service producer provides the information about the ongoing NF measurement jobs to the consumer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The information about the ongoing NF measurements jobs are available to the consumer.	
Traceability	**REQ-MJCS_NF-FUN-6**	

5.1.1.2 NF performance data file reporting service

5.1.1.2.1 3GPP NF performance data file reporting

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to get the performance data file of 3GPP NF(s).	
Actors and Roles	An authorized consumer of NF performance data file reporting service.	
Telecom resources	Producer of the NF performance data file reporting service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NF has been deployed. - The NF performance data file reporting service producer is in operation. - The NF performance data file reporting service consumer has subscribed the notification about NF performance data file ready.	
Begins when	The performance data file of 3GPP NF is ready at the NF performance data file reporting service producer.	
Step 1 (M)	The NF performance data file reporting service producer sends the notification about performance data file ready to the authorized consumer.	
Step 2 (M)	The authorized consumer fetches the performance data file from the NF performance data file reporting service producer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The performance data file of 3GPP NF have been reported.	
Traceability	**REQ-PDFR_NF-FUN-1, REQ-PDFR_NF-FUN-2**	

5.1.1.3 NF performance data streaming service

5.1.1.3.1 3GPP NF performance data streaming

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to receive the performance data stream of 3GPP NF(s).	
Actors and Roles	An authorized consumer of NF performance data streaming service.	
Telecom resources	Producer of the NF performance data streaming service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NF has been deployed. - The NF performance data streaming service producer is in operation. - The NF performance data streaming service consumer has subscribed for receiving the performance data stream from the NF performance data streaming service producer.	
Begins when	The performance data of 3GPP NF is ready at the NF performance data streaming service producer.	
Step 1 (M)	The NF performance data streaming service producer sends the NF performance data stream to the consumer.	
Ends when	The NF performance data streaming service consumer receives the performance data stream.	
Exceptions	One of the steps identified above fails.	
Post-conditions		
Traceability	**REQ-PDS_NF-FUN-1**	

5.1.1.4 NF performance threshold monitoring

5.1.1.4.1 Creation of threshold monitoring for NF performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request creation of threshold monitoring for NF performance measurements.	
Actors and Roles	An authorized consumer monitoring service for NF performance threshold monitoring.	
Telecom resources	Producer of management service for NF performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NF has been deployed. - The management service for NF performance threshold monitoring is in operation. - The authorized consumer of management service for NF performance threshold monitoring has subscribed to the threshold crossing notifications.	
Begins when	The authorized consumer needs to create performance threshold monitoring for NF performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to create performance threshold monitoring for NF performance measurements. The request contains the threshold information with the conditions for triggering the threshold crossing notifications, and the information about the threshold monitoring notification target to receive the notifications.	
Step 2 (O)	The service producer may reject the request, if - the NF performance measurements included in the threshold monitor are not being collected (e.g., by a measurement job or by NRM configurations); or - the NF performance measurements included in the threshold monitor are being collected but with a GP different from the monitoring GP of this request.	
Step 3 (M)	The management service producer for NF performance threshold monitoring requests the NF(s) to monitor the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NF performance threshold monitoring has been created, and the target will receive the threshold crossing notifications when performance threshold is crossed or reached.	
Traceability	**REQ-THMS_NF-FUN-1, REQ-THMS_NF-FUN-3**	

5.1.1.4.2 Termination of threshold monitoring for NF performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request termination of threshold monitoring for NF performance measurements.	
Actors and Roles	An authorized consumer of management service for NF performance threshold monitoring.	
Telecom resources	Producer of management service for NF performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NF has been deployed. - The producer of management service for NF performance threshold monitoring is in operation. - The threshold monitoring for NF performance measurements has been created for the authorized consumer.	
Begins when	The authorized consumer needs to terminate the performance threshold monitoring for NF performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to terminate the performance threshold monitoring for NF performance measurements.	
Step 2 (M)	The management service producer stops the subject threshold monitoring, and requests the NF(s) to stop monitoring the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The threshold monitoring for NF performance measurements is stopped.	
Traceability	**REQ-THMS_NF-FUN-2**	

5.1.2 NSSI PM services

5.1.2.1 NSSI measurement job control service

5.1.2.1.1 Creation of measurement job for NSSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a measurement job for collecting the performance data of NSSI(s).	
Actors and Roles	An authorized consumer of NSSI measurement job control service.	
Telecom resources	NSSI(s); NSSI measurement job control service producer; NF measurement job control service producer; NF performance data file reporting service producer and/or NF performance data streaming service producer; NSSI performance data file reporting service producer and/or NSSI performance data streaming service producer.	
Assumptions	N/A	
Pre-conditions	- The NSSI(s) have been deployed. - The NSSI measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to create measurement job for collecting the performance data of NSSI(s).	
Step 1 (M)	The authorized consumer requests the NSSI measurement job control service producer to create a NSSI measurement job to collect the performance data of NSSI(s). The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The NSSI measurement job control service producer decomposes the performance data type(s) of NSSI into performance data type(s) of the constituent NSSI(s) and/or NF(s).The NSSI measurement job control service producer checks whether the decomposed performance data types of the constituent NSSI(s) and NF(s) can be collected by the existing measurement job(s) for NSSI(s) and/or NF(s). If new measurement job(s) for the constituent NSSI(s) and/or NF(s) are required, the NSSI measurement job control service producer consumes the NSSI measurement job control service and/or the NF measurement job control service to create the new measurement job(s) for the constituent NSSI(s) and/or NF(s) respectively (according to the use case "Creation of measurement job for NF" as described in clause 5.1.1.1.1).	Creation of measurement job for NF
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The measurement job for NSSI has been created, and the NSSI measurement job control service producer consumes the NSSI performance data file reporting service and/or NSSI performance data streaming service to get the performance data of the constituent NSSI(s), and/or consumes the NF performance data file reporting service and/or NF performance data streaming service to get the performance data of the constituent NF(s), and generates the performance data for the NSSI measurement job.	NSSI performance data file reporting; NSSI performance data streaming; NF performance data file reporting; NF performance data streaming
Traceability	**REQ-MJCS_NSSI-FUN-1, REQ-MJCS_NSSI-FUN-2, REQ-MJCS_NSSI-FUN-3, REQ-MJCS_NSSI-FUN-4 and REQ-MJCS_NSSI-FUN-7**	

5.1.2.1.2 Termination of measurement job for NSSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the NSSI measurement job control service producer to terminate a NSSI measurement job.	
Actors and Roles	An authorized consumer of NSSI measurement job control service.	
Telecom resources	NSSI(s) NSSI measurement job control service producer. NF measurement job control service producer	
Assumptions	N/A	
Pre-conditions	The NSSI measurement job has been created.	
Begins when	The authorized consumer does not need the NSSI measurement job.	
Step 1 (M)	The authorized consumer requests the NSSI measurement job control service producer to terminate a measurement job that is collecting the performance data of NSSI(s).	
Step 2 (M)	The NSSI measurement job control service producer terminates the NSSI measurement job, and may - request the corresponding NSSI measurement job control service producer(s) to terminate the supporting measurement job(s) of the constituent NSSI(s), and/or - consume the NF measurement job control service to request termination of the supporting measurement job(s) of the constituent NF(s) (according to the use case "Termination of measurement job for NF(s)" as described in clause 5.1.1.1.2).	Termination of measurement job for NF(s)
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NSSI measurement job is terminated.	
Traceability	**REQ-MJCS_NSSI-FUN-5**	

5.1.2.1.3 Query of measurement jobs for NSSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to query the ongoing NSSI measurement jobs (i.e. the NSSI measurement jobs that have been created by the subject consumer and not terminated).	
Actors and Roles	An authorized consumer of NSSI measurement job control service.	
Telecom resources	NSSI measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NSSI measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to query the ongoing NSSI measurement jobs.	
Step 1 (M)	The authorized consumer queries the information about the ongoing NSSI measurement jobs from the NSSI measurement job control service producer.	
Step 2 (M)	The NSSI measurement job control service producer provides the information about the ongoing NSSI measurement jobs to the consumer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The information about the ongoing NSSI measurements jobs are available to the consumer.	
Traceability	**REQ-MJCS_NSSI-FUN-6**	

5.1.2.2 NSSI performance data file reporting service

5.1.2.2.1 NSSI performance data file reporting

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to get the performance data file of 3GPP NSSI(s).	
Actors and Roles	An authorized consumer of NSSI performance data file reporting service.	
Telecom resources	Producer of the NSSI performance data file reporting service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSSI has been deployed. - The NSSI performance data file reporting service producer is in operation. - The NSSI performance data file reporting service consumer has subscribed the notification about performance data file ready.	
Begins when	The performance data file of 3GPP NSSI(s) is ready at the NSSI performance data file reporting service producer.	
Step 1 (M)	The NSSI performance data file reporting service producer sends the notification about performance data file ready to the authorized consumer.	
Step 2 (M)	The authorized consumer fetches the performance data file from the NSSI performance data file reporting service producer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The performance data file of 3GPP NSSI have been reported.	
Traceability	**REQ-PDFR_NSSI-FUN-1, REQ-PDFR_NSSI-FUN-2**	

5.1.2.3 NSSI performance data streaming service

5.1.2.3.1 NSSI performance data streaming

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to receive the performance data stream of NSSI(s).	
Actors and Roles	An authorized consumer of NSSI performance data streaming service.	
Telecom resources	Producer of the NSSI performance data streaming service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSSI has been deployed. - The NSSI performance data streaming service producer is in operation. - The NSSI performance data streaming service consumer has subscribed for receiving the performance data stream from the NSSI performance data streaming service producer.	
Begins when	The performance data of 3GPP NSSI is ready at the NSSI performance data streaming service producer.	
Step 1 (M)	The NSSI performance data streaming service producer sends the NSSI performance data stream to the consumer.	
Ends when	The NSSI performance data streaming service consumer receives the performance data stream.	
Exceptions	One of the steps identified above fails.	
Post-conditions		
Traceability	**REQ-PDS_NSSI-FUN-1**	

5.1.2.4 NSSI performance threshold monitoring

5.1.2.4.1 Creation of threshold monitoring for NSSI performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request creation of threshold monitoring for NSSI performance measurements.	
Actors and Roles	An authorized consumer monitoring service for NSSI performance threshold monitoring.	
Telecom resources	Producer of management service for NSSI performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSSI has been deployed. - The management service for NSSI performance threshold monitoring is in operation. - The authorized consumer of management service for NSSI performance threshold monitoring has subscribed to the threshold crossing notifications.	
Begins when	The authorized consumer needs to create performance threshold monitoring for NSSI performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to create performance threshold monitoring for NSSI performance measurements. The request contains the threshold information with the conditions for triggering the threshold crossing notifications.	
Step 2 (M)	The management service producer for NSSI performance threshold monitoring requests the NSSI(s) to monitor the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NSSI performance threshold monitoring has been created. The NSSI monitors the performance measurements, and when the condition is met (e.g., a specific threshold is crossed or reached), the NSSI - sends the threshold crossing notification to the consumer; or - reports the threshold crossing event to NSSI performance threshold monitoring service producer, who then sends the threshold crossing notification to the consumer.	
Traceability		

5.1.2.4.2 Termination of threshold monitoring for NSSI performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request termination of threshold monitoring for NSSI performance measurements.	
Actors and Roles	An authorized consumer of management service for NSSI performance threshold monitoring.	
Telecom resources	Producer of management service for NSSI performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSSI has been deployed. - The producer of management service for NSSI performance threshold monitoring is in operation. - The threshold monitoring for NSSI performance measurements has been created for the authorized consumer.	
Begins when	The authorized consumer needs to terminate the performance threshold monitoring for NSSI performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to terminate the performance threshold monitoring for NSSI performance measurements.	
Step 2 (M)	The management service producer stops the subject threshold monitoring, and requests the NSSI(s) to stop monitoring the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The threshold monitoring for NSSI performance measurements is stopped.	
Traceability		

5.1.3 NSI PM services

5.1.3.1 NSI measurement job control service

5.1.3.1.1 Creation of measurement job for NSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a measurement job for collecting the performance data of NSI(s).	
Actors and Roles	An authorized consumer of NSI measurement job control service.	
Telecom resources	NSI(s); NSI measurement job control service producer; The set of NSSI measurement job control service producer, NSSI performance data file reporting service producer and/or NSSI performance data streaming service producer; and/or The set of NF measurement job control service producer, NF performance data file reporting service producer and/or NF performance data streaming service producer.	
Assumptions	N/A	
Pre-conditions	- The NSI(s) have been deployed. - The NSI measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to create measurement job for collecting the performance data of NSI(s).	
Step 1 (M)	The authorized consumer requests the NSI measurement job control service producer to create a NSI measurement job to collect the performance data of NSI(s). The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The NSI measurement job control service producer decomposes the performance data type of NSI(s) into performance data type(s) of the constituent NSSI(s) and/or of constituent NF(s). - The NSI measurement job control service producer checks whether the decomposed performance data of the constituent NSSI(s) can be collected by the existing measurement job(s) for NSSI(s). If new measurement job(s) for the constituent NSSI(s) are required, the NSI measurement job control service producer consumes the NSSI measurement job control service to create the new measurement job(s) for the constituent NSSI(s) (according to the use case "Creation of measurement job for NSSI(s)" as described in clause 5.1.2.1.1); or - The NSI measurement job control service producer checks whether the decomposed performance data of the constituent NF(s) can be collected by the existing measurement job(s) for NF(s). If new measurement job(s) for the constituent NF(s) are required, NSI measurement job control service producer requests the NF PM measurement job control service producer to create the new measurement job(s) for the constituent NF(s) (according to the use case "Creation of measurement job for NF" as described in clause 5.1.1.1.1).	Creation of measurement job for NSSI; and/or Creation of measurement job for NF
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The measurement job for NSI has been created, and the NSI measurement job control service producer consumes the NSSI performance data file reporting service, NSSI performance data streaming service, the NF performance data file reporting service and/or NF performance data streaming service to get the performance data of the constituent NSSI(s) and/or NF(s), and generates the performance data for the NSI measurement job.	NSSI performance data file reporting; NSSI performance data streaming NF performance data file reporting; and/or NF performance data streaming
Traceability	**REQ-MJCS_NSI-FUN-1, REQ-MJCS_NSI-FUN-2, REQ-MJCS_NSI-FUN-3, REQ-MJCS_NSI-FUN-4 and REQ-MJCS_NSI-FUN-7.**	

5.1.3.1.2 Termination of measurement job for NSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the NSI measurement job control service producer to terminate a NSI measurement job.	
Actors and Roles	An authorized consumer of NSI measurement job control service.	
Telecom resources	NSI(s); NSI measurement job control service producer; NSSI measurement job control service producer; NF measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NSI measurement job has been created.	
Begins when	The authorized consumer does not need the NSI measurement job.	
Step 1 (M)	The authorized consumer requests the NSI measurement job control service producer to terminate a NSI measurement job that is collecting the performance data of NSI(s).	
Step 2 (M)	The NSI measurement job control service producer terminates the NSI measurement job, and may - consume the NSSI measurement job control service to request termination of the supporting measurement job(s) of the constituent NSSI(s) if any (according to the use case "Termination of measurement job for NSSI(s)" as described in clause 5.1.2.1.2), and - consume the NF measurement job control service to request termination of the supporting measurement job(s) of the constituent NF(s) if any (according to the use case "Termination of measurement job for NF(s)" as described in clause 5.1.1.1.2).	Termination of measurement job for NSSI(s); Termination of measurement job for NF(s)
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NSI measurement job is terminated, or still retained to serve other consumers according to step 2.	
Traceability	**REQ-MJCS_NSI-FUN-5**	

5.1.3.1.3 Query of measurement jobs for NSI(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to query the ongoing NSI measurement jobs (i.e. the NSI measurement jobs that have been created by the subject consumer and not terminated).	
Actors and Roles	An authorized consumer of NSI measurement job control service.	
Telecom resources	NSI(s) NSI measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The NSI measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to query the ongoing NSI measurement jobs.	
Step 1 (M)	The authorized consumer queries the information about the ongoing NSI measurement jobs from the NSI measurement job control service producer.	
Step 2 (M)	The NSI measurement job control service producer provides the information about the ongoing NSI measurement jobs to the consumer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The information about the ongoing NSI measurements jobs are available to the consumer.	
Traceability	**REQ-MJCS_NSI-FUN-6**	

5.1.3.2 NSI performance data file reporting service

5.1.3.2.1 NSI performance data file reporting

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to get the performance data file of 3GPP NSI(s).	
Actors and Roles	An authorized consumer of NSI performance data file reporting service.	
Telecom resources	Producer of the NSI performance data file reporting service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSI has been deployed. - The NSI performance data file reporting service producer is in operation. - The NSI performance data file reporting service consumer has subscribed the notification about performance data file ready.	
Begins when	The performance data file of 3GPP NSI(s) is ready at the NSI performance data file reporting service producer.	
Step 1 (M)	The NSI performance data file reporting service producer sends the notification about performance data file ready to the authorized consumer.	
Step 2 (M)	The authorized consumer fetches the performance data file from the NSI performance data file reporting service producer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The performance data file of 3GPP NSSI have been reported.	
Traceability	**REQ-PDFR_NSI-FUN-1, REQ-PDFR_NSI-FUN-2**	

5.1.3.3 NSI performance data streaming service

5.1.3.3.1 NSI performance data streaming

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to receive the performance data stream of NSI(s).	
Actors and Roles	An authorized consumer of NSI performance data streaming service.	
Telecom resources	Producer of the NSI performance data streaming service.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSI has been deployed. - The NSI performance data streaming service producer is in operation. - The NSI performance data streaming service consumer has subscribed for receiving the performance data stream from the NSI performance data streaming service producer.	
Begins when	The performance data of 3GPP NSI is ready at the NSI performance data streaming service producer.	
Step 1 (M)	The NSI performance data streaming service producer sends the NSI performance data stream to the consumer.	
Ends when	The NSI performance data streaming service consumer receives the performance data stream.	
Exceptions	One of the steps identified above fails.	
Post-conditions		
Traceability	**REQ-PDS_NSI-FUN-1**	

5.1.3.4 NSI performance threshold monitoring

5.1.3.4.1 Creation of threshold monitoring for NSI performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request creation of threshold monitoring for NSI performance measurements.	
Actors and Roles	An authorized consumer monitoring service for NSI performance threshold monitoring.	
Telecom resources	Producer of management service for NSI performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSI has been deployed. - The management service for NSI performance threshold monitoring is in operation. - The authorized consumer of management service for NSI performance threshold monitoring has subscribed to the threshold crossing notifications.	
Begins when	The authorized consumer needs to create performance threshold monitoring for NSI performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to create performance threshold monitoring for NSI performance measurements. The request contains the threshold information with the conditions for triggering the threshold crossing notifications.	
Step 2 (M)	The management service producer for NSI performance threshold monitoring requests the NSI(s) to monitor the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The NSI performance threshold monitoring has been created. The NSI monitors the performance measurements, and when the condition is met (e.g., a specific threshold is crossed or reached), the NSI - sends the threshold crossing notification to the consumer; or - reports the threshold crossing event to NSI performance threshold monitoring service producer, who then sends the threshold crossing notification to the consumer.	
Traceability		

5.1.3.4.2 Termination of threshold monitoring for NSI performance measurements

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request termination of threshold monitoring for NSI performance measurements.	
Actors and Roles	An authorized consumer of management service for NSI performance threshold monitoring.	
Telecom resources	Producer of management service for NSI performance threshold monitoring.	
Assumptions	N/A	
Pre-conditions	- The 3GPP NSI has been deployed. - The producer of management service for NSI performance threshold monitoring is in operation. - The threshold monitoring for NSI performance measurements has been created for the authorized consumer.	
Begins when	The authorized consumer needs to terminate the performance threshold monitoring for NSI performance measurements.	
Step 1 (M)	The authorized consumer requests the management service producer to terminate the performance threshold monitoring for NSI performance measurements.	
Step 2 (M)	The management service producer stops the subject threshold monitoring, and requests the NSI(s) to stop monitoring the performance measurements.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The threshold monitoring for NSI performance measurements is stopped.	
Traceability		

5.1.4 Network/Sub-network PM services

5.1.4.1 Network/Sub-network measurement job control service

5.1.4.1.1 Creation of measurement job for network(s)/sub-network(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a measurement job for collecting the network/sub-network performance data that are not specific to network slicing.	
Actors and Roles	An authorized consumer of network measurement job control service.	
Telecom resources	Network(s)/sub-network(s); Network measurement job control service producer; NF measurement job control service producer; NF performance data file reporting service producer and/or NF performance data streaming service producer.	
Assumptions	N/A	
Pre-conditions	- The network(s)/sub-network(s) have been deployed; - The network measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to create a network measurement job for collecting the network performance data that are not specific to network slicing.	
Step 1 (M)	The authorized consumer requests the network measurement job control service producer to create measurement job to collect the network performance data that are not specific to network slicing. The request needs to indicate that the performance data needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The network measurement job control service producer decomposes the performance data type of network/sub-network into performance data type(s) of the constituent 3GPP NF(s). The network measurement job control service producer whether the decomposed performance data type(s) of the constituent NF(s) can be collected by the existing measurement job(s) for NF(s). If new measurement job(s) for the constituent NF(s) are required, the network measurement job control service producer requests the NF measurement job control service producer to create the new measurement job(s) for the constituent NF(s) (according to the use case "Creation of measurement job for NF" as described in clause 5.1.1.1.1).	Creation of measurement job for NF
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The measurement job for network(s)/sub-network(s) has been created, and the network measurement job control service producer consumes the NF performance data file reporting service and/or NF performance data streaming service to get the performance data of the constituent NF(s), and generates the performance data for the network measurement job.	NF performance data file reporting; NF performance data streaming
Traceability	**REQ-MJCS_NW-FUN-1, REQ-MJCS_NW-FUN-2, REQ-MJCS_NW-FUN-3, REQ-MJCS_NW-FUN-4 and REQ-MJCS_NW-FUN-7**	

5.1.4.1.2 Termination of measurement job for network(s)/sub-network(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the network measurement job control service producer to terminate a network measurement job.	
Actors and Roles	An authorized consumer of network measurement job control service.	
Telecom resources	NSSI(s); Network measurement job control service producer; NF measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The network measurement job has been created.	
Begins when	The authorized consumer does not need the network measurement job.	
Step 1 (M)	The authorized consumer requests the network measurement job control service producer to terminate a network measurement job that is collecting the performance data of network(s)/sub-network(s).	
Step 2 (M)	The network measurement job control service producer terminates the network measurement job, and may consume the NF measurement job control service to request termination of the supporting measurement job(s) of the constituent NF(s) (according to the use case "Termination of measurement job for NF(s)" as described in clause 5.1.1.1.2).	Termination of measurement job for NF(s)
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The network measurement job is terminated, or still retained to serve other consumers according to step 2.	
Traceability	**REQ-MJCS_NW-FUN-5**	

5.1.4.1.3 Query of measurement jobs for network(s)

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to query the ongoing network measurement jobs (i.e. the network measurement jobs that have been created by the subject consumer and not terminated).	
Actors and Roles	An authorized consumer of network measurement job control service.	
Telecom resources	Network(s)/sub-network(s) Network measurement job control service producer.	
Assumptions	N/A	
Pre-conditions	The network measurement job control service producer is in operation.	
Begins when	The authorized consumer needs to query the ongoing network measurement jobs.	
Step 1 (M)	The authorized consumer queries the information about the ongoing network measurement jobs from the network measurement job control service producer.	
Step 2 (M)	The network measurement job control service producer provides the information about the ongoing network measurement jobs to the consumer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The information about the ongoing network measurements jobs are available to the consumer.	
Traceability	**REQ-MJCS_NW-FUN-6**	

5.1.4.2 Network/Sub-network performance data file reporting service

5.1.4.2.1 Network/Sub-network performance data file reporting

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to get the network/sub-network performance data that are not specific to network slicing.	
Actors and Roles	An authorized consumer of network/sub-network performance data file reporting service.	
Telecom resources	Network/sub-network performance data file reporting service producer.	
Assumptions	N/A	
Pre-conditions	- The network/sub-network has been deployed. - The network/sub-network performance data file reporting service producer is in operation. - The network/sub-network performance data file reporting service consumer has subscribed the notification about performance data file ready.	
Begins when	The performance data file of network/sub-network is ready at the network/sub-network performance data file reporting service producer.	
Step 1 (M)	The network/sub-network performance data file reporting service producer sends the notification about performance data file ready to the authorized consumer.	
Step 2 (M)	The authorized consumer fetches the network /sub-network performance data file from the network/sub-network performance data file reporting service producer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The network/sub-network performance data file have been reported.	
Traceability	**REQ-PDFR_NW-FUN-1, REQ-PDFR_NW-FUN-2**	

5.1.4.3 Network/Sub-network performance data streaming service

5.1.4.3.1 Network/Sub-network performance data streaming

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to receive the stream of the network/sub-network performance data that are not specific to network slicing.	
Actors and Roles	An authorized consumer of network/sub-network performance data streaming service.	
Telecom resources	Network/Sub-network performance data streaming service producer.	
Assumptions	N/A	
Pre-conditions	- The network/sub-network has been deployed. - The network/sub-network performance data streaming service producer is in operation. - The network/sub-network performance data streaming service consumer has subscribed for receiving the performance data stream from the network/sub-network performance data streaming service producer.	
Begins when	The performance data of network is ready at the network/sub-network performance data streaming service producer.	
Step 1 (M)	The network/sub-network performance data streaming service producer sends the network/sub-network performance data stream to the consumer.	
Ends when	The Network/sub-network performance data streaming service consumer receives the network performance data stream.	
Exceptions	One of the steps identified above fails.	
Post-conditions		
Traceability	**REQ-PDS_NW-FUN-1**	

5.1.5 Management data analytics

5.1.5.1 Management data analytics for NSIs/NSSIs

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to collect management analytical data for NSIs/NSSIs.	
Actors and Roles	An authorized consumer of management data analytics service.	
Telecom resources	NSI(s), NSSI(s), NF(s); Producer of management data analytics service; Producer of measurement job control service for NSI(s); Producer of measurement job control service for NSSI(s); Producer of measurement job control service for NF(s); Producer of performance data file reporting service for NSI(s); Producer of performance data file reporting service for NSSI(s); Producer of performance data file reporting service for NF(s);	
Assumptions	N/A	
Pre-conditions	- The NSI(s) have been deployed. - The management data analytics service producer is in operation.	
Begins when	The authorized consumer subscribes to the management analytical data for NSI(s)/NSSI(s).	
Step 1 (M)	The management data analytics service producer determines what performance measurements of NSI(s), NSSI(s) and NF(s) are needed to generate the subject management analytical data.	
Step 2 (M)	The management data analytics service producer checks whether the required NSI performance measurements can be collected by the existing measurement job(s) for NSI(s), NSSI(s) and NF(s). - If new measurement job(s) for the NSI(s) are required, the management data analytics service producer consumes the NSI measurement job control service to create the new measurement job(s) for the NSI(s) (according to the use case "Creation of measurement job for NSI(s)" as described in clause 5.1.3.1.1); - If new measurement job(s) for the NSSI(s) are required, the management data analytics service producer consumes the NSSI measurement job control service to create the new measurement job(s) for the NSSI(s) (according to the use case "Creation of measurement job for NSSI(s)" as described in clause 5.1.2.1.1); - If new measurement job(s) for the NF(s) are required, the management data analytics service producer consumes the NF measurement job control service to create the new measurement job(s) for the NF(s) (according to the use case "Creation of measurement job for NF(s)" as described in clause 5.1.1.1.1).	Creation of measurement job for NSI(s); Creation of measurement job for NSSI(s); Creation of measurement job for NF(s)
Ends when	The consumer unsubscribes to the management analytical data for NSI(s)/NSSI(s).	
Exceptions	One of the steps identified above fails.	
Post-conditions	The management data analytics service producer consumes the performance data reporting related services to get the required performance measurements for NSI(s), NSSI(s) and NF(s), generate the management analytical data based on the collected performance measurements, and makes the management analytical data available to the management service responsible for reporting the data.	
Traceability	**REQ-MDAS-FUN-1**	

5.1.5.2 Management data analytics for network

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to collect management analytical data for the network.	
Actors and Roles	An authorized consumer of network management data analytics service.	
Telecom resources	3GPP network(s); Producer of network management data analytics service; Producer of measurement job control service for NF(s); Producer of performance data file reporting service for NF(s);	
Assumptions	N/A	
Pre-conditions	- The 3GPP network(s) have been deployed. - The network management data analytics service producer is in operation.	
Begins when	The authorized consumer subscribes to the service of management analytical data for network(s).	
Step 1 (M)	The network management data analytics service producer determines what performance measurements of NF(s) are needed to generate the subject network management analytical data.	
Step 2 (M)	The management data analytics service producer checks whether the required network performance measurements can be collected by the existing measurement job(s) for NF(s. - If new measurement job(s) for the constituent NF(s) are required, the management data analytics service producer consumes the NF measurement job control service to create the new measurement job(s) for the NF(s) (according to the use case "Creation of measurement job for NF(s)" as described in clause 5.1.1.1.1).	Creation of measurement job for NF(s)
Step 3 (M)	The management data analytics service producer consumes the performance data reporting related services to get the required performance measurements for NF(s) and generates the management analytical KPI(s) based on the collected performance measurements.	
Ends when	The consumer unsubscribes to the management analytical data for network(s).	
Exceptions	One of the steps identified above fails.	
Post-conditions	The management analytical data is available to the management service responsible for reporting the data to the consumer.	
Traceability	**REQ-MDAS-FUN-2**	

5.1.6 MnS responsible for KPI job control

5.1.6.1 Creation of KPI job

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to create a KPI job for collecting the KPIs of one or more object instance(s).	
Actors and Roles	An authorized consumer of the MnS responsible for KPI job control.	
Telecom resources	NSSI(s), Network slice(s), Network(s)/sub-network(s); Producer of the MnS responsible for KPI job control. Producers of measurement job control services	
Assumptions	N/A	
Pre-conditions	- The NF(s), NSSI(s), Network slice(s) and Network(s)/sub-network(s) have been deployed. - The producer of the MnS responsible for KPI job control is in operation.	
Begins when	The authorized consumer needs to create KPI job for collecting the KPIs of one or more object instance(s).	
Step 1 (M)	The authorized consumer requests the producer of the MnS responsible for KPI job control to create KPI job to calculate and collect the KPIs of the subject object instance(s). The request needs to indicate that the KPIs needs to be reported by performance data file or by performance data streaming.	
Step 2 (M)	The producer of the MnS responsible for KPI job control identifies the performance measurement type(s) used for the KPI(s) and checks whether the corresponding performance measurement type(s) can be collected by the existing measurement job(s).	
Step 3 (M)	If measurement(s) are missing for the calculation of KPI(s), the management function hosting the producer of the MnS responsible for KPI job control would consume the necessary measurement MnS, for the missing measurement(s).	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The KPI job for the subject object instance(s) has been created, and the producer of the MnS responsible for KPI job control generates the KPIs for the KPI job.	
Traceability	**REQ- KJCS_FUN-1, REQ- KJCS_FUN-2, REQ- KJCS_FUN-3**	

5.1.6.2 Termination of KPI job

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to request the producer of the MnS responsible for KPI job control to terminate a KPI job.	
Actors and Roles	An authorized consumer of the MnS responsible for KPI job control.	
Telecom resources	NSSI(s), Network slice(s), Network(s)/sub-network(s); The producer of the MnS responsible for KPI job control.	
Assumptions	N/A	
Pre-conditions	The KPI job has been created.	
Begins when	The authorized consumer does not need the KPI job that is calculating or collecting the KPIs.	
Step 1 (M)	The authorized consumer requests the producer of the MnS responsible for KPI job control to terminate a KPI job that is calculating or collecting the KPIs.	
Step 2 (M)	The producer of the MnS responsible for KPI job control terminates the KPI job.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The KPI job is terminated	
Traceability	**REQ- KJCS_FUN-4**	

5.1.6.3 Query of KPI jobs

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the authorized consumer to query which KPI jobs are ongoing (i.e. the KPI jobs that have been created by the subject consumer and not terminated).	
Actors and Roles	An authorized consumer of the MnS responsible for KPI job control.	
Telecom resources	NSSI(s), Network slice(s), Network(s)/sub-network(s); The producer of the MnS responsible for KPI job control.	
Assumptions	N/A	
Pre-conditions	The producer of the MnS responsible for KPI job control is in operation.	
Begins when	The authorized consumer needs to query the ongoing KPI jobs.	
Step 1 (M)	The authorized consumer queries the information which KPI jobs are ongoing from the producer of the MnS responsible for KPI job control.	
Step 2 (M)	The producer of the MnS responsible for KPI job control provides the information which KPI jobs are ongoing to the consumer.	
Ends when	All the steps identified above are successfully completed.	
Exceptions	One of the steps identified above fails.	
Post-conditions	The information about the ongoing KPI jobs are available to the consumer.	
Traceability	**REQ- KJCS_FUN-5**	

5.1.7 Performance management supporting multiple tenants in the NSaaS scenario

Use case stage	Evolution/Specification	<<Uses>> Related use
Goal	To enable the tenant obtain their own network slice performance data in the Network Slice as a Service (NSaaS) scenario.	
Actors and Roles	Tenant plays the role of network slice performance data consumer	
Telecom resources	Network slice performance data provider as the network slice performance data file/streaming report MnS producer Network slice subnet data provider as the network slice subnet performance data file/streaming report MnS producer	
Assumptions	N/A	
Pre-conditions	The tenant related S-NSSAI(s) is configured for network slice	
Begins when	The authorized network slice performance data consumer(s) (i.e. tenant) request the network slice performance data provider to report his own performance data.	
Step 1 (M)	Network slice performance data provider request the network slice subnet performance data provider report the network slice subnet and/or network function performance data with information indicating the performance data needs to be collected in S-NSSAI granularity.	
Step 2 (M)	Network slice subnet performance data provider report the network slice subnet performance data, and the network slice subnet performance data in S-NSSAI granularity should be included (i.e. which means the corresponding S-NSSAI(s) is included in the network slice subnet performance data)	
Step 3 (M)	Based on the network slice subnet performance data in S-NSSAI granularity, the network slice performance data provider derive the network slice performance data for the tenant (e.g. calculate the network slice performance data based on all the network slice subnet performance data related to corresponding S-NSSAI(s)).	
Ends when	Network slice performance data provider report the tenant's own network slice performance data to the tenant, the S-NSSAI information may be included.	
Exceptions	One of the steps identified above fails.	
Post-conditions	Tenant obtain their own network slice performance data individually in the Network Slice as a Service (NSaaS) scenario.	
Traceability	**REQ-PM_NSI-FUN-1**	

5.2 Requirements

5.2.1 Requirements for NF measurement job control service

REQ-MJCS_NF-FUN-1 The management service producer responsible for NF measurement job control shall have the capability allowing its authorized consumer to request creation of a measurement job to collect the performance data of NF(s).

REQ-MJCS_NF-FUN-2 The management service producer responsible for NF measurement job control shall have the capability allowing its authorized consumer to indicate the reporting method (i.e. by performance data file or by performance data streaming) for the performance data when requesting to create a measurement job for NF(s).

REQ-MJCS_NF-FUN-3 The management service producer responsible for NF measurement job control shall have the capability to fulfill the consumer's request to create a measurement job for NF(s).

REQ-MJCS_NF-FUN-4 The management service producer responsible for NF measurement job control shall have the capability to generate the performance data of NF(s) according to the measurement job.

REQ-MJCS_NF-FUN-5 The management service producer responsible for NF measurement job control shall have the capability to fulfill the request from its authorized consumer to terminate a NF measurement job.

REQ-MJCS_NF-FUN-6 The management service producer responsible for NF measurement job control shall have the capability allowing its authorized consumer to query the information about the ongoing NF measurement jobs.

REQ-MJCS_NF-FUN-7 The management service producer responsible for NF measurement job control may reject a NF measurement job creation request.

5.2.2 Requirements for NF performance data file reporting service

REQ-PDFR_NF-FUN-1 The management service producer responsible for NF performance data file reporting shall have the capability to send the notification about NF performance data file ready to its authorized consumer.

REQ-PDFR_NF-FUN-2 The management service producer responsible for NF performance data file reporting shall have the capability to allow its authorized consumer to fetch the performance data file of NF(s).

5.2.3 Requirements for NF performance data streaming service

REQ-PDS_NF-FUN-1 The management service producer responsible for NF performance data streaming shall have the capability to send the NF performance data stream to its authorized consumer.

5.2.4 Requirements for NSSI measurement job control service

REQ-MJCS_NSSI-FUN-1 The management service producer responsible for NSSI measurement job control shall have the capability allowing its authorized consumer to request creation of a measurement job to collect the performance data of NSSI(s).

REQ-MJCS_NSSI-FUN-2 The management service producer responsible for NSSI measurement job control shall have the capability allowing its authorized consumer to indicate the reporting method (i.e. by performance data file or by performance data streaming) for the performance data when requesting to create a measurement job for NSSI(s).

REQ-MJCS_NSSI-FUN-3 The management service producer responsible for NSSI measurement job control shall have the capability to generate the performance data of NSSI(s).

REQ-MJCS_NSSI-FUN-4 The management service producer responsible for NSSI measurement job control shall have the capability to fulfill the consumer's request to create a measurement job for NSSI(s).

REQ-MJCS_NSSI-FUN-5 The management service producer responsible for NSSI measurement job control shall have the capability to fulfill the request from its authorized consumer to terminate a NSSI measurement job.

REQ-MJCS_NSSI-FUN-6 The management service producer responsible for NSSI measurement job control shall have the capability to fulfil the request from its authorized consumer to query the information about the ongoing NSSI measurement jobs.

REQ-MJCS_NSSI-FUN-7 The management service producer responsible for NSSI measurement job control may reject a NSSI measurement job creation request.

5.2.5 Requirements for NSSI performance data file reporting service

REQ-PDFR_NSSI-FUN-1 The management service producer responsible for NSSI performance data file reporting shall have the capability to send the notification about NSSI performance data file ready to its authorized consumer.

REQ-PDFR_NSSI-FUN-2 The management service producer responsible for NSSI performance data file reporting shall have the capability to allow its authorized consumer to fetch the performance data file of NSSI(s).

5.2.6 Requirements for NSSI performance data streaming service

REQ-PDS_NSSI-FUN-1 The management service producer responsible for NSSI performance data streaming shall have the capability to send the NSSI performance data stream to its authorized consumer.

5.2.7 Requirements for NSI measurement job control service

REQ-MJCS_NSI-FUN-1 The management service producer responsible for NSI measurement job control shall have the capability allowing its authorized consumer to request creation of a measurement job to collect the performance data of NSI(s).

REQ-MJCS_NSI-FUN-2 The management service producer responsible for NSI measurement job control shall have the capability allowing its authorized consumer to indicate the reporting method (i.e. by performance data file or by performance data streaming) for the performance data when requesting to create a measurement job for NSI(s).

REQ-MJCS_NSI-FUN-3 The management service producer responsible for NSI measurement job control shall have the capability to generate the performance data of NSI(s).

REQ-MJCS_NSI-FUN-4 The management service producer responsible for NSI measurement job control shall have the capability to fulfill the consumer's request to create a measurement job for NSI(s).

REQ-MJCS_NSI-FUN-5 The management service producer responsible for management service producer responsible for NSI measurement job control shall have the capability to fulfill the request from its authorized consumer to terminate a NSI measurement job.

REQ-MJCS_NSI-FUN-6 The management service producer responsible for NSI measurement job control shall have the capability to fulfill the request from its authorized consumer to query the information about the ongoing NSI measurement jobs.

REQ-MJCS_NSI-FUN-7 The management service producer responsible for NSI measurement job control may reject a NSI measurement job creation request.

5.2.8 Requirements for NSI performance data file reporting service

REQ-PDFR_NSI-FUN-1 The management service producer responsible for NSI performance data file reporting shall have the capability to send the notification about NSI performance data file ready to its authorized consumer.

REQ-PDFR_NSI-FUN-2 The management service producer responsible for NSI performance data file reporting shall have the capability to allow its authorized consumer to fetch the performance data file of NSI(s).

5.2.9 Requirements for NSI performance data streaming service

REQ-PDS_NSI-FUN-1 The management service producer responsible for NSI performance data streaming shall have the capability to send the NSI performance data stream to its authorized consumer.

5.2.10 Requirements for network/sub-network measurement job control service

REQ-MJCS_NW-FUN-1 The management service producer responsible for network/sub-network measurement job control shall have the capability allowing its authorized consumer to request creation of a measurement job to collect the network/sub-network performance data that are not specific to network slicing.

REQ-MJCS_NW-FUN-2 The management service producer responsible for network/sub-network measurement job control shall have the capability allowing its authorized consumer to indicate the reporting method (i.e. by performance data file or by performance data streaming) for the performance data that are not specific to network slicing when requesting to create a measurement job for network(s)/sub-network(s).

REQ-MJCS_NW-FUN-3 The management service producer responsible for network/sub-network measurement job control shall have the capability to generate the network/sub-network performance data that are not specific to network slicing.

REQ-MJCS_NW-FUN-4 The management service producer responsible for network/sub-network measurement job control shall have the capability to fulfill the consumer's request to create a measurement job for network(s)/sub-network(s).

REQ-MJCS_NW-FUN-5 The management service producer responsible for network/sub-network measurement job control shall have the capability to fulfill the request from its authorized consumer to terminate a network/sub-network measurement job.

REQ-MJCS_NW-FUN-6 The management service producer responsible for network/sub-network measurement job control shall have the capability to fulfill the request from its authorized consumer to query the information about the ongoing network measurement jobs.

REQ-MJCS_NW-FUN-7 The management service producer responsible for network/sub-network measurement job control may reject a network/sub-network measurement job creation request.

5.2.11 Requirements for network/sub-network performance data file reporting service

REQ-PDFR_NW-FUN-1 The management service producer responsible for network/sub-network performance data file reporting shall have the capability to send the notification about network/sub-network performance data file ready to its authorized consumer.

REQ-PDFR_NW-FUN-2 The management service producer responsible for network/sub-network performance data file reporting shall have the capability to allow its authorized consumer to fetch the performance data file of network(s)/sub-network(s).

5.2.12 Requirements for network/sub-network performance data streaming service

REQ-PDS_NW-FUN-1 The management service producer responsible for network/sub-network performance data streaming shall have the capability to send the network/sub-network performance data stream to its authorized consumer.

5.2.13 Management data analytics service

REQ-MDAS-FUN-1 The management data analytics service producer shall have the capability allowing its authorized consumer to request collection of management analytical data for NSIs/NSSIs.

REQ-MDAS-FUN-2 The management data analytics service producer shall have the capability allowing its authorized consumer to request collection of management analytical data for network(s).

5.2.14 Management service for NF performance threshold monitoring

REQ-THMS_NF-FUN-1 The management service producer responsible for NF performance threshold monitoring shall have the capability to fulfill the consumer's request to create a performance threshold monitoring for the performance measurements of NF(s).

REQ-THMS_NF-FUN-2 The management service producer responsible for NF performance threshold monitoring shall have the capability to fulfill the request from its authorized consumer to terminate a performance threshold monitoring.

REQ-THMS_NF-FUN-3 The management service producer responsible for NF performance threshold monitoring shall have the capability to allow the threshold monitoring notification target to receive the threshold crossing notifications.

5.2.15 Requirements for MnS responsible for KPI production

REQ-KJCS_FUN-1 The management service producer responsible for KPI production shall have the capability allowing its authorized consumer to request production of KPI(s) of one or more object instance(s).

REQ-KJCS_FUN-2 The management service producer responsible for KPI production shall have the capability allowing its authorized consumer to indicate the reporting method (i.e. by performance data file or by performance data streaming) for the KPI(s).

REQ-KJCS_FUN-3 The management service producer responsible for KPI production shall have the capability to produce KPI(s) of one or more object instance(s) according to request of its authorized consumer.

REQ-KJCS_FUN-4 The management service producer responsible for KPI production shall have the capability allowing its authorized consumer to request termination of the production of KPI(s).

REQ-KJCS_FUN-5 The management service producer responsible for KPI production shall have the capability allowing its authorized consumer to query the information which KPI jobs are ongoing.

5.2.16 Requirements for performance management supporting multiple tenants

REQ-PM_NSI-FUN-1 The network slice performance data provider shall have the capability to allow its authorized consumer(s) acting the role of tenant to obtain its own network slice performance data in the Network Slice as a Service scenario.

6. Performance assurance specific operations and notifications

6.1 Measurement job control related operations

6.1.1 Operation createMeasurementJob (M)

6.1.1.1 Definition

This operation supports the authorized consumer to request the procedure of measurement job control related MnS or KPI job control related MnS to create a measurement job.

One measurement job can collect the value of one or multiple measurement types which are the performance measurements and assurance data defined in TS 28.552 [2], or collect the value of one or multiple KPIs defined in TS 28.554 [21].

When a measurement type or KPI is collected by one measurement job for a given instance (e.g., an NF instance or a subnetwork instance), another measurement job creation request which wants to collect the same measurement type or

KPI for the same instance with different granularity period may be rejected. This behaviour shall be consistent for a given implementation by a specific management service producer.

There are two different methods for the performance data to be reported:

- Performance data file method: In this method the performance data is accumulated for certain time before it is reported; the data will be delivered as a file.

- Performance data streaming method: In this method, the performance data streaming producer, when the performance data are ready, sends the performance data to the consumer (i.e., stream target). The volume of the performance data reported by streaming is expected to be small, and the Granularity period of the performance data stream needs to be configurable and is expected to be short.

6.1.1.2 Input parameters

Parameter Name	Qualifier	Information type	Comment
iOCName	M	The IOC name defined of the NRMs (e.g., as defined in TS 28.541 [3]), or the class name defined locally in the performance data related specifications (e.g., TS 28.552 [2], TS 28.554 [21]).	It specifies one object class name. The consumer requests to collect one or more measurement type(s) of the instances of this class.
iOCInstanceList	M	List of DN	It specifies the list of DNs of object instances whose measurements or KPIs of the corresponding type(s) are to be collected. An empty list means that for all instances (including the object instances existing at the time of measurement job creation, and the instances added later) known by the management service producer the measurements or KPIs will be collected. If the MnS consumer represents a tenant, the object instances to be collected measurements should satisfy the conditions listed in Clause 4.4.
measurementCategoryList	M	List of measurement type names (see TS 28.552 [2]) or KPI names (see TS 28.554 [21]).	It specifies the measurement type(s) or KPI(s) to be measured. If the measurement job is for the collection of performance measurement(s), the elements of the measurementCategoryList shall be one of the following forms: - The form "family.measurementName.subcounter" can be used in order to retrieve a specified subcounter of a measurement type. - The form "family.measurementName" can be used in order to retrieve a specific measurement type. In case the measurement type includes subcounters, all subcounters will be retrieved. - The form "family" can be used in order to retrieve all measurement types in this family. If the measurement job is for the collection of KPI(s), the elements of the measurementCategoryList shall be the KPI name defined in TS 28.554 [21].
reportingMethod	M	The reporting method of the collected performance data.	It specifies the method for the collected performance data to be reported. One of the following methods can be selected: - by performance data file - by performance data streaming (optional).
granularityPeriod	M	The period between generation of two successive measurements.	The management service producer will produce the value of the measurements or KPIs at the end of each granularityPeriod. For performance measurements collection: If the reportingMethod is performance data file reporting: - The value of granularityPeriod can be 5 minutes, 15 minutes, 30 minutes, 1 hour, 12 hours or 24 hours or other values (see Note 1 below). If the reportingMethod is performance data streaming: - The value of granularityPeriod is an integer value in seconds (see Note 1 below). For KPIs collection: - The value of granularityPeriod can be 5 minutes, 15 minutes, 30 minutes, 1 hour, 12 hours or 24 hours or other values (see Note 1 below).

Parameter Name	Qualifier	Information type	Comment
reportingPeriod	M	The period between two successive performance data reporting.	Applicable when the reportingMethod is performance data file reporting. The performance data report(s) are produced when the reporting period arrives. The reportingPeriod shall be one or multiple of granularityPeriod. The measurement or KPI value of each granularityPeriod will be made available to the performance data reporting related service producer, who will prepare the performance data file(s) for each reportingPeriod. If the consumer has subscribed to the notifyFileReady and notifyFilePreparationError notifications from the performance data reporting related service producer, the consumer will receive the notifications about the result of the performance data file preparation from that producer with the interval as defined by reportPeriod;
startTime	O	It specifies the begin time from which the measurement job will be active.	All values that indicate valid timestamp. Default value is "start now". If startTime is in the past, the current time will be used and the job will start immediately. When a measurement job becomes active, it does not mean that the measurement job immediately starts generation of the measurements or KPIs. The consumer can set the detailed time frame (e.g. dailySchedule or weeklySchedule) by schedule parameter for a measurement job to generate the measurements or KPIs. If there is no time frame scheduled, the measurement job immediately starts generation of the measurements or KPIs when it becomes active.
stopTime	O	It specifies the end time after which the measurement job will be stopped.	The value indicates valid timestamp and shall be later than startTime and current time. This attribute may carry the value "indefinitely". Default value is to run indefinitely.
schedule	O	It specifies the detailed time frames (within the startTime and stopTime) during which the measurement job is active and monitors the measurement type(s) or KPI(s).	Its value is only one of the following, dailyScheduling or weeklyScheduling. The legal values for them refer to ITU-T Recommendation X.721 [4]. The legal values for them are as follows. dailyScheduling: {{ intervalStart {hour 0, minute 0}, intervalEnd {hour 23, minute 59}}} weeklyScheduling: {{ daysOfWeek '1111111'B, intervalsOfDay dailyScheduling}} Default value is "daily".
streamTarget	M	It specifies the target of performance data streams carrying the performance data stream unit(s).	Applicable when the reportingMethod is performance data streaming.
priority	O	It specifies the priority of measurement job	Its value should be one of the following: Low, Medium, High Default value is “Medium”
reliability	O	It specifies the reliability of measurement job	Its value is vendor specific. See NOTE 2.

NOTE 1: The granularityPeriod defines the measurement or KPI data production rate. The supported rates are dependent on the capacity of the producer involved (e.g. the processing power of the producer, number of measurements or KPIs being collected by the producer at the time, the complexity of the measurement type or KPI involved etc) and therefore, it cannot be standardized for all producers involved. The supported rates can only reflect the negotiated agreement between producer and the consumer involved.
NOTE 2: meaning of “reliability” is not defined in the present document.

6.1.1.3 Output parameters

Parameter Name	Qualifier	Matching Information	Comment
jobId	M	It identifies the measurement job instance (and distinguishes it from all other ongoing and stopped measurement job instances that have been created for the subject consumer).	Unique identifier of the measurement job from all the ongoing and stopped Measurement jobs that have been created for the subject consumer.
unsupportedList	M	List of < iOC instance, measurement type or KPI name, reason >	To create a measurement job, best-effort is required. The parameter of 'unsupportedList' has to be returned if status = PartialSuccess. The reason can be any of: - Measurement type or KPI name is unknown. - Measurement type or KPI name is invalid. - Measurement type or KPI name is not supported in the specific implementation. - Measurement type or KPI name is already monitored for the IOC instance with a different granularityPeriod. - The related IOC instance is unknown (e.g. it does not exist at the time of this operation invocation). - Insufficient capacity to monitor the related IOC instance(s). - (For KPI only) At least one related measurement job is not activated. - The object instance listed in iOCInstanceList does not satisfy the condition in clause 4.4 in multiple tenant environment.
status	M	ENUM (Success, Failure, PartialSuccess)	An operation may fail because of a specified or unspecified reason.

6.1.1.4 Exceptions

Exception Name	Definition
invalidStartTime	**Condition:** startTime is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
invalidStopTime	**Condition:** stopTime is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
invalidSchedule	**Condition:** schedule is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
invalidReportingMethod	**Condition:** reportingMethod is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
invalidGranularityPeriod	**Condition:** granularityPeriod is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
invalidReportingPeriod	**Condition:** reportingPeriod is invalid. **Returned Information:** Name of the exception; status is set to 'Failure'.
highWorkLoad	**Condition:** no sufficient capacity **Returned Information:** Name of the exception and the detailed reason which is one of: CpuBusy; DiskShortage, LowMemory, maxJobReached, otherReason; status is set to 'Failure'.
noValidMeasurementType	**Condition:** all measurement type or KPI names are invalid (i.e. none of the measurement type or KPI names are valid). **Returned information:** output parameter status is set to 'Failure'.
invalidPriority	**Condition:** priority is invalid. **Returned Information:** Name of the exception; status is set to ‘Failure'.
invalidReliability	**Condition:** reliability is invalid. **Returned Information:** Name of the exception; status is set to ‘Failure'.
lackofMeasurementJobs	**Condition:** At least one related measurement job is not activated. **Returned Information:** Name of the exception and the name(s) of the measurement(s) whose job is not activated; status is set to ‘Failure'.

6.1.2 Operation stopMeasurementJob (M)

6.1.2.1 Definition

This operation supports the authorized consumer to request the measurement job control related service producer to terminate a measurement job.

Whether the measurement job is removed from the management service producer is vendor specific and out of scope of the present document.

The measurement job shall be stopped at the end of the `granularityPeriod`.

After the job has been stopped, the performance data reporting related notification (i.e. `notifyFileReady` or `notifyFilePreparationError`) and the performance data stream unit(s) for the last `granularityPeriod` shall be emitted, by the performance data reporting related service producer immediately.

6.1.2.2 Input parameters

Parameter Name	Qualifier	Information type	Comment
`jobId`	M	See subclause 6.1.1.3	It specifies the measurement job to be stopped.

6.1.2.3 Output parameters

Parameter Name	Qualifier	Matching Information	Comment
`Status`	M	ENUM (Success, Failure)	An operation may fail because of a specified or unspecified reason.

6.1.2.4 Exceptions

Exception Name	Definition
`unknownJob`	**Condition:** the `jobId` does not exist. **Returned information:** output parameter status is set to 'Failure'.
`jobCannotBeStopped`	**Condition:** the measurement job cannot be stopped. **Returned information:** output parameter status is set to 'Failure'.

6.1.3 Operation listMeasurementJobs (M)

6.1.3.1 Definition

This operation supports the authorized consumer to request the measurement job control related service producer to list the information of all or a set of specified ongoing measurement jobs.

6.1.3.2 Input parameters

Parameter Name	Qualifier	Information type	Comment
`jobIdList`	M	List of `jobId` of the measurement jobs	This parameter specifies the criteria to list the measurement jobs. If the parameter specifies the list of `jobId` to be retrieved, then the corresponding information of measurement jobs will be returned. If the parameter contains no information, all the measurement jobs are retrieved.

6.1.3.3 Output parameters

Parameter Name	Qualifier	Matching Information	Comment
jobInfoList	M	List of <attributes (refer to input and output parameter of operation createMeasurementJob in clause 6.1.1.2 and clause 6.1.1.3) of measurement job: - jobId - iOCName - iOCInstanceList - measurementCategoryList - granularityPeriod - reportingMethod - reportingPeriod - startTime - stopTime - streamTarget - schedule - priority - reliability>	Returned information of corresponding Measurement Jobs matching the input criteria. If no match, then the length of the jobInfolist will be 0 (with status == Success). If the measurement job is created using non-empty iOCInstanceList in createMeasurementJob, then iOCInstanceList here shall contain the DNs of the supported IOC instances. If the measurement job is created using empty iOCInstanceList, then iOCInstanceList here shall be empty as well.
status	M	ENUM (Success, Failure)	An operation may fail because of a specified or unspecified reason.

6.1.3.4 Exceptions

Exception Name	Definition
invalidJobIdList	**Condition:** jobIdList specified in the input parameter is valid. **Returned information:** output parameter status is set to 'Failure'.

6.2 Performance data streaming related operations

See 3GPP TS 28.532 [7].

6.3 Performance threshold monitoring related operations and notifications

See 3GPP TS 28.532 [7].

7. Performance assurance services components

7.1 Measurement job control services

The components of measurement job control services for NFs, NSSIs, NSIs and networks/sub-networks are listed in table 7.1-1.

Table 7.1-1: Components of measurement job control services

Management service	Management service component type A	Management service component type B	Management service component type C
Measurement job control services for NFs	createMeasurementJob stopMeasurementJob listMeasurementJobs	IOCs for 5G NFs, as defined in TS 28.541 [3]	Performance measurements and assurance data for 5G NFs, as defined in TS 28.552 [2].
Measurement job control services for NSSIs	createMeasurementJob stopMeasurementJob listMeasurementJobs	IOC(s) for NSSI, as defined in TS 28.541 [3].	Performance measurements and assurance data for NSSI, as defined in TS 28.552 [2].
Measurement job control services for NSIs	createMeasurementJob stopMeasurementJob listMeasurementJobs	IOC(s) for NSI, as defined in TS 28.541 [3]	Performance measurements and assurance data for NSI, as defined in TS 28.552 [2].
Measurement job control services for sub-networks	createMeasurementJob stopMeasurementJob listMeasurementJobs	IOC(s) for sub-network, as defined in TS 28.541 [3]	Performance measurements and assurance data for sub-network, as defined in TS 28.552 [2].

7.2 Performance data file reporting services

The components of performance data file reporting services for NFs, NSSIs, NSIs and networks/sub-networks are listed in table 7.2-1.

Table 7.2-1: Components of performance data file reporting services

Management service	Management service component type A	Management service component type B	Management service component type C
Performance data file reporting services for NFs	notifyFileReady (see TS 28.532 [7]	IOCs for 5G NFs, as defined in TS 28.541 [3]	Performance measurements for 5G NFs, as defined in TS 28.552 [2].
	notifyFilePreparationError (see TS 28.532 [7]		
	listAvailableFiles (see TS 28.532 [7]		
	subscribe (see TS 28.532 [7])		
	unsubscribe (see TS 28.532 [7])		
Performance data file reporting services for NSSIs	notifyFileReady (see TS 28.532 [7]	IOC(s) for NSSI, as defined in TS 28.541 [3].	Performance measurements for NSSI, as defined in TS 28.552 [2].
	notifyFilePreparationError (see TS 28.532 [7]		
	listAvailableFiles (see TS 28.532 [7]		
	subscribe (see TS 28.532 [7])		
	unsubscribe (see TS 28.532 [7])		
Performance data file reporting services for NSIs	notifyFileReady (see TS 28.532 [7]	IOC(s) for NSI, as defined in TS 28.541 [3].	Performance measurements for NSI, as defined in TS 28.552 [2].
	notifyFilePreparationError (see TS 28.532 [7]		
	listAvailableFiles (see TS 28.532 [7]		
	subscribe (see TS 28.532 [7])		
	unsubscribe (see TS 28.532 [7])		
Performance data file reporting services for sub-networks	notifyFileReady (see TS 28.532 [7]	IOC(s) for sub-network, as defined in TS 28.622 [5].	Performance measurements for sub-network, as defined in TS 28.552 [2].
	notifyFilePreparationError (see TS 28.532 [7]		
	listAvailableFiles (see TS 28.532 [7]		
	subscribe (see TS 28.532 [7])		
	unsubscribe (see TS 28.532 [7])		

7.3 Performance data streaming services

The components of performance data streaming services for NFs, NSSIs, NSIs and networks/sub-networks are listed in table 7.3-1.

Table 7.3-1: Components of performance data streaming services

Management service	Management service component type A	Management service component type B	Management service component type C
Performance data streaming service for NFs	The following operations defined in TS 28.532 [7]: establishStreamingConnectioncreateMeasurementJob; terminateStreamingConnection; stopMeasurementJob; reportStreamData;listMeasurementJobs getConnectionInfo; getStreamInfo; addStream; deleteStream.	IOCs for 5G NFs, as defined in TS 28.541 [3]	Performance measurements and KPIs for 5G NFs, as defined in TS 28.552 [2] and TS 28.554 [21].
Performance data streaming service for NSSIs	The following operations defined in TS 28.532 [7]: establishStreamingConnection; terminateStreamingConnection; reportStreamData; getConnectionInfo; getStreamInfo; addStream; deleteStream.createMeasurementJob; stopMeasurementJob; listMeasurementJobs	IOC(s) for NSSI, as defined in TS 28.541 [3].	Performance measurements and KPIs for NSSI, as defined in TS 28.552 [2] and TS 28.554 [21].
Performance data streaming service for NSIs	The following operations defined in TS 28.532 [7]: establishStreamingConnection; terminateStreamingConnection; reportStreamData; getConnectionInfo; getStreamInfo; addStream; deleteStream.createMeasurementJob; stopMeasurementJob; listMeasurementJobs	IOC(s) for NSI, as defined in TS 28.541 [3].	Performance measurements and KPIs for NSI, as defined in TS 28.552 [2] and TS 28.554 [21].
Performance data streaming service for sub-networks	The following operations defined in TS 28.532 [7]: establishStreamingConnection; terminateStreamingConnection; reportStreamData; getConnectionInfo; getStreamInfo; addStream; deleteStream.createMeasurementJob; stopMeasurementJob; listMeasurementJobs	IOC(s) for sub-network, as defined in TS 28.622 [5].	Performance measurements and KPIs for sub-network, as defined in TS 28.552 [2] and TS 28.554 [21].

7.4 Management service for performance threshold monitoring

The components of management service for performance threshold monitoring for NFs, are listed in table 7.4-1.

Table 7.4-1: Components of management service for performance threshold monitoring

Management service	Management service component type A	Management service component type B	Management service component type C
Performance threshold monitoring for NFs	`createMOI` operation (see TS 28.532 [7])		Performance measurements for 5G NFs, as defined in TS 28.552 [2].
	`getMOIAttributes` operation (see TS 28.532 [7])		

	modifyMOIAttributes operation (see TS 28.532 [7])	<<IOC>>ThresholdMonitoringCapability, and <<IOC>>ThresholdMonitoring, as defined in TS 28.622 [5]	
	deleteMOI operation (see TS 28.532 [7])		
	notifyThresholdCrossing notification (see TS 28.532 [7])		

7.5 MnS responsible for KPI job control

The components of MnS responsible for KPI job control are listed in table 7.5-1.

Table 7.5-1: Components of MnS responsible for KPI job control

Management service	Management service component type A	Management service component type B	Management service component type C
MnS responsible for KPI job control	createMeasurementJob	IOCs for 5G network resources, as defined in TS 28.541 [3]	Key Performance Indicators (KPIs), as defined in TS 28.554 [21].
	stopMeasurementJob		
	listMeasurementJobs		

7.6 Management service components used for configurable performance measurement control

The MnS components used for configurable performance measurement control are listed in table 7.6-1. The configurable performance measurement control approach and measurement job control service described in clause 7.1 are two alternative solutions used for controlling performance measurement.

Table 7.6-1: MnS components used for configurable performance measurement control

Management purpose	Management service component type A	Management service component type B
Configurable performance measurement control for NE/NF	Following operations/notifications defined in Clause 11.1.1 in TS 28.532[7]: Operations: - createMOI - getMOIAttributes - modifyMOIAttributes - deleteMOI Notifications: - notifyMOICreation - notifyMOIAttributeValueChanges - notifyMOIDeletion - notifyMOIChanges	Following IOCs defined in performance measurement control NRM fragment in TS 28.622 [5] /TS 28.541[3]: -PerfMetricJob -ManagedElement or concrete ManagedFunction
Configurable performance measurement control for NetworkSlice	Following operations/notifications defined in Clause 11.1.1 in TS 28.532[7]: Operations: - createMOI - getMOIAttributes - modifyMOIAttributes - deleteMOI Notifications: - notifyMOICreation - notifyMOIAttributeValueChanges - notifyMOIDeletion - notifyMOIChanges	Following IOCs defined in performance measurement control NRM fragment in TS 28.622 [5] /TS 28.541[3]: PerfMetricJob -NetworkSlice
Configurable performance measurement control for NetworkSliceSubnet	Following operations/notifications defined in Clause 11.1.1 in TS 28.532[7]: Operations: - createMOI - getMOIAttributes - modifyMOIAttributes - deleteMOI Notifications: - notifyMOICreation - notifyMOIAttributeValueChanges - notifyMOIDeletion - notifyMOIChanges	Following IOCs defined in performance measurement control NRM fragment in TS 28.622 [5] / TS 28.541[3]: PerfMetricJob -NetworkSliceSubnet
Configurable performance measurement control for SubNetwork	Following operations/notifications defined in Clause 11.1.1 in TS 28.532[7]: Operations: - createMOI - getMOIAttributes - modifyMOIAttributes - deleteMOI Notifications: - notifyMOICreation - notifyMOIAttributeValueChanges - notifyMOIDeletion - notifyMOIChanges	Following IOCs defined in performance measurement control NRM fragment in TS 28.622 [5]: PerfMetricJob -SubNetwork

8 RESTful HTTP-based solution set of performance measurement job control service specific operations and notifications

8.1 Mapping of operations

8.1.1 Introduction

The IS operations are mapped to SS equivalents according to table 8.1.1-1.

Table 8.1.1-1: Mapping of IS operations to SS equivalents

IS operation	HTTP Method	Resource URI	Qualifier
`createMeasurementJob`	POST	/measJobs	M
`listMeasurementJobs`	GET	/measJobs	M
		/measJobs/{jobId}	M
`stopMeasurementJob`	DELETE	/measJobs/{jobId}	M

8.1.2 Operation `createMeasurementJob`

The IS operation parameters are mapped to SS equivalents according to table 8.1.2-1 and table 8.1.2-2.

Table 8.1.2-1: Mapping of IS operation input parameters to SS equivalents (HTTP POST)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`iOCName`	request body	iOCName	string	M
`iOCInstanceList`	request body	iOCInstanceList	array(uri-Type)	M
`measurementCategoryList`	request body	measurementCategoryList	array(string)	M
`reportingMethod`	request body	reportingMethod	reportingMethodType	M
`granularityPeriod`	request body	granularityPeriod	Integer	M
`reportingPeriod`	request body	reportingPeriod	Integer	M
`startTime`	request body	startTime	dateTime-Type	O
`stopTime`	request body	stopTime	dateTime-Type	O
`schedule`	request body	schedule	ScheduleType	O
`streamTarget`	request body	streamTarget	string	M
`priority`	request body	priority	PriorityType	O
`reliability`	request body	reliability	string	O

Table 8.1.2-2: Mapping of IS operation output parameters to SS equivalents (HTTP POST)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`jobId`	Location header	href	uri-Type	M
`unsupportedList`	response body	unsupportedList	array(unsupportedMeas-Type)	M
`status`	response status codes response body	n/a error	n/a error-ResponseType	M

8.1.3 Operation `listMeasurementJobs`

The IS operation parameters are mapped to SS equivalents according to table 8.1.3-1 and table 8.1.3-2.

Table 8.1.3-1: Mapping of IS operation input parameters to SS equivalents (HTTP GET)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`jobIdList`	Path Query	MeasJobs/{jobId} jobIdList	jobId: string array(string)	O

Table 8.1.3-2: Mapping of IS operation output parameters to SS equivalents (HTTP POST)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`jobInfoList`	response body	data	measJobsRetrieval-ResponseType	O
`status`	response status codes response body	n/a error	n/a error-ResponseType	M

8.1.4 Operation `stopMeasurementJob`

The IS operation parameters are mapped to SS equivalents according to table 8.1.4-1 and table 8.1.4-2.

Table 8.1.4-1: Mapping of IS operation input parameters to SS equivalents (HTTP DELETE)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`jobId`	path	/MeasJobs/{jobId}	jobId:string	M

Table 8.1.4-2: Mapping of IS operation output parameters to SS equivalents (HTTP DELETE)

IS operation parameter name	SS parameter location	SS parameter name	SS parameter type	Qualifier
`status`	response status codes response body	n/a error	n/a error-ResponseType	M

8.2 Resources

8.2.0 Resource structure

Figure 8.2.0-1 shows the resource structure of the performance measurement job control service.



Figure 8.2.0-1: Resource URI structure of the performance measurement job control service

Table 8.2.0-1 provides an overview of the resources and applicable HTTP methods.

Table 8.2.0-1: Resources and methods overview

Resource name	Resource URI	HTTP method	Description
measJobs	/measJobs	GET	Retrieve all or a list of measurement jobs
		POST	Create a measurement job
measJob	/measJobs /{jobId}	GET	Retrieve a measurement job
		DELETE	Stop a measurement job

8.2.1 Resource definitions

8.2.1.1 Void

8.2.1.2 Resource "/measJobs"

8.2.1.2.1 Description

This resource represents a collection of measurement jobs.

8.2.1.2.2 URI

Resource URI = {MnSRoot}/PerfMeasJobCtrlMnS/{MnSVersion}/measJobs

The resource URI variables a defined in the following table.

Table 8.2.1.2.2-1: URI variables

Name	Definition
MnSRoot	See subclause 4.4.3 of TS 32.158 [14]
MnSVersion	See subclause 4.4.3 of TS 32.158 [14]

8.2.1.2.3 HTTP methods

8.2.1.2.3.1 HTTP POST

This method shall support the URI query parameters specified in the following table.

Table 8.2.1.2.3.1-1: URI query parameters supported by the POST method on this resource

Name	Data type	Description	SQ

This method shall support the request data structures, the response data structures and response codes specified in the following table.

Table 8.2.1.2.3.1-2: Data structures supported by the POST request body on this resource

Data type	Description	SQ
measJobCreation-RequestType	The resource representation of the measurement job to be created	M

Table 8.2.1.2.3.1-3: Data structures supported by the POST Response Body on this resource

Data type	Response codes	Description	SQ
measJobCreation-ResponseType	201 Created	In case of success the representation of the created measurement job is returned.	M
	202 Partially created	In case of partial success the representation of the created measurement job with unsupported list is returned.	
error-Type	4xx/5xx	Returned in case of an error	M

8.2.1.2.3.2 HTTP GET

This method shall support the URI query parameters specified in the following table.

Table 8.2.1.2.3.2-1: URI query parameters supported by the GET method on this resource

Name	Data type	Description	SQ
jobIdList	Array (string)	This parameter extends the set of targeted resources beyond the base resource identified with the path component of the URI. No scoping mechanism is specified in the present release.	O

This method shall support the request data structures, the response data structures and response codes specified in the following tables.

Table 8.2.1.2.3.2-2: Data structures supported by the GET request body on this resource

Data type	Description	SQ

Table 8.2.1.2.3.2-3: Data structures supported by the GET response body on this resource

Data type	Response codes	Description	SQ
measJobsRetrieval-ResponseType	200 OK	The resource representations of the measurement job list retrieved.	M
error-ResponseType	4xx/5xx	Returned in case of an error	M

8.2.1.3 Resource "/measJobs/{jobId}"

8.2.1.3.1 Description

This resource represents a measurement job.

8.2.1.3.2 URI

Resource URI = {MnSRoot}/PerfMeasJobCtrlMnS/{MnSVersion}/measJobs/{jobId}

The resource URI variables a defined in the following table.

Table 8.2.1.3.2-1: URI variables

Name	Definition
MnSRoot	See subclause 4.4.3 of TS 32.158 [14]
MnSVersion	See subclause 4.4.3 of TS 32.158 [14]
jobId	The id of the measurement job

8.2.1.3.3 HTTP methods

8.2.1.3.3.1 HTTP GET

This method shall support the URI query parameters specified in the following table.

Table 8.2.1.3.3.1-1: URI query parameters supported by the GET method on this resource

Name	Data type	Description	SQ

This method shall support the request data structures, the response data structures and response codes specified in the following tables.

Table 8.2.1.3.3.1-2: Data structures supported by the GET request body on this resource

Data type	Description	SQ
n/a	n/a	n/a

Table 8.2.1.3.3.1-3: Data structures supported by the GET response body on this resource

Data type	Response codes	Description	SQ
measJobsRetrieval-ResponseType	200 OK	The resource representations of the measurement job retrieved.	M
error-ResponseType	4xx/5xx	Returned in case of an error	M

8.2.1.3.3.2 HTTP DELETE

This method shall support the URI query parameters specified in the following table.

Table 8.2.1.3.3.2-1: URI query parameters supported by the DELETE method on this resource

Name	Data type	Description	SQ

This method shall support the request data structures, the response data structures and response codes specified in the following tables.

Table 8.2.1.3.3.2-2: Data structures supported by the DELETE request body on this resource

Data type	Description	SQ
n/a	n/a	n/a

Table 8.2.1.3.3.2-3: Data structures supported by the DELETE response body on this resource

Data type	Response codes	Description	SQ
n/a	204 No Content	In case of success no message body is returned	M
error-ResponseType	4xx/5xx	Returned in case of an error	M

8.3 Data type definitions

8.3.1 General

Table 8.3.1-1: Data types defined in this specification

Data type	Reference	Description
General types		
dataTime-Type	8.3.8.2	Data type of date and time.
uri-Type	8.3.8.2	The data type of a URI
Types used in paths		
Types used in query parts		
Types used in request bodies		
measJobCreation-RequestType	8.3.6.1	Used in the request body of HTTP POST describing the measurement job to be created
Types used in response bodies		
measJobCreation-ResponseType	8.3.6.2	Used in the response body of HTTP POST describing the measurement job created
measJobsRetrieval-ResponseType	8.3.6.3	Used in the response body of HTTP GET describing the measurement job(s) retrieved
error-ResponseType	8.3.6.4	Used in the response body describing the error.
Types used for resources		
measJobInfo-ResourceType	8.3.6.5	Used for representation of the measurement job information.
Types referenced by the definitions above		
reportingMethod-Type	8.3.8.3	This defines the data type for reporting method.
schedule-Type	8.3.7.1	This defines the data type for schedule.
priority-Type	8.3.8.4	This defines the data type for priority of the measurement job.
unsupportedMeas-Type	8.3.7.5	This defines the data type for the unsupported measurement types for an IOC instance.

Table 8.3.1-2: Data types imported

Data type	Reference	Description

8.3.2 Void

8.3.3 Void

8.3.4 Structured general data types

None.

8.3.5 Structured path data types

None.

8.3.6 Query, message body and resource data types

8.3.6.1 Type measJobCreation-RequestType

Table 8.3.6.1-1: Definition of type measJobCreation-RequestType

Attribute name	Data type	Description	SQ
iOCName	string	The IOC name of the IOC instances for which the measurement job is to be created.	M
iOCInstanceList	array(uri-Type)	The URI(s) of the IOC instances for which the measurement job is to be created.	M
measurementCategoryList	array(string)	The list of measurement type(s) to be measured.	M
reportingMethod	reportingMethod-Type	The reporting method of the measurements to be collected, i.e., by performance data file or by performance data streaming.	M
granularityPeriod	Integer	The granularity period of the measurement job.	M
reportingPeriod	Integer	The reporting period of the measurement job.	M
startTime	dateTime-Type	The begin time from which the measurement job will be active.	O
stopTime	dateTime-Type	The end time after which the measurement job will be stopped.	O
schedule	schedule-Type	The detailed time frames (within the startTime and stopTime) during which the measurement job is active and monitors the measurement type(s).	O
streamTarget	string	The target of performance data streams carrying the performance data stream unit(s).	M
priority	priority-Type	The priority of the measurement job.	O
reliability	string	The reliability of the measurement job.	O

8.3.6.2 Type measJobCreation-ResponseType

Table 8.3.6.2-1: Definition of type measJobCreation-ResponseType

Attribute name	Data type	Description	SQ
unsupportedList	array(unsupportedMeas-Type)	The list of unsupported IOC instances, unsupported measurement types and reason.	M

8.3.6.3 Type measJobsRetrieval-ResponseType

Table 8.3.6.3-1: Definition of type measJobsRetrieval-ResponseType

Attribute name	Data type	Description	SQ
jobInfoList	array(measJobInfo-ResourceType)	The list of measurement job information.	M

8.3.6.4 Type error-ResponseType

Table 8.3.6.4-1: Definition of type error-ResponseType

Attribute name	Data type	Description	SQ
error	object	Key indicating the response body containing an error	M
> errorInfo	string	Attribute allowing to convey error information in string format	M

8.3.6.5 Type measJobInfo-ResourceType

Table 8.3.6.3-1: Definition of type measJobsRetrieval-ResponseType

Attribute name	Data type	Description	SQ
href	uri-Type	The URI of the measurement job.	M
iOCName	string	The IOC name of the IOC instances for which the measurement job created.	M
iOCInstanceList	array(uri-Type)	The URI(s) of the IOC instances for which the measurement job is created.	M
measurementCategoryList	array(string)	The list of measurement type(s) measured.	M
reportingMethod	reportingMethod-Type	The reporting method of the measurements, i.e., by performance data file or by performance data streaming.	M
granularityPeriod	Integer	The granularity period of the measurement job.	M
reportingPeriod	Integer	The reporting period of the measurement job.	M
startTime	dateTime-Type	The begin time from which the measurement job is active.	O
stopTime	dateTime-Type	The end time after which the measurement job will be stopped.	O
schedule	schedule-Type	The detailed time frames (within the startTime and stopTime) during which the measurement job is active and monitors the measurement type(s).	O
streamTarget	string	The target of performance data streams carrying the performance data stream unit(s).	M
priority	priority-Type	The priority of the measurement job.	O
reliability	string	The reliability of the measurement job.	O

8.3.7 Referenced structured data types

8.3.7.1 Type schedule-Type

Table 8.3.7.1-1: Definition of schedule-Type

Attribute name	Data type	Description	SQ
scheduleOption	scheduleOption-Type	It indicates the schedule is daily or weekly	M
dailySchedule	array(timeInterval-Type)	It defines the daily schedule.	M
weeklySchedule	array(scheduleOfDay-Type)	It defines the weekly schedule.	M

8.3.7.2 Type timeInterval-Type

Table 8.3.7.2-1: Definition of timeInterval-Type

Attribute name	Data type	Description	SQ
intervalStart	string	It defines the start time of the schedule, by a string in Time format.	M
intervalEnd	string	It defines the end time of the schedule, by a string in Time format.s	M

8.3.7.3 Type scheduleOfDay-Type

Table 8.3.7.3-1: Definition of scheduleOfDay-Type

Attribute name	Data type	Description	SQ
dayOfWeek	dayOfWeek-Type	It defines the day of a week.	M
intervalsOfDay	array(timeInterval-Type)	It defines the schedule of the day.	M

8.3.7.4 Void

8.3.7.5 Type unsupportedMeas-Type

Table 8.3.7.5-1: Definition of unsupportedMeas-Type

Attribute name	Data type	Description	SQ
iOCInstance	uri-Type	The URI of the IOC instance.	M
measurementTypeName	string	It defines the measurement type name that the IOC Instance as indicated above does not support	M
reason	string	It specifies the reason that measurement type name is not supported by the IOC instance	M

8.3.8 Simple data types and enumerations

8.3.8.1 General

This subclause defines simple data types and enumerations that are used by the data structures defined in the previous subclauses.

8.3.8.2 Simple data types

Table 8.3.8.2-1: Simple data types

Type name	Type definition	Description
dataTime-Type	string	The data type for date and time in “date-time” format.
uri-Type	string	The type of a URI

8.3.8.3 Enumeration reportingMethod-Type

Table 8.3.8.3-1: Enumeration reportingMethod-Type

Enumeration value	Description
file	It indicates that the performance data are to be reported by performance data file.
streaming	It indicates that the performance data are to be reported by performance data streaming.

8.3.8.4 Enumeration priority-Type

Table 8.3.8.4-1: Enumeration priority-Type

Enumeration value	Description
Low	It indicates that the priority of the measurement job is low
medium	It indicates that the priority of the measurement job is medium
high	It indicates that the priority of the measurement job is high

8.3.8.5 Enumeration scheduleOption-Type

Table 8.3.8.5-1: Enumeration scheduleOption-Type

Enumeration value	Description
daily	It indicates the schedule of the measurement job is daily.
weekly	It indicates the schedule of the measurement job is weekly.

8.3.8.6 Enumeration dayOfWeek-Type

Table 8.3.8.6-1: Enumeration dayOfWeek-Type

Enumeration value	Description
Monday	It indicates Monday of a week.
Tuesday	It indicates Tuesday of a week.
Wednesday	It indicates Wednesday of a week.
Thursday	It indicates Thursday of a week.
Friday	It indicates Friday of a week.
Saturday	It indicates Saturday of a week.
Sunday	It indicates Sunday of a week.

9 Void

Annex A (informative):
Void

Annex B (informative): Procedures for performance assurance services

B.1 NF measurement job creation

The Figure B.1-1 illustrates an example of procedure for creating a measurement job for NF(s).



Figure B.1-1: Example of procedure for NF measurement job creation

1a. The authorized consumer invokes the `CreateMeasurementJob` operation (see clause 6.1.1) to NF measurement job control service producer to request creation of a measurement job for NF(s).

2. The NF measurement job control service producer checks if new measurement type(s) need to be collected from the NF(s) to be measured.

3. For each NF to be measured, if new measurements type(s) need to be collected:

   3a. the NF measurement job control service producer requests NF to collect the performance data;

   3b. the NF measurement job control service producer receives the acknowledgement of the request from NF.

1b. The NF measurement job control service producer returns the result of `CreateMeasurementJob` operation (see clause 6.1.1) to the consumer.

If the NF measurement job is successfully created, the NF measurement job control service producer will collect the performance data from the NF(s) accordingly, and make the measurement results available to the NF performance data reporting service producer for each reporting period.

B.2 NSSI measurement job creation

The Figure B.2-1 illustrates an example of procedure for creating a measurement job for NSSI(s).

This procedure is only applicable for the scenario where the NSSI measurement type(s) can be decomposed into the measurement data type(s) of the constituent NSSI(s) and NF(s).



Figure B.2-1: Example of procedure for NSSI measurement job creation

1a. The authorized consumer invokes the `CreateMeasurementJob` operation (see clause 6.1.1) to NSSI measurement job control service producer to request creation of a measurement job for NSSI(s).

2. The NSSI measurement job control service producer decomposes the measurement type(s) of each NSSI to the measurement type(s) of the constituent NSSI(s) and/or NF(s), and checks if new measurement type(s) need to be collected for the constituent NSSI(s) and/or NF(s).

3. For each constituent NSSI to be measured, if new measurements type(s) need to be collected, the NSSI measurement job control service producer acts as consumer of another NSSI measurement job control service instance, and requests the corresponding NSSI measurement job control service producer to request creation of measurement job for the NSSI (following the same procedure as illustrated in this figure).

   It is also possible to create one measurement job to collect the performance data for multiple NSSI(s).

4. For each constituent NF to be measured, if new measurements type(s) need to be collected, the NSSI measurement job control service producer acts as consumer of NF measurement job control service, and requests the corresponding NF measurement job control service producer to request creation of measurement job for the NF (according to the NF measurement job creation procedure as illustrated in clause B.1).

   It is also possible to create one measurement job to collect the performance data for multiple NF(s).

1b. The NSSI measurement job control service producer returns the result of `CreateMeasurementJob` operation (see clause 6.1.1) to the consumer.

If the NSSI measurement job is successfully created, the NSSI measurement job control service producer will collect the performance data for the constituent NSSI(s) and/or NF(s) accordingly, generate the measurement results for the measured NSSI(s) and make the measurement results available to the NSSI performance data reporting service producer for each reporting period.

B.3 NSI measurement job creation

This Figure B.3-1 illustrates an example of procedure for creating a measurement job for NSI(s).

This procedure is only applicable for the scenario where the NSI measurement type(s) can be decomposed into the measurement data type(s) of the constituent NSSI(s) or NF(s).



Figure B.3-1: Example of procedure for NSI measurement job creation

1a. The authorized consumer invokes the `CreateMeasurementJob` operation (see clause 6.1.1) to NSI measurement job control service producer to request creation of a measurement job for NSI(s).

2. The NSI measurement job control service producer decomposes the measurement type(s) of each NSI to the measurement type(s) of the constituent NSSI(s) and/or NF(s), and checks if new measurement type(s) need to be collected for the constituent NSSI(s) and/or NF(s).

3. For each constituent NSSI to be measured, if new measurements type(s) need to be collected, the NSI measurement job control service producer acts as consumer of the NSSI measurement job control service, and requests the corresponding NSSI measurement job control service producer to request creation of measurement job for the NSSI (according to the procedure as illustrated in clause B.2).

   It is also possible to create one measurement job to collect the performance data for multiple NSSI(s).

4. For each constituent NF to be measured, if new measurements type(s) need to be collected, the NSI measurement job control service producer acts as consumer of NF measurement job control service, and requests the corresponding NF measurement job control service producer to request creation of measurement job for the NF (according to the NF measurement job creation procedure as illustrated in clause B.1).

   It is also possible to create one measurement job to collect the performance data for multiple NF(s).

1b. The NSI measurement job control service producer returns the result of `CreateMeasurementJob` operation (see clause 6.1.1) to the consumer.

If the NSI measurement job is successfully created, the NSI measurement job control service producer will collect the performance data for the constituent NSSI(s) and/or NF(s) accordingly, generate the measurement results for the measured NSI(s) and make the measurement results available to the NSI performance data reporting service producer for each reporting period.

B.4 Network measurement job creation

This Figure B.4-1 illustrates an example of procedure for creating a measurement job for network/subnetwork(s).

This procedure is only applicable for the scenario where the network/subnetwork measurement type(s) can be decomposed into the measurement data type(s) of the constituent NF(s).



Figure B.4-1: Example of procedure for network measurement job creation

1a. The authorized consumer invokes the `CreateMeasurementJob` operation (see clause 6.1.1) to network measurement job control service producer to request creation of a measurement job for network/subnetwork(s).

1b. The network measurement job control service producer returns the result of `CreateMeasurementJob` operation (see clause 6.1.1) to the consumer.

2. The network measurement job control service producer decomposes the measurement type(s) of each network/subnetwork to the measurement type(s) of the constituent NF(s), and checks if new measurement type(s) need to be collected for the constituent NF(s).

3. For each constituent NF to be measured, if new measurements type(s) need to be collected, the network/sub-network measurement job control service producer acts as consumer of NF measurement job control service, and

requests the corresponding NF measurement job control service producer to request creation of measurement job for the NF (according to the NF measurement job creation procedure as illustrated in annex B.1).

It is also possible to create one measurement job to collect the performance data for multiple NF(s).

If the network measurement job is successfully created, the network measurement job control service producer will collect the performance data for the constituent NF(s) accordingly, generate the measurement results for the measured network/subnetwork(s) and make the measurement results available to the network performance data reporting service producer for each reporting period.

B.5 NF measurement job termination

This Figure B.5-1 illustrates an example of procedure for stopping a measurement job for NF(s).



Figure B.5-1: Example of procedure for NF measurement job termination

1a. The authorized consumer invokes the `StopMeasurementJob` operation (see clause 6.1.2) to NF measurement job control service producer to request termination of a measurement job for NF(s).

1b. The NF measurement job control service producer returns the result of `StopMeasurementJob` operation (see clause 6.1.2) to the consumer.

2. The NF measurement job control service producer checks if the measurement collection activity needs to be stopped at the NF(s).

3. For each NF being measured, if the measurement collection activity needs to be stopped at the NF(s),

   3a. the NF measurement job control service producer requests NF to stop collecting the performance data;

3b. the NF measurement job control service producer receives the acknowledgement of the request from NF.

B.6 NSSI measurement job termination

This Figure B.6-1 illustrates an example of procedure for stopping a measurement job for NSSI(s).

This procedure is only applicable for the scenario where the NSSI measurement type(s) can be decomposed into the measurement data type(s) of the constituent NSSI(s) and NF(s).



Figure B.6-1: Example of procedure for NSSI measurement job termination

1a. The authorized consumer invokes the `StopMeasurementJob` operation (see clause 6.1.2) to NSSI measurement job control service producer to request termination of a measurement job for NSSI(s).

1b. The NSSI measurement job control service producer returns the result of `StopMeasurementJob` operation (see clause 6.1.2) to the consumer.

2. The NSSI measurement job control service producer checks if the measurement job(s) for the constituent NSSI(s) and/or NF(s) need to be stopped.

3. For each measurement job for the constituent NSSI(s) needs to be stopped, the NSSI measurement job control service producer acts as consumer of another NSSI measurement job control service instance, and requests the corresponding NSSI measurement job control service producer to terminate the measurement job for the constituent NSSI(s) (following the same procedure as illustrated in this figure).

4. For each measurement job for the constituent NF(s) needs to be stopped, the NSSI measurement job control service producer acts as consumer of NF measurement job control service, and requests the corresponding NF measurement job control service producer to terminate the measurement job for the NF(s) (according to the NF measurement job termination procedure as illustrated in clause B.5).

B.7 NSI measurement job termination

This Figure B.7-1 illustrates an example of procedure for stopping a measurement job for NSI(s).

This procedure is only applicable for the scenario where the NSI measurement type(s) can be decomposed into the measurement data type(s) of the constituent NSSI(s) and NF(s).



Figure B.7-1: Example of procedure for NSI measurement job termination

1a. The authorized consumer invokes the `StopMeasurementJob` operation (see clause 6.1.2) to NSI measurement job control service producer to request creation of a measurement job for NSI(s).

1b. The NSI measurement job control service producer returns the result of `StopMeasurementJob` operation (see clause 6.1.2) to the consumer.

2. The NSI measurement job control service producer checks if the measurement job(s) for the constituent NSSI(s) and/or NF(s) need to be stopped.

3. For each measurement job for the constituent NSSI(s) needs to be stopped, the NSI measurement job control service producer acts as consumer of the NSSI measurement job control service, and requests the corresponding

NSSI measurement job control service producer to terminate the measurement job for the constituent NSSI(s) (according to the NSSI measurement job termination procedure as illustrated in clause B.6).

4. For each measurement job for the constituent NF(s) needs to be stopped, the NSI measurement job control service producer acts as consumer of NF measurement job control service, and requests the corresponding NF measurement job control service producer to terminate the measurement job for the NF(s) (according to the NF measurement job termination procedure as illustrated in clause B.5).

B.8 Network measurement job termination

This Figure B.8-1 illustrates an example of procedure for stopping a measurement job for network/subnetwork(s).

This procedure is only applicable for the scenario where the network/subnetwork measurement type(s) can be decomposed into the measurement data type(s) of the constituent NF(s).



Figure B.8-1: Example of procedure for network measurement job creation

1a. The authorized consumer invokes the `StopMeasurementJob` operation (see clause 6.1.2) to network measurement job control service producer to request termination of a measurement job for network/subnetwork(s).

1b. The network measurement job control service producer returns the result of `StopMeasurementJob` operation (see clause 6.1.2) to the consumer.

2. The network measurement job control service producer checks if the measurement job(s) for the constituent NF(s) need to be stopped.

3. For each measurement job for the constituent NF(s) needs to be stopped, the network measurement job control service producer acts as consumer of NF measurement job control service, and requests the corresponding NF measurement job control service producer to terminate the measurement job for the NF(s) (according to the NF measurement job termination procedure as illustrated in clause B.5).

Annex C (normative): Performance Data Stream Unit content description

Table C-1 lists all the Performance Data Stream Unit content items. It also provides an explanation of the individual items.

Table C-1: Performance Data Stream Unit content description

Performance Data Stream Unit Content		Description
Data Content	streamId	The streamId of the performance data stream.
	granularityPeriodEndTime	Time stamp referring to the end of the granularity period.
	measResults	This parameter contains the sequence of result values for the observed measurement types or KPIs. The "measResults" sequence shall have the same number of elements, which follow the same order as the measurement types or KPIs presented in "`performanceMetrics`" for the subject stream in the input parameter `streamInfoList` of the `establishStreamingConnection` operation (see clause 6.2).
Info Content	streamType	This carries the information of the kind of data a stream is carrying and this would have the value "PERFORMANCE".
	SerializationFormat	This indicates the format of the serioalization, it can contain "ASN.1" or "GPB".
	streamId	This contains the id of the stream.
	measObjDns	This contains the DNs of the measured objects that are reported as part of this stream.
	performanceMetrics	This contains the performance measurements that are reported by this stream.

Annex D (informative): Performance data streaming holistic sequence

D.1 Performance data streaming for starting measurement collection

D.1.1 Sequence flow

This annex shows the holistic sequence for performance data streaming, starting from starting the measurement collection (by job or configuration) to sending the performance data to the performance data streaming consumer (stream target).



Figure D.1.1-1

1. The consumer of MnS for measurement control requests the MnS producer to start the measurement collection by the following two alternatives:

   1) by the measurement job control service

      1a. The MnS consumer invokes the `createMeasurementJob` operation towards the MnS producer;

   2) by the configurable measurement control service (a.k.a, NRM fragment-based measurement control service).

      1b. The MnS consumer creates a new `PerfMetricJob` MOI, by invoking the `createMOI` operation towards the MnS producer; or

      1c. The MnS consumer modifies an existing `PerfMetricJob` MOI to add new measurements to be collected, by invoking the `modifyMOIAttributes` operation towards the MnS producer.

2. The producer of MnS for measurement control configures the NF to collect the measurements. The mechanism of this step is vendor specific. If producer of MnS for measurement control is in the NF, this step can be skipped.

3. The NF triggers the producer of MnS for performance data streaming to set up the streaming information for the new measurements to be collected. The mechanism of this step is vendor specific. If producer of MnS for performance data streaming is in the NF, this step can be skipped.

4. The producer of MnS for performance data streaming communicates with the consumer to:

   4a. establish the streaming (WebSocket) connection containing the stream information if it does not exist yet, by invoking the `establishStreamingConnection` operation;

   4b. add the stream information for the new measurements if they will be reported by new streams, by invoking the `addStreamInfo` operation;

   4c. update the stream information for the new measurements if they will be reported by existing streams, by invoking the `updateStreamInfo` operation.

5. The NF collects the measurements. This step is the internal behaviour of the NF.

6. The NF report the collected measurements to the producer of MnS for performance data streaming. The mechanism of this step is vendor specific. If producer of MnS for performance data streaming is in the NF, this step can be skipped.

7. The producer of MnS for performance data streaming sends the collected measurements to the consumer via performance data streams, by invoking the `reportStreamData` operation.

D.1.2 PlantUML codes

```
@startuml
skinparam shadowing false
skinparam monochrome true
hide footbox

participant "Consumer of MnS for\n measurement control" as MC
participant "Producer of MnS for\n measurement control" as MP
participant "NF" as NF
participant "Producer of MnS for\n performance data streaming" as SP
participant "Consumer of MnS for\n performance data streaming" as SC

alt Measurement job control service
else configurable measurement control service (i.e., NRM fragment based MnS)
alt create new MOI for collecting measurements
MC -> MP : 1b. createMOI\n(for PerfMetricJob IOC)
Else update existing MOI for collecting new measurements
MC -> MP : 1c. modifyMOIAttributes\n(for PerfMetricJob MOI) end
end

MP --> NF: 2. Configure measurement\n collection (proprietory)

activate NF
NF --> SP: 3. Set up streaming information\n for new measurements (proprietory)
alt No streaming(WebSocket) connection exists
SP->SC: 4a. establishStreamingConnection()

else Streaming (WebSocket) connection exists
alt add new stream(s)
SP->SC: 4b. addStreamInfo()
else update existing stream(s)
SP->SC: 4c. updateStreamInfo()
end
end

Loop while measurement collection\n is active
NF->NF: 5. Collect measurements
NF --> SP: 6. Report measurements\n (proprietory)
SP -> SC: 7. reportStreamData()
end

@enduml
```

D.2 Performance data streaming for stopping measurement collection

D.2.1 Sequence flow

This annex shows the holistic sequence for performance data streaming in connection with the measurement collection termination.



Figure D.2.1-1

1. The consumer of MnS for measurement control requests the MnS producer to stop the measurement collection by the following two alternatives:

   1) by the measurement job control service

      1a. The MnS consumer invokes the `stopMeasurementJob` operation towards the MnS producer;

   2) by the configurable measurement control service (a.k.a, NRM fragment-based measurement control service)

      1b. The MnS consumer deletes the `PerfMetricJob` MOI , by invoking the `deleteMOI` operation towards the MnS producer;

      1c. The MnS consumer modifies the `PerfMetricJob` MOI with deletion of the measurements that do not need to be collected anymore, by invoking the `modifyMOIAttributes` operation towards the MnS producer.

2. The producer of MnS for measurement control requests the NF to stop collecting the measurements. The mechanism of this step is vendor specific. If producer of MnS for measurement control is in the NF, this step can be skipped.

3. The NF stops collecting the measurements. This step is the internal behaviour of the NF.

4. The NF triggers the producer of MnS for performance data streaming to terminate streaming for the measurements. The mechanism of this step is vendor specific. If producer of MnS for performance data streaming is in the NF, this step can be skipped.

5. The producer of MnS for performance data streaming communicates with the consumer to:

   5a. terminate the streaming (WebSocket) connection if no measurements need to be reported to the consumer anymore, by invoking the `terminateStreamingConnection` operation;

   5b. delete the information for the stream(s) obsoleted due to the termination of the measruements collection if the streaming connection still needs to be retained, by invoking the `deleteStreamInfo` operation;

   5c. update the information for the stream(s) partially affected by the termination of the measurements collection, by invoking the `updateStreamInfo` operation.

D.2.2 PlantUML codes

```
@startuml
skinparam shadowing false
skinparam monochrome true
hide footbox

participant "Consumer of MnS for\n measurement control" as MC
participant "Producer of MnS for\n measurement control" as MP
participant "NF" as NF
participant "Producer of MnS for\n performance data streaming" as SP
participant "Consumer of MnS for\n performance data streaming" as SC

alt Measurement job control service
MC -> MP : 1a. stopMeasurementJob\n(jobId)
else configurable measurement job control service (i.e., NRM fragment based MnS)
alt delete the MOI to terminate measurements collection
MC -> MP : 1b. deleteMOI\n(for PerfMetricJob MOI)
Else update existing MOI to terminate measurements collection
MC -> MP : 1c. modifyMOIAttributes\n(for PerfMetricJob MOI) end
end

MP --> NF: 2. terminate measurement\n collection (proprietory)

NF -> NF: 3. stop collecting the measurements
NF --> SP: 4. terminate streaming for the\n measurements (proprietory)
alt Streaming (WebSocket) connection is not needed anymore\n (e.g., no measurements need to be
reported to the stream target)
SP->SC: 5a. terminateStreamingConnection()

else Streaming (WebSocket) connection is still needed
alt delete the obsolete stream(s)
loop For all of streams need to be deleted
SP->SC: 5b. deleteStreamInfo()
end
else update existing stream(s)
SP->SC: 5c. updateStreamInfo()
end
end

@enduml
```

Annex E (normative): OpenAPI specification

E.1 Introduction

This clause describes the capabilities of the Management Services in the structure of the OpenAPI Specification Version 3.0.1. The OpenAPI document is represented in the YAML format option.

The OpenAPI/YAML definitions are specified in 3GPP Forge, refer to clause 4.3 of TS 28.623 [25] for the Forge location. An example of Forge location is: "https://forge.3gpp.org/rep/sa5/MnS/-/tree/Tag_Rel18_SA104/".

Directory: OpenAPI

File: TS28550_PerMeasJobCtlMnS.yaml

E.2 OpenAPI document " TS28550_PerMeasJobCtlMnS.yaml"

Note that clause E.1 includes the location of TS28550_PerMeasJobCtlMnS.yaml.

E.3 Void

Annex F (normative): Threshold crossing notifications triggering

F.1 Threshold crossing notifications triggering for cumulative counters

For the threshold monitoring of performance measurements that are cumulative counters, the notification notifyThresholdCrossing is emitted immediately when the cumulative counter of measured events reached the threshold, without waiting to the end of the monitoring granularity period (GP).



Figure F.1-1: Threshold crossing notifications triggering for cumulative counters

F.2 Threshold crossing notifications triggering for measurements that are not cumulative counters

For the threshold monitoring of performance measurements that are not cumulative counters, the notification notifyThresholdCrossing is emitted at the end of the monitoring granularity period (GP) if the measurement value reached or crossed the threshold.

The threshold crossing notification event time field indicates the time during the Monitoring GP that the threshold was crossed.



Figure F.2-1: Threshold crossing notifications triggering for measurements that are not cumulative counters

Thresholds configured in both directions would emit the following notifications:

Notifications are emitted for Threshold #1 (T1) and Threshold #2 (T2) at end of Monitoring GP 1.

Notifications are emitted for Threshold #2 (T3) and Threshold #1 (T4) at end of Monitoring GP 2.

Notifications are emitted for Threshold #1 (T5) and Threshold #2 (T6) at end of Monitoring GP 3.

Annex G (normative): ASN.1 definition for performance data stream units

G.1 ASN.1 definition rule

For performance data streaming, the type of WebSocket Data frame shall be binary (with opcode of 0x2).

This clause specifies the abstract syntax notation one (ASN.1) definition for the Performance Data Stream Units (see Annex C) as Payload data of WebSocket Data frame.

The Performance Data Stream Units are described using ASN.1 as specified in ITU-T Rec. X.680 [15] and X.681 [16]. Transfer syntax for Performance Data Stream Units is derived from their ASN.1 definitions by use of Packed Encoding Rules (PER), aligned as specified in ITU-T Rec. X.691 [17].

The following encoding rules apply in addition to what has been specified in ITU-T Rec. X.691 [17]:

- When a bit string value is placed in a bit-field as specified in clause 15.6 to 15.11 in ITU-T Rec X.691 [c], the leading bit of the bit string value shall be placed in the leading bit of the bit-field, and the trailing bit of the bit string value shall be placed in the trailing bit of the bit-field;
- When decoding a BIT STRING or OCTET STRING constrained with a Contents Constraint, PER decoders are required to never report an error if there are extraneous zero or non-zero bits at the end of the BIT STRING or OCTET STRING.
- The PDSU is a choice of the data or info content. Data content contain the measurements. Info content hosts the stream configuration information.

NOTE: The terms 'leading bit' and 'trailing bit' are defined in ITU-T Rec. X.680 [15]. When using the 'bstring' notation, the leading bit of the bit string value is on the left, and the trailing bit of the bit string value is on the right.

G.2 ASN.1 definition

```
-- ASN1START
PerformanceDataStreamUnits-Schema DEFINITIONS AUTOMATIC TAGS ::=
BEGIN
-- PDSUs-START

PDSUs ::=                       SEQUENCE OF PDSU

PDSU ::=  SEQUENCE {
    infoFrameIndicator          BOOLEAN,
....frameContent                 FrameContent }

FrameContent ::= CHOICE {
    infoContent    InfoContent,
    dataContent    DataContent
}

DataContent ::= SEQUENCE {
    streamId                    INTEGER,
    granularityPeriodEndTime    DATE-TIME,
    standardizedMeasResults     SEQUENCE OF MeasValue,
    vendorSpecificMeasResults   SEQUENCE OF MeasValue OPTIONAL -- may be omitted
}

InfoContent ::= SEQUENCE {
    streamType              VisibleString,
    serializationFormat     VisibleString,
    streamId                INTEGER,
    measObjDn               VisibleString,
    performanceMetrics      VisibleString
}

MeasValue ::= CHOICE {
    integerValue   INTEGER,
```

```
    realValue      REAL,
    stringValue    VisibleString,
    subCounters    SubCounterListType,
    ...                                          -- allow extension in futher version
}

-- uses recursion for the value to support multi-dimensional measurements
SubCounterListType ::= SEQUENCE {
    subCounterIndex   SubCounterIndexType,
    subCounterValue   MeasValue OPTIONAL           -- "empty" bins are allowed
}

SubCounterIndexType ::= CHOICE {
    sum       VisibleString ("SUM"),
    binIndex  INTEGER,
    qOS-5QI   INTEGER,
    qOS-QCI   INTEGER,
    cause     INTEGER,
    stringIndex   VisibleString,
    plMN      OCTET STRING (SIZE(3)),            -- definition from TS 38.413
    sNSSAI    SEQUENCE {                         -- definition from TS 38.413
        sst   OCTET STRING (SIZE(1)),
        sd    OCTET STRING (SIZE(3))
    },
    ...                                          -- allow extension in futher version
}

-- PDSUs-STOP
END
-- ASN1STOP
```

Annex H (normative): NSI and NSSI performance assurance

H.1 General

After network slice instance is created, 3GPP management system creates all resources to the NSI and configurations satisfy the network slice requirements, including the performance of NSI requested according to network slice SLS (as part of SLA). In order to guarantee the performance of network slice, NSI modification can be triggered by NSI provisioning service. During the NSI performance supervision, the end to end KPIs defined in TS 28.554 [21], performance measurements defined in TS 28.552[2] and optionally slice QoE provided by NWDAF in 3GPP TS 23.288 [22] should be used for SLA fulfilment evaluation. According to the evaluation result, NSI modification defined in TS 28.531[24] can be triggered for network slice performance assurance.

H.2 Procedure of NSI and NSSI performance assurance

This Figure H.2-1 illustrates the procedure of performance assurance for NSI(s) or NSSI(s).



Figure H.2-1: Example of procedure for NSI and NSSI performance assurance

1. The authorized consumer requests NSMS_Producer to allocate a new NSI. NSMS_Producer consumes provisioning services provided by NSSMS_Producer to create the NSI. After NSI allocation, the NSMS_Producer and NSSMS_Producer perform NSI and NSSI performance supervision.

2. The NSMS_Producer or NSSMS_Producer may get slice QoE analytics provided by NWDAF.

3. The NSMS_Producer or NSSMS_Producer checks whether the performance requirements can be met by NSI or NSSI by utilizing the end to end KPIs defined in TS 28.554 [21], performance measurements defined in TS 28.552[2] and slice QoE analytics provided by NWDAF in 3GPP TS 23.288 [22].

4a. If the performance requirements of NSI cannot be met, the NSMS_Producer triggers the NSI modification procedure. NSMS_Producer modifies the capacity of the network slice, or modifies the network slice configuration to guarantee the performance requirements.

4b. If the performance requirements of NSSI cannot be met, the NSSMS_Producer of CN modifies virtualized resources and the configuration of 5GC NFs to guarantee the performance requirements. NSSMS_Producer of AN reconfigures RRMPolicy to optimize performance.

Annex I (normative): GPB schema for performance data stream units

I.1 Performance Data Stream Units (GPB) schema

Normative GPB schema for Performance Data Stream Units (see Annex C).

```
syntax = "proto3";

import "google/protobuf/timestamp.proto";

message PDSUs {
  message PDSUType {
    message SubCounterIndexType {
      oneof type {
        string sum = 1;
        int32 bin_index = 2;
        int32 qOS_5QI = 3;
        int32 qOS_QCI = 4;
        int32 cause = 5;
        string string_index = 6;
        bytes plmn = 7;
        SNSSAI snssai = 8;
      }

      message SNSSAI {
        bytes sst = 1;
        bytes sd = 2;
      }
    }

    message MeasValue {
      oneof meas_value_type {
        int64 integer_value = 1;
        double real_value = 2;
        string string_value = 3;
        SubCounterListType sub_counters = 4;
      }
    }

    message InfoContent {
      string stream_type = 1;
      string serialization_format = 2;
      int64 stream_id = 3;
      string meas_obj_dn = 4;
      string performance_metrics= 5;
    }

    message DataContent {
      int64 stream_id = 1;
      google.protobuf.Timestamp granularity_period_end_time = 2;
      repeated MeasValue standardized_meas_results = 3;
      repeated MeasValue vendor_specific_meas_results = 4; // may be omitted
    }


    // uses recursion for the value to support multi-dimensional measurements
    message SubCounterListType {
      SubCounterIndexType sub_counter_index = 1;
      optional MeasValue sub_counter_value = 2;
    }


    message FrameContent {
      InfoContent info_content = 1;
      DataContent data_content = 2;
    }

    bool info_frame_indicator = 1;
    FrameContent frame_content = 2;
  }
```

```
  repeated PDSUType pdsu = 1;
}
```

Annex J (Informative): Example of ASN.1 Streaming of PMs

This annex provides an example for ASN.1 schema for Performance Data Stream Units.

```
PDSUs ::= {
    PDSU {
        {
            streamId ::= 123123,
            granularityPeriodEndTime ::= 20230301141430,
            standardizedMeasResults {
                {
                    integerValue ::= 2322
                },
                {
                    realValue ::= 3.1416
                },
                {
                    stringValue ::= "This is example String"
                },
                {
                    subCounters {
                        {
                            subCounterIndex {
                                {
                                    binIndex ::= 1
                                }
                            },
                            subCounterValue {
                                {
                                    integerValue ::= 5441
                                }
                            }
                        }
                    }
                }
            }
        },
        {
            streamId ::= 122323,
            granularityPeriodEndTime ::= 20230301181130,
            standardizedMeasResults {
                {
                    integerValue ::= 1122
                },
                {
                    realValue ::= 55.336
                },
                {
                    stringValue ::= "This is example String"
                },
                {
                    subCounters {
                        {
                            subCounterIndex {
                                {
                                    qOS-5QI ::= 3
                                }
                            }
                        }
                    }
                }
            }
        }
    }
}
```

Annex K (informative): Change history

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2019-03	SA#83	SP-190122	0003	1	F	Add the missing RESTFul API definitions	15.1.0
2019-03	SA#83	SP-190122	0007	1	F	Correction on MDAS	15.1.0
2019-03	SA#83	SP-190111	0004	1	B	Add operations for performance data streaming	16.0.0
2019-06	SA#84	SP-190371	0008	1	B	Add performance threshold monitoring service	16.1.0
2019-09	SA#85	SP-190748	0009	3	A	Add the missing stage 3 solutions for performance data streaming	16.2.0
2019-09	SA#85	SP-190746	0010	-	F	Correction on StreamInfoList	16.2.0
2019-09	SA#85	SP-190748	0012	-	A	Correction on performance data file reporting service components	16.2.0
2019-09	SA#85	SP-190746	0013	-	F	Correction on performance data streaming service components	16.2.0
2019-09	SA#85	SP-190748	0016	1	A	Remove the PM file format	16.2.0
2019-09	SA#85	SP-190746	0027	1	B	NSI and NSSI performance assurance	16.2.0
2019-09	SA#85	SP-190746	0028	1	B	Add use case for NSI performance threshold monitoring	16.2.0
2019-09	SA#85	SP-190746	0029	1	B	Add use case for NSSI performance threshold monitoring	16.2.0
2019-12	SA#86	SP-191171	0030	1	B	Add performance management service enhancement for tenant support	16.3.0
2019-12	SA#86	SP-191174	0033	2	A	Add stream information management related operations	16.3.0
2019-12	SA#86	SP-191150	0034	4	B	Add UC and requirements for KPI job control	16.3.0
2019-12	SA#86	SP-191150	0038	1	B	Add management service responsible for KPI job control	16.3.0
2019-12	SA#86	SP-191150	0039	-	F	Update the description of scope	16.3.0
2019-12	SA#86	SP-191150	0042	1	B	Enhace performance data report related operations to support KPI reporting	16.3.0
2020-03	SA#87E	SP-200181	0044	1	A	Update the peformance data streaming procedure	16.4.0
2020-03	SA#87E	SP-200181	0046	1	A	Add streaming procedure for measurement collection termination	16.4.0
2020-07	SA#88-E	SP-200497	0052	4	B	Clarify performance measurement for a tenant	16.5.0
2020-07	SA#88-E	SP-200484	0054	-	F	Correct Typos of Reference	16.5.0
2020-07	SA#88-E	SP-200492	0056	1	A	Add description for MnS components used for configurable performance measurement control	16.5.0
2020-07	SA#88-E	SP-200497	0057	1	B	Add use case for performance management supporting multiple tenant	16.5.0
2020-07	SA#88-E	SP-200485	0058	-	C	Convert performance measurement job control API to YAML	16.5.0
2020-09	SA#89E	SP-200738	0059	-	F	Update description of MnS components used for configurable PM control	16.6.0
2020-09	SA#89E	SP-200724	0061	-	F	Correction of performance data streaming sequence flow	16.6.0
2020-09	SA#89E	SP-200731	0063	-	A	Remove the streaming solution from 28.550	16.6.0
2020-12	SA#90e	SP-201057	0064	-	F	Clarification on emission of threshold crossing notifications for non-cumulative counters	16.7.0
2020-12	SA#90e	SP-201088	0065	-	F	Update attribute measType used in Annex C	16.7.0
2021-09	SA#93e	SP-210880	0068	1	A	Correction of OpenAPI	16.8.0
2022-03	-	-	-	-	-	Update to Rel-17 version (MCC)	17.0.0
2022-06	SA#96	SP-220498	0070	-	A	OpenAPI file name and dependence change	17.1.0
2022-09	SA#97e	SP-220862	0074	1	B	GPB schema introduction for PM streaming	18.0.0
2023-03	SA#99	SP-230209	0077	1	B	Example of ASN.1 schema for Streaming of PMs	18.1.0
2023-09	SA#101	SP-230939	0079	-	F	Rel-18 CR for TS28.550 editorial Corrections	18.2.0
2023-12	SA#102	SP-231486	0083	1	A	Rel-18 CR TS 28.550 Removal of updateStreamInfo operation	18.3.0
2023-12	SA#102	SP-231484	0084	1	B	Rel-18 CR TS 28.550 Include signalling in PM Streaming schema	18.3.0
2024-03	SA#103	SP-240180	0085	-	B	Rel-18 CR TS 28.550 Include signalling in PM Streaming schema	18.4.0
2024-06	SA#104	SP-240816	0086	-	F	Rel-18 CR TS 28.550 Update the PDSU content based on the content	18.5.0
2024-06	SA#104	SP-240809	0087	-	F	TS28.550 Rel18 Moving normative stage 3 to Forge	18.5.0

History

Document history		
V18.4.0	May 2024	Publication
V18.5.0	July 2024	Publication