ETSI GR NFV 007 V6.1.1 (2026-08)



GROUP REPORT

Network Functions Virtualisation (NFV); Release Description; Release 6

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGR/NFV-007ed611

Keywords
NFV, release

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under Committee Support Staff.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part of this document may be reproduced in any form, by any means and in any media, without the prior written authorization of ETSI and except as expressly permitted below.
By way of exception and when the document is a normative deliverable (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)), ETSI authorizes to reproduce and incorporate into products, services and technical documentation only those extracts (e.g. templates) that are strictly necessary for the technical implementation of the normative deliverable, to ensure compliance with the latter.
Nothing in this notice shall be construed as limiting any mandatory exceptions to copyright provided by applicable law.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights 5
Foreword 5
Modal verbs terminology 5
1 Scope 6
2 References 6
2.1 Normative references 6
2.2 Informative references 6
3 Definition of terms, symbols and abbreviations 6
3.1 Terms 6
3.2 Symbols 7
3.3 Abbreviations 7
4 Release overview 7
4.1 Introduction 7
4.2 Overview 7
4.3 Summary of past Releases 7
4.4 Specification work state 8
5 Release 6 features 8
5.1 Overview 8
5.2 Functional features 8
5.2.1 FEAT36: New infrastructure for NFV (New-NFVI) 8
5.2.1.1 Description 8
5.2.1.2 Architecture scope 9
5.2.1.3 Documentation results in Release 6 9
5.2.2 FEAT38: New application virtualization forms (xVNF) 10
5.2.2.1 Description 10
5.2.2.2 Architecture scope 10
5.2.2.3 Documentation results in Release 6 10
5.2.3 FEAT39: New NFV Architecture (New-NFV-Arch) 10
5.2.3.1 Description 10
5.2.3.2 Architecture scope 11
5.2.3.3 Documentation results in Release 6 11
5.2.4 FEAT41: Model-as-a-Service in NFV (MaaS) 12
5.2.4.1 Description 12
5.2.4.2 Architecture scope 12
5.2.4.3 Documentation results in Release 6 12
5.3 Security features 12
5.4 Testing 12
6 NFV Release 6 published deliverables 13
6.1 Introduction 13
6.2 Group Reports of Release 6 13
6.2.1 New Group Reports 13
6.2.2 Evolved/propagated Group Reports 13
6.3 Group Specifications of Release 6 13
6.3.1 New Group Specifications 13
6.3.2 Evolved/propagated published deliverables from a previous Release 14
6.3.3 Publication packages 14
6.4 Security Specifications 14
6.4.1 Newly published Security Specifications 14
6.4.2 Evolved/propagated published Security Specifications 14
6.4.3 Release independent Security Documents 14
6.5 Testing specifications 14
6.6 Other documentation 14

Annex A: Versioning of published deliverables 15
A.1 Introduction 15
A.2 Types of specifications/reports produced by the ETSI ISG NFV 15
A.3 Deliverables naming and version semantics 15
A.3.1 Deliverables naming and numbering 15
A.3.2 Deliverables versioning 16
A.3.3 Version alignments and relations 16
Annex B: Release specification states 18
B.1 Overview 18
Annex C: Change history 19
History 20

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)) may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Report (GR) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document describes the NFV Release 6 and in particular its version 6.1.1. It lists and defines the features forming this release. It also documents the versions of the related published specifications and reports. The present document provides an overview of version 6.1.1 and is intended to help the user as an entry point to ETSI NFV documentation.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE 1: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

NOTE 2: The release description includes tables, figure and lists of documents to define the versions of the documents comprising the release. In these cases the documents are not listed as references in this clause.

[i.1] ETSI GR NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".

[i.2] ETSI GR NFV 007 (V3.7.1): "Network Functions Virtualisation (NFV); Release Description; Release 3".

[i.3] ETSI GR NFV 007 (V4.6.1): "Network Functions Virtualisation (NFV) Release 4; Release Description; Release 4 Edition 4.6.1".

[i.4] ETSI GR NFV 007 (V5.4.1): "Network Functions Virtualisation (NFV); Release Description; Release 5".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI GR NFV 003 [i.1] and the following apply:

feature: functionality which represents added value to the system for a defined set of users

NOTE: A user could be a network operator, service provider, VNF provider, or some other defined actor.

function: abstract concept of a particular piece of functionality in a device, entity or service

functionality: sum of actions or any aspect an item can do

NOTE: Functionality can be associated to diverse items, including devices, entities, services and/or features.

release: set of deliverables that specify a well-defined, stable and internally consistent set of functions

NOTE: A Release differs from the previous Release by having added and/or improved functionality introduced as a result of standardization work.

release definition: ensemble of features of a particular Release

release description: description of specification outputs delivered by the Release

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GR NFV 003 [i.1] and the following apply:

GR	Group Report
GS	Group Specification
ISG	Industry Specification Group

4 Release overview

4.1 Introduction

ETSI ISG NFV Release 6 (hereinafter referred also as Release 6 or the present release) leverages the results of ETSI ISG NFV documents published as part of the Release 5. The Release 6 introduces a new Telco Cloud architecture which has evolved from the NFV architectural framework specified in previous releases.

Clause 4.2 provides a statistical summary of the Release 6 in terms of number of specifications and reports published to date. Clause 4.3 summarizes the past Releases and clause 4.4 summarizes the specification work state at each of the specification stages. A high-level description of the main outcomes of the Release 6 are provided in clause 5. Clause 6 lists the published GR and GS comprising Release 6.

4.2 Overview

At the time the present Description document version is delivered, the Release 6 is comprised of the following number of published deliverables:

- 2 Group Specifications, among which:
  - 2 new stage 2 specifications.
- 4 Group Reports, among which:
  - 4 new reports.

4.3 Summary of past Releases

Each NFV release is building upon the capabilities and features specified as part of the previous release.

ETSI GR NFV 007 (V3.7.1) [i.2] provides details about the capabilities and features that had been specified in the Release 3.

ETSI GR NFV 007 (V4.6.1) [i.3] provides details about the capabilities and features that had been specified in the Release 4.

ETSI GR NFV 007 (V5.4.1) [i.4] provides details about the capabilities and features that had been specified in the Release 5.

4.4 Specification work state

Table 4.4-1 summarizes the status of the specification work at different stages. Annex B describes the meaning of the "state" of the specification work.

Table 4.4-1: Specification work state within the present Release

Stage	Meaning	State	Additional notes
Informative (stage 0)	Informative work within a Release used to study new use cases and technical features.	Open	Informative work may continue in later drops of Release 6
Stage 1/2	Normative work: Service and business requirements Architecture, interfaces and information models.	Open	Normative work is planned to continue in later drops of Release 6
Stage 3	Normative work on protocols and data models. Informative work on studying potential profiling of existing solutions.	Not started	Normative work is planned for later drops of Release 6
Stage 4	Normative work on testing specifications for protocols and data models.	Not started	Not planned yet

5 Release 6 features

5.1 Overview

The features introduced as part of the Release 6 are listed in Table 5.1-1.

Table 5.1-1: Release 6 features

FEAT Id	Feature title	History	Studies, etc.	Stage 2 status	Stage 3 status
FEAT36	New infrastructure for NFV	New	EVE023	Not started	Not started
FEAT38	New application virtualization forms	New	EVE025	Not started	Not started
FEAT39	New NFV Architecture	New	IFA054	Open	Not started
FEAT41	Model-as-a-Service in NFV	New	EVE027	Not started	Not started

5.2 Functional features

5.2.1 FEAT36: New infrastructure for NFV (New-NFVI)

5.2.1.1 Description

This feature aims at developing and analysing use cases related to how NFV can consider and embrace as part of the NFVI new types of infrastructure resources as well as the availability of infrastructure at new locations and/or from other providers other than the Service Provider.

The relationship of NFV-MANO with relevant management frameworks and/or functions and necessary enhancements of NFV-MANO are also analysed.

Thus, as part of the feature, aspects include:

- New types of infrastructure resources that are becoming prominent for the development of future telecom networks.

- Use cases considering the expansion of telecom networks to new and extreme locations such as space and air, and new infrastructure resource providers, such as Cloud hyper-scalers.

The main goal of the feature is to ensure that service providers and network operators can fully embrace new types of infrastructure and resources to maximize the benefits of NFV and deliver high-performing services to consumers.

5.2.1.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions:
  - Virtualised Network Function (VNF)
  - NFV Infrastructure (NFVI)
  - Virtualised Infrastructure Manager (VIM)
  - NFV Orchestrator (NFVO)
  - Container Infrastructure Services Management (CISM)
  - Container Cluster Management (CCM)
  - Security Manager (SM)
  - Service, VNF and Infrastructure Description (VNFD, NSD, etc.)
- Interfaces:
  - Virtualisation Layer - Hardware Resources - (Vl-Ha)
  - VNF - NFVI (Vn-Nf)
  - VIM - VNFM (Vi-Vnfm)
  - NFVO - VIM (Or-Vi)
  - NFVI - VIM (Nf-Vi)
  - [Service interface(s)] CISM/CIR – NFV-MANO
  - [Service interface(s)] CCM – NFV-MANO
- Artefacts: None.

5.2.1.3 Documentation results in Release 6

The feature has been specified in the specifications and reports listed in Table 5.2.1.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.1.3-1: Documentation results Release 6 of feature "New infrastructure for NFV"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 023	Info	Report on new infrastructure resources for NFV

5.2.2 FEAT38: New application virtualization forms (xVNF)

5.2.2.1 Description

This feature aims at analysing Serverless and other application virtualization forms and identify relevant use cases in NFV. It will also investigate how the NFV framework (including the relevant functional entities, functions, and interfaces, etc.) can support Serverless and other application virtualization forms. Based on research outputs, it will provide corresponding recommendations.

5.2.2.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions:
  - FaaS Runtime Software Repository (FRSR)
  - 'serverless supporting' PaaS service
- Interfaces:
  - FRS management interface
  - Serverless Function Management interface
  - 'serverless supporting' PaaS service interface
- Artefacts: None.

5.2.2.3 Documentation results in Release 6

The feature has been specified in the specifications and reports listed in Table 5.2.2.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.2.3-1: Documentation results Release 6 of feature "New application virtualization forms"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 025	Info	Report on Serverless and other application virtualization forms in NFV

5.2.3 FEAT39: New NFV Architecture (New-NFV-Arch)

5.2.3.1 Description

This feature aims at formulating a target NFV reference architecture in the timeframe of Release 6, which is more adaptive to the innovative scenarios for promoting telco cloud long-term evolution. The gaps of current NFV architecture and their enhancements for fulfilling this trend are analysed, and alternative architecture proposals as well as criteria or principles (e.g. simplification, extensibility, backward compatibility) they follow are raised. Other architectural aspects for shaping the target architecture can also be taken into account, such as analysis of accommodating existing FBs and functions (by aggregating or disaggregating functions) in the alternative architectures, applying SBA principles while keeping telco cloud "layering" design, relationship to open-source de-facto solutions and their integration in the target architecture. Finally, recommendations for the specifying the target new architecture and way forward proposal for achieving the target architecture is concluded.

5.2.3.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions:
  - Telco Cloud Platform (TCP)
  - Telco Cloud Infrastructure (TCI)
  - Telco Cloud Management Data Analytics Function (TC-MDAF)
  - Telco Cloud Intent Management (TC-IntM)
  - Telco Cloud Certificate Management Function (TC-CMF)
  - Telco Cloud Application Lifecycle Management function (TCA-LCM)
  - Telco Cloud Application Telemetry Management function (TCA-TM)
  - Telco Cloud Platform Repository Management (TCP-RM)
  - Telco Cloud Application Configuration Management (TCA-CM)
  - Telco Cloud Infrastructure Lifecycle Management (TCI-LCM)
  - Telco Cloud Infrastructure Telemetry Management (TCI-TM)
  - Telco Cloud Infrastructure Repository Management (TCI-RM).
- Interfaces:
  - Data analytics service interface
  - Intent management service interface
  - Telco Cloud Application lifecycle management services
  - Telco Cloud Application performance management services
  - Telco Cloud Application fault management services
  - Telco Cloud Application log management services
  - Telco Cloud Application descriptor management services
  - Telco Cloud Application package management services
  - Telco Cloud Application configuration management services
  - Telco Cloud certificate management services
  - Telco Cloud Infrastructure resource lifecycle management services
  - Telco Cloud Infrastructure resource performance management services
  - Telco Cloud Infrastructure resource fault management services
  - Telco Cloud Infrastructure resource log management services
  - Telco Cloud Infrastructure software image management services
- Artefacts: None.

5.2.3.3 Documentation results in Release 6

The feature has been specified in the specifications and reports listed in Table 5.2.3.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.3.3-1: Documentation results Release 6 of feature "New NFV Architecture"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-IFA 054	Info	Report on architectural support for NFV evolution
ETSI GS NFV 008-1	Stage 1&2	Architectural framework for Telco Cloud
ETSI GS NFV 008-2	Stage 1&2	Functional and Non-Functional Requirements for Telco Cloud

5.2.4 FEAT41: Model-as-a-Service in NFV (MaaS)

5.2.4.1 Description

This feature aims at analysing Model-as-a-Service (MaaS) for AI-based applications and identify relevant use cases in NFV, with a focus on the definition and role of MaaS within the NFV context. It will also investigate how MaaS can be introduced to the NFV framework (including the relevant functional entities, architecture options, functions, security aspects, information models, and interfaces, etc.), and how MaaS can assist the management of telecom clouds. Based on research outputs, it will provide corresponding recommendations and also determine the specification approach of the interfaces and information modeling in relation to other ETSI NFV specifications.

5.2.4.2 Architecture scope

The feature concerns the following main functional blocks and references points:

- Functional blocks and functions:
  - Telco Cloud Platform (TCP)
- Interfaces:
  - MaaS service interface
- Artefacts: None.

5.2.4.3 Documentation results in Release 6

The feature has been specified in the specifications and reports listed in Table 5.2.4.3-1. Refer to clause 6 for the latest version available of the referred documents.

Table 5.2.4.3-1: Documentation results Release 6 of feature "Model-as-a-Service in NFV"

Document Id.	Stage	Description of the feature result
ETSI GR NFV-EVE 027	Info	Report on Model-as-a-Service (MaaS) in NFV

5.3 Security features

At this time, no Release 6 security features are provided.

5.4 Testing

At this time, no Release 6 specific tests are provided.

6 NFV Release 6 published deliverables

6.1 Introduction

The present clause 6 lists the published deliverables (Group Specifications and Group Reports) associated to the Release 6. The NFV Release 6 is comprised of multiple specification and reports, which can be categorized according to different specification stages (stage 1, stage 2, etc.) and compliance (normative or informative).

NOTE: The versions among the different deliverables may differ, e.g. a deliverable may have been updated and published with a newer version due to maintenance, whereas some other deliverable not. The latest available published version of each deliverable is indicated in the following tables.

6.2 Group Reports of Release 6

6.2.1 New Group Reports

The new reports associated to the Release 6 are listed in Table 6.2.1-1.

Table 6.2.1-1: New Group Reports Release 6

Document Id.	Version(s)	Title	Related feature(s)
ETSI GR NFV-EVE 023	V6.1.1	Network Functions Virtualisation (NFV) Release 6; Evolution and Ecosystem; Report on new infrastructure resources for NFV	FEAT36
ETSI GR NFV-EVE 025	V6.1.1	Network Functions Virtualisation (NFV) Release 6; Evolution and Ecosystem; Report on Serverless and other application virtualisation forms in NFV	FEAT38
ETSI GR NFV-EVE 027	V6.1.1	Network Functions Virtualisation (NFV) Release 6; Evolution and Ecosystem; Report on Model-as-a-Service (MaaS) in NFV	FEAT41
ETSI GR NFV-IFA 054	V6.1.1	Network Functions Virtualisation (NFV) Release 6; Architecture; Report on architectural support for NFV evolution	FEAT39

6.2.2 Evolved/propagated Group Reports

None.

6.3 Group Specifications of Release 6

6.3.1 New Group Specifications

The published new specifications associated to the Release 6 are listed in Table 6.3.1-1.

Table 6.3.1-1: Newly published stage 1 and stage 2 Group Specifications

Document Id.	Version(s)	Title	Related feature(s)
ETSI GS NFV 008-1	V6.1.1	Architectural framework for Telco Cloud	FEAT39
ETSI GS NFV 008-2	V6.1.1	Functional and Non-Functional Requirements for Telco Cloud	FEAT39

6.3.2 Evolved/propagated published deliverables from a previous Release

None.

6.3.3 Publication packages

As indicated in Annex A of the present document, ETSI ISG NFV publishes deliverables in rounds, also referred as "drops" or "packages". Some documents are also not re-published if no technical changes or maintenance are performed. Clause A.3.3 describes guidelines and rules related to version alignments and inter-stage relationships.

The present clause lists the "Packages" of group specifications to guide the readers and consumers of the specifications about consistently specified sets of deliverables.

Release 6 Package 1:

Table 6.3.3-1 lists the deliverables that are part of Release 6 Package 1.

Table 6.3.3-1: Deliverables part of Release 6 Package 1

Document Id.	Version	Publication date (year-month)
ETSI GS NFV 008-1	V6.1.1	2026-01
ETSI GS NFV 008-2	V6.1.1	2026-04

6.4 Security Specifications

6.4.1 Newly published Security Specifications

None.

6.4.2 Evolved/propagated published Security Specifications

None.

6.4.3 Release independent Security Documents

None.

6.5 Testing specifications

None.

6.6 Other documentation

None.

Annex A:
Versioning of published deliverables

A.1 Introduction

The present Annex A provides information about the versioning of the deliverables published by the ETSI ISG NFV. The purpose is to ease the understanding about the version semantics and the alignments/relationships between published deliverables depending on their versions.

A.2 Types of specifications/reports produced by the ETSI ISG NFV

By using the Release process, the ETSI ISG NFV differentiates between four categories of deliverables:

- **Release-dependent GS (normative) deliverable:** this is a specification that contains normative provisions and specifies features that become part of an NFV Release. By making a deliverable Release-dependent, the ISG foresees that such deliverable will be part of an NFV Release. Features are specified consistently across other NFV Release-dependent GS deliverables. The deliverables that are Release-dependent are included in the NFV Release Description.
- **Release-independent GS (normative) deliverable:** this is a specification that contains normative provisions, but is not associated to any specific Release. This can be either because the specification was published as pre-Release (i.e. when a Release system was not established yet), or the specification is used or referred across many different Releases. A GS deliverable that is Release-independent can be included in the NFV Release Description when it is referred or directly used by some other Release-dependent deliverable(s).
- **Release-dependent GR (informative) deliverable:** this is a report that contains informative elements used to document different aspects of a feature or set of features part of an NFV Release. For instance, it fulfils the purposes of documenting use cases and potential solutions to support the feature or set of features. The deliverables that are Release-dependent are included in the NFV Release Description.
- **Release-independent GR (informative) deliverable:** this is a report that contains informative elements used to report about aspects of NFV that are related to features of several NFV Releases, related to future Releases, or independent of Releases. A GR deliverable that is Release-independent can be included in the NFV Release Description when it is referred or directly used by some other Release-dependent deliverable(s).

A.3 Deliverables naming and version semantics

A.3.1 Deliverables naming and numbering

All ETSI ISG NFV GS/GR deliverables follow the following naming and numbering scheme:

ETSI GS NFV[-XXX] YYY

ETSI GR NFV[-XXX] YYY

Where:

- XXX: optionally identifies the working group of the ISG that has produced the deliverable;
- YYY: stands for the chronological number from 000 to 999, which is unique within the namespace of the ISG or the working group identified by XXX.

EXAMPLE: ETSI GS NFV-IFA 001 V1.1.1

A.3.2 Deliverables versioning

All published ISG NFV GS/GR deliverables follow a versioning scheme:

ETSI GS NFV[-XXX] YYY vm.a.b

ETSI GR NFV[-XXX] YYY vm.a.b

The "m.a.b" stands for the version number where:

- "m", or first digit. It identifies a major version, and it is used to identify the Release number of Release-dependent deliverables. The value "m = 1" indicates that the deliverable is Release-independent and/or pre-Release (i.e. set of deliverables published when a Release system was not established yet).
- "a", or second digit. It typically stands for new publication with technical changes, which is incremented every time a (set of) technical change is introduced.
- "b", or third digit. It typically stands for an editorial version, which is incremented every time a (set of) purely editorial change is introduced. The digit is reset to "1" every time "a" is incremented.

Table A.3.2-1 summarizes the deliverable versioning "m.a.b" of published deliverables.

Table A.3.2-1: Summary deliverable versioning

	Type of deliverable	
	Release-dependent	**Release-independent and/or pre-Release**
On first publication	"m" = Release number. "a" = 1. "b" = 1. (see note 1)	"m" = 1. "a" = 1. "b" = 1.
On subsequent publication after first publication	"m" = Release number. "a" = incremented with (expected) technical changes. "b" = 1. (see note 2).	"m" = 1. "a" = incremented with (expected) technical changes. "b" = incremented only with editorial changes.
Specific naming guidelines	The first title uses the tag "Release #", indicating the Release to which the deliverable belongs to.	Not applicable.
NOTE 1: Due the sequencing in the specification work and the inter-stage alignment (e.g. in between stage 2 and stage 3), the second digit "a" of the first publication version can differ from the one indicated in the present table. For instance, if stage 3 specifications already target the first publication providing an alignment with specifications of stage 2 published as V3.3.1, it is recommended that the first publication version of the stage 3 equivalence is also V3.3.1, and not V3.1.1. NOTE 2: During drafting of subsequent versions of a published deliverable within a Release, the third digit "b" is used to track new draft versions which can include technical and/or editorials changes.		

A.3.3 Version alignments and relations

Aiming at identifying the technical alignment between specifications stages, principally stage 2 (architecture, interfaces and information model), stage 3 (protocols and data models) and stage 4 (testing), the following rules and guidelines are followed for determining the target publications versions.

Guideline #1:

As part of the Release development and while the Release feature work is still "open" within a particular specification stage, certain features or technical changes are completed first than others. Furthermore, the ETSI ISG NFV typically publishes documents twice per year. Consequently, for Release-dependent deliverables within a Release, the second digit "a" of the published version of a deliverable denotes the "drop" or publication package.

EXAMPLE 1: Version 3.1.1 of a published deliverable denotes the publication within "drop #1" (version digit "a = 1"). Version 3.2.1 of a published deliverable denotes the publication within "drop #2".

Guideline #2:

Inter-stages specification alignment is important for keeping traceability of requirements across the different specification stages. During the development of the technical features of a Release, different specification publication "drops" can occur. In addition, a feature that has been completed at a specific drop can also be further maintained for corrections, improvements or clarifications, whose outcomes are reflected in subsequent specification publication drops.

To show the correspondence of requirements across different specification stages, higher (or subsequent) stages (e.g. stage 3 compared to stage 2) target same publication version as lower (or prequel) stages.

EXAMPLE 2: Table A.3.3-1 illustrates and example.

Table A.3.3-1: Example 2

Stage 2	Stage 3
Drop #1: publications as V3.1.1 Feature #1 and #2 are completed. Feature #3 is partially completed.	No publication.
Drop #2: publications as V3.2.1 Feature #3 is completed. Feature #4 and #5 are completed. Feature #1 is updated with maintenance.	**Package #A: publications as V3.2.1** Feature #1 and #3 is completed. Stage 3 aligns with requirements and maintenance done in stage 2 drop #2 of completed features in this package.
Drop #3: publications as V3.3.1 Feature #6 is completed. No more features are to be specified within the Release. Feature #1, #2 and #5 are updated with maintenance.	**Package #B: publications as V3.3.1** Feature #2, #4, #5 are completed. Stage 3 aligns with requirements and maintenance done in stage 2 drop #3 of completed features in this package.
First round of full maintenance: publications as V3.4.1 Feature #1 and #6 are updated with maintenance.	**Package #C: publications as V3.4.1** Feature #6 is completed. Stage 3 aligns with requirements and maintenance done in the first round of full maintenance in stage 2.
Second round of full maintenance: publications as V3.5.1	**First round of full maintenance: publications as V3.5.1** Stage 3 aligns with requirements and maintenance done in the second round of full maintenance in stage 2.

Guideline #3:

Within a specification stage, all associated Release-dependent deliverables are expected to be published with new version as part of specification publication drops. However, in some cases a deliverable might not be re-published if no technical changes or maintenance are performed. In such a case, differences in the latest published version of a specification can occur among the set of Release-dependent deliverables.

Normative and informative cross-references among deliverables published by the ETSI ISG NFV are typically present in deliverables without specifying a concrete version, only the "Release #". In such a case, the following guideline applies:

- If a deliverable X published with version "m.a.b" contains a reference to a deliverable Y that is published with same version "m.a.b", the applicable referenced version is thus "m.a.b" of deliverable Y.
- If a deliverable X published with version "m.a.b" contains a reference to a deliverable Y that is not published with same version "m.a.b", the applicable reference version is the latest version published of deliverable Y. For instance, the latest published version of deliverable Y might be "m.a-1.b".

Annex B:
Release specification states

B.1 Overview

The meaning of the specification states of the specification stages is provided in Table B.1-1.

Table B.1-1: Meanings of specification work states

State	Meaning
Not started	Specification work has not started.
Open	Specification work is ongoing and the specifications/reports are being either newly created or updated to incorporate new technical features or modify existing ones.
Frozen	Specification work to incorporate new technical features or modify existing ones is completed. Only maintenance work can be performed.
Closed	Specification work is completed and the specifications are not further maintained. If corrections are necessary, these are handled on a case by case basis.

The release specification state transitions is as follows:

"Not started" → "Open" → "Frozen" → "Closed"

Release specification states are associated to the specification stages, so while a Release can be in one state at an earlier specification stage, it can be in another state at a later specification stage.

EXAMPLE: Stage 2 specification work can be "frozen" while the stage 3 specification work can be still in development, i.e. "open".

Annex C:
Change history

Date	Version	Information about changes
April 2026	V6.0.1	First version of Release 6
May 2026	V6.0.2	Added FEAT36 description, merged clauses for stage 2 and stage 3
June 2026	V6.0.3	Added EVE025 and EVE027
June 2026	V6.0.4	Added FEAT38 and FEAT41 Fixed incorrect clause numbering for FEAT39

History

Version	Date	Status
V6.1.1	August 2026	Publication