# EN 301 614-1 V1.1.2 (1999-02)

*European Standard (Telecommunications series)*

# Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN interworking for intermediate system configuration; Part 1: Profile Test Specification (PTS) summary



Reference
DEN/DECT-040104-1 (ey090idc.PDF)

Keywords
DECT, ICS, ISDN, profile

***ETSI***

Postal address
F-06921 Sophia Antipolis Cedex - FRANCE

Office address
650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet
secretariat@etsi.fr
Individual copies of this ETSI deliverable
can be downloaded from
http://www.etsi.org
If you find errors in the present document, send your
comment to: editor@etsi.fr

***Copyright Notification***

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

# Contents

Intellectual Property Rights ..... 4
Foreword ..... 4
1 Scope ..... 5
2 Normative references ..... 5
3 Definitions and abbreviations ..... 8
3.1 Definitions ..... 8
3.2 Abbreviations ..... 8
4 Profile identification ..... 9
4.1 Profile identification for Portable radio Termination (PT) ..... 9
4.2 Profile identification for Fixed radio Termination (FT) ..... 9
5 Elements of the Profile Test Specification (PTS) ..... 9
5.1 Conformance testing specification for PT ..... 9
5.1.1 Digital Enhanced Cordless Telecommunications (DECT) NWK layer protocol ..... 9
5.1.2 DECT Data Link Control layer (DLC) layer protocol ..... 10
5.1.3 DECT Medium Access Control layer (MAC) layer protocol ..... 10
5.1.4 DECT PHL layer protocol ..... 10
5.1.5 Integrated Services Digital Network (ISDN) L2 layer basic access protocol ..... 11
5.1.6 ISDN L1 layer basic access protocol ..... 11
5.1.7 ISDN generic functional protocol ..... 11
5.2 Conformance testing specification for FT ..... 12
5.2.1 DECT NWK layer protocol ..... 12
5.2.2 DECT DLC layer protocol ..... 12
5.2.3 DECT MAC layer protocol ..... 12
5.2.4 DECT PHL layer protocol ..... 13
5.2.5 ISDN L2 layer basic access protocol ..... 13
5.2.6 ISDN L1 layer basic access protocol ..... 13
5.2.7 ISDN generic functional protocol ..... 13
6 Conformance clause ..... 14
History ..... 15

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

# Foreword

This European Standard (Telecommunications series) has been produced by ETSI Project Digital Enhanced Cordless Telecommunications (DECT).

The present document is part 1 of a multi-part EN covering the DECT/ISDN interworking for intermediate system configuration, as identified below:

**Part 1: "Profile Test Specification (PTS) summary";**

Part 2: "Profile Specific Test Specification (PSTS) for Portable radio Termination (PT)";

Part 3: "Profile Specific Test Specification (PSTS) for Fixed radio Termination (FT)".

| National transposition dates | |
|---|---|
| Date of adoption of this EN: | 25 December 1998 |
| Date of latest announcement of this EN (doa): | 31 March 1999 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 30 September 1999 |
| Date of withdrawal of any conflicting National Standard (dow): | 30 September 1999 |

# 1 Scope

The present document specifies the PTS summary referencing all the documents necessary for the conformance testing of the Digital Enhanced Cordless Telecommunications/Integrated Services Digital Network (DECT/ISDN) Interworking for Intermediate system configuration Profile (IIP) as specified in ETS 300 822 [33].

This Profile Test Specification (PTS) summary together with the documents it references constitute the DECT/ISDN IIP PTS.

The present document has the following structure:

- clause 4 contains general information relative to the profile including references to the related documents (standards);
- clause 5 contains a summary and references to the documents (standards) relevant for each of protocol layers to be tested.

The ISO standard for the methodology of conformance testing ISO/IEC 9646 [34] to [40] is used as the basis for the test methodology, and as the basis for test case specification.

# 2 Normative references

References may be made to:

a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or

b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or

c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or

d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

[1] EN 301 241-1: "Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN interworking for intermediate system configuration; Profile Implementation Conformance Statement (ICS); Part 1: Portable radio Termination (PT)".

[2] EN 301 241-2: "Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN Interworking for intermediate system configuration; Profile Implementation Conformance Statement (ICS); Part 2: Fixed radio Termination (FT)".

[3] EN 301 614-2: "Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN interworking for intermediate system configuration; Profile Test Specification (PTS); Part 2: Profile Specific Test Specification (PSTS) for Portable radio Termination (PT)".

[4] EN 301 614-3: " Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN interworking for intermediate system configuration; Profile Test Specification (PTS); Part 3: Profile Specific Test Specification (PSTS) for Fixed radio Termination (FT)".

[5] ETS 300 012 (1992) including Amendment 2 (1996): "Integrated Services Digital Network (ISDN); Basic user-network interface; Layer 1 specification and test principles".

[6] EN 300 175-2 (1992): "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 2: Physical layer (PHL)".

[7] EN 300 175-3 (1992): "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 3: Medium Access Control (MAC) layer".

[8] EN 300 175-4 (1992): "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".

[9] EN 300 175-5 (1992): "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".

[10] EN 300 176-1: "Digital Enhanced Cordless Telecommunications (DECT); Approval test specification; Part 1: Radio".

[11] ETS 300 196-1: "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".

[12] ETS 300 196-2: "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".

[13] ETS 300 196-3: "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user".

[14] ETS 300 196-4: "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user".

[15] ETS 300 402-2: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 2: General protocol specification [ITU-T Recommendation Q.921 (1993), modified]".

[16] ETS 300 402-4: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 4: Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol".

[17] ETS 300 476-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 1: Network (NWK) layer - Portable radio Termination (PT)".

[18] ETS 300 476-2: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 2: Data Link Control (DLC) layer - Portable radio Termination (PT)".

[19] ETS 300 476-3: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 3: Medium Access Control (MAC) layer - Portable radio Termination (PT)".

[20] ETS 300 476-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 4: Network (NWK) layer - Fixed radio Termination (FT)".

[21] ETS 300 476-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 5: Data Link Control (DLC) layer - Fixed radio Termination (FT)".

[22] ETS 300 476-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 6: Medium Access Control (MAC) layer - Fixed radio Termination (FT)".

[23] ETS 300 476-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 7: Physical layer".

[24] ETS 300 497-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL), Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer".

[25] ETS 300 497-2: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 2: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)".

[26] ETS 300 497-3: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 3: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)".

[27] ETS 300 497-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 4: Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer".

[28] ETS 300 497-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 5: Abstract Test Suite (ATS) - Data Link Control (DLC) layer".

[29] ETS 300 497-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)".

[30] ETS 300 497-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)".

[31] ETS 300 497-8: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 8: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)".

[32] ETS 300 497-9: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".

[33] ETS 300 822: "Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); DECT/ISDN interworking for intermediate system configuration; Interworking and profile specification".

[34] ISO/IEC 9646-1 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". (See also CCITT Recommendation X.290 (1991)).

[35] ISO/IEC 9646-2 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification". (See also CCITT Recommendation X.291 (1991)).

[36] ISO/IEC 9646-3 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The Tree and Tabular Combined Notation (TTCN)". (See also CCITT Recommendation X.292 (1992)).

[37] ISO/IEC 9646-4 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 4: Test realization". (See also CCITT Recommendation X.292 (1992)).

[38] ISO/IEC 9646-5 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process". (See also CCITT Recommendation X.292 (1992)).

[39] ISO/IEC 9646-6 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".

[40] ISO/IEC 9646-7 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statement".

[41] TBR 3: "Integrated Services Digital Network (ISDN); Attachment requirements for terminal equipment to connect to an ISDN using ISDN basic access".

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

a) the terms defined in ISO/IEC 9646-7 [40]; and

b) the definitions in ETS 300 822 [33].

## 3.2 Abbreviations

For the purposes of the present document, the abbreviations defined in ISO/IEC 9646-1 [34], ISO/IEC 9646-6 [39], ISO/IEC 9646-7 [40] and the abbreviations defined in ETS 300 822 [33] apply. In particular, the following definitions apply:

| | |
|---|---|
| ATS | Abstract Test Suite |
| ATM | Abstract Test Method |
| CC | Call Control entity |
| CI | Common Interface |
| DECT | Digital Enhanced Cordless Telecommunications |
| DLC | Data Link Control layer |
| FT | Fixed radio Termination |
| ICS | Implementation Conformance Statement |
| ISDN | Integrated Services Digital Network |
| IXIT | Implementation Extra Information for Testing |
| LCE | Link Control Entity |
| MAC | Medium Access Control layer |
| MM | Mobility Management entity |
| MOT | Means Of Testing |
| PICS | Protocol Implementation Conformance Statement |
| PIXIT | Protocol Implementation Extra Information for Testing |
| PSTS | Profile Specific Test Specification |
| PT | Portable radio Termination |
| PTS | Profile Test Specification |
| SCS | System Conformance Statement |
| T-MUX | Tail Multiplexor |
| U-MUX | U-type Multiplexor |
| XRL | IXIT Requirements List |

# 4 Profile identification

## 4.1 Profile identification for Portable radio Termination (PT)

**Table 1: Profile identification for PT**

| | |
|---|---|
| Profile identifier | DECT/ISDN IIP for PT |
| Profile specification | ETS 300 822 [33] |
| Profile Requirement list | EN 301 241-1 [1], annex B |
| Profile specific ICS proforma | EN 301 241-1 [1], annex C |
| PSTS | EN 301 614-2 [3] |
| Profile XRL | EN 301 614-2 [3] |
| Partial profile IXIT proforma | EN 301 614-2 [3] |
| SCS proforma | EN 301 241-1 [1], annex A |

## 4.2 Profile identification for Fixed radio Termination (FT)

**Table 2: Profile identification for FT**

| | |
|---|---|
| Profile identifier | DECT/ISDN IIP for FT |
| Profile specification | ETS 300 822 [33] |
| Profile Requirement list | EN 301 241-2 [2], annex B |
| Profile specific ICS proforma | EN 301 241-2 [2], annex C |
| PSTS | EN 301 614-3 [4] |
| Profile XRL | EN 301 614-3 [4] |
| Partial profile IXIT proforma | EN 301 614-3 [4] |
| SCS proforma | EN 301 241-2 [2], annex A |

# 5 Elements of the Profile Test Specification (PTS)

## 5.1 Conformance testing specification for PT

### 5.1.1 Digital Enhanced Cordless Telecommunications (DECT) NWK layer protocol

**Table 3: DECT NWK layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-5 [9] |
| PICS proforma | ETS 300 476-1 [17] |
| TSS&TP | ETS 300 497-6 [29] |
| Additional TSS&TP | EN 301 614-2 [3] |
| ATS | ETS 300 497-7 [30] |
| Applicability of ATS | Basic speech covered. Basic services and procedures concerning CC, MM, LCE and LLME entities covered |
| ATM | Remote |
| Partial IXIT proforma | ETS 300 497-7 [30] |
| Additional Test Cases | EN 301 614-2 [3] |

### 5.1.2 DECT Data Link Control layer (DLC) layer protocol

**Table 4: DECT DLC layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-4 [8] |
| PICS proforma | ETS 300 476-2 [18] |
| TSS&TP | ETS 300 497-4 [27] |
| Additional TSS&TP | EN 301 614-2 [3] |
| ATS | ETS 300 497-5 [28] |
| Applicability of ATS | Basic connection, C-plane: Class-B service, U-plane: class 0/min_delay, FU1 frame, class 0/nor_delay, FU7, FU8 frame, handover, ciphering |
| ATM | ETS 300 497-5 [28] |
| Partial IXIT proforma | ETS 300 497-5 [28] |
| Additional Test Cases | EN 301 614-2 [3] |

### 5.1.3 DECT Medium Access Control layer (MAC) layer protocol

**Table 5: DECT MAC layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-3 [7] |
| PICS proforma | ETS 300 476-3 [19] |
| TSS&TP | ETS 300 497-1 [24] |
| Additional TSS&TP | EN 301 614-2 [3] |
| ATS | ETS 300 497-2 [25] |
| Applicability of ATS | CS and CF higher layer signalling, Basic connections, B field normal setup, Continuous broadcast, Short page, normal/extended paging, SARI support, encryption, bearer handover, connection handover, quality control, T-MUX, U-MUX |
| ATM | ETS 300 497-2 [25] |
| Partial IXIT proforma | ETS 300 497-2 [25] |
| Additional Test Cases | EN 301 614-2 [3] |
| T-MUX Tail Multiplexor.<br>U-MUX U-type Multiplexor. | |

### 5.1.4 DECT PHL layer protocol

**Table 6: DECT PHL layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-2 [6] |
| PICS proforma | ETS 300 476-7 [23] |
| TSS&TP | EN 300 176-1 [10] |
| Additional TSS&TP | EN 301 614-2 [3] |
| ATS | EN 300 176-1 [10] |
| Applicability of ATS | General terminal attachment requirements, basic telephony applications |
| ATM | - |
| Partial IXIT proforma | - |
| Additional Test Cases | EN 301 614-2 [3] |

### 5.1.5 Integrated Services Digital Network (ISDN) L2 layer basic access protocol

**Table 7: ISDN L2 layer basic access protocol**

| | |
|---|---|
| Protocol identification | ETS 300 402-2 [15] |
| PICS proforma | ETS 300 402-4 [16] |
| TSS&TP | TBR 3 [41] annex C |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | TBR 3 [41] annex C |
| Applicability of ATS | TBR 3 [41] annex C, clause C.1 |
| ATM | TBR 3 [41] annex C |
| Partial IXIT proforma | TBR 3 [41] annex E, clause E.8 |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.1.6 ISDN L1 layer basic access protocol

**Table 8: ISDN L1 layer basic access protocol**

| | |
|---|---|
| Protocol identification | ETS 300 012 [5] |
| PICS proforma | ETS 300 012/A2 [5] |
| TSS&TP | TBR 3 [41] annex B |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | TBR 3 [41] annex B |
| Applicability of ATS | TBR 3 [41] annex B, clause B.1 |
| ATM | TBR 3 [41] annex B |
| Partial IXIT proforma | TBR 3 [41] annex E, clause E.7 |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.1.7 ISDN generic functional protocol

**Table 9: ISDN generic functional protocol**

| | |
|---|---|
| Protocol identification | ETS 300 196-1 [11] |
| PICS proforma | ETS 300 196-2 [12] |
| TSS&TP | ETS 300 196-3 [13] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | ETS 300 196-4 [14] |
| Applicability of ATS | ETS 300 196-4 [14] |
| ATM | ETS 300 196-4 [14] |
| Partial IXIT proforma | ETS 300 196-4 [14] |
| Additional Test Cases | EN 301 614-3 [4] |

## 5.2 Conformance testing specification for FT

### 5.2.1 DECT NWK layer protocol

**Table 10: DECT NWK layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-5 [9] |
| PICS proforma | ETS 300 476-4 [20] |
| TSS&TP | ETS 300 497-8 [31] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | ETS 300 497-9 [32] |
| Applicability of ATS | Basic speech covered. Basic services and procedures concerning CC, MM and LCE LLME entities covered |
| ATM | ETS 300 497-9 [32] |
| Partial IXIT proforma | ETS 300 497-9 [32] |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.2.2 DECT DLC layer protocol

**Table 11: DECT DLC layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-4 [8] |
| PICS proforma | ETS 300 476-5 [21] |
| TSS&TP | ETS 300 497-4 [27] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | ETS 300 497-5 [28] |
| Applicability of ATS | Basic connection, C-plane: Class-B service, U-plane: class 0/min_delay, FU1 frame, class 0/nor_delay, FU7, FU8 frame, handover, ciphering |
| ATM | ETS 300 497-5 [28] |
| Partial IXIT proforma | ETS 300 497-5 [28] |
| Additional Test Cases | DEEN 301 614-3 [4] |

### 5.2.3 DECT MAC layer protocol

**Table 12: DECT MAC layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-3 [7] |
| PICS proforma | ETS 300 476-6 [22] |
| TSS&TP | ETS 300 497-1 [24] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | ETS 300 497-3 [26] |
| Applicability of ATS | CS and CF higher layer signalling, Basic connections, B field normal setup, Continuous broadcast, Short page, normal/extended paging, SARI support, encryption, bearer handover, connection handover, quality control, T-MUX, U-MUX |
| ATM | ETS 300 497-3 [26] |
| Partial IXIT proforma | ETS 300 497-3 [26] |
| Additional Test Cases | EN 301 614-3 [4] |
| T-MUX Tail Multiplexor.<br>U-MUX U-type Multiplexor. | |

### 5.2.4 DECT PHL layer protocol

**Table 13: DECT PHL layer protocol**

| | |
|---|---|
| Protocol identification | EN 300 175-2 [6] |
| PICS proforma | ETS 300 476-7 [23] |
| TSS&TP | EN 300 176-1 [10] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | EN 300 176-1 [10] |
| Applicability of ATS | General terminal attachment requirements, basic telephony applications |
| ATM | - |
| Partial IXIT proforma | - |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.2.5 ISDN L2 layer basic access protocol

**Table 14: ISDN L2 layer basic access protocol**

| | |
|---|---|
| Protocol identification | ETS 300 402-2 [15] |
| PICS proforma | ETS 300 402-4 [16] |
| TSS&TP | TBR 3 [41] annex C |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | TBR 3 [41] annex C |
| Applicability of ATS | TBR 3 [41] annex C, clause C.1 |
| ATM | TBR 3 [41] annex C |
| Partial IXIT proforma | TBR 3 [41] annex E, clause E.8 |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.2.6 ISDN L1 layer basic access protocol

**Table 15: ISDN L1 layer basic access protocol**

| | |
|---|---|
| Protocol identification | ETS 300 012 [5] |
| PICS proforma | ETS 300 012/A2 [5] |
| TSS&TP | TBR 3 [41] annex B |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | TBR 3 [41] annex B |
| Applicability of ATS | TBR 3 [41] annex B, clause B.1 |
| ATM | TBR 3 [41] annex B |
| Partial IXIT proforma | TBR 3 [41] annex E, clause E.7 |
| Additional Test Cases | EN 301 614-3 [4] |

### 5.2.7 ISDN generic functional protocol

**Table 16: ISDN generic functional protocol**

| | |
|---|---|
| Protocol identification | ETS 300 196-1 [11] |
| PICS proforma | ETS 300 196-2 [12] |
| TSS&TP | ETS 300 196-3 [13] |
| Additional TSS&TP | EN 301 614-3 [4] |
| ATS | ETS 300 196-4 [14] |
| Applicability of ATS | ETS 300 196-4 [14] |
| ATM | ETS 300 196-4 [14] |
| Partial IXIT proforma | ETS 300 196-4 [14] |
| Additional Test Cases | EN 301 614-3 [4] |

# 6 Conformance clause

The test realizer of a Means Of Testing (MOT) for this PTS summary shall comply with the requirements of ISO/IEC 9646-4 [37].

In particular, the realization of each referenced Abstract Test Suite (ATS) shall conform to the ATS specification consistent with the modifications made by the Profile Specific Test Specification (PSTS) referenced by this PTS summary. The realization of the ATS within the PSTS shall conform to the PSTS.

The laboratories running conformance test services according to this PTS summary shall comply with ISO/IEC 9646-5 [38].

# History

| Document history | | | | |
|---|---|---|---|---|
| V1.1.1 | April 1998 | Public Enquiry | PE 9833: | 1998-04-17 to 1998-08-14 |
| V1.1.2 | October 1998 | Vote | V 9851: | 1998-10-20 to 1998-12-18 |
| V1.1.2 | February 1999 | Publication | | |
| | | | | |
| | | | | |

ISBN 2-7437-2839-6
Dépôt légal : Février 1999