ETSI GS NFV-SOL 011 V4.5.1 (2023-12)

Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Or-Or Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/NFV-SOL011ed451

Keywords
API, data, management, model, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
https://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:
https://www.etsi.org/standards/coordinated-vulnerability-disclosure

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Contents

Intellectual Property Rights 6
Foreword 6
Modal verbs terminology 6
1 Scope 7
2 References 7
2.1 Normative references 7
2.2 Informative references 7
3 Definition of terms, symbols and abbreviations 7
3.1 Terms 7
3.2 Symbols 7
3.3 Abbreviations 8
4 General aspects 8
4.1 Overview 8
4.2 Common data types 8
5 NSD Management interface 8
6 NS Lifecycle Management interface 9
7 NS Lifecycle Operation Granting interface 9
7.1 Description 9
7.2 API version 9
7.3 Resource structure and method 9
7.4 Sequence diagrams (informative) 10
7.4.1 Flow of requesting a grant 10
7.5 Resources 10
7.5.1 Introduction 10
7.5.2 Resource: API versions 10
7.5.3 Resource: Grants 10
7.5.3.1 Description 10
7.5.3.2 Resource definition 11
7.5.3.3 Resource methods 11
7.5.3.3.1 POST 11
7.5.3.3.2 GET 11
7.5.3.3.3 PUT 12
7.5.3.3.4 PATCH 12
7.5.3.3.5 DELETE 12
7.5.4 Resource: Individual grant 12
7.5.4.1 Description 12
7.5.4.2 Resource definition 12
7.5.4.3 Resource methods 12
7.5.4.3.1 POST 12
7.5.4.3.2 GET 12
7.5.4.3.3 PUT 13
7.5.4.3.4 PATCH 13
7.5.4.3.5 DELETE 13
7.6 Data model 13
7.6.1 Introduction 13
7.6.2 Resource and notification data types 13
7.6.2.1 Introduction 13
7.6.2.2 Type: GrantNsLifecycleOperationRequest 13
7.6.2.3 Type: Grant 14
7.6.3 Referenced structured data types 14
7.6.4 Referenced simple data types and enumerations 14
7.6.4.1 Introduction 14

7.6.4.2 Simple data types 14
7.6.4.3 Enumeration: NsLcmOperation 15
8 NS Instance Usage Notification interface 15
8.1 Description 15
8.2 API version 15
8.3 Resource structure and method 15
8.4 Sequence diagrams (informative) 16
8.4.1 Flow of managing subscriptions 16
8.4.2 Flow of sending notifications 18
8.5 Resources 19
8.5.1 Introduction 19
8.5.2 Resource: API versions 19
8.5.3 Resource: Subscriptions 19
8.5.3.1 Description 19
8.5.3.2 Resource definition 19
8.5.3.3 Resource methods 20
8.5.3.3.1 POST 20
8.5.3.3.2 GET 21
8.5.3.3.3 PUT 22
8.5.3.3.4 PATCH 22
8.5.3.3.5 DELETE 22
8.5.4 Resource: Individual subscription 23
8.5.4.1 Description 23
8.5.4.2 Resource definition 23
8.5.4.3 Resource methods 23
8.5.4.3.1 POST 23
8.5.4.3.2 GET 23
8.5.4.3.3 PUT 24
8.5.4.3.4 PATCH 24
8.5.4.3.5 DELETE 24
8.5.5 Resource: Notification endpoint 24
8.5.5.1 Description 24
8.5.5.2 Resource definition 24
8.5.5.3 Resource methods 25
8.5.5.3.1 POST 25
8.5.5.3.2 GET 25
8.5.5.3.3 PUT 25
8.5.5.3.4 PATCH 26
8.5.5.3.5 DELETE 26
8.6 Data model 26
8.6.1 Introduction 26
8.6.2 Resource and notification data types 26
8.6.2.1 Introduction 26
8.6.2.2 Type: NsInstanceUsageSubscriptionRequest 26
8.6.2.3 Type: NsInstanceUsageSubscription 26
8.6.2.4 Type: NsInstanceUsageNotification 27
8.6.3 Referenced structured data types 27
8.6.3.1 Type: NsInstanceUsageNotificationsFilter 27
8.6.4 Referenced simple data types and enumerations 28
8.6.4.1 Introduction 28
8.6.4.2 Simple data types 28
8.6.4.3 Enumeration: NsInstanceUsageStatusType 28
9 NS Performance Management interface 28
10 NS Fault Management interface 28
Annex A (informative): Mapping operations to protocol elements 29
A.1 Overview 29
A.2 NSD Management interface 29

A.3 NS lifecycle management interface 29
A.4 NS lifecycle operation granting interface 30
A.5 NS instance usage notification interface 30
A.6 NS performance management interface 30
A.7 NS fault management interface 31
Annex B (normative): Authorization scope values 32
B.1 Overview 32
B.2 NSD Management interface 32
B.3 NS Lifecycle Management interface 32
B.4 NS Performance Management interface 32
B.5 NS Fault Management interface 33
B.6 NS Lifecycle Operation Granting interface 33
B.7 NS Instance Usage Notification interface 33
Annex C (informative): Change history 35
History 36

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies a set of RESTful protocol and data models fulfilling the requirements specified in ETSI GS NFV-IFA 030 [1] for the interfaces used over the Or-Or reference point.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] ETSI GS NFV-IFA 030: "Network Functions Virtualisation (NFV) Release 4; Management and Orchestration; Multiple Administrative Domain Aspect Interfaces Specification".

[2] ETSI GS NFV-SOL 013: "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; Specification of common aspects for RESTful NFV MANO APIs".

[3] ETSI GS NFV-SOL 005: "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] ETSI GR NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI GR NFV 003 [i.1] and ETSI GS NFV-IFA 030 [1] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GR NFV 003 [i.1] and the following apply:

HTTP HyperText Transfer Protocol

4 General aspects

4.1 Overview

The present document defines the protocol and data model for the following interfaces, in the form of RESTful Application Programming Interface (APIs) specifications:

- NSD Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Lifecycle Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Lifecycle Operation Granting interface (as produced by the NFVO-N towards the NFVO-C).
- NS Instance Usage Notification interface (as produced by the NFVO-N towards the NFVO-C).
- NS Performance Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Fault Management interface (as produced by the NFVO-N towards the NFVO-C).

The design of the protocol and data model for the above interfaces is based on the information model and requirements defined in ETSI GS NFV-IFA 030 [1].

In the subsequent clauses, the protocol and data model for the individual interfaces are specified. Per interface, the resource structure with associated HTTP methods is defined and applicable flows are provided. Further, the resources and the data model are specified in detail.

Annex A provides the mapping of the combination of resources and methods defined in the present document to the operations defined in ETSI GS NFV-IFA 030 [1].

Even though the various interfaces defined in the present document are related, implementations shall not assume a particular order of messages that arrive via different interfaces.

4.2 Common data types

The structured data types and simple data types defined in clause 7 of ETSI GS NFV-SOL 013 [2] shall apply in the present document.

5 NSD Management interface

This interface allows the NFVO-C to invoke management operations of NSDs towards the NFVO-N.

The interface shall follow the provisions specified in clause 5 of ETSI GS NFV-SOL 005 [3] for the NSD management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

Only the "query NSD info" operation as defined in clause 5 of ETSI GS NFV-SOL 005 [3] is supported on the Or-Or reference point, i.e. only the "NS Descriptors" and "Individual NS Descriptor" resources with the GET method are supported for the present interface, and the API producer shall return a "405 Method Not Allowed" response for other methods requested on the "NS Descriptors" and "Individual NS Descriptor" resources, as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

6 NS Lifecycle Management interface

This interface allows the NFVO-C to invoke NS lifecycle management operations of NS instances towards the NFVO-N, and to subscribe to notifications regarding NS lifecycle changes provided by the NFVO-N.

The interface shall follow the provisions specified in clause 6 of ETSI GS NFV-SOL 005 [3] for the NS lifecycle management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

The "update NS" as defined in clause 6 of ETSI GS NFV-SOL 005 [3] is not supported on the Or-Or reference point, i.e. the "Update NS task" resource and related methods are not supported for the present interface, and the API producer shall return a "404 Not Found" response for all methods requested on the "update NS" resource, as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7 NS Lifecycle Operation Granting interface

7.1 Description

This interface allows the NFVO-N to obtain from the NFVO-C permission for an NS lifecycle operations. This interface also allows API version information retrieval.

The operations provided through this interface are:

- Grant NS Lifecycle Operation.

7.2 API version

For the NS lifecycle operation granting interface as specified in the present document, the MAJOR version field shall be 1, the MINOR version field shall be 0 and the PATCH version field shall be 0 (see clause 9.1 of ETSI GS NFV-SOL 013 [2] for a definition of the version fields). Consequently, the {apiMajorVersion} URI variable shall be set to "v1".

7.3 Resource structure and method

All resource URIs of the API shall use the base URI specification defined in clause 4.1 of ETSI GS NFV-SOL 013 [2]. The string "nslcog" shall be used to represent {apiName}. All resource URIs in the clauses below are defined relative to the above base URI.

Figure 7.3-1 shows the overall resource URI structure defined for the NS lifecycle operation granting interface.



Figure 7.3-1: Resource URI structure of the NS lifecycle operation granting interface

Table 7.3-1 lists the individual resources defined, and the applicable HTTP methods.

The NFVO-C shall support responding to requests for all HTTP methods on the resources in table 7.3-1 that are marked as "M" (Mandatory) in the "Cat" column. The NFVO-C shall also support the "API versions" resource as specified in clause 9.3.2 of ETSI GS NFV-SOL 013 [2].

Table 7.3-1: Resources and methods overview of the NS lifecycle operation granting interface

Resource name	Resource URI	HTTP Method	Cat	Meaning
Grants	/grants	POST	M	Request a grant
Individual grant	/grants/{grantId}	GET	M	Read a grant

7.4 Sequence diagrams (informative)

7.4.1 Flow of requesting a grant

This clause describes a sequence for requesting a grant.



Figure 7.4.1-1: Flow of requesting a grant

The grant request procedure, as illustrated in figure 7.4.1-1, consists of the following steps:

1) The NFVO-N sends a POST request to the "Grants" resource, including one data structure of type "GrantNsLifecycleOperationRequest" in the payload body.

2) The NFVO-C checks whether the consistency of the composite NS is impacted by the nested NS lifecycle operation.

3) The NFVO-C returns a "201 Created" response with a "Grant" data structure in the body.

Error handling: In case of failure or rejection of the grant request, appropriate error information is provided in the response.

7.5 Resources

7.5.1 Introduction

This clause defines all the resources and methods provided by the NS lifecycle operation granting interface.

7.5.2 Resource: API versions

The "API versions" resources, as defined in clause 9.3.3 of ETSI GS NFV-SOL 013 [2], are part of the NS lifecycle operation granting interface.

7.5.3 Resource: Grants

7.5.3.1 Description

This resource represents grants. The NFVO-N can use this resource to request a grant.

7.5.3.2 Resource definition

The resource URI is:

{apiRoot}/nslcog/{apiMajorVersion}/grants

This resource shall support the resource URI variables defined in table 7.5.3.2-1.

Table 7.5.3.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
apiMajorVersion	See clause 7.2

7.5.3.3 Resource methods

7.5.3.3.1 POST

The POST method requests a grant for a particular NS lifecycle operation.

This method shall follow the provisions specified in tables 7.5.3.3.1-1 and 7.5.3.3.1-2 for URI query parameters, request and response data structures, and response codes.

As the result of successfully processing this request, a new "Individual grant" resource shall be created.

Table 7.5.3.3.1-1: URI query parameters supported by the POST method on this resource

Name	Cardinality	Description
none supported		

Table 7.5.3.3.1-2: Details of the POST request/response on this resource

	Data type	Cardinality	Response Codes	Description
Request body	GrantNsLifecycleOperationRequest	1		The NS lifecycle operation grant request parameters, as defined in clause 7.6.2.2.
Response body	Grant		201 Created	Shall be returned when the grant has been created successfully. A representation of the created "Individual grant" resource shall be returned in the response body. The HTTP response shall include a "Location" HTTP header that indicates the URI of the "Individual grant" resource just created.
	ProblemDetails	1	403 Forbidden	Shall be returned upon the following error: the grant request was rejected. A ProblemDetails structure shall be included in the response to provide more details about the rejection in the "details" attribute.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

7.5.3.3.2 GET

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.3 PUT

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.4 PATCH

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.5 DELETE

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4 Resource: Individual grant

7.5.4.1 Description

This resource represents an individual grant.

7.5.4.2 Resource definition

The resource URI is:

{apiRoot}/nslcog/{apiMajorVersion}/grants/{grantId}

This resource shall support the resource URI variables defined in table 7.5.4.2-1.

Table 7.5.4.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
apiMajorVersion	See clause 7.2
grantId	Identifier of the grant. See note.
NOTE: This identifier can be retrieved from the "id" attribute in the payload body of the response to a POST request granting a new NS lifecycle operation.	

7.5.4.3 Resource methods

7.5.4.3.1 POST

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4.3.2 GET

The GET method reads a grant.

This method shall follow the provisions specified in tables 7.5.4.3.2-1 and 7.5.4.3.2-2 for URI query parameters, request and response data structures, and response codes.

Table 7.5.4.3.2-1: URI query parameters supported by the GET method on this resource

Name	Cardinality	Description
none supported		

Table 7.5.4.3.2-2: Details of the GET request/response on this resource

Request body	Data type	Cardinality	Description	
	n/a			
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	Grant	1	200 OK	Shall be returned when the grant has been read successfully. A representation of the "Individual grant" resource shall be returned in the response body.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

7.5.4.3.3 PUT

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4.3.4 PATCH

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4.3.5 DELETE

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.6 Data model

7.6.1 Introduction

This clause defines the request and response data structures of the NS lifecycle operation granting interface. If a request or response contains attributes not defined in the present document, a receiving functional block that does not understand these attributes shall not treat their presence as an error, and may choose to ignore them.

7.6.2 Resource and notification data types

7.6.2.1 Introduction

This clause defines the data structures to be used in resource representations and notifications.

7.6.2.2 Type: GrantNsLifecycleOperationRequest

This type represents request parameters for the "grant NS lifecycle" operation. It shall comply with the provisions defined in table 7.6.2.2-1.

Table 7.6.2.2-1: Definition of the GrantNsLifecycleOperationRequest data type

Attribute name	Data type	Cardinality	Description
nsInstanceId	Identifier	1	Identifier of the NS instance which this grant request relates to. See note 1.
nsdId	Identifier	1	Identifier of the NSD that defines the NS for which the lifecycle management operation is to be granted.
nsLcmOpOccId	Identifier	1	The identifier of the NS lifecycle management operation occurrence associated to the GrantRequest.
lifecycleOperation	NsLcmOperation	1	Type of the lifecycle management operation for which the granting is requested. See note 2.
additionalParams	KeyValuePairs	0..1	Additional parameters passed by NFVO-N, specific to the NS and the lifecycle management operation.
NOTE 1: Each NFVO-N instance manages its own namespace for NS instance identifiers. NOTE 2: The NS LCM operations InstantiateNS, CreateNsIdentifier, DeleteNsIdentifier, Get Operation Status and QueryNs can be executed by NFVO-N without requesting granting.			

7.6.2.3 Type: Grant

This type represents a grant. It shall comply with the provisions defined in table 7.6.2.3-1.

Table 7.6.2.3-1: Definition of the Grant data type

Attribute name	Data type	Cardinality	Description
id	Identifier	1	Identifier of the grant.
nsInstanceId	Identifier	1	Identifier of the NS instance which this grant request relates to.
nsLcmOpOccId	Identifier	1	Identifier of the NS lifecycle management operation occurrence associated to the GrantRequest.
additionalParams	KeyValuePairs	0..1	Additional parameters passed by NFVO-N, specific to the NS and the lifecycle management operation.
_links	Structure (inlined)	1	Links to resources related to this resource.
>self	Link	1	URI of this resource.
>nsLcmOpOcc	Link	1	Related NS lifecycle management operation occurrence.
>nsInstance	Link	1	Related NS instance.

7.6.3 Referenced structured data types

No particular referenced structured data types are defined for this interface.

7.6.4 Referenced simple data types and enumerations

7.6.4.1 Introduction

This clause defines simple data types and enumerations that can be referenced from data structures defined in the previous clauses.

7.6.4.2 Simple data types

No particular simple data types are defined for this interface, in addition to those defined in clause 4.2.

7.6.4.3 Enumeration: NsLcmOperation

The enumeration NsLcmOperation shall comply with the provisions defined in table 7.6.4.3-1. It indicates the type of the NS lifecycle management operation for which the granting is requested.

Table 7.6.4.3-1: Enumeration NsLcmOperation

Enumeration value	Description
SCALE	Scale NS operation.
TERMINATE	Terminate NS operation.
HEAL	Heal NS operation.

8 NS Instance Usage Notification interface

8.1 Description

This interface allows the NFVO-N to receive notifications from the NFVO-C indicating that the NFVO-C has started or ceased to use an existing NS instance managed by the NFVO-N as a constituent nested NS of a composite NS managed by the NFVO-C. This interface also allows API version information retrieval.

The existing NS instance is "in use" by NFVO-C when it is associated to a composite NS instance managed by that NFVO-C. That is, the former NS instance is nested into the composite NS.

The existing NS instance is "not in use" by NFVO-C when it is not associated to a composite NS instance managed by that NFVO-C. That is, the NS instance is not nested into a composite NS managed by that NFVO-C.

The operations provided through this interface are:

- Subscribe.
- Query Subscription Information.
- Notify.
- Terminate Subscription.

8.2 API version

For the NS instance usage notification interface as specified in the present document, the MAJOR version field shall be 1, the MINOR version field shall be 0 and the PATCH version field shall be 0 (see clause 9.1 of ETSI GS NFV-SOL 013 [2] for a definition of the version fields). Consequently, the {apiMajorVersion} URI variable shall be set to "v1".

8.3 Resource structure and method

All resource URIs of the API shall use the base URI specification defined in clause 4.1 of ETSI GS NFV-SOL 013 [2]. The string "nsiun" shall be used to represent {apiName}. All resource URIs in the clauses below are defined relative to the above base URI.

Figure 8.3-1 shows the overall resource URI structure defined for the NS instance usage notification interface.



Figure 8.3-1: Resource URI structure of the NS instance usage notification interface

Table 8.3-1 lists the individual resources defined, and the applicable HTTP methods.

The NFVO-C shall support responding to requests for all HTTP methods on the resources in table 8.3-1 that are marked as "M" (Mandatory) in the "Cat" column. The NFVO-C shall also support the "API versions" resource as specified in clause 9.3.2 of ETSI GS NFV-SOL 013 [2].

Table 8.3-1: Resources and methods overview of the NS instance usage notification interface

Resource name	Resource URI	HTTP Method	Cat	Meaning
Subscriptions	/subscriptions	POST	M	Subscribe to NS instance usage notifications.
		GET	M	Query multiple subscriptions.
Individual subscription	/subscriptions/{subscriptionId}	GET	M	Read an individual subscription resource.
		DELETE	M	Terminate a subscription.
Notification endpoint	(client-provided)	POST	See note	Notify about change in NS instance usage. See note.
		GET	See note	Test the notification endpoint. See note.
NOTE: The NFVO-C shall support invoking the HTTP methods defined for the "Notification endpoint" resource exposed by the NFVO-N. If the NFVO-N supports invoking the POST method on the "Subscriptions" resource towards the NFVO-C, it shall also support responding to the HTTP requests defined for the "Notification endpoint" resource.				

8.4 Sequence diagrams (informative)

8.4.1 Flow of managing subscriptions

This clause describes a sequence for creating, querying/reading and terminating subscriptions to notifications related to NS instance usage.



Figure 8.4.1-1: Flow of managing subscriptions

A) Procedure of subscription creation

The procedure of creating subscriptions consists of the following steps, as illustrated in figure 8.4.1-1:

Precondition: The notification endpoint URI is enabled.

10) The NFVO-N sends a POST request to the "subscriptions" resource including in the payload body a data structure of type "NsInstanceUsageSubscriptionRequest". This data structure contains filtering criteria and a client side URI to which the NFVO-C will subsequently send notifications about events that match the filter.

11) Optionally, to test the notification endpoint that was registered by the NFVO-N as part of the subscription, the NFVO-C sends a GET request to the notification endpoint URI.

12) In case of step 11), the NFVO-N returns a "204 No Content" response to indicate success.

13) The NFVO-C creates a new subscription for notifications related to NS instance usage, and a resource that represents this subscription.

14) The NFVO-C returns a "201 Created" response containing a data structure of type "NsInstanceUsageSubscription", representing the subscription resource created by the NFVO-C, and provides the URI of the newly-created resource in the "Location" HTTP header.

Postcondition: The subscription to notifications related to NS instance usage is available to the NFVO-N.

Error handling: The NFVO-C rejects a subscription if the subscription information is not valid: endpoint cannot be reached, subscription information is malformed, etc.

B) Procedure of subscription query/read

The procedure of querying/reading subscriptions consists of the following steps, as illustrated in figure 8.4.1-1:

Precondition: Subscriptions have been created.

20) The NFVO-N can query information about its subscriptions by sending a GET request to the "subscriptions" resource.

21) In case of step 20), the NFVO-C returns a "200 OK" response that contains the list of representations of all existing subscriptions that were created by the NFVO-N.

22) The NFVO-N can read information about a particular subscription by sending a GET request to the resource representing that individual subscription.

23) In case of step 22), the NFVO-C returns a "200 OK" response that contains a representation of that individual subscription.

Postcondition: The subscription information is available to the NFVO-N.

Error handling: The NFVO-C provides in the response message appropriate error information that reports an erroneous query request.

C) Procedure of subscription termination

The procedure of terminating a subscription consists of the following steps, as illustrated in figure 8.4.1-1:

Precondition: The subscription to terminate exists.

30) When the NFVO-N does not need the subscription anymore, it terminates the subscription by sending a DELETE request to the resource that represents the individual subscription.

31) The NFVO-C acknowledges the successful termination of the subscription by returning a "204 No Content" response.

Postcondition: The subscription to notifications related to NS instance usage is deleted and not available to the NFVO-N, and notifications associated to this subscription are not sent anymore by the NFVO-C.

Error handling: The NFVO-C provides in the response message appropriate error information that reports an erroneous termination request: the subscription to terminate does not exist, etc.

8.4.2 Flow of sending notifications

This clause describes the procedure for sending notifications related to NS instance usage.



Figure 8.4.2-1: Flow of sending notifications

The procedure consists of the following steps as illustrated in figure 8.4.2-1:

Precondition: The NFVO-N has subscribed previously for notifications related to NS instance usage and the NFVO-C has thus a related subscription.

1) If an event occurs that matches the filtering criteria which are part of the subscription, the NFVO-C generates an NsInstanceUsageNotification that includes information about the event, and sends it in the body of a POST request to the URI which the NFVO-N has registered as part of the subscription request.

2) The NFVO-N acknowledges the successful delivery of the notification by returning a "204 No Content" response.

Postcondition: The notification is available to the NFVO-N.

Error handling: If the NFVO-C does not receive the "204 No Content" response from the NFVO-N, it can retry sending the notification.

8.5 Resources

8.5.1 Introduction

This clause defines all the resources and methods provided by the NS instance usage notification interface.

8.5.2 Resource: API versions

The "API versions" resources as defined in clause 9.3.3 of ETSI GS NFV-SOL 013 [2] are part of the NS instance usage notification interface.

8.5.3 Resource: Subscriptions

8.5.3.1 Description

This resource represents subscriptions. The client can use this resource to subscribe to notifications related to NS instance usage, and to query its subscriptions.

8.5.3.2 Resource definition

The resource URI is:

{apiRoot}/nsiun/{apiMajorVersion}/subscriptions

This resource shall support the resource URI variables defined in table 8.5.3.2-1.

Table 8.5.3.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
apiMajorVersion	See clause 8.2

8.5.3.3 Resource methods

8.5.3.3.1 POST

The POST method creates a new subscription.

This method shall follow the provisions specified in tables 8.5.3.3.1-1 and 8.5.3.3.1-2 for URI query parameters, request and response data structures, and response codes.

As the result of successfully executing this method, a new "individual subscription" resource as defined in clause 8.5.4 shall have been created. This method shall not trigger any notification.

Creation of two "individual subscription" resources with the same callbackURI and the same filter can result in performance degradation and will provide duplicates of notifications to the NFVO-N, and might make sense only in very rare use cases. Consequently, the NFVO-C may either allow creating an "individual subscription" resource if another "individual subscription" resource with the same filter and callbackUri already exists (in which case it shall return the "201 Created" response code), or may decide to not create a duplicate "individual subscription" resource (in which case it shall return a "303 See Other" response code referencing the existing "individual subscription" resource with the same filter and callbackUri).

Table 8.5.3.3.1-1: URI query parameters supported by the POST method on this resource

Name	Cardinality	Description
none supported		

Table 8.5.3.3.1-2: Details of the POST request/response on this resource

	Data type	Cardinality	Description	
Request body	NsInstanceUsageSubscriptionRequest	1	Details of the subscription to be created, as defined in clause 8.6.2.2.	
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	NsInstanceUsageSubscription	1	201 Created	Shall be returned when the subscription has been created successfully. The response body shall contain a representation of the created "individual subscription" resource. The HTTP response shall include a "Location" HTTP header that points to the created "individual subscription" resource.
	n/a		303 See Other	Shall be returned if a subscription with the same callbackURI and the same filter already exists and the policy of the NFVO-C is to not create redundant subscriptions. The HTTP response shall include a "Location" HTTP header that contains the resource URI of the existing "individual subscription" resource. The response body shall be empty.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.3.3.2 GET

The GET method queries the list of active subscriptions of the functional block that invokes the method. It can be used e.g. for resynchronization after error situations.

This method shall follow the provisions specified in tables 8.5.3.3.2-1 and 8.5.3.3.2-2 for URI query parameters, request and response data structures, and response codes.

Table 8.5.3.3.2-1: URI query parameters supported by the GET method on this resource

Name	Cardinality	Description
filter	0..1	Attribute-based filtering expression according to clause 5.2 of ETSI GS NFV-SOL 013 [2]. The NFVO-C shall support receiving this parameter as part of the URI query string. The NFVO-N may supply this parameter. All attribute names that appear in the NsInstanceUsageSubscription and in data types referenced from it shall be supported by the NFVO-C in the filter expression.
nextpage_opaque_marker	0..1	Marker to obtain the next page of a paged response. Shall be supported by the NFVO-C if the NFVO-C supports alternative 2 (paging) according to clause 5.4.2.1 of ETSI GS NFV-SOL 013 [2] for this resource.

Table 8.5.3.3.2-2: Details of the GET request/response on this resource

Request body	Data type	Cardinality	Description	
	n/a			
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	NsInstanceUsageSubscription	0..N	200 OK	Shall be returned when the list of subscriptions has been queried successfully. The response body shall contain in an array the representations of all active subscriptions of the functional block that invokes the method, i.e. zero or more representations of NS instance usage notification subscriptions as defined in clause 8.6.2.3. If the "filter" URI parameter was supplied in the request, the data in the response body shall have been transformed according to the rules specified in clause 5.2.2 of ETSI GS NFV-SOL 013 [2]. If the NFVO-C supports alternative 2 (paging) according to clause 5.4.2.1 of ETSI GS NFV-SOL 013 [2] for this resource, inclusion of the Link HTTP header in this response shall follow the provisions in clause 5.4.2.3 of ETSI GS NFV-SOL 013 [2].
	ProblemDetails	1	400 Bad Request	Shall be returned upon the following error: Invalid attribute-based filtering expression. The response body shall contain a ProblemDetails structure, in which the "detail" attribute should convey more information about the error.
	ProblemDetails	1	400 Bad Request	Shall be returned upon the following error: Response too big. If the NFVO-C supports alternative 1 (error) according to clause 5.4.2.1 of ETSI GS NFV-SOL 013 [2] for this resource, this error response shall follow the provisions in clause 5.4.2.2 of ETSI GS NFV-SOL 013 [2].
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.3.3.3 PUT

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.3.3.4 PATCH

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.3.3.5 DELETE

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.4 Resource: Individual subscription

8.5.4.1 Description

This resource represents an individual subscription. The client can use this resource to read and to terminate a subscription to notifications related to NS instance usage.

8.5.4.2 Resource definition

The resource URI is:

{apiRoot}/nsiun/{apiMajorVersion}/subscriptions/{subscriptionId}

This resource shall support the resource URI variables defined in table 8.5.4.2-1.

Table 8.5.4.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
subscriptionId	Identifier of this subscription
apiMajorVersion	See clause 8.2

8.5.4.3 Resource methods

8.5.4.3.1 POST

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.4.3.2 GET

The GET method retrieves information about a subscription by reading an "individual subscription" resource.

This method shall follow the provisions specified in tables 8.5.4.3.2-1 and 8.5.4.3.2-2 for URI query parameters, request and response data structures, and response codes.

Table 8.5.4.3.2-1: URI query parameters supported by the GET method on this resource

Name	Cardinality	Description
none supported		

Table 8.5.4.3.2-2: Details of the GET request/response on this resource

Request body	**Data type**	**Cardinality**	**Description**	
	n/a			
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	NsInstanceUsageSubscription	1	200 OK	Shall be returned when information about an individual subscription has been read successfully. The response body shall contain a representation of the "individual subscription" resource.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.4.3.3 PUT

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.4.3.4 PATCH

This method is not supported. When this method is requested on this resource, the NFVO-C shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.4.3.5 DELETE

The DELETE method terminates an individual subscription.

This method shall follow the provisions specified in tables 8.5.4.3.5-1 and 8.5.4.3.5-2 for URI query parameters, request and response data structures, and response codes.

As the result of successfully executing this method, the "individual subscription" resource shall not exist any longer. This means that no notifications for that subscription shall be sent to the formerly-subscribed API consumer.

NOTE: Due to race conditions, some notifications might still be received by the formerly-subscribed API consumer for a certain time period after the deletion.

Table 8.5.4.3.5-1: URI query parameters supported by the DELETE method on this resource

Name	Cardinality	Description
none supported		

Table 8.5.4.3.5-2: Details of the DELETE request/response on this resource

Request body	Data type	Cardinality	Description	
	n/a			
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	n/a		204 No Content	Shall be returned when the "individual subscription" resource has been deleted successfully. The response body shall be empty.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.5 Resource: Notification endpoint

8.5.5.1 Description

This resource represents a notification endpoint. The NFVO-C can use this resource to send notifications related to NS instance usage to a subscribed NFVO-N, which has provided the URI of this resource during the subscription process.

8.5.5.2 Resource definition

The resource URI is provided by the client when creating the subscription.

This resource shall support the resource URI variables defined in table 8.5.5.2-1.

Table 8.5.5.2-1: Resource URI variables for this resource

Name	Definition
none supported	

8.5.5.3 Resource methods

8.5.5.3.1 POST

The POST method delivers a notification from the NFVO-C to the NFVO-N.

This method shall follow the provisions specified in tables 8.5.5.3.1-1 and 8.5.5.3.1-2 for URI query parameters, request and response data structures, and response codes.

Table 8.5.5.3.1-1: URI query parameters supported by the POST method on this resource

Name	Cardinality	Description
none supported		

Table 8.5.5.3.1-2: Details of the POST request/response on this resource

	Data type	Cardinality	Description	
Request body	NsInstanceUsageNotification	1	A notification about the change of usage of an NS instance as part of a composite NS managed by the server.	
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	n/a		204 No Content	Shall be returned when the notification was delivered successfully.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.5.3.2 GET

The GET method allows the server to test the notification endpoint that is provided by the client, e.g. during the subscription process.

This method shall follow the provisions specified in tables 8.5.5.3.2-1 and 8.5.5.3.2-2 for URI query parameters, request and response data structures, and response codes.

Table 8.5.5.3.2-1: URI query parameters supported by the GET method on this resource

Name	Cardinality	Description
none supported		

Table 8.5.5.3.2-2: Details of the GET request/response on this resource

	Data type	Cardinality	Description	
Request body	n/a			
Response body	**Data type**	**Cardinality**	**Response Codes**	**Description**
	n/a		204 No Content	Shall be returned when the notification was tested successfully. The response body shall be empty.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

8.5.5.3.3 PUT

This method is not supported. When this method is requested on this resource, the NFVO-N shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.5.3.4 PATCH

This method is not supported. When this method is requested on this resource, the NFVO-N shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.5.5.3.5 DELETE

This method is not supported. When this method is requested on this resource, the NFVO-N shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

8.6 Data model

8.6.1 Introduction

This clause defines the request and response data structures of the NS instance usage notification interface. If a request or response contains attributes not defined in the present document, a receiving functional block that does not understand these attributes shall not treat their presence as an error, and may choose to ignore them.

8.6.2 Resource and notification data types

8.6.2.1 Introduction

This clause defines the data structures to be used in resource representations and notifications.

8.6.2.2 Type: NsInstanceUsageSubscriptionRequest

This type represents a subscription request related to notifications about NS instance usage. It shall comply with the provisions defined in table 8.6.2.2-1.

Table 8.6.2.2-1: Definition of the NsInstanceUsageSubscriptionRequest data type

Attribute name	Data type	Cardinality	Description
filter	NsInstanceUsageNotificationsFilter	0..1	Filter settings for this subscription, to define the subset of all notifications this subscription relates to. A particular notification is sent to the subscriber if the filter matches, or if there is no filter.
callbackUri	Uri	1	The URI of the endpoint to send the notification to.
authentication	SubscriptionAuthentication	0..1	Authentication parameters to configure the use of Authorization when sending notifications corresponding to this subscription, as defined in clause 8.3.4 of ETSI GS NFV-SOL 013 [2]. This attribute shall only be present if the subscriber requires authorization of notifications.

8.6.2.3 Type: NsInstanceUsageSubscription

This type represents a subscription related to notifications about NS instance usage. It shall comply with the provisions defined in table 8.6.2.3-1.

Table 8.6.2.3-1: Definition of the NsInstanceUsageSubscription data type

Attribute name	Data type	Cardinality	Description
id	Identifier	1	Identifier that identifies the subscription.
filter	NsInstanceUsageNotificationsFilter	0..1	Filter settings for this subscription, to define the subset of all notifications this subscription relates to. A particular notification is sent to the subscriber if the filter matches, or if there is no filter.
callbackUri	Uri	1	The URI of the endpoint to send the notification to.
_links	Structure (inlined)	1	Links to resources related to this resource.
>self	Link	1	URI of this resource.

8.6.2.4 Type: NsInstanceUsageNotification

This type represents an NS instance usage notification, which indicates the start or end of usage of an NS instance as a part of a composite NS managed by the NFVO-C. It shall comply with the provisions defined in table 8.6.2.4-1.

The notification shall be triggered by the NFVO-C when the usage of the NS instance has been changed.

Table 8.6.2.4-1: Definition of the NsInstanceUsageNotification data type

Attribute name	Data type	Cardinality	Description
id	Identifier	1	Identifier of this notification. If a notification is sent multiple times due to multiple subscriptions, the "id" attribute of all these notifications shall have the same value.
notificationType	String	1	Discriminator for the different notification types. Shall be set to "NsInstanceUsageNotification" for this notification type.
subscriptionId	Identifier	1	Identifier of the subscription that this notification relates to.
timeStamp	DateTime	1	Date and time of the generation of the notification.
nsInstanceId	Identifier	1	Identifier of the NS instance affected.
status	NsInstanceUsageStatusType	1	Indicates whether this notification reports about the start of the usage of an NS instance or about the end of the usage of an NS instance.
_links	NotificationLink	1	Links to resources related to this notification.

8.6.3 Referenced structured data types

8.6.3.1 Type: NsInstanceUsageNotificationsFilter

This type represents a subscription filter related to notifications about NS instance usage. It shall comply with the provisions defined in table 8.6.3.1-1.

At a particular nesting level in the filter structure, the following applies: All attributes shall match in order for the filter to match (logical "and" between different filter attributes). If an attribute is an array, the attribute shall match if at least one of the values in the array matches (logical "or" between the values of one filter attribute).

Table 8.6.3.1-1: Definition of the NsInstanceUsageNotificationsFilter data type

Attribute name	Data type	Cardinality	Description
notificationTypes	Enum (inlined)	0..N	Match particular notification types. Permitted values: • NsInstanceUsageNotification See note.
nsInstanceId	Identifier	0..N	If present, match NS instances with an instance identifier listed in this attribute.
status	NsInstanceUsageStatusType	0..1	If present, match a particular status of usage of an NS instance.
NOTE: The permitted values of the "notificationTypes" attribute are spelled exactly as the names of the notification types to facilitate automated code generation systems.			

8.6.4 Referenced simple data types and enumerations

8.6.4.1 Introduction

This clause defines simple data types and enumerations that can be referenced from data structures defined in the previous clauses.

8.6.4.2 Simple data types

No particular simple data types are defined for this interface, in addition to those defined in clause 4.2.

8.6.4.3 Enumeration: NsInstanceUsageStatusType

The enumeration NsInstanceUsageStatusType shall comply with the provisions defined in table 8.6.4.3-1.

Table 8.6.4.3-1: Enumeration NsInstanceUsageStatusType

Enumeration value	Description
START	Start of usage of the NS instance as part of a composite NS managed by NFVO-C.
END	End of usage of the NS instance as part of a composite NS managed by NFVO-C.

9 NS Performance Management interface

This interface allows providing performance management (measurement results collection and notifications) related to NSs. Performance information on a given NS instance is sent by the NFVO-N to the NFVO-C.

The interface shall follow the provisions specified in clause 7 of ETSI GS NFV-SOL 005 [3] for the performance management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

10 NS Fault Management interface

This interface allows the NFVO-C to subscribe to notifications regarding NS alarms provided by the NFVO-N.

The interface shall follow the provisions specified in clause 8 of ETSI GS NFV-SOL 005 [3] for the fault management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

Annex A (informative): Mapping operations to protocol elements

A.1 Overview

This annex provides the mapping between operations as defined in ETSI GS NFV-IFA 030 [1] and the corresponding resources and HTTP methods defined in the present document.

A.2 NSD Management interface

Table A.2-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NSD management interface.

Table A.2-1: Mapping for the NSD management interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Query NSD Info	GET	nsd/{apiMajorVersion}/ns_descriptors	NFVO-C → NFVO-N
	GET	nsd/{apiMajorVersion}/ns_descriptors/{nsdInfoId}	NFVO-C → NFVO-N

A.3 NS lifecycle management interface

Table A.3-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NS lifecycle management interface.

Table A.3-1: Mapping for the NS lifecycle management interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Create NS Identifier	POST	nslcm/{apiMajorVersion}/ns_instances	NFVO-C → NFVO-N
Delete NS Identifier	DELETE	nslcm/{apiMajorVersion}/ns_instances/{nsInstanceId}	NFVO-C → NFVO-N
Instantiate NS	POST	nslcm/{apiMajorVersion}/ns_instances/{nsInstanceId}/instantiate	NFVO-C → NFVO-N
Terminate NS	POST	nslcm/{apiMajorVersion}/ns_instances/{nsfInstanceId}/terminate	NFVO-C → NFVO-N
Scale NS	POST	nslcm/{apiMajorVersion}/ns_instances/{nsInstanceId}/scale	NFVO-C → NFVO-N
Heal NS	POST	nslcm/{apiMajorVersion}/ns_instances/{nsInstanceId}/heal	NFVO-C → NFVO-N
Query NS	GET	nslcm/{apiMajorVersion}/ns_instances	NFVO-C → NFVO-N
	GET	nslcm/{apiMajorVersion}/ns_instances/{nsInstanceId}	NFVO-C → NFVO-N
Get Operation Status	GET	nslcm/{apiMajorVersion}/ns_lcm_op_occs	NFVO-C → NFVO-N
	GET	nslcm/{apiMajorVersion}/ns_lcm_op_occs/{nsLcmOpOccId}	NFVO-C → NFVO-N
Subscribe	POST	nslcm/{apiMajorVersion}/subscriptions	NFVO-C → NFVO-N
Terminate Subscription	DELETE	nslcm/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-C → NFVO-N
Notify	POST	(provided by API consumer)	NFVO-N → NFVO-C
Query Subscription Information	GET	nslcm/{apiMajorVersion}/subscriptions	NFVO-C → NFVO-N
	GET	nslcm/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-C → NFVO-N

A.4 NS lifecycle operation granting interface

Table A.4-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NS lifecycle operation granting interface.

Table A.4-1: Mapping for the NS lifecycle operation granting interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Grant NS Lifecycle	POST	nslcog/{apiMajorVersion}/grants	NFVO-N → NFVO-C
	GET	nslcog/{apiMajorVersion}/grants/{grantId}	NFVO-N → NFVO-C

A.5 NS instance usage notification interface

Table A.5-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NS instance usage notification interface.

Table A.5-1: Mapping for the NS instance usage notification interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Subscribe	POST	nsiun/{apiMajorVersion}/subscriptions	NFVO-N → NFVO-C
Terminate Subscription	DELETE	nsiun/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-N → NFVO-C
Notify	POST	(provided by API consumer)	NFVO-C → NFVO-N
Query Subscription Information	GET	nsiun/{apiMajorVersion}/subscriptions	NFVO-N → NFVO-C
	GET	nsiun/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-N → NFVO-C

A.6 NS performance management interface

Table A.6-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NS performance management interface.

Table A.6-1: Mapping for the NS performance management interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Create PM Job	POST	nspm/{apiMajorVersion}/pm_jobs	NFVO-C → NFVO-N
Delete PM Job	DELETE	nspm/{apiMajorVersion}/pm_jobs/{pmJobId}	NFVO-C → NFVO-N
Query PM Job	GET	nspm/{apiMajorVersion}/pm_jobs	NFVO-C → NFVO-N
	GET	nspm/{apiMajorVersion}/pm_jobs/{pmJobId}	NFVO-C → NFVO-N
Create Threshold	POST	nspm/{apiMajorVersion}/thresholds	NFVO-C → NFVO-N
Delete Threshold	DELETE	nspm/{apiMajorVersion}/thresholds/{thresholdId}	NFVO-C → NFVO-N
Query Threshold	GET	nspm/{apiMajorVersion}/thresholds	NFVO-C → NFVO-N
	GET	nspm/{apiMajorVersion}/thresholds/{thresholdId}	NFVO-C → NFVO-N
Subscribe	n/a	see note	n/a
Query Subscription Information	n/a	see note	n/a
	n/a	see note	n/a
Terminate Subscription	n/a	see note	n/a
Notify	POST	(provided by API consumer)	NFVO-N → NFVO-C
NOTE: In the NS Performance Management interface specified in the present document, delivery of notifications is controlled directly by the "Thresholds" and "PM jobs" resources.			

A.7 NS fault management interface

Table A.7-1 provides the mapping between the operations and corresponding resources and HTTP methods for the NS fault management interface.

Table A.7-1: Mapping for the NS fault management interface

ETSI GS NFV-IFA 030 [1] operation	HTTP method	Resource	Direction
Get Alarm List	GET	nsfm/{apiMajorVersion}/alarms	NFVO-C → NFVO-N
	GET	nsfm/{apiMajorVersion}/alarms/{alarmId}	NFVO-C → NFVO-N
Acknowledge Alarm	PATCH	nsfm/{apiMajorVersion}/alarms/{alarmId}	NFVO-C → NFVO-N
Subscribe	POST	nsfm/{apiMajorVersion}/subscriptions	NFVO-C → NFVO-N
Query Subscription Information	GET	nsfm/{apiMajorVersion}/subscriptions	NFVO-C → NFVO-N
	GET	nsfm/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-C → NFVO-N
Terminate Subscription	DELETE	nsfm/{apiMajorVersion}/subscriptions/{subscriptionId}	NFVO-C → NFVO-N
Notify	POST	(provided by API consumer)	NFVO-N → NFVO-C

Annex B (normative): Authorization scope values

B.1 Overview

This annex specifies authorization scope values for selected APIs defined in the present document as defined in clause 8.3.7 of ETSI GS NFV-SOL 013 [2]. Each authorization scope value is defined recursively as the union of a set of permitted resource URIs with associated permitted methods, and a set of permitted referenced authorization scope values, where one of these sets can be empty.

B.2 NSD Management interface

This clause specifies authorization scope values to consume the NSD Management interface specified in clause 5. If the NFVO-C supports authorization scope values, the NFVO-C shall support the following authorization scope values referring to clause F.2 of ETSI GS NFV-SOL 005 [3] and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

- nsd:<vn>:ns_descriptors
- nsd:<vn>:ns_descriptors:readonly

Table B.2-1 defines the authorization scope values that are applicable to the NSD Management interface on the Or-Or reference point.

Table B.2-1: Resource and permission of authorization scope for NSD Management interface

Authorization scope value	Resources and scopes	Permitted methods
nsd:<vn>:ns_descriptors	/ns_descriptors	GET
nsd:<vn>:ns_descriptors:readonly	/ns_descriptors	GET
	/ns_descriptors/{nsdInfoId}	GET

B.3 NS Lifecycle Management interface

This clause specifies authorization scope values to consume the NS Lifecycle Management interface specified in clause 6. If the NFVO-C supports authorization scope values, the NFVO-C shall support the authorization scope values referring to clause F.3 of ETSI GS NFV-SOL 005 [3] and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

The authorization scope value "nslcm:<vn>:update" as defined in clause F.3 of ETSI GS NFV-SOL 005 [3] is not supported on the Or-Or reference point.

B.4 NS Performance Management interface

This clause specifies authorization scope values to consume the NS Performance Management interface specified in clause 9. If the NFVO-C supports authorization scope values, the NFVO-C shall support the authorization scope values defined in clause F.4 of ETSI GS NFV-SOL 005 [3] and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

The authorization scope values of this interface shall follow the provisions specified in clause F.4 of ETSI GS NFV-SOL 005 [3] for the performance management interface, except that the producer is NFVO-N and the consumer is NFVO.

B.5 NS Fault Management interface

This clause specifies authorization scope values to consume the NS Fault Management interface specified in clause 10. If the NFVO-C supports authorization scope values, the NFVO-C shall support the authorization scope values defined in clause F.5 of ETSI GS NFV-SOL 005 [3] and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

The authorization scope values of this interface shall follow the provisions specified in clause F.5 of ETSI GS NFV-SOL 005 [3] for the fault management interface, except that the producer is NFVO-N and the consumer is NFVO.

B.6 NS Lifecycle Operation Granting interface

This clause specifies authorization scope values to consume the NS Lifecycle Operation Granting interface specified in clause 7. If the NFVO-C supports authorization scope values, the NFVO-C shall support the authorization scope values specified in table B.6-1 and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

The elements in the authorization scope value definition specified in clause 8.3.7 of ETSI GS NFV-SOL 013 [2] are defined as follows, resulting in the authorization scope values given in table B.6-1:

- {apiName} is set as defined in clause 7.3,
- <vn> shall be set to the value of {apiMajorVersion} as defined in clause 7.2,
- <permissionName> and <qualifier> are set as defined in table B.6-1.

Table B.6-1: Authorization scope values for NS Lifecycle Operation Granting interface

Authorization Scope value	Description
nslcog:<vn>:all	Allows to perform all methods on all resources of NS Lifecycle Operation Granting interface that read the "Grants" resource, and create and read its child resources. This permission allows to request a grant as indicated in clause 7.4.1.

Table B.6-2 defines the authorization scope values that are applicable to the NS Lifecycle Operation Granting on the Or-Or reference point.

Table B.6-2: Resource and permission of authorization scope for NS Lifecycle Operation Granting interface

Authorization scope value	Resources and scopes	Permitted methods
nslcog:<vn>:all	/grants	POST
	/grants/{grantId}	GET

B.7 NS Instance Usage Notification interface

This clause specifies authorization scope values to consume the NS Instance Usage Notification interface specified in clause 8. If the NFVO-C supports the NS Instance Usage Notification interface and supports authorization scope values, the NFVO-C shall support the authorization scope values specified in table B.7-1 and may support additional authorization scope values, when authorizing an API request from an API consumer as specified in clause 8.3.3 of ETSI GS NFV-SOL 013 [2].

The elements in the authorization scope value definition specified in clause 8.3.7 of ETSI GS NFV-SOL 013 [2] are defined as follows, resulting in the authorization scope values given in table B.7-1:

- {apiName} is set as defined in clause 8.3,
- <vn> shall be set to the value of {apiMajorVersion} as defined in clause 8.2,
- <permissionName> and <qualifier> are set as defined in table B.7-1.

Table B.7-1: Authorization scope values for NS Instance Usage Notification interface

Authorization Scope value	Description
nsiun:<vn>:all	Allows to perform all methods on all resources of NS Instance Usage Notification interface that read the "Subscriptions" resource and to create, read and delete its child resources. This permission allows managing subscriptions as indicated in clause 8.4.1.

Table B.7-2 defines the authorization scope values that are applicable to the NS Instance Usage Notification interface on the Or-Or reference point.

Table B.7-2: Resource and permission of authorization scope for NS Instance Usage Notification interface

Authorization scope value	Resources and scopes	Permitted methods
nsiun:<vn>:all	/subscriptions	GET, POST
	/subscriptions/{subscriptionId}	GET, DELETE

Annex C (informative): Change history

Date	Version	Information about changes
October 2018	V0.0.1	Skeleton and scope
January 2019	V0.0.2	Incorporate the following contributions: NFVSOL(18)000732r1_SOL011_Add_terms_and_the_overview_of_interface_Or-Or NFVSOL(18)000733_SOL011_Add_the_description_of_NSD_management_in_the_interfac NFVSOL(18)000734_SOL011_Add_the_description_of_NS_lifecycle_management_in_the
April 2019	V0.0.3	Incorporate the following contributions: NFVSOL(19)000110r1_SOL011_Add_the_description_of_performance_management_in_the_ NFVSOL(19)000111r1_SOL011_Add_the_description_of_fault_management_in_the_interf NFVSOL(19)000113_SOL011_generic_part_of_NS_LCM_granting_interface NFVSOL(19)000114_SOL011_resource_structure_of_NS_LCM_granting_interface NFVSOL(19)000115r1_SOL011_sequence_diagram_of_NS_LCM_granting_interface NFVSOL(19)000116r1_SOL011_resource_definition_of_NS_LCM_granting_interface NFVSOL(19)000117r1_SOL011_data_type_definition_of_NS_LCM_granting_interface NFVSOL(19)000130r4_SOL011_NSD_management_resource_structure_and_method_of_the_i NFVSOL(19)000200_SOL011_generic_part_of_NS_instance_usage_notify_interface NFVSOL(19)000201r1_SOL011_resource_structure_of_NS_instance_usage_notify_interf NFVSOL(19)000202r1_SOL011_sequence_diagram_of_NS_instance_usage_notify_interfac NFVSOL(19)000203r1_SOL011_resource_definition_of_NS_instance_usage_notify_inter NFVSOL(19)000204_SOL011_data_type_of_NS_instance_usage_notify_interface
October 2019	V0.1.0	Incorporate the following contributions: NFVSOL(19)000308r1_SOL011_NS_lifecycle_management_resources_and_sequence_diagra NFVSOL(19)000625_SOL011_Performance_management_interface_clause_for_the_refer NFVSOL(19)000626_SOL011_Fault_management_interface_clause_for_the_reference_p NFVSOL(19)000627_SOL011_clause_4_2_address_editor_s_note NFVSOL(19)000628_SOL011_clause_7_4_1_address_editor_s_note NFVSOL(19)000629r1_SOL011_clause_7_6_2_2_address_editor_s_note
November 2019	V0.2.0	Incorporate the following contributions: NFVSOL(19)000716_SOL011_Semi-Editorial_Corrections NFVSOL(19)000730r1_SOL011_Annex_A_Mapping_operations_to_protocol_elements NFVSOL(19)000763r1_SOL011_Clause_5_Align_the_format_with_other_interfaces NFVSOL(19)000764r2_SOL011_Clause_6_Address_the_Editor_s_Note NFVSOL(19)000765r3_SOL011_Clause_7_align_the_grant_interface_design_with_SOL003 NFVSOL(19)000766_SOL011_Clause_8_Editorial_fix_for_api_version with rapporteur's editorial changes
September 2022	V3.6.2	Base line for Release 3 maintenance, created from v3.3.1
January 2023	V4.3.1	Base line for Release 4 maintenance, created from v3.7.1
October 2023	V4.4.2	Incorporate the following contributions: NFVSOL(23)000139_SOL011ed451_OAuth_scope_value_for_NSD_mgmt___NS_LCM__PM_and_ NFVSOL(23)000140_SOL011ed451_OAuth_scope_value_for_NS_Granting_interfaces NFVSOL(23)000141_SOL011ed451_OAuth_scope_value_for_NS_Instance_Usage_Notifica

History

Document history		
V4.4.1	March 2023	Publication
V4.5.1	December 2023	Publication