# ETSI TS 121 202 V10.4.0 (2026-02)




TECHNICAL SPECIFICATION

**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
Technical Specifications and Technical Reports relating to the Common IP Multimedia Subsystem (IMS)
(3GPP TS 21.202 version 10.4.0 Release 10)**



Reference
RTS/TSGS-0021202va40

Keywords
GSM,LTE,UMTS

***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

***Important notice***

The present document can be downloaded from the
ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under Committee Support Staff.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

***Notice of disclaimer & limitation of liability***

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at 3GPP to ETSI numbering cross-referencing.

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights ..... 2
Legal Notice ..... 2
Modal verbs terminology ..... 2
Foreword ..... 4
1 Scope ..... 5
2 References ..... 5
3 Definitions, symbols and abbreviations ..... 5
3.1 Definitions ..... 5
3.2 Symbols ..... 5
3.3 Abbreviations ..... 5
4 General ..... 5
5 Specifications and Reports ..... 6
**Annex A (informative): void ..... 10**
**Annex B (informative): void ..... 10**
**Annex C (informative): void ..... 10**
**Annex D (informative): void ..... 10**
**Annex E (informative): void ..... 10**
**Annex F (informative): void ..... 10**
**Annex G (informative): void ..... 10**
**Annex H (informative): void ..... 10**
**Annex I (informative): void ..... 10**
**Annex J (informative): void ..... 10**
**Annex K (informative): void ..... 10**
**Annex L (informative): void ..... 11**
**Annex M (informative): IMS related Specifications and Reports in 3GPP2 ..... 12**
**Annex N (informative): Change history ..... 14**
History ..... 15

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

# 1 Scope

The present document identifies the 3GPP Technical Specifications and Technical Reports specifically relating to the Common IP Multimedia Subsystem (IMS) maintained by 3GPP. Standards organizations adopting the Common IP Multimedia Subsystem (IMS) might not need to use all listed specifications.

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document.*

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TR 21.900: "Technical specification group working methods"

# 3 Definitions, symbols and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] apply.

## 3.2 Symbols

(None)

## 3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

| | |
|---|---|
| NGN | Next Generation Network |
| R1 | Release 1 |
| R2 | Release 2 |
| TISPAN | Telecommunications and Internet converged Services and Protocols for Advanced Networks |

# 4 General

The numbering scheme for specifications is described in 3GPP TR 21.900 [2].

# 5 Specifications and Reports

NOTE 1: The "for publication?" column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: "Type" indicates Technical Specification (TS) or Technical Report (TR).

The table below contains all Common IMS specs pertaining to Release 10.

| Type | Number | Title | Group | For publication? |
|---|---|---|---|---|
| TS | 21.111 | USIM and IC card requirements | C6 | Yes |
| TR | 21.905 | Vocabulary for 3GPP Specifications | SP | Yes |
| TS | 22.030 | Man-Machine Interface (MMI) of the User Equipment (UE) | S1 | Yes |
| TS | 22.041 | Operator Determined Barring (ODB) | S1 | Yes |
| TS | 22.071 | Location Services (LCS); Service description; Stage 1 | S1 | Yes |
| TS | 22.101 | Service aspects; Service principles | S1 | Yes |
| TS | 22.105 | Services and service capabilities | S1 | Yes |
| TS | 22.115 | Service aspects; Charging and billing | S1 | Yes |
| TS | 22.140 | Multimedia Messaging Service (MMS); Stage 1 | S1 | Yes |
| TS | 22.141 | Presence service; Stage 1 | S1 | Yes |
| TS | 22.153 | Multimedia priority service | S1 | Yes |
| TS | 22.173 | IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1 | S1 | Yes |
| TS | 22.174 | Push Service; Service aspects; Stage 1 | S1 | Yes |
| TS | 22.182 | Customized Alerting Tones (CAT) requirements; Stage 1 | S1 | Yes |
| TS | 22.183 | Customized Ringing Signal (CRS) requirements; Stage 1 | S1 | Yes |
| TS | 22.228 | Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1 | S1 | Yes |
| TS | 22.250 | IP Multimedia Subsystem (IMS) Group Management; Stage 1 | S1 | Yes |
| TS | 22.279 | Combined Circuit Switched (CS) and IP Multimedia Subsystem (IMS) sessions; Stage 1 | S1 | Yes |
| TS | 22.340 | IP Multimedia Subsystem (IMS) messaging; Stage 1 | S1 | Yes |
| TR | 22.979 | Feasibility study on combined Circuit Switched (CS) calls and IP Multimedia Subsystem (IMS) sessions | S1 | Yes |
| TS | 23.141 | Presence service; Architecture and functional description | S2 | Yes |
| TS | 23.167 | IP Multimedia Subsystem (IMS) emergency sessions | S2 | Yes |
| TS | 23.204 | Support of Short Message Service (SMS) over generic 3GPP Internet Protocol (IP) access; Stage 2 | S2 | Yes |
| TS | 23.218 | IP Multimedia (IM) session handling; IM call model; Stage 2 | C1 | Yes |
| TS | 23.228 | IP Multimedia Subsystem (IMS); Stage 2 | S2 | Yes |
| TS | 23.333 | Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface: Procedures descriptions | C4 | Yes |
| TS | 23.334 | IP Multimedia Subsystem (IMS) Application Level Gateway (IMS-ALG) – IMS Access Gateway (IMS-AGW) interface: Procedures descriptions | C4 | Yes |
| TS | 24.141 | Presence service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes |
| TS | 24.147 | Conferencing using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes |
| TS | 24.173 | IMS Multimedia telephony communication service and supplementary services; Stage 3 | C1 | Yes |
| TS | 24.182 | IP Multimedia Subsystem (IMS) Customized Alerting Tones (CAT); Protocol specification | C1 | Yes |
| TS | 24.229 | IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 | C1 | Yes |
| TS | 24.238 | Session Initiation Protocol (SIP) based user configuration; Stage 3 | C1 | Yes |
| TS | 24.239 | Flexible Alerting (FA) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.247 | Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes |
| TS | 24.341 | Support of SMS over IP networks; Stage 3 | C1 | Yes |
| TS | 24.604 | Communication Diversion (CDIV) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.605 | Conference (CONF) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |

| Type | Number | Title | Group | For publication? |
|---|---|---|---|---|
| TS | 24.606 | Message Waiting Indication (MWI) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.607 | Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.608 | Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.610 | Communication HOLD (HOLD) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.611 | Anonymous Communication Rejection (ACR) and Communication Barring (CB) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.615 | Communication Waiting (CW) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol Specification | C1 | Yes |
| TS | 24.616 | Malicious Communication Identification (MCID) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.628 | Common Basic Communication procedures using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.629 | Explicit Communication Transfer (ECT) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.642 | Completion of Communications to Busy Subscriber (CCBS) and Completion of Communications by No Reply (CCNR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification | C1 | Yes |
| TS | 24.647 | Advice Of Charge (AOC) using IP Multimedia (IM) Core Network (CN) subsystem | C1 | Yes |
| TS | 24.654 | Closed User Group (CUG) using IP Multimedia (IM) Core Network (CN) subsystem, Protocol Specification | C1 | Yes |
| TR | 24.930 | Signalling flows for the session setup in the IP Multimedia core network Subsystem (IMS) based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 | C1 | Yes |
| TS | 29.162 | Interworking between the IM CN subsystem and IP networks | C3 | Yes |
| TS | 29.163 | Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks | C3 | Yes |
| TS | 29.165 | Inter-IMS Network to Network Interface (NNI) | C3 | Yes |
| TS | 29.212 | Policy and Charging Control (PCC) over Gx/Sd reference point | C3 | Yes |
| TS | 29.213 | Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping | C3 | Yes |
| TS | 29.214 | Policy and charging control over Rx reference point | C3 | Yes |
| TS | 29.215 | Policy and Charging Control (PCC) over S9 reference point; Stage 3 | C3 | Yes |
| TS | 29.228 | IP Multimedia (IM) Subsystem Cx and Dx Interfaces; Signalling flows and message contents | C4 | Yes |
| TS | 29.229 | Cx and Dx interfaces based on the Diameter protocol; Protocol details | C4 | Yes |
| TS | 29.232 | Media Gateway Controller (MGC) - Media Gateway (MGW) interface; Stage 3 | C4 | Yes |
| TS | 29.238 | Interconnection Border Control Functions (IBCF) - Transition Gateway (TrGW) interface, Ix interface; Stage 3 | C4 | Yes |
| TS | 29.292 | Interworking between the IP Multimedia (IM) Core Network (CN) subsystem (IMS) and MSC Server for IMS Centralized Services (ICS) | C3 | Yes |
| TS | 29.311 | Service Level Interworking (SLI) for messaging services | C3 | Yes |
| TS | 29.328 | IP Multimedia (IM) Subsystem Sh interface; Signalling flows and message contents | C4 | Yes |
| TS | 29.329 | Sh interface based on the Diameter protocol; Protocol details | C4 | Yes |
| TS | 29.333 | Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface; Stage 3 | C4 | Yes |
| TS | 29.334 | IMS Application Level Gateway (IMS-ALG) - IMS Access Gateway (IMS-AGW); Iq Interface; Stage 3 | C4 | Yes |
| TS | 29.658 | SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification | C3 | Yes |
| TS | 31.101 | UICC-terminal interface; Physical and logical characteristics | C6 | Yes |
| TS | 31.103 | Characteristics of the IP Multimedia Services Identity Module (ISIM) application | C6 | Yes |

| Type | Number | Title | Group | For publication? |
|---|---|---|---|---|
| TS | 31.115 | Secured packet structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications | C6 | Yes |
| TS | 31.116 | Remote APDU Structure for (U)SIM Toolkit applications | C6 | Yes |
| TS | 31.133 | IP Multimedia Services Identity Module (ISIM) Application Programming Interface (API); ISIM API for Java Card™ | C6 | Yes |
| TS | 32.240 | Telecommunication management; Charging management; Charging architecture and principles | S5 | Yes |
| TS | 32.260 | Telecommunication management; Charging management; IP Multimedia Subsystem (IMS) charging | S5 | Yes |
| TS | 32.295 | Telecommunication management; Charging management; Charging Data Record (CDR) transfer | S5 | Yes |
| TS | 32.297 | Telecommunication management; Charging management; Charging Data Record (CDR) file format and transfer | S5 | Yes |
| TS | 32.298 | Telecommunication management; Charging management; Charging Data Record (CDR) parameter description | S5 | Yes |
| TS | 32.299 | Telecommunication management; Charging management; Diameter charging applications | S5 | Yes |
| TS | 32.299 | Telecommunication management; Charging management; Diameter charging applications | S5 | Yes |
| TS | 33.141 | Presence service; Security | S3 | Yes |
| TS | 33.203 | 3G security; Access security for IP-based services | S3 | Yes |
| TS | 33.210 | 3G security; Network Domain Security (NDS); IP network layer security | S3 | Yes |
| TS | 33.328 | IP Multimedia Subsystem (IMS) media plane security | S3 | Yes |
| TS | 34.229-1 | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 1: Protocol conformance specification | R5 | Yes |
| TS | 34.229-2 | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) specification | R5 | Yes |
| TS | 34.229-3 | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 3: Abstract test suite (ATS) | R5 | Yes |

Annex A (informative):
void

Annex B (informative):
void

Annex C (informative):
void

Annex D (informative):
void

Annex E (informative):
void

Annex F (informative):
void

Annex G (informative):
void

Annex H (informative):
void

Annex I (informative):
void

Annex J (informative):
void

Annex K (informative):
void

# Annex L (informative): void

# Annex M (informative): IMS related Specifications and Reports in 3GPP2

The table below shows the 3GPP2 publications relating to core functions of the IP Multimedia Subsystem (IMS) used by the 3GPP2. Also shown in the table is the mapping between the replaced 3GPP2 MMD specifications and the corresponding 3GPP IMS specifications which replace them and the final revision of the document that was published by 3GPP2.

| 3GPP2 Document Number and Revision | 3GPP2 Document Title | 3GPP Rel-8 TS/TR | 3GPP WG |
|---|---|---|---|
| X.S0013-000-B v1.0 | Overview | TS 23.002<br>TS 23.228 | S2 |
| X.S0013-002-B v1.0 | IP Multimedia Subsystem – Stage 2 | TS 23.228<br>TS 23.002 | S2<br>S2 |
| X.S0013-003-B v1.0 | IP Multimedia Session Handling; IP Multimedia Call Model – Stage 2 | TS 23.218 | C1 |
| X.S0013-004-B v1.0 | IP Multimedia Call Control Protocol Based on SIP and SDP - Stage 3 | TS 24.229 | C1 |
| X.S0013-005-B v1.0 | IP Multimedia Subsystem Cx Interface Signaling flows and Message Contents | TS 29.228 | C4 |
| X.S0013-006-B v1.0 | Cx Interface Based on the Diameter Protocol; Protocol Details | TS 29.229 | C4 |
| X.S0013-007-A v1.0 | IP Multimedia Subsystem - Charging Architecture | TS 32.240<br>TS 32.260 | S5<br>S5 |
| X.S0013-008-A v1.0 | IP Multimedia Subsystem - Offline Accounting Information Flows and Protocol | TS 32.260<br>TS 32.299 | S5<br>S5 |
| X.S0013-009-0 v1.0 | IMS/MMD Call Flow Examples | TR 24.930 | C1 |
| X.S0013-010-B v1.0 | IP Multimedia Subsystem Sh interface; Signaling flows and message contents – Stage 2 | TS 29.328 | C4 |
| X.S0013-011-B v1.0 | Sh Interface based on Diameter Protocols Protocol Details – Stage 3 | TS 29.329 | C4 |
| X.S0013-012-0 v1.0 | Service Based Bearer Control – Stage 2 | TS 23.203 | S2 |
| X.S0013-013-0 v1.0 | Service Based Bearer Control – Tx Interface Stage 3 | TS 29.213<br>TS 29.214 | C3<br>C3 |
| X.S0013-014-0 v1.0 | Service Based Bearer Control – Ty Interface Stage 3 | TS 29.212<br>TS 29.215 | C3<br>C3 |
| X.S0013-016-0 v1.0 | Messaging Service Using the IP Multimedia Subsystem | TS 24.247 | C1 |
| X.S0027-000-A v1.0 | Presence Overview | No 3GPP equivalent | |
| X.S0027-001-0 v1.0 | Presence Service: Architecture and Functional Description | TS 23.141 | S2 |
| X.S0027-002-0 v1.0 | Presence Security | TS 33.141 | S3 |
| X.S0027-003-0 v1.0 | Presence Stage 3 | TS 24.141 | C1 |
| X.S0027-004-0 v1.0 | Network Presence | No 3GPP equivalent | |
| X.S0029-0 v1.0 | Conferencing Using the IP Multimedia (IM) Core Network (CN) Subsystem | TS 24.147 | C1 |
| X.S0049-0 v1.0 | All-IP Network Emergency Call Support | TS 23.167<br>TS 24.229 | S2<br>C1 |
| X.S0055-0 v1.0 | MMD Supplementary Services | TS 24.173<br>TS 24.182<br>TS 24.238<br>TS 24.239<br>TS 24.604<br>TS 24.605<br>TS 24.606<br>TS 24.607 | C1<br>C1<br>C1<br>C1<br>C1<br>C1<br>C1<br>C1 |

| | | | |
|---|---|---|---|
| | | TS 24.608 | C1 |
| | | TS 24.610 | C1 |
| | | TS 24.611 | C1 |
| | | TS 24.615 | C1 |
| | | TS 24.628 | C1 |
| | | TS 24.629 | C1 |
| S.S0086-B v2.0 | IMS Security Framework | TS 33.203 | S3 |
| | | TS 33.210 | S3 |
| S.R0058 | IP Multimedia Domain – System Requirements | TS 22.228 | S1 |
| S.R0062 | Presence for Wireless Systems – Stage 1 Requirements | TS 22.141 | S1 |
| S.R0125 | VoIP Supplementary Services Feature Description | TS 22.173 | S1 |
| X.R0052-0 | All-IP System – MMD Roaming Technical Report | No 3GPP equivalent | |
| X.S0042 | Voice Call Continuity between IMS and Circuit Switched Systems | TS 23.206 | S2 |
| | | TS 24.206 | C1 |
| C.S0069 | ISIM Application on UICC for cdma2000 Spread Spectrun Systems | TS 31.103 | C6 |

# Annex N (informative): Change history

| Change history | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Date** | **TSG #** | **TSG Doc.** | **CR** | **Rev** | **Subject/Comment** | **Old** | **New** |
| 2008-05 | | | | | First draft based on SA1 request to SP-38, refined at SP-39. Spec list based on Specification Manager's whim. | | 0.0.0 |
| 2008-12 | | | | | Update based on continuing evolution of Release 8 specs | 0.0.0 | 0.1.0 |
| 2008-12 | SP-42 | SP-080724 | | | Incorporation of comments from TSG CT:<br>removal of §5.1 (substituted by two examples in annex A);<br>indication in list of specs of those which do not progress beyond NGN R2 applicability. | 0.1.0 | 0.2.0 |
| 2009-01 | | | | | Update to specs list table resulting from further feedback;<br>Correction to URL of TISPAN spec mapping following revamp of 3GPP web site | 0.2.0 | 0.3.0 |
| 2009-03 | CP-43 | CP-090103 | | | Presentationfor information | 0.3.0 | 1.0.0 |
| 2009-03 | SP-43 | SP-090035 | | | Presentation to TSG for approval | 1.0.0 | 1.1.0 |
| 2009-03 | SP-43 | | | | Approved | 1.1.0 | 8.0.0 |
| 2009-05 | SP-44 | SP-090463 | 2 | 2 | Annex mapping 3GPP2 specs to 3GPP common IMS specs | 8.0.0 | |
| | | SP-090464 | 3 | | Revise scope | | 8.1.0 |
| 2009-06 | SP-46 | SP-090695 | 4 | 1 | Correction to list of specifications | 8.1.0 | 8.2.0 |
| 2010-03 | SP-47 | SP-100012 | 5 | | Update list of specs | 8.2.0 | 8.3.0 |
| | | | 6 | | Update list of specs | 8.3.0 | |
| | | | 7 | | Removal of information only relevant for earlier Release | | 9.0.0 |
| 2010-12 | SP-50 | SP-100871 | 8 | 1 | Clarification of scope to indicate use of complete set of TSs/TRs is not obligatory in all IMS implementations | 9.0.0 | 9.1.0 |
| 2011-03 | SP-51 | | | | Automatic upgrade on Release freeze | 9.1.0 | 10.0.0 |
| 2011-06 | SP-52 | SP-110298 | 11 | | Correction to list of specifications | 10.0.0 | 10.1.0 |
| 2012-03 | SP-55 | SP-120114 | 14 | 1 | Changes to list of Specs: common IMS | 10.1.0 | 10.2.0 |
| 2013-03 | SP-59 | SP-130155 | 15 | | Update to list of specs | 10.2.0 | 10.3.0 |
| 2014-06 | | | | | Minor editorial | 10.30. | 10.3.1 |

| Change history | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Date** | **Meeting** | **TDoc** | **CR** | **Rev** | **Cat** | **Subject/Comment** | **New version** |
| 2025-12 | SA#110 | SP-251603 | 0022 | 1 | A | Correction of the IMS specifications list | 10.4.0 |

# History

| Version | Date | Status |
|---|---|---|
| V10.0.0 | April 2011 | Publication |
| V10.1.0 | July 2011 | Publication |
| V10.2.0 | March 2012 | Publication |
| V10.3.0 | April 2013 | Publication (withdrawn) |
| V10.3.1 | July 2014 | Publication |
| V10.4.0 | February 2026 | Publication |