EN 301 133 V1.1.1 (1998-10)

European Standard (Telecommunications series)

Integrated Services Digital Network (ISDN); Selective Call Forwarding (SCF) supplementary services (unconditional, busy and no reply); Service description



Reference
DEN/NA-020008 (aho00ico.PDF)

Keywords
ISDN, stage 1, supplementary service, SCF

ETSI

Postal address
F-06921 Sophia Antipolis Cedex - FRANCE

Office address
650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet
secretariat@etsi.fr
http://www.etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights 5
Foreword 5
1 Scope 6
2 References 6
2.1 Normative references 6
2.2 Informative references 7
3 Definitions and abbreviations 7
3.1 Definitions 7
3.2 Abbreviations 8
4 Description 8
5 Procedures 8
5.1 Provision and withdrawal 8
5.2 Normal procedures 9
5.2.1 Activation, deactivation and registration 9
5.2.1.1 Activation 9
5.2.1.2 Deactivation 9
5.2.1.3 Registration 10
5.2.2 Erasure 10
5.2.3 Invocation and operation 10
5.2.4 Interrogation 10
5.3 Exceptional procedures 11
5.3.1 Activation, deactivation and registration 11
5.3.1.1 Activation 11
5.3.1.2 Deactivation 11
5.3.1.3 Registration 11
5.3.2 Erasure 11
5.3.3 Invocation and operation 12
5.3.4 Interrogation 12
6 Intercommunication considerations 12
6.1 Interworking with non-ISDN 12
6.2 Interworking with private ISDNs 12
7 Interaction with other supplementary services 12
7.1 Advice of charge services 12
7.2 Call waiting 12
7.3 Call hold 12
7.4 Explicit call transfer 13
7.5 Number identification services 13
7.5.1 Calling line identification presentation 13
7.5.2 Calling line identification restriction 13
7.5.3 Connected line identification presentation 13
7.5.4 Connected line identification restriction 13
7.6 Closed user group 13
7.7 Call completion services 13
7.7.1 Completion of calls to busy subscriber 13
7.7.2 Completion of calls on no reply 13
7.8 Conference services 14
7.8.1 Conference call, add-on 14
7.8.2 Meet-me conference 14
7.9 Direct dialling in 14
7.10 Diversion services 14
7.10.1 Call forwarding unconditional 14
7.10.2 Call forwarding busy 14

7.10.3 Call forwarding no reply 14
7.10.4 Call deflection 14
7.10.5 Selective call forwarding 15
7.11 Freephone 15
7.12 Malicious call identification 15
7.13 Multiple subscriber number 15
7.14 Subaddressing 15
7.15 Terminal portability 15
7.16 Three party 15
7.17 User-to-user signalling 15
7.18 Outgoing call barring 16
7.18.1 Outgoing call barring: fixed 16
7.18.2 Outgoing call barring: user controlled 16
7.19 Message waiting indication 16

8 Interaction with other services 16
8.1 Universal Access Number (UAN) 16
8.2 Virtual card calling 16
8.3 Premium rate 17
8.4 Televoting 17
8.5 Remote control 17

History 18

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Network Aspects (NA).

The following three level structure is used to describe the supplementary telecommunications services:

- Stage 1: is an overall service description, from the user's standpoint;
- Stage 2: identifies the functional capabilities and information flows needed to support the service described in stage 1; and
- Stage 3: defines the signalling system protocols and switching functions needed to implement the service described in stage 1.

National transposition dates	
Date of adoption of this EN:	30 October 1998
Date of latest announcement of this EN (doa):	31 January 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 1999
Date of withdrawal of any conflicting National Standard (dow):	31 July 1999

1 Scope

The present document defines the stage one of the Selective Call Forwarding (SCF) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European public telecommunications operators. Stage one is an overall service description from the user's point of view, but does not deal with the details of the human interface itself.

The present document defines the interworking requirements of private ISDNs with the public ISDN.

In addition the present document specifies the base functionality where the service is provided to the user via a private ISDN.

The present document does not specify the additional requirements where the service is provided to the user via a telecommunications network that is not an ISDN but does include interworking requirements of other networks with the public ISDN.

Charging principles are outside the scope of the present document.

Interaction with supplementary services not listed in clauses 7 and 8 are outside the scope of the present document.

The present document deals with the selection mechanisms of the SCF supplementary service. For details of the mechanisms by which calls are forwarded, refer to the service descriptions of the call forwarding supplementary services (see ETS 300 200 [5], ETS 300 199 [6], and ETS 300 201 [7]).

The SCF supplementary service enables a served user to specify the forwarding of their incoming calls to a selected destination subject to certain conditions or circumstances e.g. the calling line identity of the calling user.

The SCF supplementary service is applicable to all circuit-switched telecommunication services.

The present document is applicable to the stage two and stage three standards for the ISDN SCF supplementary service. The terms "stage two" and "stage three" are also defined in CCITT Recommendation I.130 [1]. Where the text indicates the status of a requirement (i.e. as strict command or prohibition, as authorization leaving freedom, as a capability or possibility), this shall be reflected in the text of the relevant stage two and stage three standards.

Furthermore, conformance to the present document is met by conforming to the stage three standards with the field of application appropriate to the equipment being implemented. Therefore, no method of testing is provided for the present document.

2 References

References may be made to:

a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or

b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or

c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or

d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

2.1 Normative references

[1] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".

[2] ITU-T Recommendation I.112 (1993): "Vocabulary of terms for ISDNs".

[3] ITU-T Recommendation I.210 (1993): "Principles of telecommunication services supported by an ISDN and the means to describe them".

[4] ITU-T Recommendation E.164 (1997): "The international public telecommunication numbering plan".

[5] ETS 300 200: "Integrated Services Digital Network (ISDN); Call Forwarding Unconditional (CFU) supplementary service; Service description".

[6] ETS 300 199: "Integrated Services Digital Network (ISDN); Call Forwarding Busy (CFB) supplementary service; Service description".

[7] ETS 300 201 including A1: "Integrated Services Digital Network (ISDN); Call Forwarding No Reply (CFNR) supplementary service; Service description".

[8] Void.

[9] EN 301 134: "Integrated Services Digital Network (ISDN); Completion of Calls on No Reply (CCNR) supplementary service; Service description".

2.2 Informative references

[10] ETS 300 345: "Integrated Services Digital Network (ISDN); Interworking between public ISDNs and private ISDNs for the provision of telecommunication services; General aspects".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following definitions apply:

served user: a called user to whom the SCF supplementary service has been provided.

Integrated Services Digital Network (ISDN): see ITU-T Recommendation I.112 [2], subclause 2.3, definition 308.

service, telecommunication service: see ITU-T Recommendation I.112 [2], subclause 2.2, definition 201.

supplementary service: see ITU-T Recommendation I.210 [3], subclause 2.4.

ISDN number: a number conforming to the numbering plan and structure specified in ITU-T Recommendation E.164 [4].

screening list: a list containing conditions for forwarding, or for not forwarding, of a call.

basic access: see ITU-T Recommendation I.112, subclause 2.4, definition 425.

partial number: the most significant digit(s) of the ITU-T Recommendation E.164 international, national or local number.

primary rate access: see ITU-T Recommendation I.112 [2], subclause 2.4, definition 426.

explicit forwarding: forward all calls from specified calling number(s).

implicit forwarding: forward all calls except from the specified calling number(s).

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CLI	Calling Line Identity
ISDN	Integrated Services Digital Network
SCF	Selective Call Forwarding
UAN	Universal Access Number

4 Description

The SCF supplementary service shall apply to the basic access and to the primary rate access.

The present document should be read in conjunction with the standards for the Call Forwarding services.

The SCF supplementary service is an incoming call management feature to the defined Call Forwarding supplementary services that allows the served user to define one or more screening lists. The number of screening lists available to users is a service provider option. Each screening list consists of a set of calling numbers. Incoming calls that satisfy the conditions identified by the screening list shall be forwarded to the forwarded-to ISDN number, which is registered on activation of the SCF supplementary service. The served user's ability to originate calls is unaffected by the SCF supplementary service.

If the incoming call contains two calling party numbers and only one of the numbers is on the screening list, forwarding shall take place if the additional forwarding conditions (if any) are met.

As a service provider option, the served user can also specify the forwarding of their incoming calls to destinations according to additional forwarding conditions, e.g.:

- time of day, day of week, etc.;
- area of call origination.

NOTE: The specification of these service provider options is outside the scope of the present document.

The served user can have multiple instances of the activation of the SCF supplementary service, i.e. more than one screening list may be in use. This enables calls to be forwarded to different destinations, according to different criteria in the screening lists.

For each screening list, the served user shall specify whether forwarding shall be done unconditionally see ETS 300 200 [5], and/or on busy see ETS 300 199 [6], and/or on no reply see ETS 300 201 [7].

All parameters specified by the served user in a screening list shall be independent from those specified in the other screening lists belonging to the served user.

The SCF supplementary service shall operate with complete or partial calling number(s) specified in local, national or international format and the selected calling number(s) shall be able to be specified both explicitly (i.e. forward all calls from specified calling number(s) and implicitly (i.e. forward all calls except from the specified calling numbers).

5 Procedures

5.1 Provision and withdrawal

The SCF supplementary service shall be provided after prior arrangement with the service provider.

As a service provider option the service can be offered with the following subscription options giving

- the number of screening lists per access / number (range 1 to 15);
- the number of entries per screening list (range 1 to 20).

The maximum values used are chosen by the network operator from the above ranges.

The SCF supplementary service can be subscribed to for all basic services subscribed to by the user, or as a service provider option, the user can identify particular basic service(s) for which the SCF supplementary service shall apply.

The SCF supplementary service shall be withdrawn by the service provider upon request of the subscriber or for service provider reasons.

NOTE: The relationship of subscription options between SCF and the related Call Forwarding Unconditional / Busy / No Reply standards should be a service provider's decision and are not stated in the present document.

5.2 Normal procedures

5.2.1 Activation, deactivation and registration

5.2.1.1 Activation

To activate the SCF supplementary service, the served user shall supply the following information when requesting the activation of the SCF supplementary service:

- the type of forwarding (unconditional, see ETS 300 200 [5], on busy see ETS 300 199 [6], or on no reply see ETS 300 201 [7]) which shall be used;
- screening list identification (if the service provider only supports one screening list then this information may be omitted);
- depending on the type of forwarding which is being requested, the procedures of subclause 6.2.1.1 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall also apply. The relevant information from these procedures shall be included in the activation request.

Multiple selective call forwarding activations are allowed to forward calls from different Calling Line Identities (CLIs) and/or different basic services, addressed to the served user's number, to different forwarded-to numbers. The served user can request a different forwarded-to number for each basic service subscription parameter value to which the user has subscribed.

Verification of the ISDN number of the forwarded-to user can be carried out before accepting the request to activate the SCF supplementary service. This verification can be limited, e.g. a simple check of the ISDN number of the forwarded-to user to see if the ISDN number is within the allowed number range.

When the served user's request to activate the SCF supplementary service is accepted, the service provider shall inform the served user. The information shall include the address of the forwarded-to user to whom the served user has activated the SCF supplementary service. All affected users shall be informed.

5.2.1.2 Deactivation

The SCF supplementary service can be deactivated in one of three ways:

- the served user can specifically deactivate a particular selective call forwarding activation, whereupon the network shall discard the forwarded-to number. All affected users shall be informed;
- the served user can deactivate all selective call forwarding activations for one type of call forwarding in a single operation, whereupon the network shall discard the forwarded-to numbers. All affected users shall be informed;
- the user can activate selective call forwarding for a specified combination of basic service, screening list identification and type of selective call forwarding supplementary service (unconditional, busy, no reply) to another forwarded-to number, thus causing the previous activation of selective call forwarding to be deactivated (i.e. overwritten). All affected users shall be informed.

5.2.1.3 Registration

Registration occurs during the provision of the SCF supplementary service. As a service provider option the served user may be given the option to modify, add or delete entries to the screening list or add or delete the lists. These procedures are outside the scope of the present document. At this time the status of the list, explicit or implicit shall be stated. Priority of screening lists, if applicable, shall be indicated at registration.

NOTE: If an end-user activates two or more lists for the same type of forwarding service and one list is explicit and the other implicit, if one or more CLIs are included in both lists a conflict could result. The lists' priority could be used to resolve this conflict.

5.2.2 Erasure

Not applicable.

5.2.3 Invocation and operation

Only active screening lists shall be taken into account during call processing. If the SCF supplementary service is activated and the forwarding conditions are met (e.g. with respect to calling line identity, time of day, day of week, etc.), the call shall be forwarded according to the procedures of the forwarding service specified for the active list(s).

Depending on the type of forwarding which is being performed, the procedures of subclause 6.2.3 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall also apply.

If an incoming call does not fit against any forwarding criteria contained on the active screening list(s) then the call shall be treated according to the normal basic call procedures.

5.2.4 Interrogation

The served user can make a request for interrogation towards the network in order to determine the status of the SCF supplementary service. Interrogation can be requested for the whole access (in the case of forwarding for the whole access), or on a per ISDN number basis.

When subscription applies on a per ISDN number basis and more than one ISDN number is allocated to the access, the served user shall also supply the ISDN number for which the request for interrogation of the SCF supplementary service shall apply.

When subscription applies for the whole access or only one ISDN number is allocated to the access, the served user need not provide an ISDN number to identify the served user. If the served user includes an ISDN number allocated to that access, then the number shall be ignored.

In the case of a general request, the user shall indicate whether the user wants to interrogate all screening list(s) or only the active screening list(s).

In the case of a specific request the user shall indicate the applicable screening list.

In the network response to an interrogation request the following information shall be provided:

a) in response to a general request the served user, shall be given a list:

   - of the served user's active screening list(s) (with an indication of priority);
   - or all their screening list(s) and status.

   where for each screening list the following information shall be given:

   - screening list active or not;
   - type of forwarding - unconditional, on busy, or on no reply (only provided for active lists);
   - the forwarded-to number (only provided for active lists).

b) in response to a specific request concerning one particular screening list under a) above, the following information shall be given:

- a list of all entries in the particular screening list;
- whether forwarding shall be done explicitly or implicitly;
- type of forwarding - unconditional, on busy, or on no reply (only provided for an active list);
- the forwarded-to number (only provided for an active list).

5.3 Exceptional procedures

5.3.1 Activation, deactivation and registration

5.3.1.1 Activation

If the system cannot accept an activation request, the served user shall receive a notification that the SCF supplementary service activation was unsuccessful. Possible causes for rejection are:

- the SCF supplementary service is not subscribed to;
- no screening list specified (if the service provider supports more than one screening list);
- invalid screening list identification;
- the ISDN number of the forwarded-to user is the served user's ISDN number;
- forwarded-to number is an invalid ISDN number;
- forwarded-to number is a special service number (see note);
- the SCF supplementary service does not apply to the basic service for which activation is requested;
- type of forwarding (unconditionally, busy, or no reply) not specified;
- insufficient information provided by the user.

NOTE: Service providers may prevent a served user from activating the SCF supplementary service when the ISDN number specified for the forwarded-to user has special significance, e.g. emergency services, operator services. The identification of such numbers is outside the scope of the present document.

5.3.1.2 Deactivation

If a deactivation request cannot be accepted, the served user shall receive a notification that the SCF supplementary service deactivation was unsuccessful. Possible causes for rejection are:

- the SCF supplementary service is not subscribed to;
- the SCF supplementary service has not been activated;
- insufficient information provided by the user.

5.3.1.3 Registration

Not applicable.

5.3.2 Erasure

Not applicable.

5.3.3 Invocation and operation

Depending on the type of forwarding which is being performed, the procedures of subclause 6.3.3 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

5.3.4 Interrogation

If the request to interrogate the SCF supplementary service includes an inaccurate indication of a screening list then the request for the interrogation of the SCF supplementary service shall be rejected.

6 Intercommunication considerations

6.1 Interworking with non-ISDN

Depending on the type of forwarding which is being performed, the procedures of subclause 7.1 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

6.2 Interworking with private ISDNs

Interworking with private ISDNs shall include the requirements given in reference [9].

Depending on the type of forwarding which is being performed, the procedures of subclause 7.2 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7 Interaction with other supplementary services

Interactions with any supplementary services not listed below can be found in the standards containing the service descriptions for those supplementary services.

7.1 Advice of charge services

Depending on the type of forwarding which is being performed, the procedures of subclause 8.1 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.2 Call waiting

Depending on the type of forwarding which is being performed, the procedures of subclause 8.2 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.3 Call hold

Depending on the type of forwarding which is being performed, the procedures of subclause 8.3 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.4 Explicit call transfer

Depending on the type of forwarding which is being performed, the procedures of subclause 8.4 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.5 Number identification services

7.5.1 Calling line identification presentation

Depending on the type of forwarding which is being performed, the procedures of subclause 8.5.1 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.5.2 Calling line identification restriction

Depending on the type of forwarding which is being performed, the procedures of subclause 8.5.2 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.5.3 Connected line identification presentation

Depending on the type of forwarding which is being performed, the procedures of subclause 8.5.3 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.5.4 Connected line identification restriction

Depending on the type of forwarding which is being performed, the procedures of subclause 8.5.4 of ETS 300 200 [5] (for unconditional forwarding) of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.6 Closed user group

Depending on the type of forwarding which is being performed, the procedures of subclause 8.6 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.7 Call completion services

7.7.1 Completion of calls to busy subscriber

Depending on the type of forwarding which is being performed, the procedures of subclause 8.7 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.7.2 Completion of calls on no reply

The procedures of subclause 7.10.5 of EN 301 134 [9] shall apply.

7.8 Conference services

7.8.1 Conference call, add-on

Depending on the type of forwarding which is being performed, the procedures of subclause 8.8.1 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.8.2 Meet-me conference

Depending on the type of forwarding which is being performed, the procedures of subclause 8.8.2 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.9 Direct dialling in

Depending on the type of forwarding which is being performed, the procedures of subclause 8.9 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.10 Diversion services

7.10.1 Call forwarding unconditional

Invocation of the SCF supplementary service operating unconditionally shall take precedence over invocation of the call forwarding unconditional supplementary service.

Invocation of call forwarding unconditional supplementary service shall take precedence over invocation of the SCF supplementary service operating on busy and invocation of the SCF supplementary service operating on no reply.

7.10.2 Call forwarding busy

Invocation of the SCF supplementary service operating on busy or invocation of the SCF supplementary service operating unconditionally shall take precedence over invocation of the call forwarding busy supplementary service.

7.10.3 Call forwarding no reply

Invocation of the SCF supplementary service operating on no reply or invocation of the SCF supplementary service operating unconditionally shall take precedence over invocation of the call forwarding no reply supplementary service.

7.10.4 Call deflection

Not applicable for the SCF supplementary service operating unconditionally.

For the SCF supplementary service operating on busy or on no reply; no impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

If the network indicates the arrival of an incoming call to the user, then depending on the response, or lack of response, from the served user one of the following will take place:

- invocation of the call deflection supplementary service;
- invocation of the SCF supplementary service operating on busy;
- invocation of the SCF supplementary service operating on no reply.

7.10.5 Selective call forwarding

Invocation of the SCF supplementary service operating unconditionally shall take precedence over invocation of the SCF supplementary service operating on busy and invocation of the SCF supplementary service operating on no reply.

7.11 Freephone

Depending on the type of forwarding which is being performed, the procedures of subclause 8.11 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.12 Malicious call identification

Depending on the type of forwarding which is being performed, the procedures of subclause 8.12 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.13 Multiple subscriber number

Depending on the type of forwarding which is being performed, the procedures of subclause 8.13 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.14 Subaddressing

Depending on the type of forwarding which is being performed, the procedures of subclause 8.14 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.15 Terminal portability

Depending on the type of forwarding which is being performed, the procedures of subclause 8.15 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.16 Three party

Depending on the type of forwarding which is being performed, the procedures of subclause 8.16 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.17 User-to-user signalling

Depending on the type of forwarding which is being performed, the procedures of subclause 8.17 of ETS 300 200 [5] (for unconditional forwarding), of ETS 300 199 [6] (for forwarding on busy), or of ETS 300 201 [7] (for forwarding on no reply) shall apply.

7.18 Outgoing call barring

7.18.1 Outgoing call barring: fixed

If the SCF supplementary service has been activated and the outgoing call barring-fixed supplementary service has been activated, the following shall apply:

- If the outgoing call barring-fixed supplementary service has already been activated, a request to activate the SCF supplementary service shall be rejected if the served user's call to the forwarded-to user would be barred by the outgoing call barring-fixed supplementary service.
- If the SCF supplementary service was activated before the activation of the outgoing call barring-fixed supplementary service, the SCF supplementary service shall not be affected.

7.18.2 Outgoing call barring: user controlled

If the SCF supplementary service has been activated and the outgoing call barring-user controlled supplementary service has been activated, the following shall apply:

- if the outgoing call barring-user controlled supplementary service has already been activated, a request to activate the SCF supplementary service shall be rejected if the served user's call to the forwarded-to user would be barred by the outgoing call barring-user controlled supplementary service;
- if the SCF supplementary service was activated before the activation of the outgoing call barring-user controlled supplementary service, the SCF supplementary service shall not be affected.

7.19 Message waiting indication

The message waiting indication shall never be diverted. The indication shall be given to the receiving user at the receiving user's original location.

8 Interaction with other services

8.1 Universal Access Number (UAN)

Forwarding to an UAN number:

The number of diversions of the call shall not be lost after having been subjected to the UAN service.

Forwarding of an UAN call:

According to a service provider option, calls which are subject to the UAN service, i.e. "UAN calls", shall be forwarded in one of the following ways:

- UAN calls which are allocated to a user shall override the SCF supplementary service, if activated. Such calls shall be subject to other mechanisms for allocating the call to another user. The procedures for this are outside the scope of the present document;
- UAN calls which are allocated to a user shall be subject to the SCF supplementary service if it has been activated by that user. If a UAN call is forwarded, the calling user shall not receive information that the call has been forwarded, nor shall the calling user receiver the forwarded-to number.

8.2 Virtual card calling

No impact, i.e. neither service shall affect the operation of the other service.

8.3 Premium rate

Forwarding to a premium rate number:

The number of diversions after the application of the premium rate service shall be the same as the number of diversions prior to the application of the premium rate service.

Forwarding of a premium rate call:

According to a service provider option, calls which are subject to the premium rate service, i.e. "premium rate calls", shall be forwarded in one of the following ways:

- premium rate calls which are allocated to a user shall override the SCF supplementary service, if activated. Such calls shall be subject to other mechanisms for allocating the call to another user. The procedures for this are outside the scope of the present document;

- premium rate calls which are allocated to a user shall be subject to the SCF supplementary service if it has been activated by that user. If a premium rate call is forwarded, the calling user shall not receive information that the call has been forwarded, nor shall the calling user receive the destination number of the forwarded-to user.

8.4 Televoting

Forwarding to a televoting number:

The number of diversions of the call shall not be lost after having been subjected to the televoting service.

Forwarding of a televoting call:

According to a service provider option, calls which are subject to the Televoting service, i.e. "televoting calls" shall be forwarded in one of the following ways:

- televoting calls which are allocated to a user shall override the SCF supplementary service, if activated. Such calls shall be subject to other mechanisms for allocating the call to another user. The procedures for this are outside the scope of the present document;

- televoting calls which are allocated to a user shall be subject to the SCF supplementary service if it has been activated by that user. If a televoting call is forwarded, the calling user shall not receive information that the call has been forwarded, nor shall the calling user receive the forwarded-to number.

8.5 Remote control

The SCF supplementary service can be remotely controlled.

History

Document history				
V1.1.1	December 1997	Public Enquiry	PE 9817:	1997-12-26 to 1998-04-24
V1.1.1	August 1998	Vote	V 9843:	1998-08-25 to 1998-10-23
V1.1.1	October 1998	Publication		

ISBN 2-7437-2645-8
Dépôt légal : Octobre 1998