


U. S. DEPARTMENT OF AGRICULTURE

FARMERS' BULLETIN No.1346

CARPET BEETLES AND THEIR CONTROL



U. S. DEPARTMENT OF
AGRICULTURE
FARMERS' BULLETIN No.1346

CARPET BEETLES
AND THEIR
CONTROL



The Project Gutenberg eBook of Carpet Beetles and Their Control

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Carpet Beetles and Their Control

Author: E. A. Back

Release date: April 28, 2019 [eBook #59378]

Language: English

Other information and formats: www.gutenberg.org/ebooks/59378

Credits: Produced by Tom Cosmas compiled from images made available by The Internet Archive.

***** START OF THE PROJECT GUTENBERG EBOOK CARPET
BEETLES AND THEIR CONTROL *****

CARPET BEETLES, or so-called "buffalo moths," are common household pests usually associated in their destructive work with clothes moths. Ordinarily they are not so destructive as

clothes moths, because they reproduce only once a year, and then not so abundantly.

Experienced housewives throughout the North are familiar with the stout, oval, reddish-brown, hairy grubs or larvæ of the common carpet beetle, found beneath carpets or in clothing. In southern homes, however, the longer, slender, golden-brown larva of the black carpet beetle, with its tuft of golden bristles, is more common.

All carpet-beetle larvæ feed upon fabrics or upon various articles, including upholstered furniture, containing wool, silk, hair, fur, bristles, or feathers. They even feed upon dried animal matter.

Protection against carpet beetles can be secured in tight chests and trunks by the use of the crystals of naphthalene, paradichlorobenzene, or camphor, or by the fumigants carbon disulphid and carbon tetrachloride. Where infestation is general throughout a house or is serious in closets, it may be advisable to fumigate with hydrocyanic-acid gas, carbon disulphid, or sulphur, but none of these fumigation methods should be employed except by a person well informed regarding them. The foregoing remedies and others, such as cold storage, red-cedar chests, heat, and the treatment of infested floor cracks, are discussed in this bulletin.

Washington, D. C.

July, 1923

CARPET BEETLES AND THEIR CONTROL.

By E. A. BACK, *Entomologist in Charge of Stored-Product Insect Investigations, Bureau of Entomology.*

CONTENTS.

	Page.
Carpet beetles or "buffalo moths"	1
The common carpet beetle	2
The black carpet beetle	4
The varied carpet beetle	6
The furniture carpet beetle	7
Control measures	9
Naphthalene	10
Paradichlorobenzene	10
Camphor	10
Red-cedar chests	11
Cold storage	11
Fumigation	11
Miscellaneous control measures	12

CARPET BEETLES OR "BUFFALO MOTHS."

THE so-called "buffalo moths" are not moths; they are beetles and very distinct from the true clothes moths. In this country there are six species,^[1] at least, that attack museum materials and household fabrics, but of these only four^[2] have proved serious household pests in America. All species are capable of subsisting upon dried animal remains, and thrive upon them perhaps as well as upon the fine fabrics of wool, hair, feathers, fur, and silk.

[1] *Anthrenus scrophulariae* L., *A. museorum* L., *A. fasciatus* Hbst., *A. lepidus* LeC., *A. verbasci* L., and *Attagenus piceus* Oliv.

[2] *Anthrenus scrophulariae* L., *A. verbasci* L., *A. fasciatus* Hbst., and *Attagenus piceus* Oliv.

Carpet beetles pass through life cycles, or generations, consisting of egg, larva or grub, pupa, and adult or beetle. These stages differ greatly in appearance. The beetles are broadly oval and about three-sixteenths to one-fourth of an inch long; black, but with this blackness often obscured by tiny red, orange, brown, yellow, or white scales which form color designs characteristic of the species. These scales, which are modified hairs, are easily rubbed off, revealing the black color of the body beneath. The larvæ, or grubs (as the larvæ of beetles are often called) are brownish or black and variously clothed with stiff hairs, as shown in Figures [1](#) and [8](#), or with a long tuft of hairs at the end of the body, as shown in [Figure 5](#). Carpet beetles pass through not more than two generations annually, and more often only one, and there are records of certain individuals requiring much longer, even three years, to complete their growth. The following accounts are given of the four most important species.

THE COMMON CARPET BEETLE.^[3]

[3] *Anthrenus scrophulariae* L.

The common carpet beetle was known as *the* carpet beetle in the years following its introduction into America when floors were more commonly

than, now covered entirely with carpets that were tacked down along the edges, thus giving the larvæ an undisturbed shelter favorable to their development. Originally a pest in Europe, where it is still common, it was introduced into this country about 1874, probably at Boston and New York simultaneously. No stage of this common carpet beetle is longer than three-sixteenths to one-fourth of an inch. The general proportions of larva, pupa, and adult are shown in [Figure 1](#). The rich reddish brown larvæ are clothed with stiff dark brown hairs which are longer around the sides, and still longer at the ends, than upon the back.



FIG. 1.—The common carpet beetle: *a*, Larva, dorsal view; *b*, pupa within larval skin; *c*, pupa, ventral view; *d*, adult. All enlarged (Riley.)

The larvæ feed upon carpets and woollens ([Fig. 2](#)), furs, feathers ([Fig. 3](#)), bristles, and silks. They remain secluded in dark places, hidden beneath carpets or in the folds of garments. They eat irregular holes in fabrics, but in carpets tacked to floors they are more likely to eat slits following cracks. They never cause a webbing on the fabric.



FIG. 2.—Typical carpet beetle damage to woolen cloth. For injury to feathers see [Fig. 3](#).

While most conspicuous in the Northern States, this carpet beetle is frequently found in the latitude of Washington, D. C., and southward. Specimens have, recently been sent from Texas and Florida. In a

Washington storehouse the contents of a trunk closed for several years were found badly damaged by the larvæ.

The following account^[4] is just as applicable to-day as when written many years ago.

[4] Howard, L. O., in Bulletin 4, new series, Division of Entomology, United States Department of Agriculture, pp. 58-59. 1896.

The adult insect is a small, broad-oval beetle, about three-sixteenths of an inch long, black in color, but is covered with exceedingly minute scales, which give it a marbled black-and-white appearance. It also has a red stripe down the middle of the back, widening into projections at three intervals. When disturbed it "plays 'possum," folding up its legs and antennæ and feigning death. As a general thing the beetles begin to appear in the fall, and continue to issue, in heated houses, throughout the winter and following spring. Soon after issuing they pair, and the females lay their eggs in convenient spots. The eggs hatch, under favorable conditions, in a few days, and the larvæ, with plenty of food, develop quite rapidly. Their development is retarded by cold weather or lack of food, and they remain alive in the larval state, in such conditions and particularly in a dry atmosphere, for an almost indefinite period molting frequently and feeding upon their cast skins. Under normal conditions, however the skin is cast about six times, and there are, probably, in the North, not more than two annual generations. When the larva reaches full growth the yellowish pupa is formed within the last larval skin. Eventually this skin splits down the back and reveals the pupa, from which the beetle emerges later. The beetles are day fliers, and when not engaged in egg laying are attracted to the light. They fly to the windows, and may often be found upon the sills or panes. Where they can fly out through an open window they do so, and are strongly attracted to the flowers of certain plants, particularly the family Scrophulariaceæ but also to certain Composite, such as milfoil (*Achillea millefolium*). The flowers of *Spiræa* are also strongly attractive to the beetles. It is probable, however, that this migration from the house takes place, under ordinary circumstances after the eggs have been laid.




FIG. 3.—Feathers damaged by fabric pests. Injury has been done here by clothes moths and carpet beetles. They reduce feathers to a mat-like mass.

In Europe the insect is not especially noted as a household pest, probably owing to the fact that carpets are seldom tacked down. In fact, the writer believes that only where carpets are extensively used in this way are the conditions favorable for the great increase of this insect. Carpets once tacked down are seldom taken up for a year, and in the meantime the insect develops uninterruptedly. With the more general use of polished floors, and rugs which are often taken up and beaten, there is little doubt that the "buffalo bug" will eventually cease to be a household insect of importance. The insect is known in Europe as infesting museums, but has not acquired this habit to any great extent in this country. It is known to have this habit in Cambridge, Mass., and Detroit, Mich., as well as in San Francisco, Calif., but not in other localities. In each of these three cases it was imported from Europe in insect collections.

THE BLACK CARPET BEETLE. ^[5]

^[5] *Attagenus piceus* Oliv.

The black carpet beetle derives its common name from the black, unadorned color of the adult. Its larva is reddish or golden brown, long and slender, with a characteristic tuft of long hairs at the end of its body. It curls up and "plays 'possum" when disturbed. A glance at [Figure 5](#) will be sufficient for the identification of this unique carpet-beetle larva.

Widespread in Europe and Asia, it first attracted attention in America in 1854. Since then it has become widely distributed throughout the United States, often being the most injurious of the carpet beetles, especially in the more southern States. It is the carpet beetle most commonly referred by housewives to the department for identification. It feeds upon household fabrics of wool, feathers, fur, hair, and silk, and also upon cereals and cereal products, seeds, and dried animal remains, hence has many opportunities for existence in warehouses and barns as well as in houses.

The adult.—The adult of the black carpet beetle is small, oval, and black, as shown in [Figure 4](#). The adults are present in abundance only during the early summer. In a steam-heated building at Washington, D. C., large numbers of adults were present late in April and during May, but became rather scarce during the first part of June, although single adults were found as late as early in July. The adult flies readily and is often seen



FIG. 4.—Black carpet beetle: Dorsal view of adult beetle. Greatly enlarged.

crawling on window panes and screens. It is during the adult stage that the black carpet beetle spreads most easily from house to house.

The female beetle lays small, white, fragile eggs upon fabrics, in floor cracks, or in any sheltered spot near its food. The length of life of the parent insect ranges from 3 to 35 days during April, May, and June. Seldom are adults found later than July, except in very warm storage houses.

The egg.—The fragile white eggs are very seldom seen, and hatch in warm weather in about 6 to 10 days.



FIG. 5.—Black carpet beetle: Larval skin showing the typical shape of the larva and the long tuft of bristles at the end of the body. Greatly enlarged.

The larva.—The golden brown larva, with short, stiff body hairs, and its long tuft of hairs at the end of the body ([Fig. 5](#)), attains a length of one-fourth of an inch, exclusive of the tuft of hair at the end of the body. When first hatched it is almost microscopic in size, but increases rapidly under favorable food and climatic conditions. As it grows it sheds its skin from five to eleven times, and possibly oftener. This is of interest, for frequently the cast skins are mistaken for the insect itself, thus unnecessarily alarming the housewife concerning the abundance of this carpet beetle. It required approximately one year for larvæ to become fully grown when fed upon casein. Larvæ hatching during early June and fed upon casein became full grown and transformed to the adult stage during the following April, May, and June. Larvæ fed upon woolen cloth and silk and flour and meal were still only partially grown at the end of one year, indicating that the black

carpet beetle may require two years for its development. In India it has been found that certain of these larvæ may require from one to three years for growth.



FIG. 7.—The varied carpet beetle: Dorsal view. Greatly enlarged.

The pupa.—In the pupa stage the insect is white, clothed with fine white hairs (Fig. 6), and helpless. The pupa stage continues from 6 to 16 days during early summer at Washington, D. C, and is seldom found at any other season of the year.

Seasonal history.—Since the greater part of the life cycle is passed in the larva stage, the facts previously mentioned

indicate that the black carpet beetle may have only one generation each year, although it may require two or three years for the same development. From the observation of the writer, made in houses, warehouses, and in the laboratory at Washington, there seems little doubt that a very large percentage of the insects have one generation each year. Farther north, or under less favorable climatic and food conditions, a generation may require two or even three years. At any rate, the adults are on the wing during early summer and the eggs for new infestations are laid then.

THE VARIED CARPET BEETLE. [6]

[6] *Anthrenus verbasci* L.

The varied carpet beetle is similar in shape to the common carpet beetle, [7] but is a trifle smaller. It is called the "varied" carpet beetle because the color pattern on the back of the beetle varies considerably with the arrangement of the white, brownish, and yellowish scales. Figure 7 presents a common arrangement of the scales. The underside of the body is thickly clothed with white scales. This insect is a European pest now well



FIG. 6.—Black carpet beetle: Ventral view of pupa. Greatly enlarged.

established in widely separated parts of the United States. It has been found more often perhaps feeding upon seeds in museums than upon clothing, though its larvæ do attack woolen goods, feathers, hair, and silks.

[7] *Anthrenus scrophulariae* L.

The larvæ are not unlike other carpet beetle larvæ of the genus *Anthrenus*. In Figures 8 and 9 are shown the newly hatched and the mature larvæ. When unmutilated, they posses on each side at the end of the body three dense tufts of bristles and hairs. If suddenly alarmed, the larvæ erect these tufts and spread the bristles and hairs out so as to form beautiful round balls.

During late spring and early summer, when the insect transforms to the adult stage in greatest numbers, the adults are driven by instinct to seek the bright sunshine and the pollen of certain flowers. In this respect they are not unlike other species of carpet beetles, the adults of which may be found also upon flowers. Some think that *Viburnum* or *Spiraea* bushes planted near the house will lure carpet beetles from the house. It is probably true, however, that the beetles, before leaving the house, lay a large percentage of their eggs, so that the attraction the sun and flowers have for them is of so little practical value to the householder that it is not worth while to depend upon flowers to lure the adults from the house.

The varied carpet beetle in the adult stage flies about in tremendous numbers. During May, 1922, the writer could capture them by the thousands upon at least 30 species of flowers found in public gardens in Washington, D. C. Single white roses often attracted more than 100 beetles, while a single stalk of a common herbaceous *Spiraea* harbored more than 1,000 specimens. The beetles often fly in large numbers rather high above the ground. A gentleman^[8] after painting a portion of the tin roof of his house during early May returned 24 hours later to complete the painting, only to find that during the interim an average of two varied carpet beetles to the square inch had become entangled in the fresh paint. The writer observed two adults fly into his city apartment in Washington through an



FIG. 8.—Varied carpet beetle: Dorsal view of newly hatched larva. Greatly enlarged.

open window during early March, 1922. These flights of adults are of extreme importance to the householder, because they emphasize how readily carpet beetles may spread from house to house during spring and early summer. Window screens will exclude all except the smallest specimens if they fit tightly, but the average removable screen does not fit tightly enough to prevent adult carpet beetles from crawling into the house between screen and window frame.

[8] H. S. Barber.

THE FURNITURE CARPET BEETLE. [9]

[9] *Anthrenus fasciatus* Herbst.

The carpet beetle or dermestid^[10] here discussed has had no common name, but may be called the furniture carpet beetle (Fig. 10). It, too, is a European pest introduced into this country. It has been reported from Algeria, Spain, Greece, southern Russia Mesopotamia, and the East Indies It was first recognized in America during 1911, from specimens sent the American Museum of Natural History, New York City, from an upholsterer in Augusta, Ga. The specimen were taken from the curled hair of furniture upholstered 12 to 15 years previous to 1911. Investigation indicated that the hair used in this furniture came from Russia. The pest was not again noted in America until April, 1915, when it was found seriously damaging an upholstered chair in the White House. Since then, particularly during the last several years, many pieces of furniture and mattresses in different sections have been reported badly damaged.

[10] So called because, like the other carpet beetles, it belongs to the family Dermestidae.




FIG. 9.—The varied carpet beetle: Dorsal view of well-grown larva. Greatly enlarged.

In all instances the furniture was upholstered with curled hair and moss, and in some cases the hair had been completely devoured by the larvæ, in association with smaller numbers of the common carpet beetle, the black carpet beetle, and the webbing clothes moth. (Figs. [11](#) and [12](#).)




FIG. 10.—The furniture carpet beetle: *a*, Well-grown larva; *b*, larval skin; *c*, pupa within larval skin; *d*, two beetles.

This beetle is now well established in this country and is a most serious furniture pest. The adults eat holes through heavy leather and linen coverings, while the larvæ reduce the hair used in the upholstering to a

mass of cast larval skins and ground-up hair. The hair then has the appearance of black gritty dirt which can be scraped up by the handful, if not by the pailful. When the larvæ become abundant in a piece of furniture they may drop to the floor and there feed upon rugs and other fabrics made of wool, hair, fur, or feathers. The larva; or grubs are seldom seen unless searched for, but the adults, because of their habit of flight during March to June (in Washington), leave the furniture and crawl about the furnishings and windows, and while hardly one-fourth of an inch long, are made conspicuous by the brown, white, and yellow scales that cover their bodies.



FIG. 11.—Upholstered furniture sometimes harbors thousands of clothes moths and carpet beetles without showing evidence of their feeding until they have become very abundant. From this couch thousands of adult carpet beetles were found emerging, and spreading about the house. Only reupholstering or fumigation will rid such a piece of furniture of pests.

For a general impression of the appearance of the furniture carpet beetle see [Figure 10](#). The adult may live several weeks. The female has been known to lay as many as 36 eggs in one day. Fortunately this species does not seem to be very prolific, since no adult has been known to lay more than 85 eggs. The eggs are small, white, easily crushed by brushing, and are laid in the nap of clothing. In furniture coverings of mohair, plush, and similar materials the eggs are tucked down in the pile, as shown in [Figure 13](#). The eggs hatch during warm summer weather in from 12 to 15 days. The larvæ require the rest of the year for growth and do not transform to the adult until the following spring. The larvæ, however, do not all grow equally well, and some specimens may require only one year for development, while others may remain for considerable periods somewhat dormant, even in the presence of much food, and will not transform to the adult until much later, sometimes as long as one year after others, hatching on the same day, have matured.



FIG. 12.—Leather covering at end of couch shown in [Figure 11](#), loosened to expose the work of the furniture carpet beetle. Note that this pest, working with fewer numbers of clothes moths and black carpet beetles, has eaten nearly all the curled hair stuffing,

leaving behind the moss used with the hair, countless larval skins, and handfuls of a fine, gritty, dirtlike substance which is nothing more nor less than the frass of the insect. Thousands of carpet beetles can mature in such furniture without the knowledge of the casual observer. It is only when the stuffing is eaten away and the pests leave the furniture and crawl about the house that suspicion is centered upon furniture as the possible source of an unending supply of clothes moths and carpet beetles that appear here and there about the house.

CONTROL MEASURES.




FIG. 13.—Eggs of the furniture carpet beetle laid in the pile of a plush mohair covering of a chair. Considerably enlarged: the eggs are smaller than the head of a common pin and white in color.

The measures to be used for the control of carpet beetles depend upon the place in the house where the pest is causing injury. If carpet beetles are troublesome in trunks, chests, or closets that are not opened often, a good grade of flake naphthalene, paradichlorobenzene or camphor will give good results. If the trouble is in closets in daily use, beneath carpets or rugs, or in piano felts or upholstered furniture, these substances are of practically no value, and one must fumigate the house as a whole or in part with either hydrocyanic-acid gas, carbon disulphid, or carbon tetrachlorid, or use the still older, more tedious, and less effective means of control consisting in frequent search for and the killing of the individual larvæ and adults, and the treatment of floor cracks and similar hiding places with kerosene, gasoline, or benzine. The following materials and methods may

be employed with satisfactory results:

NAPHTHALENE.

Naphthalene in the form of flakes (preferably) or moth balls is effective when used at the rate of one-half to 1 pound to each 10 to 13 cubic feet of space. It is always better to use a larger rather than a smaller quantity of these crystals. Great care should be exercised to keep tightly closed the trunks or chests of clothing with which the naphthalene is stored. Naphthalene in chests opened frequently or those carelessly left open for hours at a time, or in chests with large cracks or warped covers, is not to be depended upon. Naphthalene should be of good grade. It is best to purchase it put up in unbroken tin cans of 1 pound or more capacity. Remember that naphthalene kills all stages of the carpet beetles by means of the fumes given off during the slow evaporation of its crystals and it is essential that these fumes be closely confined. Naphthalene in bureau drawers, in closets frequently used, scattered upon closet shelves, or beneath carpets is not to be depended upon for absolute protection.

PARADICHLOROBENZENE.

Paradichlorobenzene crystals are similar in general appearance to those of naphthalene. The fumes given off by the slow evaporation of the crystals in a tightly closed container will kill all stages of the carpet beetle, if about 1 pound of crystals is used for each 10 cubic feet of space.

CAMPHOR.

Camphor is not as quickly effective against all stages of carpet beetles as are naphthalene and paradichlorobenzene. Its action is slower. Use from one-half to 1 pound for each trunk of about 10 cubic feet capacity.

RED-CEDAR CHESTS.

Chests made of red cedar, popularly known as Virginia^{[\[11\]](#)} or Tennessee red cedar, if well constructed, will kill the very young larvæ of carpet beetles. They will not kill the beetles, the older larvæ, or the pupae, nor will they prevent the eggs from hatching. The writer has known larvæ of the

black carpet beetle^[12] to remain apparently unaffected in a red-cedar chest from June of one year to May of the following year, and then to transform normally to the adult stage. The older larvæ of carpet beetles can be removed from clothing before it is stored in chests by thorough brushing. It is valuable to know that red-cedar chests will kill the very young larvæ. It should always be remembered that articles such as balls of yarn, floor skins backed with woolen cloth, pillows stuffed with hair or feathers, and similar objects in the interior of which the older carpet-beetle larvæ can hide should not be placed in cedar chests until fumigated to kill the larvæ hidden where they can not be reached by brushing.

^[11] *Juniperus virginiana*.

^[12] *Attagenus piceus*.

COLD STORAGE.

One of the safest methods of preventing loss through carpet-beetle attack is to store susceptible articles with a reliable cold-storage firm maintaining rooms for such purposes at a temperature of 50° F. or lower.

FUMIGATION.

Carpet beetles, as well as all other household pests, can be eliminated as disturbing factors by fumigation within as short a time as three or four hours (if necessary). Fumigation with formaldehyde candles, although excellent for killing disease germs, is worthless for insect control, and the public is warned accordingly. Sulphur fumes will kill many carpet beetles, but very few persons succeed in killing all carpet beetles with sulphur fumes. Sulphur should be burned at the rate of 13½ ounces per 1,000 cubic feet of space. It is likely to bleach wall paper and fine fabrics and tarnish metals, and should never be used unless one is aware of these possible bad results.

Hydrocyanic-acid gas.—Hydrocyanic-acid gas is the best gas known and in present use for the fumigation of houses, or parts of houses, for the speedy elimination of carpet beetles or other pests. When persons are troubled with fabric pests that have become generally established

throughout the house, nothing will give greater satisfaction in peace of mind and freedom from trouble than one thorough fumigation carried on by a professional fumigator or by any intelligent, careful person capable of following directions. Hydrocyanic-acid gas is dangerous to human beings, but is noninflammable and nonexplosive as used in household fumigation as here advocated. It is lighter than air, will injure no fabric or painting, and will not tarnish household metals. If properly used, it is one of the simplest and best methods of fighting house pests. Interested persons can have full particulars free of cost by writing the Division of Publications, Department of Agriculture, for Farmers' Bulletin 699.

Carbon disulphid.—Carbon disulphid is a fumigant in general use for killing insects of all sorts in containers that are reasonably tight. It is excellent for killing carpet beetles in chests, trunks, and closets that can be closed and sealed. It has been used for the fumigation of entire buildings when these are detached. It is purchased at drug stores or of chemical firms as a liquid put up in tin cans containing 1, 2, 5, or 10 pounds each. Upon exposure to the air, the liquid evaporates, forming a gas heavier than air which sinks through the container being fumigated and kills the insects by suffocation. The gas is explosive in the presence of fire, and must be handled with the same care as gasoline or benzine. Although the liquid as purchased is considered not explosive or inflammable, great care should be exercised in storing and handling it since it is almost impossible to dissociate it from its gas, which is, as stated above, decidedly explosive and inflammable in the presence of fire. The odor of carbon disulphid gas is very disagreeable, but soon disappears with the airing of the container after fumigation. Carbon disulphid fumigation is excellent for the destruction of carpet beetles in articles that can be stored in trunks, chests, or closets, or for killing pests in pianos and upholstered furniture that can be placed in a small room for the period of fumigation. Full particulars regarding this fumigant and the ease with which it can be used may be had by writing the Division of Publications, Department of Agriculture, for Farmers' Bulletin 799.

Carbon tetrachlorid.—Carbon tetrachlorid is used in exactly the same way and for the same purpose as carbon disulphid, except that from two to three times as much of the liquid must be used to fumigate the same amount of space. Carbon tetrachlorid is not a particularly effective fumigant, but it

has the advantage of producing, upon evaporation, a gas that is noninflammable and nonexplosive, and for this reason can be used in certain places where lighted lamps, fires, etc., can not be entirely eliminated. See Farmers' Bulletin 799 for reference to use of carbon tetrachlorid and carbon disulphid.

MISCELLANEOUS CONTROL MEASURES.

Laundering and dry cleaning.—When material infested with carpet beetles is submerged in a solution of 1 pound of neutral soap to 10 gallons of water all stages of the beetles are killed. Carpet-beetle larvæ are killed if subjected to temperatures of 120, 125, and 128° F. for 30, 15, and 10 minutes, respectively. Eggs are killed when subjected to temperatures of 125 and 130° F. for 16 and 11 minutes, respectively. Eggs and larvæ were killed in material dipped for 5 second in water at 140° F., but submergence for the same period in water at a temperature of 122° F. failed to kill all of them. Translated into household terms this means that laundering clothing or other textiles in thick suds or with water hotter than the hand can bear, or pressing with a hot iron, will probably kill the larvæ and eggs of the carpet beetle. The usual commercial dry-cleaning processes also are probably effective. Unfortunately these methods are not always easily applied to the articles most likely to be infested; they must not be considered a preventive against reinfestation.

Treatment of floor cracks and other hiding places.—Carpet-beetle larvæ often secrete themselves in the cracks of flooring, beneath base boards, and in other openings about houses formed by the usual shrinking or settling of woodwork. The larvæ feed upon the lint which gathers in such places. It is, therefore, an excellent procedure to have all such openings closed where possible by filling in with putty or patented crack-fillers. Any cracks that can not be filled in this manner should be periodically filled with gasoline, kerosene, or benzine to kill larvæ. Since these liquids are inflammable, care must be exercised not to have lighted lamps or fire in any form about until after the rooms are well ventilated.

ORGANIZATION OF THE UNITED STATES DEPARTMENT OF AGRICULTURE.

<i>Secretary of Agriculture</i>	HENRY C. WALLACE.
<i>Assistant Secretary</i>	C. W. PUGSLEY.
<i>Director of Scientific Work</i>	E. D. BALL.
<i>Director of Regulatory Work</i>	
<i>Weather Bureau</i>	CHARLES F. MARVIN, <i>Chief</i> .
<i>Bureau of Agricultural Economics</i>	HENRY C. TAYLOR, <i>Chief</i> .
<i>Bureau of Animal Industry</i>	JOHN R. MOHLER, <i>Chief</i> .
<i>Bureau of Plant Industry</i>	WILLIAM A. TAYLOR, <i>Chief</i> .
<i>Forest Service</i>	W. B. GREELEY, <i>Chief</i> .
<i>Bureau of Chemistry</i>	WALTER G. CAMPBELL, <i>Acting Chief</i> .
<i>Bureau of Soils</i>	MILTON WHITNEY, <i>Chief</i> .
<i>Bureau of Entomology</i>	L. O. HOWARD, <i>Chief</i> .
<i>Bureau of Biological Survey</i>	E. W. NELSON, <i>Chief</i> .
<i>Bureau of Public Roads</i>	THOMAS H. MACDONALD, <i>Chief</i> .
<i>Fixed Nitrogen Research Laboratory</i>	F. G. COTTRELL, <i>Director</i> .
<i>Division of Accounts and Disbursements</i>	A. ZAPPONE, <i>Chief</i> .
<i>Division of Publications</i>	EDWIN C. POWELL, <i>Acting Chief</i> .
<i>Library</i>	CLARIBEL R. BARNETT, <i>Librarian</i> .
<i>States Relations Service</i>	A. C. TRUE, <i>Director</i> .
<i>Federal Horticultural Board</i>	C. L. MARLATT, <i>Chairman</i> .
<i>Insecticide and Fungicide Board</i>	J. K. HAYWOOD, <i>Chairman</i> .
<i>Packers and Stockyards Administration</i>	{ CHESTER MORRILL, <i>Assistant to the Secretary</i> .
<i>Grain Future Trading Act Administration</i>	
<i>Office of the Solicitor</i>	R. W. WILLIAMS, <i>Solicitor</i> .

This bulletin is a contribution from

Bureau of Entomology

Stored-Product Insect Investigations

L. O. HOWARD, *Chief.*

E. A. BACK, *Entomologist in Charge.*

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY

PURCHASER AGREES NOT TO RESELL OR DISTRIBUTE THIS
COPY FOR PROFIT.—PUB. RES. 57, APPROVED MAY 11, 1922



WASHINGTON: GOVERNMENT PRINTING OFFICE: 1923

Transcriber Notes

All illustrations were moved so as to not split paragraphs.

*** END OF THE PROJECT GUTENBERG EBOOK CARPET
BEETLES AND THEIR CONTROL ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.