



The Cranberry &



PUBLISHED BY
Bradley Fertilizer Co.,
BOSTON.

The Cranberry



PUBLISHED BY
Bradley Fertilizer Co.,
BOSTON.

The Project Gutenberg eBook of The cranberry

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: The cranberry

Creator: Bradley Fertilizer Company

Release date: January 30, 2023 [eBook #69910]

Most recently updated: October 19, 2024

Language: English

Original publication: United States: Bradley Fertilizer Co., 1892

Other information and formats: www.gutenberg.org/ebooks/69910

Credits: Charlene Taylor, Bob Taylor and the Online Distributed Proofreading Team at <https://www.pgdp.net> (This file was produced from images generously made available by The Internet Archive/American Libraries.)

*** START OF THE PROJECT GUTENBERG EBOOK THE
CRANBERRY ***

Bradley's Standard Fertilizers

FOR ALL CROPS.

Bradley's Superphosphate.	Bradley's Complete Manure for Vegetables.
Bradley's Potato Manure.	Bradley's Complete Manure for Grain.
BD Sea-Fowl Guano.	Bradley's Complete Manure for Grass.
Farmer's New Method Fertilizer. Bradley's High Grade Tobacco Manure.	
Bradley's Ground Bone and Potash.	
Bradley's Fruit and Vine Fertilizer.	
English Lawn Fertilizer.	
Pure Fine Ground Bone and Bone Meal, Etc.	

BRADLEY FERTILIZER COMPANY'S PUBLICATIONS.

BRADLEY'S AMERICAN FARMER, Illustrated. A concise treatise on growing all farm crops.

TOBACCO, Illustrated. How to grow, cure and market cigar wrapper tobacco.

BRADLEY'S FLORIDA BOOK, Illustrated. A treatise on growing Florida crops, and a description of our fertilizers prepared especially for that trade.

THE LAWN AND GARDEN. Hints on how to secure and keep a beautiful lawn and a flourishing garden.

THE CRANBERRY, Illustrated. Suggestions as to the preparation of bogs and selection of berries, modes of cultivation, picking, shipping, &c.

Any of the above publications sent free upon request to

Bradley Fertilizer Company, Boston, Mass.

Branch Offices: Rochester, N. Y. Augusta, Ga.

The Cranberry

The Cranberry

PUBLISHED BY

BRADLEY FERTILIZER CO.

BOSTON



PICKING CRANBERRIES ON THE OLD COLONY CO.'S CRANBERRY BOG AT SOUTH
YARMOUTH, MASS.

WEST DENNIS, Mass., Oct. 19, 1891.

Having had the superintendency of preparing and setting to vines what is called the "Old Colony cranberry bog," which contains about 25 acres, I have had occasion to use the different kinds of commercial fertilizers sold on the market, and of them all I now use the Bradley.

It has proved a great help in starting our new vines, giving them a vigorous growth and bringing the bog into bearing much earlier than would have been the case had Bradley's fertilizer not been applied.

We think very highly of your fertilizer, and recommend its use by cranberry-growers generally. The photograph you have of our cranberry bog will give some idea of what we are doing.

REUBEN BAKER, *Sup't.*

R. A. BAKER, *Treas.*

Copyrighted by Bradley Fertiliser Co., 1892.

The Cranberry.

The Cranberry.

THIS book is not intended to be a scientific or elaborate treatise upon the Cranberry, but rather a book of practical suggestions, and a summary of helpful hints that may prove of benefit to those who undertake to grow this fruit.

The methods of growing Cranberries vary with localities and growers, and are undoubtedly in an experimental state at the present time. The original Cranberry grower was the owner of some wild and uncultivated patch where, in a natural condition, the berries (receiving no attention until picking time) were gathered “at halves,” meeting little or no market beyond the limits of the locality in which they grew.

The modern grower has found the application of improved methods of cultivation and fertilization to pay liberally with the Cranberry, as with every other crop, and it should be his endeavor, through all available methods, to reduce the cost of growing and increase the yield of berries per acre, giving special attention to such culture as may the better secure the *keeping quality* of the fruit.

In order to do this, the grower may have to lay aside his preconceived notions as to the best methods of growing and fertilization, and possibly even discard some which have in years past been approved by leading growers. By a careful selection of varieties best adapted to each particular locality, or frequently by a larger increase in the depth of sand upon the bog, and then by the greatest care in all that pertains to the picking and packing of the fruit, he will be enabled to maintain for the Cape berries a foremost reputation as “keepers” among those who handle this valuable crop. Too little attention has heretofore been paid to this essential feature, and quantity rather than quality has been sought. When secured, the berries, as a general thing, are hurriedly packed at the bog, usually warm from the vines, and so, oft-times, they are almost ruined before reaching a market. This

practice is largely responsible for the prejudice of some dealers against Cape berries.

Again, improved methods of cultivation by which an increased production, with improved quality, may be secured, are certainly desirable to every individual grower; though the present enormous crop would hardly seem to warrant a larger acreage, yet, at the same time, it behooves every grower to make as productive as possible (in view of the great expenditure) each acre already under cultivation.

The matter here presented is the result of thorough investigation into the methods of cultivation as practised by the most successful growers, and we believe it presents facts to the grower which will prove well worthy of his careful attention.

BRADLEY FERTILIZER CO.

THE BOG.

IT is popularly supposed that the Cranberry flourishes upon Cape Cod because of the salt sea sand of which the Cape is so largely composed. This theory, however, is erroneous, as it has been proved that even on Cape Cod the Cranberry will not flourish except under certain other favorable conditions.

The first inquiry, then, is, What kind of land is preferable for a bog? The best growers select a laurel, maple, or cedar swamp, so situated that it can be easily flowed with water at any time when this may seem necessary. They select a swamp in preference to a meadow, because it is found in practice that a meadow always produces considerable coarse grass detrimental to the crop, which does not grow in the swamps.

Again, it is proved that a swamp on which wood has grown has a better bottom than the average meadow, as it is largely composed of decayed foliage, which has for many years dropped from the trees, and has gradually become a rich, friable soil, usually free from either weeds or grass.

Some growers believe that it is not essential to have the bog so situated that it can be covered by water; but, while there are some very fine dry Cranberry bogs of this description, if an early frost or the fire-worm strikes the crop at a vital time, it causes an entire failure, which could have been prevented had there been a chance of promptly flowing the bog.

HOW TO PREPARE A BOG.

THE Cranberry bog is usually prepared in late fall, winter, or early spring, when the ground is partially frozen, as it is more easily cleared at this time, and cheaper labor is obtainable.

The first step in preparing the bog is to mow off, with a bush scythe, all the small brush and undergrowth. We are then ready to get rid of the trees. Experience has proved that the cheaper way is to cut the roots of the large trees, and then by means of tackle, in case they do not fall by their own weight, pull them over to the ground. This saves many days' labor, which would be necessary if the trees were cut down above the ground and the stumps then dug out.

The refuse materials should be gathered into heaps, and, when dried, burned upon the bog; but great care is necessary in burning not to allow the moss and turf, of which the bog is composed, to get on fire; for when once fairly started, it is nearly impossible, except by flowing the bog, to extinguish the flames.

These first steps in clearing the bog must be done in the best possible manner, preferably by day labor, under the direct care of a watchful foreman, as the ultimate success of the Cranberry bog depends very largely upon the thoroughness with which all of the tree and bush roots are removed.

After the surface of the bog has been thoroughly cleaned off, it is cut into squares, about eighteen inches across, by means of a turf-axe, which is a thin, hatchet-shaped bladed implement, with a stout, hickory handle, about thirty inches long. This axe is utilized for cutting the tough, undergrowing roots, sure to be found just below the surface of the soil.

The usual method is to cut across the bog in parallel lines eighteen inches apart, and again at right angles in parallel lines in the same manner, thus leaving the turf in square blocks about eighteen inches square. Two men with long-handled, four-pronged bog-hooks follow the cutters, pulling over the turf, which, after the ditching is finished, should be chopped up, and so

rendered suitable for making the surface as smooth as possible, when the work of final grading is completed.

We are now ready for ditching; the manner and methods necessary to secure the best possible drainage being subject, of course, to such varied conditions as to render it difficult to describe. But if there were but three essential features of special importance, two of them would be drainage.

All of the ditches should be dug with flaring banks, so as to prevent caving in of the sides of the ditch, and thus making constant trouble. A ditch, in any case, around the entire bog is an essential feature in drainage, and to carry-off the cold surface water, as well as a preventive of much difficulty in cultivation, etc.

If the ditches are thoroughly well made they will need but little repairing or cleaning, and here as elsewhere in preparing the bog the most careful attention on the part of the superintendent will prove the cheapest in the end.

After the ditches are completed, the bog must be graded until it is as smooth and level as a lawn. In grading the bog the levels must be run in such a manner that it can be easily flooded with water, since sometimes it may be desirable to do this as expeditiously as possible, and the necessary arrangements to do this should be provided at this time.

NORTH HARWICH, MASS., Oct. 19, 1891.

I have been in the habit of using Bradley's Fertilizer on my cranberry bogs for a number of years, and consider it very beneficial. It pushes the new vines along to a bearing condition much earlier than would be the case if left to depend on the natural strength of the soil, and by covering the ground quicker with vines the grass and brush are not so likely to get a start.

It also does well on old vines, increasing the crop, and the size and quality of the berry. Last spring, to my sorrow, I neglected to apply this phosphate to my old bog, and on gathering my crop this fall I found I had made a great mistake. Shall use it another year, without fail.

BENJ. F. HALL.

HARWICHPORT, MASS., Oct. 19, 1891.

I have used Bradley's Fertilizer for growing cranberries, and find it very beneficial. New vines come to bearing one year earlier by its use, and grass and weeds are crowded out, and do not get the foothold they are apt to where vines grow slowly, and are a long while covering the ground.

Cranberry growers in this section are finding it greatly to their interest to use Bradley's Fertilizer on their bogs, both new and old.

About the 1st of June, 1891, I put on 100 pounds of Bradley's Fertilizer on about 60 rods of late vines, set out 20 years ago. On the other side of the ditch were 60 rods of vines, the same age, both done by the same man; in other words, the same conditions exactly, except the Fertilizer. This year I gathered both pieces. The piece to which I applied 100 pounds of Fertilizer yielded 8 barrels of cranberries, the other, barely 1 barrel.

E. B. ALLEN.

THE DAM.

A DAM must be built at the lower end of the bog, in such a manner as seems necessary from the location and force of the water running through the main ditch. If the main ditch is a brook which carries a large amount of surplus water, the dam must be very strongly and thoroughly built; but if, on the other hand, it is simply a ditch filled by springs or small brooks found in the bog, a simple dam can be thrown up at slight cost; although care must be taken to make it strong enough, so that the high water in winter or spring will not carry it away and leave the vines unprotected from the frost. If the bog is of large size, and a large amount of water is needed, of course a larger and more substantial dam must be built. The accompanying illustration gives a section of a turf dam, preferably about fifteen feet wide at the bottom by ten feet at the top, constructed of turf, and sand or clay, in such a manner as to be absolutely safe.

It will be seen that the walls slope from the foundation to the top, and are composed outside of layers of turf, so laid one upon the other that the joints are broken and a solid wall is made, between which is filled in a mass of stone, clay, and sand, thoroughly tamped down so as to make a firm structure in the centre of the dam. At the end of the main ditch should be constructed a water-course or flume, preferably of two-inch plank, with a waste-gate that can be raised or lowered as the supply of water may be needed or allowed to run to waste. This is simply made of plank, with an oak joist for a lever, which, used as a pry, easily opens the gate.

THE SANDING.

THE sand used on a Cranberry bog should be absolutely free from either clay or loam, for if it contain either it will, in the one case, under the action of sun and water, form a hard surface in which the vines will not thrive, or in the other, if there is much loam intermixed, it will contain weed seeds, which will prove a detriment to the bog. Sand can generally be found in the immediate vicinity of the bog, and should preferably be coarse rather than fine in quality.

To spread the sand over the bog, lay down a course of plank, over which the sand can be wheeled in barrows and so dumped, from this plank-walk, as to make the level spreading thereof a matter of little labor; shift the plank about four feet from that portion already covered, and dump to right and left as before; enough should be brought on to give an even coating of from four to five inches, and it may be smoothed by a lawn rake, or a leveller made of one-inch board, about a foot and a half long, by three or four inches wide, with a rake handle fastened in the centre of the board.

When the sand has been evenly spread over the bog, it is ready to be marked off. This is generally done by using an improvised rake or "marker," made of a piece of 2 by 4 inch joist, seven to ten feet long, with white-oak teeth eight inches long, set eighteen inches apart, the whole finished with a handle for easy working. This rake is usually run parallel with some straight ditch, or along one side of a bog in a straight line, so that when set in vines it may present a uniform appearance. But as, in the case of corn, "more grows in crooked rows than straight ones," this may be left to taste and convenience; again cross-marking at right angles, and you are ready for setting the vines.

NEWPORT, R.I., Oct. 26, 1891.

I have used Bradley's Fertilizer on my cranberry bog twice, and find a great improvement in checking the growth of moss, also in starting the vines. In fact, I think it made the vines grow too

fast, or I may have put on too much. I can recommend it as a first-class Fertilizer.

H. B. RYDER,
17 Harvard Ave.

NORTH HARWICH, MASS., Oct. 19, 1891.

I have used Bradley's Fertilizer on my cranberry bogs, both old and new, the past three or four years, with highly satisfactory results. It adds to the growth of new vines, so that they cover the ground quicker, and come into bearing one or two years earlier than they would were there no fertilizer applied.

On my old vines the effect of this Fertilizer has been to kill out the moss (burn it up, to appearance), and to so renew the vines as to give them the look of a young bog.

JOHN E. RYDER.



VIEW OF CRANBERRY BOG OWNED BY CAPT. E. K. CROWELL, DENNISPORT.

DENNISPORT, Mar. 2, 1892.

I have used Bradley's Fertilizers for a number of years on cranberry vines, both old and new, with good and satisfactory results. The fruit will generally be larger and fairer where it is used, and used on young vines will cause them to spread and shade the ground, thus preventing as large a growth of weeds. I cheerfully recommend it to all cranberry growers.

The foreground shows vines set in the spring of 1890; the background on the right new bearing bog, and on the left, a small showing of vines set in spring of 1891.

E. K. CROWELL.

THE BEST BERRY.

THERE is a wide division of opinion in regard to what is the best berry to grow; the shrewdest growers find that a selection of berries, running from the very early to the very late berry, gives the best returns when a series of years is taken into account.

By common consent the purple-black berry, called “Early Black,” has been the favorite with both growers and consumers, as its handsome, rich coloring made it a good seller, while it is also a very prolific berry. It is a medium-hard berry, and for bogs which are liable to be infested with the fire, fruit, or span worm it seems preferable, as the bog can be kept under water until as late as the first or middle of June, and these berries will then, in an average season, ripen before frost. It is, however, pretty well conceded by many growers that this berry has been of great injury to the business as a whole, since it is one of the poorest of keepers, and, while affording profit for the time to the grower, has been of such loss to the “middleman,” as to render him unduly cautious of Cape Cod berries. This reputation which has attached itself to the Cape crop is wholly unwarranted by a careful and intelligent investigation of the many and various conditions which govern this, the most important feature of the whole business.

The “A. D. Makepeace” berry is the outcome of a berry found by its namesake, the largest grower in this country, and gradually cultivated until it is conceded to be the largest early berry in the market, and as such commands a high price. It is of cherry shape, and rose-tinged purple in coloring. Illustration No. 1 is a fair example of the shape of this berry.

The “James Anthony” is a very good variety of the second early berries, and by some considered among the best keepers of the medium-early berries.

The “Bachelor” is a larger berry, and, like the “J. P. Howes,” proves to be a fair keeper and a salable berry, although the Howes is more even and regular in size.

The “McFarland” is a dark-red, handsome berry, of large size, and a favorite with a few large growers.

The “Bugle” or “Chipman” is an older berry, and one of the best keepers, but not as productive as some others.

The six varieties mentioned are the most popular grown. Some others may have a local reputation, which time and attention will bring into favorable notice. Local conditions have much to do, however, with qualities in all cases.

HARWICHPORT, MASS., Oct. 20, 1891.

I have used Bradley’s Fertilizer for a number of years on cranberries, both on newly set vines and old vines. I apply it broadcast, and I find it pays well. I can recommend it to be a good investment, causing more and larger fruit.


WATSON B. KELLEY.

THE PLANTING.

THE Cranberry is propagated, through the means of vines which are procured from old bogs; they are cut or mowed off, preferably from vines not more than three or four years old. In sorting these cuttings, care should be taken to remove all the dead wood, and only the bright, clean cuttings used for planting. Most growers estimate five barrels of cuttings to the acre of bog, as they use from four to six cuttings in each setting. Some growers prefer taking runners twenty to thirty inches in length, and doubling them over at time of planting; but the former seems to be the generally adopted method.

The usual method of planting is by using a “dibble,” or setting-blade, made from hard wood, although one of the shrewdest growers has recently adopted an implement consisting of an iron blade, with a cross-piece handle of wood. He claims that this is far preferable to any wooden instrument, and always readily presses through the sand, although it is not sharp enough to cut the vines.

In planting, a bunch of four or six runners is placed upon the sand at every intersecting corner. This bunch is held in the left hand of the planter, while with his right hand he presses them into the sand by means of the “dibble,” so that they will reach through to the soil beneath, and when planted will not come above the surface more than two inches. The accompanying sketch shows the method of planting.



- A A is the main ditch encircling the bog.
- B B is the central ditch.
- C C are the cross-ditches draining into main and central ditches.
- D D are the lines made by the marker.
- E E show points at which plants are set.

A A is the main ditch encircling the bog.

B B is the central ditch.

C C are the cross-ditches draining into main and central ditches.

D D are the lines made by the marker.

E E show points at which plants are set.

About two weeks after the cuttings are set, a small handful of Bradley's Superphosphate should be scattered around each bunch of cuttings, as this will cause them to grow with great vigor, and so stimulate their growth that few if any of the cuttings will die; sometimes not one in a hundred will fail to make a flourishing set. It is a little more work, but advisable, to put the fertilizer in the hill, just under the sand.

Some growers prefer, after the bog is planted, to keep the ground wet by damming back the water to within six or eight inches of the surface of the bog, and keeping it here until the vines give signs of having made some growth. The water is then let out of the ditches, and the vines take care of themselves through the ensuing season, unless it happens to be a

particularly dry summer. If so, once or twice, through the dryest of the season, the water should be dammed back for a few days, and the vines receive the benefit of the irrigation. They will not need any further care during the first season, unless there is a growth of weeds, which should be effectually destroyed.

A cleanly, well-kept bog is not only a beautiful sight, but is the foundation for large returns in the future; it requires no little care, during the first year or two, on the best of bogs to secure the proper money return, in order that the unavoidable outlay heretofore outlined may be rendered remunerative. Four hundred dollars per acre is no unusual amount to be expended in preparing a bog.

FERTILIZATION.

UNTIL within a few years the Cranberry bog has had to depend upon its own resources for fertilization, as it was popularly supposed that a bog contained all the necessary nutriment to feed the growing crop. Careful investigation by the most successful growers has led them to believe that, in common with every other farm crop, a larger crop of finer quality of fruit can be grown per acre, if a good commercial fertilizer is used upon the Cranberry. They therefore commence with the plant when set out, and scatter a small quantity of fertilizer around each plant in setting, as we have before suggested on page 17; and each year thereafter they sow broadcast over the bog from 200 to 400 pounds of Bradley's Superphosphate to the acre. The result is that a larger crop of richer-colored berries is secured, which will more successfully withstand handling and shipping. The vines are also so stimulated that the crop ripens much earlier, and very often a saving of hundreds of dollars will be made, through the grower being able to gather the berries early in the season, before the frost comes.

On old bogs, which are partially run out, the influence of a liberal dressing of Bradley's Superphosphate is very marked, as it gives the vines a fresh supply of needed food, and brings ample returns the first season in largely increased crops of berries.

So marked is this effect, that if any one having a Cranberry bog will fertilize a small section of it for one season, at the rate of 200 to 400 pounds of Bradley's Phosphate to the acre, he will always use this fertilizer thereafter, as the results will readily prove that it will pay him liberally to do so.

Another reason for fertilization is, that, through a liberal use of Bradley's Superphosphate, the young plants attain that sturdy growth which enables them to withstand more successfully the attacks of the fire, fruit, and span worm, which flourish best upon weak plants.

The common theory that a fertilizer is simply a stimulant, whose influence is of no permanent benefit, has been proved to be erroneous by the experiments of some of the largest growers, who, after having used

Bradley's Superphosphate, find that not only have they grown enormous crops of the best quality berries, but their bogs are annually in a better condition than their neighbors' bogs which have not been fertilized, and from which only small or average crops of berries have been secured.

By common consent, therefore, the leading growers are large users of Bradley's Superphosphate, as they are convinced that its liberal use upon their bogs is repaid to them every season in increased crops of perfect fruit which commands the highest market price.

SOUTH YARMOUTH, MASS., Oct. 22, 1891.

I have used the Bradley Fertilizer on newly set cranberry vines, and find it causes them to grow and spread more rapidly over a new bog.

JAMES F. SEARS.

CRANBERRY ENEMIES.

ONE of the greatest enemies to successful Cranberry growing is one that can be easily conquered, but which is oftenest neglected; that is, the weeds and small bushes when they first appear. It is a comparatively easy matter under the more favorable conditions, during the three years before the bog comes to full bearing, to go over it once or twice during each season with a hoe, and clean out every weed and bush, no matter how small and insignificant it make look. But the grower often thinks that this is unnecessary labor, especially as he has put considerable money into the bog, and as yet has had no returns from his investment. If this work is neglected now, when the bog comes to fruiting there will be found, especially among the plants, quite an amount of injurious weeds and small bushes which increase rapidly from year to year, and finally kill out the bog. But if during the first three years they are steadily and systematically cut down, they become so thoroughly eradicated that a little going over the bog every spring will keep it in good condition for ten or fifteen years, with little trouble from either weeds or bushes.

The cultivation of the Cranberry, ever since it has been cultivated for a crop, has been a practical exemplification of the advice of that eminent agriculturist, Horace Greeley, who, for the extermination of the Canadian thistle, recommended its “cultivation,” as then there would come plenty of enemies to accomplish its destruction.

The fire, span, tip, and fruit worms rank in the order named as the most destructive,—the first two in the list blasting in a few hours an almost assured and abundant crop.

The larger growers, after experimenting with perhaps all of the known insecticides, have most generally adopted some form of tobacco preparation, applied in solution in the form of a spray, upon the first indication of the approach of the fire-worm.

So extensive is the use of tobacco, that one grower, Mr. Franklin Crocker, of Hyannis, treasurer of the South Sea Cranberry Company, who has probably given as much attention as any other grower to this branch of the

business, informs us that for himself and others he purchased, in its various forms, over five thousand dollars' worth of tobacco during the past two years, for this purpose. Mr. Crocker tells of his experience with tobacco in his letter on page 3 of cover.

Many growers (not all) are able to resort to "Spring Flowage" as an effective and cheap remedy for fire-worms. That this is effective there can be no question, but in its application for destroying the worm it is injurious to the keeping quality of the fruit when gathered.

THE HARVEST.

THE picking of berries commences about the first of September. They should be picked as soon as the greater part have put on a good, fair color. The great mistake in the past has been in allowing the berries to become over size. The trade has demanded *dark* berries, which made the Early Blacks so popular; but all that was gained in *color* was at the sacrifice of the keeping quality, to the injury of the grower and dealer.

This is becoming so well recognized that “pick early” comes with the greater emphasis from all the larger dealers, who, by sad experiences, have become more interested in this particular feature than the grower, who, gathering his harvest of beautiful fruit, has also immediately gathered in the skekels, recognizing that “the best time to sell is right off the bog.” Thus has he “Sown to the Wind;” and while disaster has been delayed, its coming is manifest in the experience of the past season, when in some cases the crop has not paid expenses.

An old receipt, “How to cook a hare,” began, “First catch the hare.” We have endeavored to tell you how to get the crop; and now, supposing you have this, we will give you an idea of how it is gathered, so far as may be of interest to the uninitiated: Lines are drawn across the bog, from eight to twenty feet apart, as a guide for keeping in place those pickers who incline otherwise to the right or left, as “spots” thick or thin allure or repel them in their eagerness “to fill the measure.” Then, placing as many pickers within the lines as can have sufficient “elbow room,” picking length-wise, they proceed to pick.

An overseer is needed for every twenty-five pickers, to see that the work is properly done, each in his or her own place, and that all are picking clean from the vines, and from the “bottom;” that is, picking from the ground all scattering berries.

Measures holding six quarts are the most convenient size, and the usual price is ten cents per measure, each picker using generally two measures and so saving time, as the berries must be carried to the “Tally.” The pickers are all known by numbers, and as they go to empty their measure they

report "Number (5)," one or two measures, as the case may be, the Tally repeating each number and tally, as a precaution against mistakes.

On some bogs checks are given thus: "Good for ten cents, South Sea Co., F. Crocker, Hyannis, Treas.;" and such checks are current coin during "Cranberry time" for supplies at the stores.

Again, others provide themselves with a large amount of dimes, and so "pay off" as each measure is delivered. Berries, after being picked, should be put in slatted boxes holding about one bushel each, as being the most convenient size to handle, and then put away for at least twenty-four hours to cool off, as prevention against the almost immediate process of decay if this is not done.

BARRELLING.

AFTER being thoroughly cooled they are put in screens about ten feet long, three feet wide at the upper end, and six to eight inches at the lower end, from which, under the careful eye of an expert “screener,” they are “run” into a barrel set ready to receive them.

Four or five screeners about each screen remove all trash and unsound berries, and sometimes the light-colored ones, which are held to “color up,” or packed separately and marked “Light.” As the barrels are being filled, they should be thoroughly shaken, at least three times; then, when the uninitiated packer thinks he has got the barrel full enough, it needs from four to six quarts more, when, with a screw, press the berries firmly down into the barrel. The barrels now properly headed and nailed, carry the berries in shape to command the highest price for which their grade may warrant. It *pays* to pack the fruit as *solid* as possible, since, whether sound or otherwise, a full barrel will *sell* when one lacking one inch or more of berries will command little attention.

WEST HARWICH, MASS., Oct. 19, 1891.

In the spring of 1890 I bought an acre of cranberry bog that had been set about 30 years, and was so run down as to bear only about 10 barrels per year. I immediately applied 400 pounds of Bradley’s Fertilizer, and received the first year a crop of 22 barrels.

Last spring I applied 600 pounds of same Fertilizer, and have just gathered 40 barrels of nice berries, making an increase of 30 barrels a year on one acre by the use of Bradley’s Fertilizer, equal to 300 per cent. gain.

Besides all this improvement in the crop, the Fertilizer has had the effect to renew the vines to such an extent as to give them the appearance of a new bog, while the moss, which was quite troublesome, has been wholly killed out. It is surprising to see how quick moss will begin to disappear where Bradley’s Fertilizer has been applied.

W. P. BAKER.

THE 1891 CROP IN THE NEW ENGLAND STATES.

THE following comparative statement of the 1891 crop of Cranberries on Dec. 1, 1891, in the New England States, was compiled by Charles H. Nye, Esq., Superintendent Cape Cod Division, Old Colony Railroad, and allowing that 9,000 bushels may have been grown in Rhode Island and Connecticut, would make the 1891 crop about or quite 480,000 bushels.

STATIONS SHIPPED FROM.	1890.		1891.		TO BE SHIPPED.
	BARRELS.	BOXES.	BARRELS.	BOXES.	
Rock	1,879	993	3,420	296	200
South Middleboro	74	14	248	14	
Tremont	16,840	2,640	23,986	2,486	
Marion	440	310	441	361	
Mattapoisett	175	63	215	688	
South Wareham	416	90	516	269	
Wareham	14,919	4,870	18,125	4,743	
East Wareham	2,223	203			300
Onset Junction			3,412	156	
Buzzard's Bay	33	127	223	130	
Monument Beach	229	147	550	18	
Wenauwet	37	31	103	97	
Cataumet	1690	498	323	381	
North Falmouth	655	711	753	1,459	
West Falmouth	164	11	90	15	400
Falmouth	1,997	872	4,085	3,281	
Woods Holl	182				
Bourne	859	83	1,606	415	
Bournedale	1,512	738	1,160	654	
Sagamore	3,108	1,343	4,589	971	
Sandwich	2,626	2,925	6,003	2,700	1,000
West Barnstable	8,081	1,804	12,599	2,174	
Barnstable	399	9	383	14	
Yarmouth	2,943	990	5,373	673	200
Hyannis	1,754	589	2,270	810	1,000
South Yarmouth	1,890	525	4,712	503	

South Dennis	2,434	754	5,780	787	250
North Harwich	2,073	770	3,945	1,257	
Harwich	4,847	3,160	10,996	3,059	
South Harwich	613	181	802	702	
South Chatham	160	80	382	139	
Chatham	498	241	649	277	
Pleasant Lake	1,244	1,031	1,369	1,210	
Brewster	2,440	457	2,959	585	
Orleans	568	165	1,218	164	
Eastham	104	36	137	132	
North Eastham	10	12	36	36	50
South Wellfleet	10	2	26		
Wellfleet	80	55	67	20	
South Truro	45	45	27	20	
Truro			88		
North Truro			8		
Provincetown	146	61	57	5	
Total shipments, barrels	79,006	27,646	123,737	31,761	3,400
Boxes reduced to barrels	9,215		10,587		
Total number barrels	88,221		134,324		
To be shipped	1,665		3,400		
Total, Cape Cod Division	89,886		137,724		

CENTRAL DIVISION, OLD COLONY RAILROAD.

STATIONS SHIPPED FROM.	1890.	1891.		TOTAL
	BOXES.	BARRELS.	BOXES.	BARRELS.
Plymouth	11,232	11,194	980	11,521
Plympton	1,418	1,964	589	2,160
South Hanson	660	665	16	670
Middleboro'		2,045	1,038	2,391
North Easton		300		300
Taunton	240	232		232
Mansfield		182		182
Attleboro'	240	528		528
Central Division				17,984
Martha's Vineyard				1,308
Total number barrels				19,292
Add Cape Cod Division				137,724
Total number barrels Or 471,048 bushels.				157,016

THE 1891 CROP OF THE UNITED STATES.

MR. A. J. RIDER, Secretary of the American Cranberry Growers' Association, estimates the entire crop of Cranberries grown in 1891 as follows:

New England	480,000bush.
New Jersey	250,000 ”
The West	30,000 ”
Total	760,000 ”

Showing that the crop for the entire country was short 100,000 bushels, when compared with the 1890 crop.

THE FERTILIZER FOR CRANBERRIES.

BRADLEY'S SUPERPHOSPHATE, "the old reliable," has been successfully used in the cultivation of Cranberries for many years past.

It is, as every one knows, the best general fertilizer on the market. By *practical experience*, and not by fallacious (though plausible) *theories*, it has demonstrated its entire fitness for growing the best Cranberries and producing the largest crops. It has been repeatedly noticed that Cranberries grown on this fertilizer are more highly colored, harder, and better "keepers" than those raised under ordinary conditions of cultivation.

As Bradley's Phosphate contains the very choicest quality of plant foods in such forms and proportions as long practical experience has demonstrated will most fully satisfy the demands of the crop for a complete and nutritious fertilizer, it wholly meets the requirements of the Cranberry, as has been abundantly proven by exhaustive tests on the largest bogs.

A "Special Fertilizer" for Cranberries, claimed to be "based on their analysis," may be taking with some; but this is only an *idea*,—a *theory* without *practice* to support it, an advertising dodge to catch the uninitiated. The theory of feeding plants on this basis was exploded long ago both at home and abroad; and while formerly one manufacturer of "Special Fertilizers" advertised twenty-four special crop formulas, he now sells but ten, and the analyses of these are totally different from the original formulas which were represented as accurate demonstrations of the "discovery," so called.

Professor Johnson, Director of the Connecticut Agricultural Experiment Station, and one of the best authorities on agricultural chemistry of this country, has said: "*In honest truth, there is no possibility of compounding special fertilizers adapted to each of our various crops, nor even to our various classes of crops. Special manures for particular crops are, in fact, least heard of where agriculture is guided by the clearest light of science and the widest range of experience.*"

Professor Atwater, recently Director of the Experiment Stations of the United States at Washington, has stated: "*There is no best fertilizer for any crop, and the formulas to fit all cases are out of the question.*" So do not be caught by this *theory* snare, and pay four or five dollars a ton extra on your fertilizer for that "idea."

Bradley's Superphosphate has stood the test of nearly thirty years, and its sales are far greater than that of any other fertilizer on the market. It is the acknowledged *Standard*, so recognized by its strongest competitors, whose favorite argument is that their fertilizer is "equal to Bradley's." "There are tricks in all trades," but no trick can undermine the stability of an article so universally recognized as the *standard of excellence* in its class as Bradley's Phosphate.

The following letter may serve to answer inquiries about "*Insecticide.*"



HYANNIS, MASS., Feb. 22, 1892.

In regard to tobacco as an insecticide, I submit the following: Tobacco solution is prepared by steeping tobacco stems in warm water, using from one and a half to two pounds of stems to a gallon of water, according to strength of stems in the nicotine principle. So far, the larger growers prefer the stems from the Missouri-river region, and for this purpose I ordered six car-loads last Saturday from that section for the use of growers the coming season.

Of the solution, when prepared, it takes about one gallon to a square rod, applied in the form of a spray as fine as possible. For this purpose the "Nixon Pump" is the most effective among the many that I have ever tested. The application should be made upon the first appearance of the worms; any delay resulting often in entire loss of crop, since nothing but flowage will kill the larger worms. Another and more convenient solution is obtained from Hill's Extract of Tobacco—two or three quarts to a barrel of water. This requires no heating, and may be prepared at a moment's notice. My sales last year of this Extract amounted to over eight hundred gallons.

Respectfully yours,

FRANKLIN CROCKER.



*** END OF THE PROJECT GUTENBERG EBOOK THE CRANBERRY

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.