
Common Names of a Selected List of Plants

By

Kling L. Anderson and Clenton E. Owensby

AGRICULTURAL EXPERIMENT STATION
Kansas State University
of Agriculture and Applied Science
Manhattan

Floyd W. Smith, Director

Grasses

Sedges,
Rushes

Other
Monocots

Legumes

Dicot
Forbs

Woody
Plants

Technical Bulletin 117
Revised August 1969

Common Names of a Selected List of Plants

By

Kling L. Anderson and Clenton E. Owensby

AGRICULTURAL EXPERIMENT STATION

Kansas State University
of Agriculture and Applied Science
Manhattan

Floyd W. Smith, Director

Grasses

Sedges,
Rushes

Other
Monocots

Legumes

Dicot
Forbs

Woody
Plants

The Project Gutenberg eBook of Common names of a selected list of plants

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Common names of a selected list of plants

Author: Kling L. Anderson
Clenton E. Owensby

Release date: August 15, 2023 [eBook #71408]

Language: English

Original publication: United States: Kansas State University of Agriculture and Applied Science, Agricultural Experiment Station, 1969

Other information and formats: www.gutenberg.org/ebooks/71408

Credits: Carol Brown, Stephen Hutcheson and the Online Distributed Proofreading Team at <https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK COMMON
NAMES OF A SELECTED LIST OF PLANTS ***

Technical Bulletin 117
Revised August 1969

Common Names of a Selected List of Plants

By

Kling L. Anderson and Clenton E. Owensby

AGRICULTURAL EXPERIMENT STATION
Kansas State University
of Agriculture and Applied Science
Manhattan

Floyd W. Smith, Director

CONTENTS

	Page
Index to common names	4
Grasses	18
Sedges, rushes, and related genera	27
Ferns and related genera	28
Other monocots	29
Legumes	30
Other dicot forbs	35
Woody plants	55
Common species names and their English meanings	60

Common Names of a Selected List of Plants^[1]

Kling L. Anderson and Clenton E. Owensby^[2]

Common names of plants often vary widely from place to place, even within rather limited areas. Frequently-occurring and widely-known species may have local names, or the same name may be used for several species. Common names, therefore, often fail to identify plants accurately. That makes it difficult to communicate about plants; the confusion may even discontinue attempts to convey ideas about the subject. Conversations may shift to a subject with an adequate common nomenclature.

Scientific names are essential in formal writing. When common names are to be used, as in less formal publications, scientific names must also be given either at the place where the common ones first appear in the paper, in a footnote, or in an appended list. Only scientific names identify the species for all readers. In completely informal writing for a broad area, scientific names may be omitted.

Since common names are so widely used, they should be used as uniformly as possible. The following common names are considered “standardized” for all writing in the Kansas Agricultural Experiment Station and may also be used as a guide in teaching. A single common name is given to each plant listed if it has such a name.

This list grew from an earlier Kansas list of grasses and legumes that emphasized chiefly range and pasture plants. It is extended here to include most plant families and genera that occur in Kansas and many species that do not necessarily occur in Kansas but may be important or closely related to those listed. Obviously, not all Kansas plants could be included, and therefore many minor plants have been omitted. Species not obviously important had to be somewhat arbitrary. Perhaps certain species listed could have been omitted and others not included might have been added. The list can, therefore, grow or be altered as need for change is shown. If further

information on common names is needed, the Kelsey and Dayton 1942 edition of Standardized Plant Names^[3] should be consulted.

Genus Common Names

In preparing this list, we attempted to give a single common name to each genus and to use it in connection with common names for each of the species listed under that genus. For example, brome for the genus, *Bromus*, and various species such as smooth brome and hairy brome. Thus, there are two words for species names. However, common names of some species are single words and may not bear the generic name at all; for example, switchgrass, curlymesquite, catchflygrass, darnel, needleandthread, berseem, and horsebean. Some genera have more than one common name, but in that case the genus is subdivided into different types, each with its own common name. For example, most species of the genus *Panicum* are called panicum, but certain others are witchgrass; *Melica* is melic, but bulbous species of that genus are called oniongrass; and *Setaria* is bristlegrass, but the name millet is applied to certain ones. Some poisonous species of *Astragalus* are called loco, but nonpoisonous ones are milkvetch and the selenium-gathering ones, poisonvetch. In a few cases the same common name is applied to two genera, but that generally occurs only when the genera involved are closely related. They may formerly have been considered a single genus.

The words tree, grass, bean, seed, etc. are combined with key words to make common names of many genera and species. Examples of the former are dropseed, cupgrass, tanglehead, peavine, wildindigo, coffeetree, and sensitivebriar; and of the latter, breadroot scurfpea, splitbeard bluestem, shortawn foxtail, and smoothseed wildbean. Hyphens are avoided except in a few cases where they are used to make spelling, meaning, or pronunciation more clearly understood. Some examples are s-curve threeawn, blue-eyedgrass, climbing-buckwheat, dutchmans-breeches, snow-on-the-mountain, fat-hen saltbrush, false-alyssum.

Species Common Names

The common name for an individual species is a contraction of the genus common name and, in most cases, a descriptive adjective for a particular species. An example is the common name for *Bromus inermis*. The common name for the genus is brome and the descriptive adjective associated with the species name *inermis* is smooth, hence smooth brome is the common name for that species.

In many cases a satisfactory common name did not exist for a particular species, yet the species name's English meaning described the plant well. Such plants were given common names based on the meaning of their species name. An example is *Lygodesmia rostrata*. It has no satisfactory common name. In this publication it is called beaked skeletonplant, based on the English meaning of *rostrata* and the accepted common name for the genus, skeletonplant.

Capitalization

In general, capitals are avoided for common plant names. They are not used where proper nouns are combined with such words as grass, tree, bean, etc., for example, bermudagrass, indiagrass, johnsongrass, but are used when the name is that of a country, state, or other place and is a separate word as in Virginia wildrye, Texas bean, California burclover, and Missouri milkvetch. They are not used, however, when the name is derived from a man's name; for example, lambert crazyweed, dillen tickclover, chewings fescue, and lehmann lovegrass. Capitals are, of course, used for proper names of strains or varieties, but such usage is beyond the scope of this list. The few exceptions to all of these "rules" are dictated by firmly established usage.

Authorities

To identify each species as definitely as possible, authorities are given for scientific names. Authorities for grass names are from Hitchcock's 1951 manual.^[4] The others were compiled from various sources by Dr. L. C. Hulbert, Department of Botany, Kansas State University, chiefly from these sources: Gray's Manual, 8th ed.,^[5] The New Illustrated Britton and Brown,

[6] and Harrington's Manual. [7] Occasionally other sources were used for a few or for single species.

Since authorities were taken directly from the various sources without change, some differences in abbreviation occur. For example, Hitchcock's manual abbreviates Humboldt, Bonpland, and Kunth as H.B.K., while most other manuals consulted use HBK. Certain other names may be spelled fully in one manual and abbreviated in others.

Common Name Sources

Several workers helped with selecting plants to be included and common names for them. For the most part, the common names are those used in Kelsey and Dayton, Standardized Plant Names (SPN). [8] However, common names of some species are so different and are so firmly entrenched in common usage that the names given in SPN could not be used in this list. An example is "broomsedge" for *Andropogon virginicus*. In SPN it is "yellowsedge bluestem," a name never heard in the area this list serves.

ACKNOWLEDGMENTS

Appreciation is expressed to those who aided in selecting both plants and their common names:

The late F. W. Albertson, Biology Department, Fort Hays Kansas State College

L. E. Anderson, Agronomy Department, Kansas State University, now at University of Missouri, Columbia

M. D. Atkins, S.C.S., Lincoln, Nebraska

J. K. Greig, Jr., Department of Horticulture and Forestry, Kansas State University

C. V. Hall, Department of Horticulture and Forestry, Kansas State University

L. C. Hulbert, Division of Biology, Kansas State University

R. A. Keen, Department of Horticulture and Forestry, Kansas State University

J. L. Launchbaugh, Kansas Branch Agricultural Experiment Station, Hays, Kansas

E. L. Mader, Agronomy Department, Kansas State University

C. M. Schumacher, S.C.S., Lincoln, Nebraska

G. W. Tomanek, Biology Department, Fort Hays Kansas State College

H. D. Wilkins, Agronomy Department, Kansas State University

Special thanks go to Dr. John L. Launchbaugh for carefully editing the final draft.

FOOTNOTES:

[1] Contribution No. 692, Department of Agronomy, Kansas Agricultural Experiment Station, Manhattan.

[2] Professor Emeritus and Agronomist, Kansas Agricultural Experiment Station: and Instructor in Range and Pasture Management.

[3] Kelsey, H. P. and W. A. Dayton. 1942. Standardized Plant Names. J. Horace McFarland Co., Harrisburg, Pa.

[4] Hitchcock, A. S. 1951. Manual of Grasses of the U.S. USDA Misc. Publication 200 (Revised).

[5] Fernald, M. L. 1950. Gray's Manual of Botany, 8th ed. American Book Co., New York.

[6] Gleason, H. A. 1952. The New Britton and Brown Illustrated Flora. New York Botanical Garden (3 volumes).

[7] Harrington, H. D. 1954. Manual of the Plants of Colorado. Sage Books, Denver.

[8] Ibid.

INDEX TO COMMON NAMES

Genera only are listed in this index except where the common species name differs from the common name of its genus and does not include the latter. Scientific names are also shown.

Common Name	Scientific Name	Page
Acacia	<i>Acacia</i>	30
Adderstongue	<i>Ophioglossum</i>	28
Goseris, wavyleaf	<i>Microseris cuspidata</i>	47
Grimony	<i>Agrimonia</i>	35
Alfalfa	<i>Medicago</i>	32
Alkaligrass	<i>Puccinellia</i>	25
Lumroot	<i>Heuchera</i>	44
Lyceclover	<i>Alysicarpus</i>	30
Maranth	<i>Amaranthus</i>	35
Ammannia	<i>Ammannia</i>	35
Amorpha	<i>Amorpha</i>	30, 55
Amsonia	<i>Amsonia</i>	35
Anemone	<i>Anemone</i>	35
Antelopehorn	<i>Asclepiodora</i>	37
Apple	<i>Pyrus</i>	57
Arrowhead	<i>Sagittaria</i>	30
Ash	<i>Fraxinus</i>	57
Asparagus	<i>Asparagus</i>	29
Aster	<i>Aster</i>	37
Geums	<i>Geum</i>	43
Baccharis	<i>Baccharis</i>	56
Glottidium	<i>Glottidium</i>	31

ahia	<i>Bahia</i>	37
ahiagrass	<i>Paspalum notatum</i>	24
arberry	<i>Berberis</i>	56
arley	<i>Hordeum</i>	22
arnyardgrass	<i>Echinochloa crusgalli</i>	21
asketflower	<i>Centaurea americana</i>	38
asswood	<i>Tilia</i>	59
eachgrass	<i>Ammophila</i>	18
eakgrain	<i>Diarrhena</i>	20
ean	<i>Phaseolus</i>	33
edstraw	<i>Galium</i>	43
eebalm	<i>Monarda</i>	48
eet	<i>Beta</i>	37
eggarticks	<i>Bidens</i>	37
ellflower	<i>Campanula</i>	38
entgrass	<i>Agrostis</i>	18
ergia	<i>Bergia</i>	37
erlandiera	<i>Berlandiera</i>	37
ermudagrass	<i>Cynodon</i>	20
erseem	<i>Trifolium alexandrinum</i>	34
erula	<i>Berula</i>	37
etony	<i>Stachys</i>	53
indweed	<i>Convolvulus</i>	40
irch	<i>Betula</i>	56
irdwoodgrass	<i>Cenchrus setigerus</i>	20
ittercress	<i>Cardamine</i>	38
ittersweet	<i>Celastrus</i>	56
itterweed	<i>Hymenoxys odorata</i>	45
lackberry	<i>Rubus</i>	58
lackberrylily	<i>Belamcanda</i>	29
lackeyedsusan	<i>Rudbeckia hirta</i>	51
lackfoot	<i>Melampodium</i>	47

ladderfern	<i>Cystopteris</i>	28
laddernut	<i>Staphylea</i>	59
ladderpod	<i>Lesquerella</i>	46
ladderwort	<i>Utricularia</i>	54
loodroot	<i>Sanguinaria</i>	52
lowoutgrass	<i>Redfieldia</i>	25
lue-eyedgrass	<i>Sisyrinchium</i>	30
luegrass	<i>Poa</i>	24
luehearts	<i>Buchnera</i>	38
luestem	<i>Andropogon; Bothriochloa</i>	18
luets	<i>Houstonia</i>	44
lueweed	<i>Echium vulgare</i>	41
oltonia	<i>Boltonia</i>	38
oneset	<i>Eupatorium perfoliatum</i>	42
ottlebrushgrass	<i>Hystrix</i>	22
ouncingbet	<i>Saponaria officinalis</i>	52
oxelder	<i>Acer negundo</i>	55
racken	<i>Pteridium</i>	28
rickellia	<i>Brickellia</i>	38
ristlegrass	<i>Setaria</i>	25
roadbean	<i>Vicia faba</i>	34
rome	<i>Bromus</i>	19
room	<i>Cytisus</i>	31, 56
roomcorn	<i>Sorghum bicolor</i> var. <i>technicum</i>	25
roomrape	<i>Orobanche</i>	49
roomsedge	<i>Andropogon virginicus</i>	18
roomweed	<i>Gutierrezia dracunculoides</i>	43
rowneyedsusan	<i>Rudbeckia triloba</i>	51
rowntopmillet	<i>Panicum ramosum</i>	23
uckbrush	<i>Symphoricarpos orbiculatus</i>	59
uckeye	<i>Aesculus</i>	55

uckhorn	<i>Plantago lanceolata</i>	50
uckthorn	<i>Rhamnus</i>	58
uckwheat	<i>Fagopyrum</i>	42
uffalogourd	<i>Cucurbita foetidissima</i>	40
uffalograss	<i>Buchloë</i>	20
uffelgrass	<i>Pennisetum ciliare</i>	24
ugleweed	<i>Lycopus</i>	47
ugseed	<i>Corispermum nitidum</i>	40
ulbostylis	<i>Bulbostylis</i>	27
ulrush	<i>Scirpus</i>	28
umelia	<i>Bumelia</i>	56
unchflower	<i>Melanthium</i>	29
undleflower	<i>Desmanthus</i>	31
urclover	<i>Medicago</i>	32
urcucumber	<i>Sicyos</i>	52
urdock	<i>Arctium</i>	36
urgrass	<i>Tragus</i>	26
urhead	<i>Echinodorus</i>	29
urnweed	<i>Erechtites</i>	41
urragweed	<i>Franseria tomentosa</i>	42
urreed	<i>Sparganium</i>	30
urrograss	<i>Scleropogon</i>	25
ursage	<i>Franseria</i>	42
uttercup	<i>Ranunculus</i>	51
utternut	<i>Juglans cinerea</i>	57
uttonbush	<i>Cephalanthus</i>	56
uttonweed	<i>Diodia</i>	41
abbage	<i>Brassica oleracea</i>	38
alceolaria	<i>Hybanthus</i>	45
altrop	<i>Kallstroemia</i>	45
amas	<i>Camassia</i>	29
amomile	<i>Anthemis</i>	36

lamphorweed	<i>Heterotheca</i>	44
lanarygrass	<i>Phalaris</i>	24
lane	<i>Arundinaria</i>	19
ardinalflower	<i>Lobelia cardinalis</i>	47
ardinalflower, western	<i>Lobelia splendens</i>	47
arpetgrass	<i>Axonopus</i>	19
arpetweed	<i>Mollugo</i>	48
arrot	<i>Daucus</i>	41
astorbean	<i>Ricinus</i>	51
atalpa	<i>Catalpa</i>	56
atchfly, sleepy	<i>Silene antirrhina</i>	52
atchflygrass	<i>Leersia lenticularis</i>	22
atnip	<i>Nepeta cataria</i>	48
attail	<i>Typha</i>	30
eanothus	<i>Ceanothus</i>	56
entaurea	<i>Centaurea</i>	38
entipedegrass	<i>Eremochloa</i>	21
erastium	<i>Cerastium</i>	38
harlock	<i>Brassica kaber</i>	38
heat	<i>Bromus secalinus</i>	20
herry	<i>Prunus</i>	57
hervil	<i>Chaerophyllum</i>	38
hickencorn	<i>Sorghum bicolor</i> var. <i>drummondii</i>	25
hickpea	<i>Cicer</i>	31
hickweed	<i>Stellaria media</i>	54
hicory	<i>Cichorium</i>	39
hineselantern	<i>Physalis lobata</i>	50
hloris	<i>Chloris</i>	20
hokecherry	<i>Prunus virginiana</i>	57
holla	<i>Opuntia</i>	48

Christmasfern	<i>Polystichum acrostichoides</i>	29
Cinquefoil	<i>Potentilla</i>	51
Circaea	<i>Circaea</i>	39
Clammyweed	<i>Polanisia</i>	50
Clearweed	<i>Pilea</i>	50
Clematis	<i>Clematis</i>	39
Cleomella	<i>Cleomella</i>	39
Climfbrake	<i>Pellaea</i>	28
Climbing-buckwheat	<i>Polygonum convolvulus</i>	50
Climbingmilkweed	<i>Ampelamus albidus</i>	35
Cloakfern	<i>Notholaena</i>	28
Clover	<i>Trifolium</i>	34
Cockle, white	<i>Lychnis alba</i>	47
Cocklebur	<i>Xanthium</i>	55
Cockspur	<i>Echinochloa</i>	21
Coffeetree	<i>Gymnocladus</i>	32, 57
Cogongrass	<i>Imperata</i>	22
Collinsia	<i>Collinsia</i>	39
Columbine	<i>Aquilegia</i>	36
Comandra	<i>Comandra</i>	39
Compassplant	<i>Silphium laciniatum</i>	53
Coneflower	<i>Dracopis; Rudbeckia</i>	41, 51
Conyza	<i>Conyza</i>	40
Copperleaf	<i>Acalypha</i>	35
Cordgrass	<i>Spartina</i>	25
Coreopsis	<i>Coreopsis</i>	40
Corkwing, mountain	<i>Cymopterus montanus</i>	40
Corn	<i>Zea</i>	26
Corncockle	<i>Agrostemma</i>	35
Cornflower	<i>Centaurea cyanus</i>	38
Cornsalad	<i>Valerianella</i>	54
Corydalis	<i>Corydalis</i>	40

otton	<i>Gossypium</i>	44
ottontop	<i>Trichachne</i>	26
ottonwood	<i>Populus</i>	57
owlily	<i>Nuphar</i>	48
owpea	<i>Vigna</i>	35
rabapple	<i>Pyrus</i>	57
rabgrass	<i>Digitaria</i>	20
razyweed	<i>Oxytropis</i>	33
reeper	<i>Parthenocissus</i>	57
ress, hoary	<i>Cardaria draba</i>	38
ristatella	<i>Cristatella</i>	40
rotalaria	<i>Crotalaria</i>	31
roton	<i>Croton</i>	40
rotonopsis	<i>Crotonopsis</i>	40
rowfoot	<i>Ranunculus</i>	51
rownbeard	<i>Verbesina</i>	55
rownvetch	<i>Coronilla</i>	31
ryptantha	<i>Cryptantha</i>	40
udweed	<i>Gnaphalium</i>	43
ulversphysic	<i>Veronicastrum virginicum</i>	55
upgrass	<i>Eriochloa</i>	21
uphea	<i>Cuphea</i>	40
urlymesquite	<i>Hilaria belangeri</i>	22
urrant	<i>Ribes</i>	58
utgrass	<i>Leersia</i>	22
yclanthera	<i>Cyclanthera</i>	40
ymopterus	<i>Cymopterus</i>	40
alea	<i>Dalea</i>	31
allisgrass	<i>Paspalum dilatatum</i>	24
andelion	<i>Taraxacum</i>	54
anthonia	<i>Danthonia</i>	20
arnel	<i>Lolium temulentum</i>	22

blatura	<i>Datura</i>	41
blayflower	<i>Commelina</i>	29
bleathcamas	<i>Zygadenus</i>	30
bleervetch	<i>Lotus</i>	32
blevilsclaw	<i>Proboscidea</i>	51
blewberry	<i>Rubus</i>	58
blianthera	<i>Justicia</i>	45
bliaperia	<i>Diaperia</i>	41
blicliptera	<i>Dicliptera</i>	41
blitaxis	<i>Ditaxis</i>	41
block	<i>Rumex</i>	51
blodder	<i>Cuscuta</i>	40
blogbane	<i>Apocynum</i>	36
blogtail	<i>Cynosurus</i>	20
blogweed	<i>Dyssodia</i>	41
blogwood	<i>Cornus</i>	56
blraba	<i>Draba</i>	41
blropseed	<i>Sporobolus</i>	25
blucksmeat	<i>Spirodela</i>	30
bluckweed	<i>Lemna</i>	29
blutchmans-breeches	<i>Dicentra cucullaria</i>	41
blutchmanspipe	<i>Aristolochia</i>	36
blwarfdandelion	<i>Krigia</i>	45
blchinacea	<i>Echinacea</i>	41
blchinocereus	<i>Echinocereus</i>	41
blinkorn	<i>Triticum monococcum</i>	26
bllderberry	<i>Sambucus</i>	59
blephantsfoot	<i>Elephantopus</i>	41
blisia	<i>Ellisia</i>	41
blm	<i>Ulmus</i>	59
blodea	<i>Elodea</i>	29
blmmer	<i>Triticum dicoccum</i>	26

ngelmanndaisy	<i>Engelmannia</i>	41
riogonum	<i>Eriogonum</i>	42
ryngo	<i>Eryngium</i>	42
rysimum	<i>Erysimum</i>	42
ulophus	<i>Perideridia</i>	49
uonymus	<i>Euonymus</i>	56
upatorium	<i>Eupatorium</i>	42
uphorbia	<i>Euphorbia</i>	42
veningprimrose	<i>Oënothera</i>	48
volvulus	<i>Evolvulus</i>	42
alse-alyssum	<i>Berteroa</i>	37
alseboneset	<i>Kuhnia eupatorioides</i>	45
alsebuffalograss	<i>Munroa</i>	23
alsedandelion	<i>Pyrrhopappus</i>	51
alseflax	<i>Camelina</i>	38
alsegarlic	<i>Nothoscordum</i>	29
alsegrape	<i>Ampelopsis</i>	55
alsenettle	<i>Boehmeria</i>	38
alsenightshade	<i>Chamaesaracha</i>	39
alsepennyroyal	<i>Hedeoma</i>	44
alsepimpernel	<i>Lindernia</i>	46
ameflower	<i>Talinum</i>	54
awnlily	<i>Erythronium</i>	29
eathergrass, New Mexico	<i>Stipa neomexicana</i>	26
eathertop	<i>Pennisetum villosum</i>	24
enugreek	<i>Trigonella foenum-graecum</i>	34
escue	<i>Festuca</i>	21
igwort	<i>Scrophularia</i>	52
ilaree	<i>Erodium cicutarium</i>	42
ilbert	<i>Corylus</i>	56
imbristylis	<i>Fimbristylis</i>	27

ingergrass	<i>Digitaria</i>	20
ireweed	<i>Epilobium angustifolium</i>	41
latsedge	<i>Cyperus</i>	27
laveria	<i>Flaveria</i>	42
lax	<i>Linum</i>	46
leabane	<i>Erigeron</i>	41
lowerofanhour	<i>Hibiscus trionum</i>	44
luffgrass	<i>Tridens pulchellus</i>	26
luxweed	<i>Isanthus</i>	45
ogfruit, wedgeleaf	<i>Lippia lanceolata</i>	46
orgetmenot	<i>Myosotis</i>	48
ountaingrass	<i>Pennisetum ruppelii</i>	24
our-o'clock	<i>Mirabilis</i>	48
oxtail	<i>Alopecurus</i>	18
ringeorchid	<i>Habenaria</i>	29
uirena	<i>Fuirena</i>	27
unnellily	<i>Androstephium</i>	29
iaillardia	<i>Gaillardia</i>	43
alleta	<i>Hilaria jamesii</i>	22
alleta, big	<i>Hilaria rigida</i>	22
lamagrass	<i>Tripsacum</i>	26
arlic	<i>Allium</i>	29
arlicmustard	<i>Alliaria</i>	35
aura	<i>Gaura</i>	43
ayfeather	<i>Liatris</i>	46
entian	<i>Gentiana</i>	43
eranium	<i>Geranium</i>	43
erardia	<i>Gerardia</i>	43
ermander	<i>Teucrium</i>	54
hostpipe	<i>Orobanche uniflora</i>	49
ianthyssop	<i>Agastache</i>	35
iantreed	<i>Arundo</i>	19

ilia	<i>Gilia</i>	43
inkgo	<i>Ginkgo</i>	57
lobemallow	<i>Sphaeralcea</i>	53
oatgrass	<i>Aegilops</i>	18
oldaster	<i>Chrysopsis</i>	39
oldenrod	<i>Solidago</i>	53
oldenweed	<i>Haplopappus</i>	44
oldstargrass	<i>Hypoxis hirsuta</i>	29
ooseberry	<i>Ribes</i>	58
oosefoot	<i>Chenopodium</i>	39
oosegrass	<i>Eleusine</i>	21
rama	<i>Bouteloua</i>	19
rape	<i>Vitis</i>	59
reasewood	<i>Sarcobatus</i>	59
reenbriar	<i>Smilax</i>	30
reenthread	<i>Thelesperma</i>	54
romwell	<i>Lithospermum</i>	46
roundcherry	<i>Physalis</i>	49
roundivy	<i>Glechoma hederacea</i>	43
roundsel	<i>Senecio</i>	52
uineagrass	<i>Panicum maximum</i>	23
umweed	<i>Grindelia</i>	43
lackberry	<i>Celtis</i>	56
lairgrass	<i>Aira; Deschampsia</i>	18, 20
airsedge bulbstyle	<i>Bulbostylis cappillaris</i>	27
ardinggrass	<i>Phalaris tuberosa</i> var. <i>stenoptera</i>	24
aresear	<i>Conringia</i>	40
awkweed	<i>Hieracium</i>	44
awthorn	<i>Crataegus</i>	56
azel	<i>Corylus</i>	56
edgehyssop	<i>Gratiola</i>	43

ledgemustard	<i>Sisymbrium officinale</i>	53
eliopsis	<i>Heliopsis</i>	44
eliotrope	<i>Heliotropium</i>	44
emicarpha	<i>Hemicarpha</i>	28
emp	<i>Cannabis</i>	38
enbit	<i>Lamium amplexicaule</i>	46
ibiscus	<i>Hibiscus</i>	44
ickory	<i>Carya</i>	56
ilaria	<i>Hilaria</i>	22
oarhound	<i>Marrubium</i>	47
ogpeanut	<i>Amphicarpa</i>	30
olly	<i>Ilex</i>	57
ollyfern	<i>Polystichum</i>	28
oneylocust	<i>Gleditsia</i>	31, 57
oneysuckle	<i>Lonicera</i>	47, 57
op	<i>Humulus</i>	45
ophornbeam	<i>Ostrya</i>	57
optree	<i>Ptelea</i>	57
ornwort	<i>Ceratophyllum</i>	38
orsebean	<i>Vicia faba</i> var. <i>equina</i>	34
orsegentian	<i>Triosteum</i>	54
orsenettle	<i>Solanum carolinense</i>	53
orseradish	<i>Armoracia lapathifolia</i>	36
orsetail	<i>Equisetum</i>	28
orseweed	<i>Conyza canadensis</i>	40
oundstongue	<i>Cynoglossum</i>	40
yacinthbean	<i>Dolichos</i>	31
ymenopappus	<i>Hymenopappus</i>	45
ymenoxys	<i>Hymenoxys</i>	45
yparrhenia	<i>Hyparrhenia</i>	22
idiangrass	<i>Sorghastrum</i>	25
idianplantain	<i>Cacalia</i>	38

indigo	<i>Indigofera</i>	32
iris	<i>Iris</i>	29
lionplant	<i>Haplopappus spinulosus</i>	44
lionweed	<i>Vernonia</i>	55
isopyrum	<i>Isopyrum</i>	45
jackinthe pulp	<i>Arisaema</i>	29
japanese millet	<i>Echinochloa crusgalli</i> var. <i>frumentacea</i>	21
amarua	<i>Hyparrhenia rufa</i>	22
jerusalem artichoke	<i>Helianthus tuberosus</i>	44
monardella	<i>Datura stramonium</i>	41
job tears	<i>Coix</i>	20
jequiw	<i>Eupatorium</i>	42
johnny jump up	<i>Viola kitaibeliana</i> var. <i>rafinesquii</i>	55
johnsongrass	<i>Sorghum halepense</i>	25
jintail	<i>Manisuris</i>	22
knavegrass	<i>Koeleria</i>	22
juniper	<i>Juniperus</i>	57
kale	<i>Brassica oleracea</i> var. <i>acephala</i>	38
kidney vetch	<i>Anthyllis</i>	30
kluygrass	<i>Pennisetum clandestinum</i>	24
knave weed, Russian	<i>Centaurea repens</i>	38
knottgrass	<i>Paspalum distichum</i>	24
knottweed	<i>Polygonum</i>	50
kochia	<i>Kochia</i>	45
krameria	<i>Krameria</i>	45
kidzu	<i>Pueraria</i>	33
kuhnia	<i>Kuhnia</i>	45
knavegrass	<i>Eragrostis capillaris</i>	21
knave stresses	<i>Spiranthes</i>	30

adyslipper	<i>Cypripedium</i>	29
ambsquarters	<i>Chenopodium album</i>	39
arkspur	<i>Delphinium</i>	41
awngrass, Japanese	<i>Zoysia japonica</i>	26
eadplant	<i>Amorpha canescens</i>	30, 55
entil	<i>Lens</i>	32
espedeza	<i>Lespedeza</i>	32, 57
ettuce	<i>Lactuca</i>	46
icorice	<i>Glycyrrhiza</i>	32
ilac	<i>Syringa</i>	59
ily	<i>Lilium</i>	29
inden	<i>Tilia</i>	59
ionsheart	<i>Physostegia</i>	50
ipfern	<i>Cheilanthes</i>	28
ippia	<i>Lippia</i>	46
obelia	<i>Lobelia</i>	47
oco	<i>Astragalus</i>	30
ocust	<i>Robinia</i>	34, 58
omatium	<i>Lomatium</i>	47
ongtom	<i>Paspalum lividum</i>	24
oosestrife	<i>Lysimachia</i>	47
ophotocarpus	<i>Lophotocarpus</i>	29
opseed	<i>Phryma</i>	49
otus	<i>Nelumbo</i>	48
ovegrass	<i>Eragrostis</i>	21
upine	<i>Lupinus</i>	32
ythrum	<i>Lythrum</i>	47
1acuillamia	<i>Bacopa</i>	37
1aidenhairfern	<i>Adiantum</i>	28
1alacothrix	<i>Malacothrix</i>	47
1allow	<i>Malva</i>	47
1amillaria	<i>Mamillaria</i>	47

1anillagrass	<i>Zoysia matrella</i>	26
1annagrass	<i>Glyceria</i>	22
1aple	<i>Acer</i>	55
1arbleseed	<i>Onosmodium</i>	48
1arshfern	<i>Dryopteris thelypteris</i>	28
1ascarenegrass	<i>Zoysia tenuifolia</i>	26
1atgrass	<i>Nardus</i>	23
1atrimonyvine	<i>Lycium halimifolium</i>	57
1ayapple	<i>Podophyllum</i>	50
1eadowrue	<i>Thalictrum</i>	54
1edic	<i>Medicago</i>	32
1elic	<i>Melica</i>	22
1entzelia	<i>Mentzelia</i>	47
1esquite	<i>Prosopis</i>	33, 57
1ilkvetch	<i>Astragalus</i>	30
1ilkweed	<i>Asclepias</i>	36
1illet	<i>Panicum; Setaria</i>	25
1int	<i>Mentha</i>	47
1itchellgrass	<i>Astrebla</i>	19
1ockbishopweed	<i>Ptilimnium</i>	51
1ockcucumber	<i>Echinocystis</i>	41
1olassesgrass	<i>Melinis</i>	22
1oneywort	<i>Lysimachia nummularia</i>	47
1onkeyflower	<i>Mimulus</i>	47
1onolepis	<i>Monolepis</i>	48
1oonseed	<i>Menispermum</i>	47
1orningglory	<i>Ipomoea</i>	45
1otherwort	<i>Leonurus</i>	46
1ountainash	<i>Sorbus</i>	59
1ountainmint	<i>Pycnanthemum</i>	51
1ousetail	<i>Myosurus</i>	48
1udplantain	<i>Heteranthera</i>	29

lully	<i>Muhlenbergia</i>	22
lulberry	<i>Morus</i>	57
lullein	<i>Verbascum</i>	54
luskthistle	<i>Carduus nutans</i>	38
lustard	<i>Brassica</i>	38
laiad	<i>Najas</i>	29
lailwort	<i>Paronychia</i>	49
lapierglass	<i>Pennisetum purpureum</i>	24
lasturtium	<i>Nasturtium</i>	48
latalgrass	<i>Rhynchelytrum roseum</i>	25
leedleandthread	<i>Stipa comata</i>	26
leedlegrass	<i>Stipa</i>	26
lemastylis	<i>Nemastylis</i>	29
lepeta	<i>Nepeta</i>	48
lettle	<i>Urtica</i>	54
lightshade	<i>Solanum</i>	53
limblewill	<i>Muhlenbergia schreberi</i>	23
litgrass	<i>Gastridium</i>	22
loseburn	<i>Tragia</i>	54
lutgrass	<i>Cyperus</i>	27
lak	<i>Quercus</i>	58
lakleech	<i>Dasistoma</i>	41
lat	<i>Avena</i>	19
latgrass	<i>Arrhenatherum</i>	19
lkra	<i>Hibiscus esculentus</i>	44
lion	<i>Allium</i>	29
liongrass	<i>Melica</i>	22
lrach, tumbling	<i>Atriplex rosea</i>	37
lrichardgrass	<i>Dactylis</i>	20
lrcuttia	<i>Orcuttia</i>	23
lregongrape	<i>Mahonia aquifolium</i>	57
lsageorange	<i>Maclura</i>	57

thake	<i>Palafoxia</i>	49
xalis	<i>Oxalis</i>	49
xyedaisy	<i>Chrysanthemum</i>	39
	<i>leucanthemum</i>	
aintbrush	<i>Castilleja</i>	38
aleseed	<i>Conobea</i>	40
ampasgrass	<i>Cortaderia</i>	20
angolagrass	<i>Digitaria decumbens</i>	20
anicum	<i>Panicum</i>	23
aperflower	<i>Psilostrophe</i>	51
appusgrass	<i>Pappophorum</i>	24
aragrass	<i>Panicum purpurascens</i>	23
arrotfeather	<i>Myriophyllum</i>	48
arsnip	<i>Pastinaca</i>	49
arthenium	<i>Parthenium</i>	49
artridgepea	<i>Cassia</i>	31
aspalum	<i>Paspalum</i>	24
awpaw	<i>Asimina</i>	55
ea	<i>Pisum</i>	33
eanut	<i>Arachis</i>	30
ear	<i>Pyrus communis</i>	57
earlmillet	<i>Pennisetum glaucum</i>	24
earwort	<i>Sagina</i>	52
eashrub	<i>Caragana</i>	31, 56
eavine	<i>Lathyrus</i>	32
ecan	<i>Carya illinoensis</i>	56
ectis	<i>Pectis</i>	49
edicularis	<i>Pedicularis</i>	49
ellitory	<i>Parietaria</i>	49
encilflower	<i>Stylosanthes</i>	34
ennisetum	<i>Pennisetum</i>	24
ennycress	<i>Thlaspi</i>	54

enstemon	<i>Penstemon</i>	49
enthorum	<i>Penthorum</i>	49
eppergrass	<i>Lenidium densiflorum</i>	46
epperweed	<i>Lepidium</i>	46
epperwort	<i>Marsilea</i>	28
erilla	<i>Perilla</i>	49
ersimmon	<i>Diospyros</i>	56
hacelia	<i>Phacelia</i>	49
hlox	<i>Phlox</i>	49
igeonpea	<i>Cajanus</i>	31
igweed	<i>Amaranthus</i>	35
impernel	<i>Anagallis</i>	35
inedropseed	<i>Blepharoneuron</i>	19
inegrass	<i>Calamagrostis rubescens</i>	20
inweed	<i>Lechea</i>	46
lantain	<i>Plantago</i>	50
lum	<i>Prunus</i>	57
lumegrass	<i>Erianthus</i>	21
oisonhemlock	<i>Conium maculatum</i>	40
oisonivy	<i>Rhus radicans</i>	58
oisonvetch	<i>Astragalus</i>	30
okeberry	<i>Phytolacca</i>	50
olemonium	<i>Polemonium</i>	50
olygala	<i>Polygala</i>	50
olypogon	<i>Polypogon</i>	25
olytaenia	<i>Polytaenia</i>	50
ondweed	<i>Potamogeton</i>	29
oolmat	<i>Zannichellia</i>	30
oplar	<i>Populus</i>	57
oppymallow	<i>Callirhoë</i>	38
orcupinegrass	<i>Stipa spartea</i>	26
ortulaca	<i>Portulaca</i>	50

otato	<i>Solanum tuberosum</i>	53
otatobean	<i>Apios</i>	30
rairieclover	<i>Petalostemum</i>	33
rairieconeflower	<i>Ratibida</i>	51
rairiegentian	<i>Eustoma</i>	42
ricklyash	<i>Xanthoxylum</i>	59
ricklypear	<i>Opuntia</i>	48
ricklypoppy	<i>Argemone</i>	36
rincesplume	<i>Stanleya</i>	53
roso	<i>Panicum miliaceum</i>	23
uncturevine	<i>Tribulus</i>	54
urplerocket	<i>Iodanthus</i>	45
urpletop	<i>Tridens flavus</i>	26
urslane	<i>Portulaca</i>	50
ussytoes	<i>Antennaria</i>	35
uackgrass	<i>Agropyron repens</i>	18
uakinggrass	<i>Briza</i>	19
uickweed	<i>Galinsoga</i>	43
uillwort	<i>Isoëtes</i>	28
abbitbrush	<i>Chrysothamnus</i>	56
adish	<i>Raphanus</i>	51
agweed	<i>Ambrosia</i>	35
ainlily	<i>Cooperia</i>	29
ape	<i>Brassica rapa</i>	38
aspberry	<i>Rubus</i>	58
attlesnakefern	<i>Botrychium</i>	28
attlesnakeroot	<i>Prenanthes</i>	51
avennagrass	<i>Erianthus ravennae</i>	21
azorsedge	<i>Scleria</i>	28
edbud	<i>Cercis</i>	31, 56
edcedar	<i>Juniperus virginiana</i>	57
edtop	<i>Agrostis alba</i>	18

reed	<i>Phragmites</i>	24
reedgrass	<i>Calamagrostis</i>	20
hodesgrass	<i>Chloris gayana</i>	20
hubarb	<i>Rheum</i>	51
ice	<i>Oryza</i>	23
icegrass	<i>Oryzopsis</i>	23
icegrass, Mandan	<i>X Striporyzopsis caduca</i>	26
ingwing	<i>Cycloloma</i>	40
ockcress	<i>Arabis</i>	36
ocket	<i>Hesperis</i>	44
ocketsalad	<i>Eruca</i>	42
ockjasmine	<i>Androsace</i>	35
ose	<i>Rosa</i>	58
osegentian	<i>Sabatia</i>	52
osemallow	<i>Hibiscus</i>	44
osinweed	<i>Silphium</i>	53
otala	<i>Rotala</i>	51
uellia	<i>Ruellia</i>	51
ush	<i>Juncus</i>	28
ushpea	<i>Hoffmanseggia</i>	32
ussianolive	<i>Elaeagnus</i>	56
ussianthistle	<i>Salsola</i>	52
utabaga	<i>Brassica rapa</i>	38
ye	<i>Secale</i>	25
yegrass	<i>Lolium</i>	22
acaton	<i>Sporobolus</i>	25, 26
afflower	<i>Carthamus</i>	38
age	<i>Salvia</i>	52
agebrush	<i>Artemisia</i>	36, 55
agewort	<i>Artemisia</i>	36
ainfoin	<i>Onobrychis</i>	33
alsify	<i>Tragopogon</i>	54

altbush	<i>Atriplex</i>	37, 55
altgrass	<i>Distichlis</i>	21
amolus	<i>Samolus</i>	52
andbur	<i>Cenchrus</i>	20
andgrass	<i>Triplasis</i>	26
andreed	<i>Calamovilfa</i>	20
andverbena	<i>Abronia</i>	35
andwort	<i>Arenaria</i>	36
anicle	<i>Sanicula</i>	52
assafras	<i>Sassafras</i>	59
couringrush	<i>Equisetum</i>	28
curfpea	<i>Psoralea</i>	33
eablite	<i>Suaeda</i>	54
edge	<i>Carex</i>	27
eedbox	<i>Ludwigia</i>	47
eepweed	<i>Suaeda</i>	54
elenia	<i>Selenia</i>	52
elfheal	<i>Prunella</i>	51
enna	<i>Cassia</i>	31
ensitivebriar	<i>Schrankia</i>	34
ensitivefern	<i>Onoclea</i>	28
erradella	<i>Ornithopus</i>	33
erviceberry	<i>Amelanchier</i>	55
esame	<i>Sesamum</i>	52
esbania	<i>Sesbania</i>	34
hepherdspurse	<i>Capsella</i>	38
hootingstar	<i>Dodecatheon</i>	41
icklepod	<i>Arabis canadensis</i>	36
ida	<i>Sida</i>	52
ilene	<i>Silene</i>	52
ilvergrass	<i>Miscanthus</i>	22
isymbrium	<i>Sisymbrium</i>	53

keletongrass	<i>Gymnopogon</i>	22
keletonplant	<i>Lygodesmia</i>	47
kullcap	<i>Scutellaria</i>	52
leepygrass	<i>Stipa robusta</i>	26
loughgrass	<i>Beckmannia</i>	19
martweed	<i>Polygonum</i>	50
milograss	<i>Oryzopsis miliacea</i>	23
mutgrass, rattail	<i>Sporobolus poiretii</i>	26
nailseed	<i>Cocculus</i>	39
nakecotton	<i>Froelichia</i>	43
nakeroot, white	<i>Eupatorium rugosum</i>	42
nakeweed	<i>Gutierrezia</i>	43, 57
napweed	<i>Impatiens</i>	45
neezeweed	<i>Helenium</i>	44
nowberry	<i>Symphoricarpos</i>	59
now-on-the-mountain	<i>Euphorbia marginata</i>	42
oapberry	<i>Sapindus</i>	59
oapweed	<i>Yucca</i>	30, 59
oapwort	<i>Saponaria</i>	52
olomonplume	<i>Smilacina</i>	30
olomonseal	<i>Polygonatum</i>	29
ophora	<i>Sophora</i>	34
orghum	<i>Sorghum</i>	25
orrel	<i>Rumex</i>	51
owthistle	<i>Sonohus</i>	53
oybean	<i>Glycine</i>	31
panishneedles	<i>Bidens bipinnata</i>	37
peedwell	<i>Veronica</i>	55
permolepis	<i>Spermolepis</i>	53
piderflower	<i>Cleome</i>	39
piderwort	<i>Tradescantia</i>	30
pikesedge	<i>Eleocharis</i>	27

pleenwort	<i>Asplenium</i>	28
prangletop	<i>Leptochloa</i>	22
pringbeauty	<i>Claytonia</i>	39
purge	<i>Euphorbia</i>	42
quirreltail	<i>Sitanion</i>	25
t. augustinegrass	<i>Stenotaphrum</i>	26
t. johnswort	<i>Hypericum</i>	45
targrass	<i>Cynodon plectostachyum</i>	20
tenosiphon	<i>Stenosiphon</i>	54
tickseed	<i>Hackelia; Lappula</i>	44, 46
tillingia	<i>Stillingia</i>	54
tinkgrass	<i>Eragrostis cilianensis</i>	21
tonecrop	<i>Sedum</i>	52
trawberry	<i>Fragaria</i>	42
udangrass	<i>Sorghum bicolor</i> var. <i>sudanense</i>	25
ugarcane	<i>Saccharum</i>	25
ulla	<i>Hedysarum</i>	32
umac	<i>Rhus</i>	58
umpweed	<i>Iva</i>	45
unflower	<i>Helianthus</i>	44
unrose	<i>Helianthemum</i>	44
weetclover	<i>Melilotus</i>	33
weetflag	<i>Acorus</i>	29
weetpea	<i>Lathyrus odoratus</i>	32
weetpotato	<i>Ipomoea batatas</i>	45
weetroot	<i>Osmorhiza</i>	49
witchgrass	<i>Panicum virgatum</i>	24
ycamore	<i>Platanus</i>	57
ænidia	<i>Taenidia</i>	54
amarisk	<i>Tamarix</i>	59
angierpea	<i>Lathyrus tingitanus</i>	32

anglehead	<i>Heteropogon</i>	22
ansy	<i>Tanacetum</i>	54
ansymustard	<i>Descurainia</i>	41
eff	<i>Eragrostis tef</i>	21
eosinte	<i>Euchlaena</i>	21
ephrosia	<i>Tephrosia</i>	34
haspium	<i>Thaspium</i>	54
hatchgrass	<i>Hyparrhenia hirta</i>	22
hemeda	<i>Themeda</i>	26
hermopsis	<i>Thermopsis</i>	34
himbleberry, fragrant	<i>Rubus odoratus</i>	58
histle	<i>Cirsium</i>	39
hreeawn	<i>Aristida</i>	19
ickclover	<i>Desmodium</i>	31
ickseed	<i>Corispermum</i>	40
idestromia	<i>Tidestromia</i>	54
imothy	<i>Phleum</i>	24
oadflax	<i>Linaria</i>	46
obacco	<i>Nicotiana</i>	48
obosa	<i>Hilaria mutica</i>	22
omato	<i>Lycopersicum</i>	47
oothwort	<i>Dentaria</i>	41
orpedograss	<i>Panicum repens</i>	23
ovara	<i>Tovara</i>	54
ownsendia	<i>Townsendia</i>	54
reeofheaven	<i>Ailanthus</i>	55
refoil	<i>Lotus</i>	32
richloris	<i>Trichloris</i>	26
ridens	<i>Tridens</i>	26
rigonella	<i>Trigonella</i>	34
risetum	<i>Trisetum</i>	26
rumpetcreeper	<i>Campsis</i>	56

umblegrass	<i>Schedonnardus</i>	25
umblemustard	<i>Sisymbrium altissimum</i>	53
umbleweed	<i>Amaranthus graecizans</i>	35
urnip	<i>Brassica napus</i>	38
uniola	<i>Uniola</i>	26
aseygrass	<i>Paspalum urvillei</i>	24
elvetbean	<i>Stizolobium</i>	34
elvetgrass	<i>Holcus</i>	22
elvetleaf	<i>Abutilon theophrasti</i>	35
enuslookingglass	<i>Specularia</i>	53
erbena	<i>Verbena</i>	54
ernalgrass	<i>Anthoxanthum</i>	18
etch	<i>Vicia</i>	34
iburnum	<i>Viburnum</i>	59
inemesquite	<i>Panicum obtusum</i>	23
iolet	<i>Viola</i>	55
irginsbower	<i>Clematis virginiana</i>	39
ahoo, eastern	<i>Euonymus atropurpureus</i>	56
alkingfern	<i>Camptosorus</i>	28
alnut	<i>Juglans</i>	57
atercress	<i>Rorippa</i>	51
aterhemlock	<i>Cicuta</i>	39
aterhemp	<i>Acnida</i>	35
aterhyssop, disk	<i>Bacopa rotundifolia</i>	37
aterleaf	<i>Hydrophyllum</i>	45
aterlily	<i>Nymphaea</i>	48
aterplantain	<i>Alisma</i>	29
aterprimrose	<i>Jussiaea</i>	45
aterstarwort	<i>Callitriche</i>	38
edgescale	<i>Sphenopholis</i>	25
esterndaisy	<i>Astranthium</i>	37
heat	<i>Triticum</i>	26

√heatgrass	<i>Agropyron</i>	18
√hitegrass	<i>Leersia virginica</i>	22
√idgeongrass	<i>Ruppia</i>	30
√ildbean	<i>Strophostyles</i>	34
√ildginger	<i>Asarum</i>	36
√ildindigo	<i>Baptisia</i>	31
√ildrice	<i>Zizania; Zizaniopsis</i>	26
√ildrye	<i>Elymus</i>	21
√illow	<i>Salix</i>	58
√illowweed	<i>Epilobium</i>	41
√indmillgrass	<i>Chloris verticillata</i>	20
√ingstem	<i>Verbesina alternifolia</i>	55
√intercress	<i>Barbarea</i>	37
√interfat	<i>Eurotia</i>	56
√irelettuce	<i>Stephanomeria</i>	54
√isteria	<i>Wisteria</i>	35, 59
√itchgrass	<i>Leptoloma; Panicum</i>	22, 23
√itchweed	<i>Striga lutea</i>	54
√olffia	<i>Wolffia</i>	30
√olftail	<i>Lycurus</i>	22
√oodfern	<i>Dryopteris</i>	28
√oodnettle	<i>Laportea</i>	46
√oodreed	<i>Cinna</i>	20
√oodsia	<i>Woodsia</i>	28
√am	<i>Dioscorea</i>	29
√arrow	<i>Achillea</i>	35
√erbadetajo	<i>Eclipta alba</i>	41
√innia	<i>Zinnia</i>	55
√izia	<i>Zizia</i>	55
√oysia	<i>Zoysia</i>	26

GRASSES

egilops cylindrica Host

gropyron Gaertn.

cristatum^[9] (L.) Gaertn.

dasystachyum (Hook.) Scribn.

desertorum^[9] (Fisch.) Schult.

elongatum^[10] (Host) Beauv.

inermis (Scribn. & Smith) Rydb.

intermedium^[11] (Host) Beauv.

repens (L.) Beauv.

riparium Scribn. & Smith

semicostatum (Steud.) Nees ex Boiss.

sibiricum (Willd.) Beauv.

smithii Rydb.

spicatum (Pursh) Scribn. & Smith

subsecundum (Link) Hitchc.

trachycaulum (Link) Malte

trichophorum^[11] (Link) Richt.

grostis L.

alba L.

canina L.

diegoensis Vasey

exarata Trin.

hiemalis (Walt.) B.S.P.

palustris Huds.

tenuis Sibth.

var. *aristata* (Parnell) Druce

ira caryophyllea L.

goatgrass

wheatgrass

fairway w.

thickspike w.

crested w.

tall w.

beardless w.

intermediate w.

quackgrass

streambank w.

drooping w.

Siberian w.

western w.

bluebunch w.

bearded w.

slender w.

pubescent w.

bentgrass

redtop

velvet b.

thin b.

spike b.

winter b.

creeping b.

colonial b.

awned c. b.

silver hairgrass

<i>lopecurus</i> L.	foxtail
<i>aequalis</i> Sobol.	shortawn f.
<i>arundinaceus</i> Poir.	creeping f.
<i>carolinianus</i> Walt.	Carolina f.
<i>myosuroides</i> Huds.	mouse f.
<i>pratensis</i> L.	meadow f.
<i>mmophila</i> Host	beachgrass
<i>arenaria</i> (L.) Link	European b.
<i>breviligulata</i> Fernald	American b.
<i>ndropogon</i> L.	bluestem
<i>barbinodis</i> Lag.	cane b.
<i>elliotti</i> Chapm.	elliott b.
<i>gerardi</i> Vitman	big b.
<i>glomeratus</i> (Walt.) B.S.P.	bushy b.
<i>hallii</i> Hack.	sand b.
<i>intermedius</i> R. Brown ^[12]	caucasian b.
<i>ischaemum</i> L. ^[13]	Turkestan b.
<i>nodosus</i> (Willem.) Nash	angleton b.
<i>perforatus</i> Trin. ex Fourn.	pinhole b.
<i>saccharoides</i> Swartz	silver b.
<i>scoparius</i> Michx.	little b.
<i>tener</i> (Nees) Kunth	slender b.
<i>ternarius</i> Michx.	splitbeard b.
<i>virginicus</i> L.	broomsedge
<i>nthoxanthum odoratum</i> L.	sweet vernalgrass
<i>ristida</i> L.	threeawn
<i>adscensionis</i> L.	sixweeks t.
<i>arizonica</i> Vasey	Arizona t.
<i>basiramea</i> Engelm. ex Vasey	forktip t.
<i>curtissii</i> (A. Gray) Nash	curtiss t.
<i>desmantha</i> Trin. & Rupr.	curly t.
<i>dichotoma</i> Michx.	churchmouse t.
<i>divaricata</i> Humb. & Bonpl. ex Willd.	poverty t.
<i>fendleriana</i> Steud.	fendler t.

<i>intermedia</i> Scribn. & Ball	kearney t.
<i>longespica</i> Poir.	slimspike t.
<i>longiseta</i> Steud.	red t.
<i>oligantha</i> Michx.	prairie t.
<i>orcuttiana</i> Vasey	single t.
<i>purpurascens</i> Poir.	arrowfeather t.
<i>purpurea</i> Nutt.	purple t.
<i>ramosissima</i> Engelm. ex A. Gray	s-curve t.
<i>wrightii</i> Nash	wright t.
<i>rrhenatherum</i> Beauv.	oatgrass
<i>elatus</i> (L.) Presl	tall o.
var. <i>bulbosum</i> (Willd.) Spenner	tuber o.
<i>rundinaria</i> Michx.	cane
<i>gigantea</i> (Walt) Muhl.	giant c.
<i>tecta</i> (Walt) Muhl.	switch c.
<i>rundo donax</i> L.	giantreed
<i>strebli pectinata</i> F.v.M. ^[14]	mittellgrass
<i>vena</i> L.	oat
<i>barbata</i> Brot.	slender o.
<i>byzantina</i> C. Koch	red o.
<i>fatua</i> L.	wild o.
<i>nuda</i> L.	naked o.
<i>sativa</i> L.	common o.
<i>xonopus affinis</i> Chase	carpetgrass
<i>beckmannia syzigachne</i> (Steud.) Fernald	American sloughgrass
<i>lepharoneuron tricholepis</i> (Torr.) Nash	pinedropseed
<i>houteloua</i> Lag.	grama
<i>barbata</i> Lag.	sixweeks g.
<i>chondrosioides</i> (H.B.K.) Benth. ex S. Wats.	sprucetop g.
<i>curtipendula</i> (Michx.) Torr.	sideoats g.
<i>eriopoda</i> (Torr.) Torr.	black g.
<i>filiformis</i> (Fourn.) Griffiths	slender g.
<i>gracilis</i> (H.B.K.) Lag. ex Steud.	blue g.

hirsuta Lag.
rothrockii Vasey
briza L.
 maxima L.
 media L.
 minor L.
bromus L.
 arenarius Labill.
 arvensis L.
 brizaeformis Fisch. & Mey.
 carinatus^[15] Hook. & Arn.
 catharticus Vahl.
 ciliatus^[16] L.
 commutatus Schrad.
 erectus Huds.
 frondosus (Shear) Woot. & Standl.
 inermis Leyss.
 japonicus Thunb.
 madritensis L.
 mollis L.
 purgans L.
 racemosus L.
 rigidus Roth
 rubens L.
 secalinus L.
 stamineus^[18] E. Desv.
 sterilis L.
 tectorum L.
 tomentellus^[18] Boiss.
 vulgaris (Hook.) Shear
buchloë dactyloides (Nutt.) Engelm.
calamagrostis Adans.
 canadensis (Michx.) Beauv.

hairy g.
 rothrock g.
 quakinggrass
 big q.
 perennial q.
 little q.
 brome
 Australian b.
 field b.
 rattle b.
 mountain b.
 rescue b.
 fringed b.
 hairy b.
 meadow b.
 weeping b.
 smooth b.^[17]
 Japanese b.
 Spanish b.
 soft b.
 Canada b.
 bald b.
 ripgut b.
 red b.
 cheat
 harlan b.
 poverty b.
 downy b.
 Russian b.
 Columbia b.
 buffalograss
 reedgrass
 bluejoint r.

epigeios (L.) Roth
inexpansa A. Gray
rubescens Buckl.
calamovilfa Hack.
gigantea (Nutt.) Scribn. & Merr.
longifolia (Hook.) Scribn.
tenchus L.
myosuroides H.B.K.
pauciflorus Benth.
setigerus^[19] Vahl
chloris Swartz

distichophylla Lag.
gayana Kunth
verticillata Nutt.
virgata Swartz
Linna arundinacea L.
Loix lacryma-jobi L.
Portaderia selloana (Schult.) Aschers. & Graebn.
Synodon L. Rich.
dactylon (L.) Pers.
plectostachyum^[19] (Schum.) Pilger
transvaalensis Burt-Davy
Synosurus cristatus L.
Dactylis glomerata L.
Danthonia Lam. & DC.
californica Boland.
intermedia Vasey
pilosa R. Br.
spicata (L.) Beauv. ex Roem. & Schult.
Deschampsia caespitosa (L.) Beauv.
Diarrhena americana Beauv.

chee r.
 northern r.
 pinegrass
 sandreed
 big s.
 prairie s.
 sandbur
 big s.
 sandbur
 birdwoodgrass
 chloris;
 windmillgrass^[20]
 weeping c.
 rhodesgrass
 windmillgrass
 showy c.
 stout woodreed
 jobsteers

 pampasgrass
 bermudagrass
 bermudagrass
 stargrass
 African b.
 crested dogtail
 orchardgrass
 danthonia
 California d.
 timber d.
 hairy d.
 poverty d.
 tufted hairgrass
 American beakgrain

Digitaria Heister

decumbens Stent

filiformis (L.) Koel.

ischaemum (Schreb.) Schreb. ex Muhl.

sanguinalis (L.) Scop.

Distichlis Raf.

spicata (L.) Greene

stricta (Torr.) Rydb.

Elechinochloa Beauv.

crusgalli (L.) Beauv.

var. *frumentacea* (Roxb.) W. F. Wight

Eleusine indica (L.) Gaertn.

Elymus L.

arenarius L.

canadensis L.

caput-medusae L.

chinensis (Trin.) Keng [*A. pseudo-agropyron*
(Griseb.) Franch.]^[22]

cinereus Scribn. & Merr.

condensatus Presl

giganteus Vahl

glaucus Buckl.

juncus^[22] Fish.

macounii Vasey

triticoideus Buckl.

villosus Muhl.

virginicus L.

Eragrostis Beauv.

barrelieri Daveau

capillaris (L.) Nees

chloromelas Steud.

cilianensis (All.) Lutati

curtipedicellata Buckl.

crabgrass;

fingergrass^[21]

pangolagrass

slender f.

smooth c.

crabgrass

saltgrass

seashore s.

inland s.

cockspur

barnyardgrass

japanesemillet

goosegrass

wildrye

European dune w.

Canada w.

medusahead w.

Chinese w.

basin w.

giant w.

mammoth w.

blue w.

Russian w.

macoun w.

beardless w.

hairy w.

Virginia w.

lovegrass

Mediterranean l.

lacegrass

boer l.

stinkgrass

gummy l.

<i>curvula</i> (Schrad.) Nees	weeping l.
<i>frankii</i> C. A. Meyer ex Steud.	sandbar l.
<i>hypnoides</i> (Lam.) B.S.P.	teal l.
<i>intermedia</i> Hitchc.	plains l.
<i>lehmanniana</i> Nees	lehmann l.
<i>oxylepis</i> (Torr.) Torr. (not <i>E. secundiflora</i> Presl as shown in older manuals)	red l.
<i>pectinacea</i> (Michx.) Nees	Carolina l.
<i>pilosa</i> (L.) Beauv.	India l.
<i>poaeoides</i> Beauv. ex Roem. & Schult.	little l.
<i>secundiflora</i> Presl (see <i>E. oxylepis</i>)	
<i>sessilispica</i> Buckl.	tumble l.
<i>spectabilis</i> (Pursh) Steud.	purple l.
<i>tef</i> (Zuccagni) Trotter	teff
<i>trichodes</i> (Nutt.) Wood	sand l.
<i>'remochloa ophiuroides</i> (Munro) Hack.	centipedegrass
<i>'rianthus</i> Michx.	plumegrass
<i>ravennae</i> (L.) Beauv.	ravennagrass
<i>'riochloa contracta</i> Hitchc.	prairie cupgrass
<i>'uchlaena mexicana</i> Schrad.	teosinte
<i>'estuca</i> L.	fescue
<i>arizonica</i> Vasey	Arizona f.
<i>arundinacea</i> Schreb.	tall f.
<i>elator</i> L.	meadow f.
<i>idahoensis</i> Elmer	Idaho f.
<i>megalura</i> Nutt.	foxtail f.
<i>myuros</i> L.	rattail f.
<i>obtus</i> Bieler	nodding f.
<i>octoflora</i> Walt.	sixweeks f.
<i>ovina</i> L.	sheep f.
var. <i>duriuscula</i> (L.) Koch	hard f.
<i>paradoxa</i> Desv.	cluster f.
<i>rubra</i> L.	red f.
var. <i>commutata</i> Gaud.	chewings f.

<i>scabrella</i> Torr.	rough f.
<i>thurberi</i> Vasey	thurber f.
<i>viridula</i> Vasey	green f.
<i>Distachyum ventricosum</i> (Gouan) Schinz & Thell.	nitgrass
<i>Glyceria striata</i> (Lam.) Hitchc.	fowl mannagrass
<i>Gymnopogon ambiguus</i> (Michx.) B.S.P.	bearded skeletongrass
<i>Heteropogon</i> Pers.	tanglehead
<i>contortus</i> (L.) Beauv. ex Roem. & Schult.	tanglehead
<i>melanocarpus</i> (Ell.) Benth.	sweet t.
<i>Hilaria</i> H.B.K.	hilaria
<i>belangeri</i> (Steud.) Nash	curlymesquite
<i>jamesii</i> (Torr.) Benth.	galleta
<i>mutica</i> (Buckl.) Benth.	tobosa
<i>rigida</i> (Thurb.) Benth.	big galleta
<i>Isolcus lanatus</i> L.	velvetgrass
<i>Lordealum</i> L.	barley
<i>brachyantherum</i> Nevski	northern-meadow b.
<i>jubatum</i> L.	foxtail b.
var. <i>caespitosum</i> (Scribn.) Hitchc.	bobtail b.
<i>nodosum</i> L. [23]	meadow b.
<i>pusillum</i> Nutt.	little b.
<i>vulgare</i> L.	barley
<i>Lyparrhenia</i> Anderss. ex Stapf	hyparrhenia
<i>hirta</i> (L.) Stapf	thatchgrass
<i>rufa</i> (Nees) Stapf	jaragua
<i>Lystrixis patula</i> Moench	bottlebrushgrass
<i>Monopetalum cylindrica</i> (L.) Beauv.	cogongrass
<i>Polypogon cristata</i> (L.) Pers.	prairie junegrass
<i>Poa</i> Swartz	cutgrass
<i>lenticularis</i> Michx.	catchflygrass
<i>oryzoides</i> (L.) Swartz	rice c.
<i>virginica</i> Willd.	whitegrass

eptochloa Beauv.
 dubia (H.B.K.) Nees
 fascicularis (Lam.) A. Gray
 filiformis (Lam.) Beauv.
eptoloma cognatum (Schult.) Chase
olium L.
 multiflorum Lam.
 perenne L.
 temulentum L.
ycurus phleoides H.B.K.
lanisuris L.
 cylindrica (Michx.) Kuntze
 tuberculosa Nash
felica L.
 bulbosa Geyer ex Port. & Coult.
 imperfecta Trin.
 mutica Walt.
 nitens (Scribn.) Nutt. ex Piper
 porteri Scribn.
telinis minutiflora Beauv.
tiscanthus sinensis Anderss.
tuhlenbergia Schreb.
 andina (Nutt.) Hitchc.
 arenicola Buckl.
 asperifolia (Nees & Mey.) Parodi
 brachyphylla Bush
 capillaris (Lam.) Trin.
 cuspidata (Torr.) Rydb.
 filiformis (Thurb.) Rydb.
 foliosa (Roem. & Schult.) Trin.^[25]
 frondosa (Poir.) Fernald
 var. *mexicana* (L.) Trin. forma
 commutata (Scribn.) Fernald (based

sprangletop
 green s.
 bearded s.
 red s.
 fall witchgrass
 ryegrass
 Italian r.
 perennial r.
 darnel
 wolftail
 jointtail
 Carolina j.
 Florida j.
 melic; oniongrass^[24]
 oniongrass
 coastrange m.
 twoflower m.
 threeflower m.
 porter m.
 molassesgrass
 Chinese silvergrass
 muhly
 foxtail m.
 sand m.
 alkali m.
 nodding m.
 hairawn m.
 plains m.
 pullup m.
 leafy m.
 wirestem m.
 bearded w. m.

on <i>M. mexicana</i> subsp. <i>commutata</i> Scribn.)	
<i>montana</i> (Nutt.) Hitchc.	mountain m.
<i>porteri</i> Scribn.	porter m.
<i>pungens</i> Thurb.	sandhill m.
<i>racemosa</i> (Michx.) B.S.P.	green m.
<i>schreberi</i> Gmel.	nimblewill
<i>sobolifera</i> (Muhl.) Trin.	rock m.
<i>squarrosa</i> (Trin.) Rydb. ^[26]	mat m.
<i>sylvatica</i> (Torr.) Torr.	forest m.
<i>torreyi</i> (Kunth) Hitchc. ex Bush	ring m.
<i>wrightii</i> Vasey	spike m.
<i>funroa squarrosa</i> (Nutt.) Torr.	falsebuffalograss
<i>lardus stricta</i> L.	matgrass
<i>orcuttia</i> Vasey	orcuttia
<i>oryza sativa</i> L.	rice
<i>oryzopsis</i> Michx.	ricegrass
<i>hymenoides</i> (Roem. & Schult.) Ricker	Indian r.
<i>miliacea</i> (L.) Benth. & Hook. ex Aschers. & Schweinf.	smilograss
<i>panicum</i> L.	panicum; witchgrass
<i>agrostoides</i> Spreng.	redtop p.
<i>anceps</i> Michx.	beaked p.
<i>antidotale</i> Retz.	blue p.
<i>bulbosum</i> H.B.K.	bulb p.
<i>capillare</i> L.	common w.
var. <i>occidentale</i> Rydb.	cushion w.
<i>depauperatum</i> Muhl.	stunted p.
<i>dichotomiflorum</i> Michx.	fall p.
<i>gatttingeri</i> Nash	gattinger w.
<i>hillmani</i> Chase	hillman p.
<i>huachucae</i> Ashe	huachuca p.
<i>latifolium</i> L.	wideleaf p.
<i>leibergii</i> (Vasey) Scribn.	leiberg p.

<i>lindheimeri</i> Nash	lindheimer p.
<i>linearifolium</i> Scribn.	slimleaf p.
<i>malacophyllum</i> Nash	softleaf p.
<i>maximum</i> Jacq.	guineagrass
<i>miliaceum</i> L.	proso
<i>obtusum</i> H.B.K.	vinemesquite
<i>perlongum</i> Nash	elongate p.
<i>praecocius</i> Hitchc. & Chase	early p.
<i>purpurascens</i> Raddi	paragrass
<i>ramosum</i> L.	browntopmillet
<i>repens</i> L.	torpedograss
<i>scoparium</i> Lam.	velvet p.
<i>scribnerianum</i> Nash	scribner p.
<i>sphaerocarpon</i> Ell.	roundseed p.
<i>tennesseense</i> Ashe	Tennessee p.
<i>texanum</i> Buckl.	Texas p.
<i>villosissimum</i> Nash	hairy p.
<i>virgatum</i> L.	switchgrass
<i>wernerii</i> Scribn.	werner p.
<i>wilcoxianum</i> Vasey	wilcox p.
<i>'appophorum mucronulatum</i> Nees	pappusgrass
<i>'aspalum</i> L.	paspalum
<i>ciliatifolium</i> Michx.	fringeleaf p.
<i>circulare</i> Nash	roundseed p.
<i>dilatatum</i> Poir.	dallisgrass
<i>distichum</i> L.	knotgrass
<i>floridanum</i> Michx.	Florida p.
var. <i>glabratum</i> Engelm. ex Vasey	smooth F. p.
<i>fluitans</i> (Ell.) Kunth	horsetail p.
<i>laeve</i> Michx.	field p.
<i>lividum</i> Trin.	longtom
<i>malacophyllum</i> Trin.	ribbed p.
<i>notatum</i> Flügge	bahiagrass
<i>plicatulum</i> Michx.	brownseed p.

<i>pubiflorum</i> Rupr. ex Fourn.	hairyseed p.
<i>repens</i> Bergius ^[27]	horsetail p.
<i>stramineum</i> Nash	sand p.
<i>urvillei</i> Steud.	vaseygrass
<i>pennisetum</i> L. Rich.	pennisetum
<i>alopecuroides</i> (L.) Spreng.	Chinese p.
<i>ciliare</i> (L.) Link	buffelgrass
<i>clandestinum</i> Hochst. ex Chiov.	kikuyugrass
<i>glaucum</i> ^[28] (L.) R. Br.	pearlmillet
<i>purpureum</i> Schumach	napiergrass
<i>ruppelii</i> Steud. ^[29]	fountaingrass
<i>villosum</i> R. Br.	feathertop
<i>halaris</i> L.	canarygrass
<i>arundinacea</i> L.	reed c.
<i>canariensis</i> L.	canarygrass
<i>caroliniana</i> Walt.	Carolina c.
<i>minor</i> Retz.	littleseed c.
<i>tuberosa</i> L.	bulb c.
var. <i>stenoptera</i> (Hack.) Hitchc.	hardinggrass
<i>hleum</i> L.	timothy
<i>alpinum</i> L.	alpine t.
<i>pratense</i> L.	timothy
<i>hragmites communis</i> Trin.	common reed
<i>oa</i> L.	bluegrass
<i>ampla</i> Merr.	big b.
<i>annua</i> L.	annual b.
<i>arachnifera</i> Torr.	Texas b.
<i>arida</i> Vasey	plains b.
<i>bulbosa</i> L.	bulbous b.
<i>canbyi</i> (Scribn.) Piper	canby b.
<i>chapmaniana</i> Scribn.	chapman b.
<i>compressa</i> L.	Canada b.
<i>fendleriana</i> (Steud.) Vasey	mutton b.

<i>nevadensis</i> Vasey ex Scribn.	Nevada b.
<i>pratensis</i> L.	Kentucky b.
<i>scabrella</i> (Thurb.) Benth. ex Vasey	pine b.
<i>secunda</i> Presl	rough b.
<i>sylvestris</i> A. Gray	woodland b.
<i>trivialis</i> L.	roughstalk b.
<i>Polypogon monspeliensis</i> (L.) Desf.	rabbitfoot polypogon
<i>Uccinellia airoides</i> (Nutt.) Wats. & Coult.	nuttall alkaligrass
<i>Redfieldia flexuosa</i> (Thurb) Vasey	blowoutgrass
<i>Phynchelytrum roseum</i> ^[30] (Nees) Stapf and Hubb. ex Bews	natalgrass
<i>Accharum officinarum</i> L.	sugarcane
<i>Chedonnardus paniculatus</i> (Nutt.) Trel.	tumblegrass
<i>Cleropogon brevifolius</i> Phil.	burrograss
<i>Ecale</i> L.	rye
<i>cereale</i> L.	rye
<i>montanum</i> Guss.	mountain r.
<i>etaria</i> Beauv.	bristlegrass; millet ^[31]
<i>faberii</i> Herrm.	giant b. ^[32]
<i>geniculata</i> (Lam.) Beauv.	knotroot b.
<i>italica</i> (L.) Beauv.	foxtail m.
<i>lutescens</i> (Weigel) Hubb. ^[33]	yellow b. ^[32]
<i>macrostachya</i> H.B.K.	plains b.
<i>verticillata</i> (L.) Beauv.	hooked b.
<i>viridis</i> (L.) Beauv.	green b. ^[32]
<i>Itanion hystrix</i> (Nutt.) J. G. Smith	bottlebrush squirreltail
<i>Orghastrum nutans</i> (L.) Nash	indiangrass
<i>orghum</i> Moench ^[34]	sorghum
<i>halepense</i> (L.) Pers.	johnsongrass
var. <i>alimum</i> Parodi ^[35]	sorghum alimum
<i>bicolor</i> (L.) Moench.	sorghum
var. <i>drummondii</i> (Nees) Hack. ex Chiov.	chickencorn

var. *sudanense* Hitchc.
 var. *technicum* (Koern.) Jav.
partina Schreb.
alterniflora Loisel.
cynosuroides (L.) Roth
gracilis Trin.
patens (Ait.) Muhl.
pectinata Link
phenopholis Scribn.
intermedia (Rydb.) Rydb.
obtusata (Michx.) Scribn.
porobolus R. Br.
airoides (Torr.) Torr.
asper (Michx.) Kunth
 var. *hookeri* (Trin.) Vasey
 var. *pilosus* (Vasey) Hitchc.
clandestinus (Bieler) Hitchc.
cryptandrus (Torr.) A. Gray
flexuosus (Thurb.) Rydb.
giganteus Nash
heterolepis (A. Gray) A. Gray
interruptus Vasey
neglectus Nash
poiretii (Roem. & Schult.) Hitchc.
pyramidatus (Lam.) Hitchc.
texanus Vasey
vaginiflorus (Torr.) Wood
wrightii Munro ex Scribn.
tenotaphrum secundatum (Walt.) Kuntze
tipa L.
cernua Stebbins & Love
columbiana Macoun
comata Trin. & Rupr.
leucotricha Trin. & Rupr.

sudangrass
 broomcorn
 cordgrass
 smooth c.
 big c.
 alkali c.
 marshhay c.
 prairie c.
 wedgescale
 slender w.
 prairie w.
 dropseed; sacaton
 alkali s.
 tall d.
 meadow t.d.
 hairy t.d.
 hidden d.
 sand d.
 mesa d.
 giant d.
 prairie d.
 black d.
 puffsheath d.
 rattail smutgrass
 whorled d.
 Texas d.
 poverty d.
 sacaton
 St. augustinegrass
 needlegrass
 nodding n.
 subalpine n.
 needleandthread
 Texas n.

<i>neomexicana</i> (Thurb.) Scribn.	New Mexico
<i>occidentalis</i> Thurb.	feathergrass
<i>pulchra</i> Hitchc.	western n.
<i>robusta</i> (Vasey) Scribn.	purple n.
<i>spartea</i> Trin.	sleepygrass
<i>viridula</i> Trin.	porcupinegrass
[<i>Stiporyzopsis caduca</i> (Beal) B. L. Johnson & Rogler (<i>Oryzopsis hymenoides</i> X <i>Stipa viridula</i>)	green n.
<i>themeda triandra</i> Forsk.	Mandan ricegrass
<i>ragus</i> Hall.	themedata
<i>richachne</i> Nees	burggrass
<i>californica</i> (Benth.) Chase	cottontop
<i>patens</i> Swallen	Arizona c.
<i>richloris</i> Fourn.	Texas c.
<i>mendocina</i> (Phil.) Kurtz ^[36]	trichloris
<i>pluriflora</i> Fourn.	twoflower t.
<i>ridens</i> Roem. & Schult.	fourflower t.
<i>albescens</i> (Vasey) Woot. & Standl.	tridens
<i>elongatus</i> (Buckl.) Nash	white t.
<i>flavus</i> (L.) Hitchc.	rough t.
<i>muticus</i> (Torr.) Nash	purpletop
<i>pilosus</i> (Buckl.) Hitchc.	slim t.
<i>pulchellus</i> (H.B.K.) Hitchc.	hairy t.
<i>strictus</i> (Nutt.) Nash	fluffgrass
<i>riplasis purpurea</i> (Walt.) Chapm.	longspike t.
<i>ripsacum dactyloides</i> (L.) L.	purple sandgrass
<i>risetum</i> Pers.	eastern gamagrass
<i>flavescens</i> (L.) Beauv.	trisetum
<i>spicatum</i> (L.) Richt.	yellow t.
<i>riticum</i> L.	spike t.
<i>aestivum</i> L.	wheat
	common w.

<i>dicoccum</i> Schrank	emmer
<i>durum</i> Desf.	durum w.
<i>monococcum</i> L.	einkorn
<i>turgidum</i> L.	poulard w.
<i>Uniola</i> L.	uniola
<i>latifolia</i> Michx.	broadleaf u.
<i>sessiliflora</i> Poir.	longleaf u.
<i>Zea mays</i> L.	corn
<i>Eleocharis aquatica</i> L.	wildrice
<i>Eleocharis miliacea</i> (Michx.) Doell & Aschers.	southern wildrice
<i>Zoysia</i> Willd.	zoysia
<i>japonica</i> Steud.	Japanese lawngrass
<i>matrella</i> (L.) Merr. ^[37]	manillagrass
<i>tenuifolia</i> Willd. ex. Trin.	mascarenegrass

FOOTNOTES:

[9] *Agropyron cristatum* and *A. desertorum* are part of a complex that includes several other species.

[10] Not listed in Hitchcock's 1951 manual.

[11] A complex.

[12] *Bothriochloa intermedia* (R. Brown) A. Camus (a complex) of Harlan & Celerier, Okla. Tech. Bul. T-72.

[13] *Bothriochloa ischaemum* (L.) Keng. var. *ischaemum* of Harlan & Celerier, Okla. Tech. Bul. T-72.

[14] Not listed in Hitchcock's 1951 manual.

[15] A complex, including *B. californicus* Nutt. ex Buckl., *B. marginatus* Nees, *B. maritimus* (Piper) Hitchc., and *B. polyanthus* Scribn.

[16] Includes *B. richardsoni* Link.

[17] In written material in which *B. inermis* is the only *Bromus* species discussed, its common name may be shortened to brome.

[18] Not listed in Hitchcock's 1951 manual.

[19] Not listed in Hitchcock's 1951 manual.

[20] Spp. with stiff spreading spikes are called windmillgrass.

- [21] The name “fingergrass” applied to erect spp.
- [22] Not listed in Hitchcock’s 1951 manual.
- [23] The name *H. nodosum* has generally been misapplied to *H. brachyantherum* in this country.
- [24] The name “oniongrass” applied to those spp. with bulblike stem bases.
- [25] *M. foliosa* is a name formerly applied to *M. mexicana*. *M. mexicana* was then misapplied to the recently recognized *M. frondosa* (Poir.) Fernald, which it resembles.
- [26] Considered to be a form of *M. richardsonis* (Trin.) Rydb., see 1951 ed. of Hitchcock’s manual, p. 382.
- [27] Listed as *P. fluitans* (Ell.) Kunth on p. 602 of Hitchcock’s 1951 manual.
- [28] Listed as *P. typhoides*, Stapf and Hubbard, page 74 USDA Handbook 170, “Grass varieties in the U.S.,” June, 1965.
- [29] Older name, now listed as *P. setaceum*, p. 729 in Hitchcock’s 1951 manual.
- [30] Included in *Tricholaena* in some manuals.
- [31] In some areas certain *Setaria* spp. have been called foxtail, but to avoid confusion, that common name should be reserved to the genus *Alopecurus*.
- [32] These three species are sometimes called foxtail.
- [33] Listed as *S. glauca* (L.) Beauv. in Gray’s Manual, 8th Ed. p. 226, and on p. 235, Vol. I, of the New Britton & Brown, 1952.
- [34] Listed as *Sorghum* Adans. in Gray’s Manual, 8th Ed. p. 234, and on p. 244 in Vol. I of the New Britton & Brown, 1952.
- [35] *Sorghum alnum* is not listed in Hitchcock’s 1951 manual. Parodi, in his 1943 paper, concluded that it must have originated as a hybrid between *S. halepense* and some other sorghum.
- [36] Listed on p. 530 of Hitchcock’s 1951 manual as *T. crinita* (Lag.) Parodi.
- [37] *Z. pungens* Willd. in some manuals.

SEDGES, RUSHES, AND RELATED GENERA

ulbostylis capillaris (L.) C. B. Clarke

laxa L.

aggregata Mackenz.

amphibola Steud. var. *turgida* Fern.

annectens Bickn.

austrina (Small) Mackenz.

bicknellii Britt.

blanda Dew.

brevior (Dew.) Mackenz.

bushii Mackenz.

cephalophora Muhl.

davisii Schwein. & Torr.

emoryi Dew.

frankii Kunth

granularis Muhl.

gravida Bailey

hyalinolepis Steud.

hystericina Muhl.

laeviconica Dew.

lanuginosa Michx.

leavenworthii Dew.

lupulina Muhl.

meadii Dew.

microdonta Torr. & Hook.

pensylvanica Lam. var. *digyna* Boeckl. (*C. heliophila*
Mackenz.)

praegracilis W. Boott

hairsedge

bulbstyle

sedge

glomerate s.

narrowleaf s.

yellowfruit s.

southern s.

bicknell s.

woodland s.

straw s.

bush s.

woodbank s.

davis s.

emory s.

frank s.

meadow s.

heavy s.

thin scale s.

bottlebrush s.

smoothcone s.

woolly s.

leavenworth s.

hop s.

mead s.

littletooth s.

pennsylvania
s.

clusteredfield
s.

<i>scoparia</i> Schkuhr	broom s.
<i>stipata</i> Muhl.	sawbeak s.
<i>vulpinoidea</i> Michx.	fox s.
<i>yperus</i> L.	flatsedge;
	nutgrass
<i>acuminatus</i> Torr. & Hook.	tapeleaf f.
<i>diandrus</i> Torr.	low f.
<i>erythrorhizos</i> Muhl.	redroot f.
<i>esculentus</i> L.	yellow n.
<i>ferruginescens</i> Boeckl.	slender f.
<i>filiculmis</i> Vahl	fern f.
<i>houghtonii</i> Torr.	Houghton f.
<i>inflexus</i> Muhl.	awned f.
<i>ovularis</i> (Michx.) Torr.	globe f.
<i>rivularis</i> Kunth	brook f.
<i>schweinitzii</i> Torr.	schweinitz f.
<i>strigosus</i> L.	false n.
<i>virens</i> Michx. (<i>C. pseudovegetus</i> Steud.)	green f.
<i>leocharis</i> R. Br.	spikesedge
<i>acicularis</i> (L.) R. & S.	needle s.
<i>compressa</i> Sulliv.	flatstem s.
<i>engelmanni</i> Steud.	engelmann s.
<i>macrostachya</i> Britt.	longstem s.
<i>obtusata</i> (Willd.) Schultes	blunt s.
<i>wolfii</i> Gray	wolf s.
<i>imbristylis</i> Vahl	fimbristylis
<i>autumnalis</i> (L.) R. & S. var. <i>mucronulata</i> (Michx.)	
Fern.	
<i>caroliniana</i> (Lam.) Fern. [<i>F. puberula</i> (Michx.) Vahl;	
<i>F. castanea</i> (Michx.) Vahl var. <i>puberula</i> (Michx.)	
Britt.; <i>F. interior</i> Britt.]	inland f.
<i>uirena simplex</i> Vahl	fuirena
<i>hemicarpha</i> Nees	hemicarpha
<i>drummondii</i> Nees	drummond h.

<i>micrantha</i> (Vahl) Pax	common h.
<i>uncus</i> L.	rush
<i>balticus</i> Willd.	baltic r.
<i>biflorus</i> Ell. (<i>J. aristulatus</i> of Gray's 7th ed., not Michx.)	twoflower r.
<i>diffusissimus</i> Buckl.	slimpod r.
<i>dudleyi</i> Wieg.	dudley r.
<i>interior</i> Wieg.	inland r.
<i>kansanus</i> F. J. Herm.	Kansas r.
<i>marginatus</i> Rostk.	grassleaf r.
<i>nodatus</i> Coville	stout r.
<i>tenuis</i> Willd. (<i>J. macer</i> S. F. Gray)	soft r.
<i>torreyi</i> Coville	torrey r.
<i>illinga</i> (see <i>Cyperus</i>)	
<i>cirpus</i> L.	bulrush
<i>americanus</i> Pers.	American b.
<i>atrovirens</i> Willd.	green b.
<i>fluviatilis</i> (Torr.) Gray	river b.
<i>hallii</i> Gray	hall b.
<i>lineatus</i> Michx.	rusty b.
<i>pallidus</i> (Britt.) Fern.	pale b.
<i>paludosus</i> Nels.	alkali b.
<i>validus</i> Vahl	softstem b.
<i>eleria</i> Bergius	razorsedge
<i>pauciflora</i> Muhl.	fewflower r.
<i>triglomerata</i> Michx.	whip r.

FERNS AND RELATED GENERA

<i>diantum pedatum</i> L.	American maidenhairfern
<i>splenium</i> L.	spleenwort
<i>platyneuron</i> (L.) Oakes	ebony s.
<i>resiliens</i> Kunze	blackstem s.
<i>otrychium virginianum</i> (L.) Sw.	rattlesnakefern
<i>lamptosorus rhizophyllus</i> (L.) Link	walkingfern
<i>heilanthes feei</i> Moore	fee lipfern
<i>ystopteris fragilis</i> (L.) Bernh.	brittle bladderfern
<i>ryopteris</i> Adans.	woodfern
<i>thelypteris</i> (L.) Gray	marshfern
<i>quisetum</i> L.	horsetail; scouringrush
<i>arvense</i> L.	field h.
<i>hyemale</i> L. (including <i>E. prelatum</i> Raf.)	scouringrush
<i>laevigatum</i> A. Br. (including <i>E. kansanum</i> Schaffn.)	smooth h.
<i>soëtes butleri</i> Engelm.	quillwort
<i>farsilea mucronata</i> A. Br. (<i>M. vestita</i> of Gray's 7th ed., not Hook. & Grev.)	pepperwort
<i>otholaena dealbata</i> (Pursh) Kunze	cloakfern
<i>noclea sensibilis</i> L.	sensitivefern
<i>phioglossum vulgatum</i> L.	adderstongue
<i>ellaea atropurpurea</i> (L.) Link	purple cliffbrake
<i>olystichum</i> Roth	hollyfern
<i>acrostichoides</i> (Michx.) Schott	christmasfern
<i>teridium</i> Gleditsch	bracken
<i>aquilinum</i> (L.) Kuhn	

var. *pubescens* Underw.

var. *latiusculum* (Desv.) Underw.

Woodsia obtusa (Spreng.) Torr.

western b.

eastern b.

common woodsia

OTHER MONOCOTS

<i>corus calamus</i> L.	drug sweetflag
<i>lisma subcordatum</i> Raf.	subcordate waterplantain
<i>lilium</i> L.	onion; garlic
various native spp.	wild o.; wild g.
<i>nacharis</i> (see <i>Elodea</i>)	
<i>ndrostephium coercaleum</i> (Scheele) Greene	blue funnellily
<i>risaema</i> Mart.	jackinthepulpit
<i>dracontium</i> (L.) Schott	dragonroot j.
<i>triphyllum</i> (L.) Schott	indian j.
<i>sparagus officinalis</i> L.	asparagus
<i>elamcanda chinensis</i> (L.) DC.	blackberrylily
<i>amassia scilloides</i> ^[38] (Raf.) Cory	Atlantic camas
<i>ommelina</i> L.	dayflower
<i>diffusa</i> Burm. f. (<i>C. longicaulis</i> of manuals)	creeping d.
<i>erecta</i> L. (including <i>C. virginica</i> of manuals, not L.)	erect d.
<i>looperia drummondii</i> Herb.	eveningstar rainlily
<i>ypripedium calceolus</i> L. var. <i>parviflorum</i> (Salisb.) Fern. (<i>C. parviflorum</i> Salisb.)	small yellow ladyslipper
<i>ioscorea villosa</i> L.	Atlantic yam
<i>chinodorus</i> Richard	burhead
<i>cordifolius</i> (L.) Griseb. [<i>E. radicans</i> (Nutt.) Engelm.]	
<i>rostratus</i> (Nutt.) Engelm. [<i>E. cordifolius</i> of manuals, not (L.) Griseb.]	
<i>lodea nuttallii</i> (Planch.) St. John [<i>Anacharis occidentalis</i> (Pursh) Vict.]	elodea

<i>rythronium albidum</i> Nutt.	white fawnlily
<i>labenaria leucophaea</i> (Nutt.) Gray	prairie fringeorchid
<i>leteranthera</i> R. & P.	mudplantain
<i>dubia</i> (Jacq.) MacM.	grassleaf m.
<i>limosa</i> (Sw.) Willd.	blue m.
<i>reniformis</i> R. & P.	kidneyleaf m.
<i>lypoxis hirsuta</i> (L.) Coville	goldstargrass
<i>is</i> L.	iris
<i>brevicaulis</i> Raf. (<i>I. foliosa</i> Mackenz. & Bush)	lamance i.
<i>versicolor</i> L.	blueflag i.
<i>emna</i> L.	duckweed
<i>minima</i> Philippi	least d.
<i>minor</i> L.	common d.
<i>perpusilla</i> Torr.	minute d.
<i>ilium michiganense</i> Farw.	Michigan lily
<i>ophotocarpus calycinus</i> (Engelm.) J. G. Sm.	lophotocarpus
<i>telanthium virginicum</i> L.	bunchflower
<i>ajas quadalupensis</i> (Spreng.) Magnus	
[<i>Naias g.</i> (Spreng.) Morong]	southern naiad
<i>emastylis geminiflora</i> Nutt. (<i>N. acuta</i> Herb.)	nemastylis
<i>othoscordum bivalve</i> (L.) Britt.	yellow falsegarlic
<i>olygonatum canaliculatum</i> (Muhl.) Pursh	solomonseal
<i>otamogeton</i> L.	pondweed
<i>diversifolius</i> Raf.	waterthread p.
<i>foliosus</i> Raf.	leafy p.
<i>illinoensis</i> Morong (<i>P. lucens</i> of manuals, not L.)	Illinois p.
<i>nodosus</i> Poir. (<i>P. americanus</i> C. & S.)	longleaf p.
<i>obtusifolius</i> Mert. & Koch	bluntleaf p.
<i>pectinatus</i> L.	fennelleaf p.
<i>pusillus</i> L.	baby p.
<i>uppia maritima</i> L.	widgeongrass
<i>agittaria</i> L.	arrowhead
<i>ambigua</i> J. G. Sm.	Kansas a.

<i>brevirostra</i> Mackenz. & Bush	shortbeak a.
<i>cuneata</i> Sheldon	duckpotato a.
<i>latifolia</i> Willd. (including <i>S. esculenta</i> Howell)	common a.
<i>longiloba</i> Engelm.	longbarb a.
<i>isyrinchium</i> L.	blue-eyedgrass
<i>angustifolium</i> Mill. (including <i>S. graminoides</i> Bickn.)	common b.
<i>campestre</i> Bickn.	prairie b.
<i>milacina</i> Desf.	solomonplume
<i>racemosa</i> (L.) Desf.	feather s.
<i>stellata</i> (L.) Desf.	starry s.
<i>milax</i> L.	greenbriar
<i>lasioneura</i> Hook. (included in <i>S. herbacea</i> L. in some manuals)	
<i>tamnoides</i> L. var. <i>hispida</i> (Muhl.) Fern. (<i>S. hispida</i> Muhl.)	bristly g.
<i>parganium eurycarpum</i> Engelm.	giant burreed
<i>piranthes</i> Richard	ladiestresses
<i>cernua</i> (L.) Richard	nodding l.
<i>vernalis</i> Engelm. & Gray	upland l.
<i>pirodela polyrhiza</i> (L.) Schleid.	common ducksmeat
<i>radescantia</i> L.	spiderwort
<i>bracteata</i> Small	bracted s.
<i>occidentalis</i> (Britt.) Smyth	prairie s.
<i>ohiensis</i> Raf. (<i>T. canaliculata</i> Raf.)	
<i>tharpia</i> Anders. & Woodson	tharp s.
<i>yperba</i> L.	cattail
<i>angustifolia</i> L.	narrowleaf c.
<i>latifolia</i> L.	common c.
<i>wolffia columbiana</i> Karst.	wolffia
<i>yucca glauca</i> Nutt.	small soapweed
<i>annichellia palustris</i> L.	common poolmat
<i>ygadenus nuttallii</i> Gray (also spelled <i>Zigadenus</i>)	nuttall deathcamas

FOOTNOTES:

[38] *C. scilloides* in Gray's 8th Ed.: *C. scillioides* in some manuals.

LEGUMES (including woody species)

acacia augustissima (Mill.) Ktze.

lysicarpus vaginalis DC.

morpha L.

canescens Pursh

fruticosa L.

mphicarpa bracteata (L.) Fern.

nthyllis vulneraria L.

prios americana Medic.

rachis hypogaea L.

stragalus L.

canadensis L.

caryocarpus Ker (*A. crassica* Nutt.)

cicer L.

gracilis Nutt.

lotiflorus Hook.

missouriensis Nutt.

mollissimus Torr.

pectinatus (Hook.) Dougl.

plattensis Nutt.

racemosus Pursh

rubyi Greene & Morris

prairie acacia

alyceclover

amorpha

leadplant

indigobush a.

southern hogpeanut

kidneyvetch

American potatobean

peanut

milkvetch: species not
poisonous

loco: species causing
locoism

poisonvetch: species
causing poisoning
other than locoism

Canada m.

groundplum m.

cicer m.

slender m.

lotus m.

Missouri m.

woolly l.

narrowleaf p.

Nebraska m.

creamy p.

ruby m.

<i>spatulatus</i> Sheld. (<i>A. caespitosus</i> Gray; <i>Homalobus caespitosus</i> Nutt.)	tufted m.
<i>aptisia</i> Vent.	wildindigo
<i>leucantha</i> T. & G.	Atlantic w.
<i>leucophaea</i> Nutt.	plains w.
<i>minor</i> Lehm.	blue w.
<i>cajanus cajan</i> Millsp. (<i>C. indicus</i> Spreng.)	pigeonpea
<i>aragana arborescens</i> Lam.	Siberian peashrub
<i>assia</i> L.	senna; partridgepea
<i>fasciculata</i> Michx. (<i>Chamaecrista</i> f. B. & B., including <i>C. rostrata</i> Woot. & Standl.)	showy p.
<i>marilandica</i> L.	wild s.
<i>nictitans</i> L.	sensitive p.
<i>percis canadensis</i> L.	eastern redbud
<i>icer arientinum</i> L.	chickpea
<i>oronilla varia</i> L.	crownvetch
<i>rotalaria</i> L.	crotalaria
<i>incana</i> L.	shackshack c. ^[39]
<i>junceae</i> L.	sun c.
<i>mucronata</i> Desv.	striped c.
<i>sagittalis</i> L.	arrow c.
<i>spectabilis</i> Roth	showy c.
<i>ytisus</i> L.	broom
<i>dalea</i> ^[40] Juss.	dalea
<i>alopecuroides</i> Willd. [<i>D. leporina</i> (Alt.) Kearney & Peebles]	foxtail d.
<i>aurea</i> Nutt.	silktop d.
<i>enneandra</i> Nutt.	nineanther d.
<i>jamesii</i> (Torr.) T. & G.	james d.
<i>lanata</i> Spreng.	woolly d.
<i>nana</i> Torr.	dwarf d.
<i>esmanthus</i> Willd.	bundleflower

<i>illinoensis</i> (Michx.) MacM.	Illinois b.
<i>leptolobus</i> T. & G.	slenderlobed b.
<i>Desmodium</i> Desv.	tickclover
<i>canadense</i> (L.) DC.	Canada t.
<i>canescens</i> (L.) DC.	hoary t.
<i>cuspidatum</i> (Muhl.) Loud. [<i>D. bracteosum</i> (Michx.) DC.]	longleaf t.
<i>glutinatum</i> (Muhl.) Wood [<i>D. acuminatum</i> (Michx.) DC.]	largeflower t.
<i>illinoense</i> Gray	Illinois t.
<i>paniculatum</i> (L.) DC.	panicled t.
<i>sessilifolium</i> (Torr.) T. & G.	sessile t.
<i>tortuosum</i> DC. (<i>D. purpureum</i> Fawcett & Rendle)	tall t.
<i>Polichos lablab</i> L.	hyacinthbean
<i>Pleditsia triacanthos</i> L.	honeylocust
<i>Plottidium vesicarium</i> (Jacq.) Harper	bagpod
<i>Plycine max</i> (L.) Merr.	soybean
<i>Plycyrrhiza lepidota</i> (Nutt.) Pursh	American licorice
<i>Pymnocladus dioica</i> (L.) K. Koch	Kentucky coffeetree
<i>Pedysarum coronarium</i> L.	sulla
<i>Poffmanseggia jamesii</i> T. & G.	rushpea
<i>Pomalobus</i> (see <i>Astragalus</i>)	
<i>Indigofera</i> L.	indigo
<i>hirsuta</i> L.	hairy i.
<i>leptosepala</i> Nutt.	western i.
<i>athyrus</i> L.	peavine
<i>hirsutus</i> L.	rough p.
<i>latifolius</i> L.	perennial p.
<i>odoratus</i> L.	sweetpea
<i>polymorphous</i> Nutt. [including <i>L. incanus</i> (Sm. & Rydb.) Rydb. and <i>L. stipulaceus</i> (Pursh) Butters & St. John]	hoary p.
<i>pusillus</i> Ell.	low p.

<i>sativus</i> L.	grass p.
<i>sylvestris</i> L.	flat p.
<i>tingitanus</i> L.	tangierpea
<i>venosus</i> Muhl.	veiny p.
<i>ens culinaris</i> Medic. (<i>L. esculenta</i> Moench)	lentil
<i>espedeza</i> Michx.	lespedeza
<i>bicolor</i> Turcz.	shrub l.
<i>capitata</i> Michx.	roundhead l.
<i>cuneata</i> (Dumont) G. Don	sericea l.
<i>cyrtobotrya</i> Miq.	bush l.
<i>daurica</i> (Laxm.) Schindl. var. <i>schimadae</i> (Masam.) Masam. & Hosok	prostrate-aurican l.
<i>hedysaroides</i> (Pall.) Kitagawa	rush l.
<i>hirta</i> (L.) Hornem.	hairy l.
<i>intermedia</i> (S. Wats.) Britt.	wand l.
<i>japonica</i> Bailey	Japan l.
<i>latissima</i> Nakai	decumbent l.
<i>manniana</i> Mackenz. & Bush	mann l.
<i>nuttallii</i> Darl.	nuttall l.
<i>procumbens</i> Michx.	trailing l.
<i>repens</i> (L.) Bart.	creeping l.
<i>stipulacea</i> Maxim.	Korean l.
<i>striata</i> (Thunb.) H. & A.	common l.
<i>stuevei</i> Nutt.	stuves l.
<i>violacea</i> (L.) Pers. (<i>L. prairea</i> Britt.)	violet l.
<i>virginica</i> (L.) Britt.	slender l.
<i>otus</i> L.	deervetch (native American spp.);
	trefoil
<i>americanus</i> (Nutt.) Bisch.	American d.
<i>corniculatus</i> L.	birdsfoot t.
<i>tenuis</i> Waldest. & Dit. ex. Willd.	narrowleaf b.t.

<i>uliginosus</i> Schkuhr (<i>L. major</i> Sm.; <i>L. villosus</i> Willd.)	big t.
<i>upinus</i> L.	lupine
<i>albus</i> L.	white l.
<i>angustifolius</i> L.	blue l.
<i>luteus</i> L.	yellow l.
<i>plattensis</i> S. Wats.	Nebraska l.
<i>pusillus</i> Pursh	low l.
<i>subcarnosus</i> Hook.	Texas l.
<i>Medicago</i> L.	medic; burclover; alfalfa
<i>arabica</i> (L.) Huds.	spotted b.
<i>arborea</i> L.	tree m.
<i>ciliaris</i> Bald. ex DC.	fringed m.
<i>falcata</i> L.	yellow a.
<i>hispida</i> Gaertn.	California b.
<i>lupulina</i> L.	black m.
<i>minima</i> (L.) Desr.	little b.
<i>orbicularis</i> All.	button m.
<i>rigidula</i> Desr.	Tifton b.
<i>sativa</i> L.	alfalfa
<i>scutellata</i> Mill.	snail m.
<i>tuberculata</i> Willd.	tuberculous m.
<i>Melilotus</i> Mill.	sweetclover
<i>alba</i> Desr.	white s.
<i>dentata</i> Pers.	banat s.
<i>indica</i> (L.) All.	annual yellow s.
<i>officinalis</i> (L.) Lam.	yellow s.
<i>suaveolens</i> Ledeb.	daghestan s.
<i>Onobrychis viciaefolia</i> Scop.	common sainfoin
<i>Ornithopus sativus</i> Brot.	serradella
<i>Oxytropis lambertii</i> Pursh	lambert crazyweed ^[41]
<i>Petalostemum</i> ^[42] Michx.	prairieclover
<i>candidum</i> (Willd.) Michx.	white p.
<i>compactum</i> (Spreng.) Swezey	compact p.

<i>multiflorum</i> Nutt.	roundheaded p.
<i>occidentale</i> (Gray) Fern.	western p.
<i>porterianum</i> Small	porter p.
<i>purpureum</i> (Vent.) Rydb.	purple p.
<i>tenuifolium</i> Gray	slimleaf p.
<i>villosum</i> Nutt.	silky p.
<i>haseolus</i> L.	bean
<i>aconitifolius</i> Jacq.	moth b.
<i>acutifolius</i> Gray	Texas b.
<i>angularis</i> Wight	adsuki b.
<i>aureus</i> Roxb.	mung b.
<i>calcaratus</i> Roxb.	rice b.
<i>coccineus</i> L. (<i>P. multiflorus</i> Lam.)	runner b.
<i>lunatus</i> L. (including var. <i>macrocarpus</i> Benth.)	lima b.
<i>vulgaris</i> L.	common b.
<i>isum</i> L.	pea
<i>arvense</i> (L.) Poir.	field p.
<i>sativum</i> L.	garden p.
<i>rosopis juliflora</i> (Swartz) DC. (<i>P. chilensis</i> of manuals; including <i>P. glandulosa</i> Torr. and <i>P. velutina</i> Woot.)	mesquite
<i>soralea</i> L.	scurfpea
<i>argophylla</i> Pursh	silverleaf s.
<i>cuspidata</i> Pursh	tallbread s.
<i>digitata</i> Nutt.	palmleaf s.
<i>osculenta</i> Pursh	common breadroot s.
<i>hypogaea</i> Nutt.	little breadroot s.
<i>lanceolata</i> Pursh	lemon s.
<i>linearifolia</i> T. & G.	slimleaf s.
<i>psoralioides</i> (Walt.) Cory	bobsroot s.
<i>tenuiflora</i> Pursh	slimflower s.
var. <i>floribunda</i> (Nutt.) Rydb.	manyflower s.

ueraria DC.

lobata (Willd.) Ohwi [*P. thunbergiana*
(Sieb. & Zucc.) Benth.]

phaseoloides Benth.

obinia L.

pseudo-acacia L.

viscosa Vent.

chrankia nuttallii (DC.) Standl. (*S.*
uncinata of manuals, not Willd.)

esbania exaltata (Raf.) Cory

ophora sericea Nutt.

tizolobium deeringianum Bort.

trophostyles Ell.

helvola (L.) Ell.

leiosperma (T. & G.) Piper

tylosanthes biflora (L.) BSP.

ephrosia virginiana (L.) Pers.

[including *T. leucosericea* (Rydb.)
Cory]

hermopsis rhombifolia Nutt. ex Rich.

rifolium L.

agrarium L.

alexandrinum L.

ambiguum Bieb.

arvense L.

campestre Schreb.

carolinianum Michx.

dubium Sibth.

fragiferum L.

glomeratum L.

hirtum All.

hybridum L.

incarnatum L.

lappaceum L.

kudzu

thunberg k.

tropical k.

locust

black l.

clammy l.

catclaw sensitivebriar

sesbania

silky sophora

velvetbean

wildbean

trailing w.

smoothseed w.

pencilflower

Virginia tephrosia

prairie thermopsis

clover

hop c.

berseem

kura c.

rabbitfoot c.

plains c.

Carolina c.

small hop c.

strawberry c.

cluster c.

rose c.

alsike c.

crimson c.

lappa c.

<i>medium</i> L.	zigzag c.
<i>nigrescens</i> Viv.	ball c.
<i>pratense</i> L.	red c.
<i>procumbens</i> L.	large hop c.
<i>reflexum</i> L.	buffalo c.
<i>repens</i> L.	white c.
<i>resupinatum</i> L.	Persian c.
<i>stoloniferum</i> Eat.	stoloniferous c.
<i>striatum</i> L.	knotted c.
<i>subterraneum</i> L.	subterranean c.
<i>trigonella</i> L.	trigonella
<i>foenum-graecum</i> L.	fenugreek
<i>icia</i> L.	vetch
<i>americana</i> Muhl.	American v.
<i>angustifolia</i> Reichard	narrowleaf v.
<i>articulata</i> Hornem.	oneflower v.
<i>benghalensis</i> L. (<i>V. atropurpurea</i> Desf.)	purple v.
<i>caroliniana</i> Walt.	Carolina v.
<i>cracca</i> L.	bird v.
<i>dasycarpa</i> Ten.	woollypod v.
<i>ervilia</i> Willd.	bitter v.
<i>faba</i> L.	broadbean
var. <i>equina</i> Pers. (<i>V. faba</i> L. subsp.	
<i>major</i> Alef.)	horsebean
<i>grandiflora</i> Scop.	bigflower v.
<i>ludoviciana</i> Nutt.	Louisiana v.
<i>monantha</i> (L.) Desf.	oneflower v.
<i>pannonica</i> Crantz.	Hungarian v.
<i>sativa</i> L.	common v.
<i>sparsifolia</i> Nutt.	stiffleaf v.
<i>trifida</i> Dietr.	clubleaf v.
<i>villosa</i> Roth	hairy v.
<i>igna</i> Savi	cowpea
<i>sesquipedalis</i> Fruwirth	yardlong c.

sinensis (L.) Endl.
Listeria macrostachya Nutt.

cowpea
wisteria

FOOTNOTES:

[39] Listed as shack c. in 1948 USDA Yearbook of Agriculture.

[40] The genus *Dalea* includes *Petalostemum* in some manuals.

[41] Often termed stemless loco in older literature but the name loco should be reserved for the genus *Astragalus*.

[42] The genus *Petalostemum* is included in *Dalea* in some manuals.

OTHER DICOT FORBS

<i>bronia fragrans</i> Nutt. ex Hook.	sweet sandverbena
<i>butilon theophrasti</i> Medic.	velvetleaf
<i>calypha</i> L.	copperleaf
<i>gracilens</i> Gray	slender c.
<i>ostryaefolia</i> Riddell	hophornbeam c.
<i>virginica</i> L.	Virginia c.
<i>cerates</i> (see <i>Asclepias</i>)	
<i>chillea</i> L.	yarrow
<i>millefolium</i> L. subsp. <i>millefolium</i>	common y.
<i>millefolium</i> L. subsp. <i>lanulosa</i> (Nutt.) Piper	western y.
<i>cnida tamariscina</i> (Nutt.) Wood	waterhemp
<i>ctinea</i> (see <i>Hymenoxys</i>)	
<i>ctinomeris</i> (see <i>Verbesina</i>)	
<i>gastache</i> Clayt.	gianthyssop
<i>nepetoides</i> (L.) Ktze.	catnip g.
<i>scrophulariaefolia</i> (Willd.) Ktze.	purple g.
<i>goseris cuspidata</i> (see <i>Microseris</i>)	
<i>grimonia</i> L.	agrimony
<i>parviflora</i> Ait.	many flower a.
<i>pubescens</i> Wallr.	downy a.
<i>rostellata</i> Wallr.	woodland a.
<i>grostemma githago</i> L.	common corncockle
<i>llitaria officinalis</i> Andrz.	garlicmustard
<i>llionia</i> (included in <i>Mirabilis</i>)	
<i>maranthus</i> L.	pigweed (amaranth of SPN)
<i>graecizans</i> L. (<i>A. blitoides</i> S. Wats.)	tumbleweed

<i>hybridus</i> L.	slim p.
<i>palmeri</i> S. Wats.	palmer p.
<i>retroflexus</i> L.	rough p.
<i>spinosus</i> L.	spiny p.
<i>torreyi</i> (Gray) Benth.	torrey p.
<i>mbrosia</i> L.	ragweed
<i>artemisiifolia</i> L. (<i>A. elatior</i> L.)	common r.
<i>bidentata</i> Michx.	lanceleaf r.
<i>psilostachya</i> DC. (<i>A. coronopifolia</i> T. & G.)	western r.
<i>trifida</i> L.	giant r.
<i>mmannia</i>	ammannia
<i>auriculata</i> Willd.	earleaf a.
<i>coccinea</i> Rottb.	purple a.
<i>mpelamus albidus</i> (Nutt.) Britt.	
(<i>Gonolobus laevis</i> of manuals, not Michx.)	climbingmilkweed
<i>msonia tabernaemontana</i> Walt.	willow amsonia
<i>nagallis arvensis</i> L.	scarlet pimpernel
<i>ndrosace occidentalis</i> Pursh	western rockjasmine
<i>nemone</i> L.	anemone
<i>canadensis</i> L.	meadow a.
<i>caroliniana</i> Walt.	Carolina a.
<i>cylindrica</i> Gray	candle a.
<i>decapetala</i> Ard.	tenpetal a.
<i>virginiana</i> L.	Virginia a.
<i>ntennaria</i> Gaertn.	pussytoes
<i>neglecta</i> Greene (including <i>A. campestris</i> Rydb. & <i>A. longifolia</i> Greene)	field p.
<i>plantaginifolia</i> (L.) Richards (including <i>A. fallax</i> Greene)	plantainleaf p.
<i>nthemis</i> L.	camomile
<i>cotula</i> L.	mayweed c.
<i>tinctoria</i> L.	golden c.
<i>nychia</i> (see <i>Paronychia</i>)	

plopappus (see *Haplopappus*)

pocynum L.

cannabinum L.

sibiricum Jacq.

quilegia L.

rabis L.

canadensis L.

dentata (Torr.) T. & G.

hirsuta (L.) Scop. var. *pycnocarpa* (M.
Hopkins) Rollins

laevigata (Muhl.) Poir.

virginica (L.) Poir.

rctium minus (Hill) Bernh.

renaria L.

patula Michx.

serpyllifolia L.

stricta Michx. var. *texana* Robins.

rgemone L.

polyanthemos (Fedde) G. Ownbey

squarrosa Greene (including *A. hispida* Gray)

ristolochia tomentosa Sims

rmoracia lapathifolia Gilib. [*Rorippa*
armoracia (L.) Hitchc.]

rtemisia L.

annua L.

biennis Willd.

campestris L. (*A. canadensis* Michx.)

dracunculus L.

filifolia Torr.

ludoviciana Nutt. [including var. *gnaphalodes*
(Nutt.) T. & G.]

vulgaris L.

sarum canadense L.

dogbane

hemp d.

prairie d.

columbine

rockcress

sickle pod

toothed r.

hairy r.

smooth r.

Virginia r.

smaller burdock

sandwort

pitchers s.

thymeleaf s.

Texas s.

pricklypoppy

hedgehog p.

dutchmanspipe

common horseradish

sagewort; sagebrush

sweet sagewort

biennial sagewort

prairie sagewort

falsetarragan

sagewort

sand sagebrush

Louisiana sagewort

common sagewort

wildginger

<i>sclepias</i> L. (including <i>Acerates</i> Ell.)	milkweed
<i>amplexicaulis</i> Sm.	bluntleaf m.
<i>arenaria</i> Torr.	sand m.
<i>auriculata</i> (Engelm.) Holz. (<i>Acerates a.</i> Engelm.)	leafy m.
<i>hirtella</i> (Pennell) Woodson (<i>Acerates h.</i> Pennell)	prairie m.
<i>incarnata</i> L.	swamp m.
<i>lanuginosa</i> Nutt. [<i>Acerates l.</i> (Nutt.) DC.]	woolly m.
<i>latifolia</i> (Torr.) Raf.	broadleaf m.
<i>pumila</i> (Gray) Vail	plains m.
<i>purpurascens</i> L.	purple m.
<i>speciosa</i> Torr.	showy m.
<i>stenophylla</i> Gray (<i>Acerates angustifolia</i> Dene.)	narrowleaf m.
<i>subverticillata</i> (Gray) Vail (<i>A. galioides</i> HBK.)	poison m.
<i>sullivantii</i> Engelm.	sullivant m.
<i>syriaca</i> L. var. <i>kansana</i> (Vail) Palmer & Steyerm.	Kansas m.
<i>syriaca</i> L. var. <i>syriaca</i>	common m.
<i>tuberosa</i> L.	butterfly m.
<i>verticillata</i> L.	whorled m.
<i>viridiflora</i> Raf. [<i>Acerates v.</i> (Raf.) Eaton]	green m.
<i>sclepiodora</i> ^[43] Gray	antelopehorn
<i>decumbens</i> (Nutt.) Gray (<i>Asclepias capricornu</i> Woodson)	spider a.
<i>viridis</i> (Walt.) Gray (<i>Asclepias v.</i> Walt.)	green a.
<i>ster</i> L.	aster
<i>anomalus</i> Engelm.	manyray a.
<i>arenosus</i> Blake [<i>Leucelene ericoides</i> (Torr.) Greene]	babywhite a.
<i>azureus</i> Lindl.	azure a.
<i>drummondii</i> Lindl.	drummond a.
<i>ericoides</i> L.	heath a.
<i>exilis</i> Ell.	slim a.

<i>fendleri</i> Gray	fendler a.
<i>laevis</i> L. var. <i>laevis</i>	smooth a.
<i>novae-angliae</i> L.	New England a.
<i>oblongifolius</i> Nutt.	aromatic a.
<i>ontarionis</i> Wieg. (<i>A. missouriensis</i> Britt., & <i>A. pantotrichus</i> Blake)	Missouri a.
<i>paludosus</i> Ait.	singlestem bog a.
<i>praealtus</i> Poir.	willowleaf a.
<i>sagittifolius</i> Wedemeyer	arrow a.
<i>sericeus</i> Vent.	silky a.
<i>simplex</i> Willd. (<i>A. paniculatus</i> Lam. not Mill.)	panicked a.
<i>tanacetifolius</i> HBK. [<i>Machaeranthera t.</i> (HBK.) Nees]	tansyleaf a.
<i>tataricus</i> L. f.	tatarian a.
<i>vimineus</i> Lam.	small white a.
<i>stranthium integrifolium</i> (Michx.) Nutt.	entireleaved
	western daisy
<i>triplex</i> L.	saltbush
<i>argentea</i> Nutt.	silverscale s.
<i>canescens</i> (Pursh) Nutt.	fourwing s.
<i>patula</i> L.	fat-hen s.
<i>rosea</i> L.	tumbling orach
<i>ureolaria</i> (see <i>Gerardia</i>)	
<i>acopa rotundifolia</i> (Michx.) Wettst. (<i>Macuillamia r.</i> Michx.)	disk waterhyssop
<i>ahia oppositifolia</i> (Nutt.) DC. [<i>Picradeniopsis o.</i> (Nutt.) Rydb.]	plains bahia
<i>arborea vulgaris</i> R. Br.	bitter wintercress
<i>bergia texana</i> (Hook.) Seubert	Texas bergia
<i>erlandiera</i> DC.	berlandiera
<i>lyrata</i> Benth.	wireleaf b.
<i>texana</i> DC.	Texas b.
<i>erteroa incana</i> (L.) DC.	hoary false-alyssum
<i>erula erecta</i> (Huds.) Coville	stalky berula

<i>beta</i> L.	beet
<i>bidens</i> L.	beggarticks
<i>bipinnata</i> L.	spanishneedles
<i>cernua</i> L. [including <i>B. glaucescens</i> Greene, & <i>B. elliptica</i> (Wieg.) Gleason]	nodding b.
<i>frondosa</i> L.	devils b.
<i>polylepis</i> Blake [<i>B. involucrata</i> (Nutt.) Britt.]	coreopsis b.
<i>tripartita</i> L. [<i>B. comosa</i> (Gray) Wieg., & <i>B.</i> <i>connata</i> Muhl.]	bur b.
<i>vulgata</i> Greene	tall b.
<i>oechmeria cylindrica</i> (L.) Sw.	smallspike falsenettle
<i>boltonia</i> L'Her.	boltonia
<i>asteroides</i> (L.) L'Her. var. <i>recognita</i> (Fern. & Griscom) Cron. (<i>B. latisquama</i> Gray var. <i>recognita</i> Fern. & Griscom)	white b.
<i>asteroides</i> (L.) L'Her. var. <i>latisquama</i> (Gray) Cron. (<i>B. latisquama</i> Gray)	violet b.
<i>rassica</i> L.	mustard
<i>juncea</i> (L.) Coss.	India m.
<i>kaber</i> (DC.) L. C. Wheeler	charlock
<i>napus</i> L. (<i>B. rapa</i> of authors, not L.)	turnip
<i>nigra</i> (L.) Koch	black m.
<i>oleracea</i> L.	cabbage, etc.
<i>rapa</i> L. (<i>B. campestris</i> L.)	rape & rutabaga
<i>brickellia grandiflora</i> (Hook.) Nutt. [<i>B.</i> <i>umbellata</i> (Greene) Rydb.]	brickellia
<i>uchnera americana</i> L.	American bluehearts
<i>acalia</i> L.	indian plantain
<i>atriplicifolia</i> L.	pale i.
<i>tuberosa</i> Nutt.	tuberous i.
<i>alceolaria</i> (see <i>Hybanthus</i>)	
<i>allirhoë</i> Nutt.	poppymallow
<i>alcaeoides</i> (Michx.) Gray	pale p.
<i>digitata</i> Nutt.	finger p.

<i>involucrata</i> (T. & G.) Gray	purple p.
<i>callitriche heterophylla</i> Pursh	waterstarwort
<i>amelina microcarpa</i> Andrz.	littlepod falseflax
<i>ampanula americana</i> L.	American bellflower
<i>cannabis sativa</i> L.	hemp
<i>apsella bursa-pastoris</i> (L.) Medic.	shepherdspurse
<i>ardamine</i> L.	bittercress
<i>bulbosa</i> (Schreb.) BSP.	bulb b.
<i>parviflora</i> L.	smallflower b.
<i>pensylvanica</i> Muhl.	Pennsylvania b.
<i>ardaria draba</i> (L.) Desv. (<i>Lepidium draba</i> L.)	hoary cress
<i>arduus nutans</i> L.	muskthistle
<i>arthamus tinctorius</i> L.	safflower
<i>astilleja</i> Mutis	paintbrush
<i>citrina</i> Pennell	citron p.
<i>coccinea</i> (L.) Spreng.	indian p.
<i>sessiliflora</i> Pursh	downy p.
<i>entaurea</i> L.	centaurea
<i>americana</i> Nutt.	basketflower
<i>cyanus</i> L.	cornflower
<i>repens</i> L. (<i>C. picris</i> Pall.)	Russian knapweed
<i>solstitialis</i> L.	yellow c.
<i>erastium</i> L.	cerastium
<i>brachypodium</i> (Engelm.) Robins.	shortstalk c.
<i>nutans</i> Raf.	powderhorn c.
<i>vulgatum</i> L.	big c.
<i>eratophyllum demersum</i> L.	hornwort
<i>haerophyllum</i> L.	chervil
<i>procumbens</i> (L.) Crantz	spreading c.
<i>reflexum</i> Bush.	reflexed c.
<i>texanum</i> C. & R.	Texas c.
<i>hamaesaracha</i> Gray	falsenightshade

<i>conioides</i> (Moric.) Britt.	
<i>coronopus</i> (Dunal) Gray	green f.
<i>chamaesyce</i> (included in <i>Euphorbia</i>)	
<i>chenopodium</i> L.	goosefoot
<i>albescens</i> Small	pale g.
<i>album</i> L.	lambsquarters
<i>ambrosioides</i> L.	wormseed g.
<i>berlandieri</i> Moq.	pitseed g.
<i>boscianum</i> Moq.	goosefoot
<i>cycloides</i> A. Nels.	sandhill g.
<i>fremontii</i> S. Wats.	fremont g.
<i>glaucum</i> L.	oakleaf g.
<i>hybridum</i> L. var. <i>gigantospermum</i> (Aellen)	
Rouleau	mapleleaf g.
<i>incanum</i> (S. Wats.) Heller	
<i>leptophyllum</i> Nutt.	slimleaf g.
<i>murale</i> L.	nettleleaf g.
<i>petiolare</i> HBK.	
<i>salinum</i> Standl.	alkali g.
<i>chrysanthemum leucanthemum</i> L.	oxeyedaisy
<i>chrysopsis</i> Ell.	goldaster
<i>pilosa</i> Nutt.	soft g.
<i>villosa</i> (Pursh) Nutt. var. <i>angustifolia</i> (Rydb.)	
Cron. [<i>C. angustifolia</i> Rydb., <i>C. stenophylla</i>	
(Gray) Greene]	
<i>villosa</i> (Pursh) Nutt. var. <i>canescens</i> Gray (<i>C.</i>	
<i>berlandieri</i> Greene)	
<i>villosa</i> (Pursh) Nutt. var. <i>foliosa</i> (Nutt.) D. C.	
Eat. (<i>C. foliosa</i> Nutt.)	leafy g.
<i>villosa</i> (Pursh) Nutt. var. <i>hispida</i> (Hook.) Gray	
[<i>C. viscida</i> (Gray) Greene]	rough g.
<i>villosa</i> (Pursh) Nutt. var. <i>villosa</i> (including <i>C.</i>	
<i>bakeri</i> Greene, <i>C. ballardi</i> Rydb., <i>C.</i>	
<i>hirsutissima</i> Greene, & <i>C. asprella</i> Greene)	hairy g.

<i>Lichorium intybus</i> L.	common chicory
<i>Licuta maculata</i> L.	waterhemlock
<i>Circaea latifolia</i> Hill	broadleaf circaea
<i>Cirsium</i> Mill.	thistle
<i>altissimum</i> (L.) Spreng.	tall t.
<i>arvense</i> (L.) Scop.	Canada t.
<i>ochrocentrum</i> Gray	yellowspine t.
<i>undulatum</i> (Nutt.) Spreng.	wavyleaf t.
<i>vulgare</i> (Savi) Airy-Shaw (<i>C. lanceolatum</i> of manuals)	bull t.
<i>Claytonia virginica</i> L.	Virginia springbeauty
<i>Clematis</i> L.	clematis
<i>fremontii</i> S. Wats.	fremont c.
<i>ligusticifolia</i> Nutt.	western c.
<i>pitcheri</i> T. & G.	pitcher c.
<i>virginiana</i> L.	virginsbower
<i>Cleome</i> L.	spiderflower
<i>serrulata</i> Pursh	bee s.
<i>spinosa</i> Jacq.	spiny s.
<i>Cleomella angustifolia</i> Torr.	cleomella
<i>Cocculus carolinus</i> (L.) DC.	Carolina snailseed
<i>Collinsia violacea</i> Nutt.	collinsia
<i>Comandra</i> Nutt.	comandra
<i>pallida</i> A. DC.	pale c.
<i>richardsiana</i> Fern.	richards c.
<i>Conium maculatum</i> L.	poisonhemlock
<i>Conobea multifida</i> (Michx.) Benth.	
[<i>Leucospora m.</i> (Michx.) Nutt.]	paleseed
<i>Conringia orientalis</i> (L.) Dumort.	treacle haresear
<i>Convolvulus</i> L.	bindweed
<i>arvensis</i> L.	field b.
<i>incanus</i> Vahl	gray b.

<i>sepium</i> L. (including <i>C. interior</i> House of manuals)	hedge b.
<i>onyza</i> L.	conyza
<i>canadensis</i> (L.) Cron. [<i>Erigeron c. L.</i> , <i>Leptilon c. (L.)</i> Britt.]	horseweed
<i>ramosissima</i> Cron. (<i>Erigeron divaricatus</i> Michx.)	
<i>coreopsis</i> L.	coreopsis
<i>grandiflora</i> Hogg	bigflower c.
<i>palmata</i> Nutt.	finger c.
<i>tinctoria</i> Nutt.	plains c.
<i>orispermum</i> L.	tickseed
<i>hyssopifolium</i> L.	hyssopleaf t.
<i>nitidum</i> Kit.	bugseed
<i>corydalis</i> Medic.	corydalis
<i>aurea</i> Willd.	golden c.
<i>campestris</i> (Britt.) Buchholz & Palmer	plains c.
<i>crystallina</i> Engelm.	mealy c.
<i>flavula</i> (Raf.) DC.	pale c.
<i>micrantha</i> (Engelm.) Gray	smallflower c.
<i>cristatella jamesii</i> T. & G.	cristatella
<i>croton</i> L.	croton
<i>capitatus</i> Michx.	woolly c.
<i>glandulosus</i> L. var. <i>septentrionalis</i> Muell. Arg.	tropic c.
<i>lindheimerianus</i> Scheele	threeseed c.
<i>monanthogynus</i> Michx.	oneseed c.
<i>texensis</i> (Klotzsch) Muell. Arg.	Texas c.
<i>crotonopsis elliptica</i> Willd.	crotonopsis
<i>cryptantha</i> Lehm. (including <i>Oreocarya</i> Greene)	cryptantha
<i>crassisepala</i> (T. & G.) Greene	thicksepal c.
<i>jamesii</i> (Torr.) Payson [<i>O. suffruticosa</i> (Torr.) Greene]	james c.
<i>ucurbita foetidissima</i> HBK.	buffalogourd

<i>Cuphea petiolata</i> (L.) Koehne	clammy cuphea
<i>Cuscuta</i> L.	dodder
<i>cephalanthi</i> Engelm.	buttonbush d.
<i>coryli</i> Engelm.	hazel d.
<i>cuspidata</i> Engelm.	cusp d.
<i>glomerata</i> Choisy	cluster d.
<i>indecora</i> Choisy	showy d.
<i>pentagona</i> Engelm.	field d.
<i>polygonorum</i> Engelm.	smartweed d.
<i>Cyclanthera dissecta</i> (T. & G.) Arn.	cyclanthera
<i>Cycloloma atriplicifolium</i> (Spreng.) Coult.	tumble ringwing
<i>Cymopterus</i> Raf.	cymopterus
<i>acaulis</i> (Pursh) Raf.	stemless c.
<i>montanus</i> (Nutt.) T. & G. (<i>Phellopterus m.</i>	
Nutt.)	mountain corkwing
<i>Cynoglossum</i> L.	houndstongue
<i>officinale</i> L.	common h.
<i>virginianum</i> L.	wildcomfrey h.
<i>Dasistoma macrophylla</i> (Nutt.) Raf.	oakleech
<i>Datura</i> L.	datura
<i>innoxia</i> Mill. (<i>D. meteloides</i> DC., <i>D. metel</i> of	
manuals, not L.)	sacred d.
<i>stramonium</i> L.	jimsonweed
<i>Daucus</i> L.	carrot
<i>carota</i> L.	wild c.
<i>pusillus</i> Michx.	southwestern c.
<i>Delphinium</i> L.	larkspur
<i>ajacis</i> L.	rocket l.
<i>tricorne</i> Michx.	dwarf l.
<i>virescens</i> Nutt.	plains l.
<i>Dentaria laciniata</i> Muhl.	cutleaf toothwort
<i>Descurainia</i> Webb & Berthelot	tansymustard

<i>pinnata</i> (Walt.) Britt. [including <i>D. intermedia</i> (Rydb.) Daniels, & <i>D. magna</i> Rydb.]	pinnate t.
<i>sophia</i> (L.) Webb	flixweed t.
<i> dianthera</i> (see <i>Justicia</i>)	
<i>diaperia prolifera</i> Nutt.	diaperia
<i>dicentra cucullaria</i> (L.) Bernh.	dutchmans-breeches
<i>dicliptera brachiata</i> (Pursh) Spreng.	dicliptera
<i>iodia teres</i> Walt.	rough buttonweed
<i>ditaxis</i> Vahl	ditaxis
<i>humilis</i> (Engelm. & Gray) Pax	low d.
<i>mercurialina</i> (Nutt.) Coult.	tall d.
<i>dodecatheon meadia</i> L.	common shootingstar
<i>draba</i> L.	draba
<i>brachycarpa</i> Nutt.	shortpod d.
<i>cuneifolia</i> Nutt.	wedgeleaf d.
<i>reptans</i> (Lam.) Fern. (<i>D. caroliniana</i> Walt.)	carolina d.
<i>dracopis amplexicaulis</i> (Vahl) Cass.	
(<i>Rudbeckia a.</i> Vahl)	clasping coneflower
<i>dyssodia papposa</i> (Vent.) Hitchc.	prairie dogweed
<i>echinacea</i> Moench	echinacea
<i>angustifolia</i> DC.	blacksamson e.
<i>atrorubens</i> Nutt. [including <i>E. paradoxa</i> (Norton) Britt.]	yellow e.
<i>pallida</i> Nutt.	pale e.
<i>echinocereus</i> Engelm.	echinocereus
<i>reichenbachii</i> (Terscheck) Haage jr. (<i>E. caespitosus</i> Engelm.)	lace e.
<i>viridiflorus</i> Engelm.	greenpitaya e.
<i>echinocystis lobata</i> (Michx.) T. & G.	wild mockcucumber
<i>echium vulgare</i> L.	blueweed
<i>elipta alba</i> (L.) Hassk.	yerbadetajo
<i>elephantopus carolinianus</i> Willd.	elephantsfoot
<i>ellisia nyctelea</i> L.	ellisia

engelmannia pinnatifida T. & G.

pilobium L.

angustifolium L.

coloratum Biehler

leptophyllum Raf. (*E. lineare* of manuals, not Muhl.)

rechtites hieracifolia (L.) Raf.

rigeron L. (see also *Conyza*)

annuus (L.) Pers.

bellidiastrum Nutt.

flagellaris Gray

philadelphicus L.

pumilus Nutt.

strigosus Muhl. [*E. ramosus* (Walt.) BSP.]

riogonum Michx.

annuum Nutt.

longifolium Nutt.

rodium cicutarium (L.) L'Her.

ruca sativa Mill.

ryngium L.

leavenworthii T. & G.

yuccifolium Michx.

rysimum L.

asperum (Nutt.) DC.

inconspicuum (S. Wats.) MacM.

repandum L.

ulophus (see *Perideridia*)

upatorium L.

altissimum L.

coelestinum L.

maculatum L.

perfoliatum L.

purpureum L. (*E. falcatum* Michx.)

engelmann daisy

willowweed

fireweed

purpleleaf w.

narrowleaf w.

American burnweed

fleabane

annual f.

western f.

trailing f.

Philadelphia f.

low f.

daisy f.

eriogonum

annual e.

longleaf e.

filaree

rocketsalad

eryngo

leavenworth e.

buttonsnakeroot e.

erysimum

plains e.

smallflower e.

spreading e.

eupatorium;

joepyeweed

tall e.

mistflower e.

spotted j.

boneset

bluestem j.

<i>rugosum</i> Houtt. (<i>E. urticaefolium</i> Reichard)	white snakeroot
<i>serotinum</i> Michx.	late e.
<i>uphorbia</i> L. [including <i>Tithymalus</i> (Tourn.) Adans., & <i>Chamaesyce</i> Small]	euphorbia; spurge
<i>corollata</i> L.	flowering s.
<i>dentata</i> Michx. [including <i>E. cuphosperma</i> (Engelm.) Boiss.]	toothed e.
<i>dictyosperma</i> Fisch. & Mey.	warty e.
<i>esula</i> L.	leafy s.
<i>fendleri</i> T. & G. (<i>E. greenei</i> in Rydb.'s floras)	fendler e.
<i>geyeri</i> Engelm.	geyer e.
<i>glyptosperma</i> Engelm.	ridgeseed e.
<i>heterophylla</i> L.	painted e.
<i>hexagona</i> Nutt.	sixangle e.
<i>humistrata</i> Engelm.	spreading e.
<i>lata</i> Engelm.	hoary e.
<i>maculata</i> L. (variously known as <i>E.</i> <i>hypericifolia</i> L., <i>E. hyssopifolia</i> L., <i>E. nutans</i> Lag., & <i>E. preslii</i> Guss.)	spotted e.
<i>marginata</i> Pursh	snow-on-the- mountain
<i>missurica</i> Raf. [including <i>E. nuttallii</i> (Engelm.) Small, & <i>E. petaloidea</i> Engelm.]	Missouri s.
<i>obtusata</i> Pursh	roughpod e.
<i>serpens</i> HBK.	serpent e.
<i>serpyllifolia</i> Pers.	thymeleaf e.
<i>stictospora</i> Engelm.	slimseed e.
<i>supina</i> Raf. (called <i>E. maculata</i> L. in manuals)	prostrate s.
<i>ustoma russellianum</i> (Hook.) Griseb.	russell prairiegentian
<i>volvulus nuttallianus</i> R. & S.	nuttall evolvulus
<i>agopyrum sagittatum</i> Gilib. (<i>F. esculentum</i> Moench)	common buckwheat
<i>laveria campestris</i> J. R. Johnston	flaveria
<i>ragaria virginiana</i> Duchesne	wild strawberry

<i>transeria</i> Cav.	bursage
<i>acanthicarpa</i> (Hook.) Coville	variable b.
<i>confertiflora</i> (DC.) Rydb. (<i>F. tenuifolia</i> Harv. & Gray)	slimleaf b.
<i>tomentosa</i> Gray	burrage
<i>roelichia</i> Moench	snakecotton
<i>floridana</i> (Nutt.) Moq. var. <i>campestris</i> (Small) Fern. (<i>F. campestris</i> Small)	field s.
<i>gracilis</i> (Hook.) Moq.	slender s.
<i>gaillardia</i> Foug.	gaillardia
<i>aristata</i> Pursh	common perennial g.
<i>drummondii</i> (Hook.) DC.	drummond g.
<i>fastigiata</i> Greene	prairie g.
<i>pulchella</i> Foug. (<i>G. aristosa</i> of manuals)	rosering g.
<i>balinsoga ciliata</i> (Raf.) Blake (<i>G. aristulata</i> Bickn.)	fringed quickweed
<i>balium</i> L.	bedstraw
<i>aparine</i> L.	catchweed b.
<i>circaezans</i> Michx. var. <i>hypomalacum</i> Fern.	woods b.
<i>concinnum</i> T. & G.	shining b.
<i>obtusum</i> Bigel.	bluntleaf b.
<i>pilosum</i> Ait.	hairy b.
<i>tinctorium</i> L.	dye b.
<i>triflorum</i> Michx.	fragrant b.
<i>gaura</i> L.	gaura
<i>biennis</i> L.	biennial g.
<i>coccinea</i> Pursh	scarlet g.
<i>parviflora</i> Dougl.	smallflower g.
<i>villosa</i> Torr.	hairy g.
<i>gentiana puberula</i> Michx.	downy gentian
<i>geranium</i> L.	geranium
<i>carolinianum</i> L.	Carolina g.
<i>maculatum</i> L.	spotted g.

<i>Gerardia</i> L.	gerardia
<i>aspera</i> Dougl.	rough g.
<i>auriculata</i> Michx. [<i>Tomanthera a.</i> (Michx.) Raf.]	earleaf g.
<i>densiflora</i> Benth. [<i>Tomanthera d.</i> (Benth.) Raf.]	fineleaf g.
<i>grandiflora</i> Benth. [<i>Aureolaria g.</i> (Benth.) Pennell]	bigflower g.
<i>skinneriana</i> Wood	rose g.
<i>tenuifolia</i> Vahl	slender g.
<i>Geum</i> L.	avens
<i>canadense</i> Jacq.	white a.
<i>vernum</i> (Raf.) T. & G.	heartleaf a.
<i>Gilia</i> R. & P.	gilia
<i>laxiflora</i> (Coult.) Osterh.	irion g.
<i>longiflora</i> (Torr.) G. Don	whiteflower g.
<i>spicata</i> Nutt.	spike g.
<i>Glechoma hederacea</i> L. [<i>Nepeta h.</i> (L.) Trevisan]	groundivy
<i> Gnaphalium</i> L.	cudweed
<i>obtusifolium</i> L.	fragrant c.
<i>purpureum</i> L.	purple c.
<i>Gonolobus</i> (see <i>Ampelamus</i>)	
<i>Gossypium hirsutum</i> L.	upland cotton
<i>Geratiola</i> L.	hedgelyssop
<i>aurea</i> Muhl. (<i>G. lutea</i> Raf. in part)	golden h.
<i>virginiana</i> L.	Virginia h.
<i>Grindelia</i> Willd.	gumweed
<i>lanceolata</i> Nutt.	spinytooth g.
<i>squarrosa</i> (Pursh) Dunal	curlycup g.
<i>Gutierrezia</i> Lag.	snakeweed
<i>dracunculoides</i> (DC.) Blake [<i>Amphiachyris d.</i> (DC.) Nutt.]	broomweed

<i>sarothrae</i> (Pursh) Britt. & Rusby (including <i>G. diversifolia</i> Greene, & <i>G. linearis</i> Rydb.)	broom s.
<i>Lackelia virginiana</i> (L.) I. M. Johnston [<i>Lappula v.</i> (L.) Greene]	Virginia stickseed
<i>Aplopappus</i> Endl. (including <i>Aplopappus</i> Cass., <i>Sideranthus</i> Sweet, & <i>Oonopsis</i> Greene)	goldenweed
<i>ciliatus</i> (Nutt.) DC. (<i>Prionopsis ciliata</i> Nutt.)	wax g.
<i>divaricatus</i> (Nutt.) Gray [<i>Isopappus d.</i> (Nutt.) T. & G.]	slender g.
<i>englemannii</i> Z. (Gray) Hall [<i>Oonopsis e.</i> (Gray) Greene]	englemann g.
<i>phyllocephalus</i> DC. (<i>Sideranthus annuus</i> Rydb.)	annual g.
<i>spinulosus</i> (Pursh) DC. [<i>Sideranthus s.</i> (Pursh) Sweet]	ironplant
<i>Pedeoma</i> Pers.	falsepennyroyal
<i>drummondii</i> Benth.	drummond f.
<i>hispida</i> Pursh	rough f.
<i>pulegioides</i> (L.) Pers.	American f.
<i>Telenium</i> L.	sneezeweed
<i>autumnale</i> L.	common s.
<i>nudiflorum</i> Nutt.	purplehead s.
<i>tenuifolium</i> Nutt.	bitter s.
<i>Helianthemum bicknellii</i> Fern.	sunrose
<i>Helianthus</i> L.	sunflower
<i>annuus</i> L. (including <i>H. lenticularis</i> Dougl.)	common s.
<i>grosseserratus</i> Martens	sawtooth s.
<i>hirsutus</i> Raf. [<i>H. leptocaulis</i> (Wats.) Blake (including <i>H. virilis</i> Wats.)]	hairy s.
<i>laetiflorus</i> Pers. [including <i>H. rigidus</i> (Cass.) Desf., & <i>H. severus</i> Wats.]	stiff s.
<i>maximiliani</i> Schrad.	maximilian s.
<i>mollis</i> Lam.	ashy s.
<i>petiolaris</i> Nutt.	prairie s.

<i>salicifolius</i> A. Dietr.	willowleaf s.
<i>tuberosus</i> L. (including <i>H. mollissimus</i> E. E. Wats.)	jerusalemartichoke
<i>heliopsis helianthoides</i> (L.) Sweet var. <i>scabra</i> (Dunal) Fern.	rough heliopsis
<i>heliotropium</i> L.	heliotrope
<i>convolvulaceum</i> (Nutt.) Gray	bindweed h.
<i>spathulatum</i> Rydb.	wild h.
<i>tenellum</i> (Nutt.) Torr.	pasture h.
<i>esperis matronalis</i> L.	dames rocket
<i>heterotheca subaxillaris</i> (Lam.) Britt. & Rusby	camphorweed
<i>leuchera richardsonii</i> R. Br. var. <i>grayana</i> Rosend., Butt., & Lak.	alumroot
<i>hibiscus</i> L.	hibiscus; rosemallow
<i>esculentus</i> L.	okra
<i>militaris</i> Cav.	scarlet r.
<i>trionum</i> L.	flowerofanhour
<i>hieracium longipilum</i> Torr.	longbeard hawkweed
<i>loustonia</i> L.	bluets
<i>minima</i> Beck	tiny b.
<i>nigricans</i> (Lam.) Fern. (<i>H. angustifolia</i> Michx.)	narrowleaf b.
<i>lupulus lupulus</i> L.	hop
<i>lybanthus verticillatus</i> (Ortega) Baill. [<i>Calceolaria verticillata</i> (Ortega) Ktze.]	Northamerican calceolaria
<i>lydrophyllum</i> L.	waterleaf
<i>appendiculatum</i> Michx.	notchbract w.
<i>virginianum</i> L.	Virginia w.
<i>lymenopappus</i> L'Her.	hymenopappus
<i>corymbosus</i> T. & G.	flattop h.
<i>scabiosaeus</i> L'Her.	whitebract h.
<i>tenuifolius</i> Pursh	slimleaf h.

<i>hymenoxys</i> Cass. (<i>Actinea</i> Juss., <i>Tetraneuris</i> Greene, <i>Actinella</i> Pers.)	hymenoxys
<i>acaulis</i> (Pursh) Parker [<i>Tetraneuris a.</i> (Pursh) Greene]	stemless h.
<i>odorata</i> DC. [<i>Actinea o.</i> (DC.) Ktze., & <i>Actinella o.</i> (DC.) Gray]	bitterweed
<i>scaposa</i> (DC.) Parker var. <i>linearis</i> (Nutt.) Parker (<i>Tetraneuris fastigiata</i> Greene)	plains h.
<i>hypericum</i> L.	St. johnswort
<i>drummondii</i> (Grev. & Hook.) T. & G.	drummond S.
<i>mutilum</i> L.	dwarf S.
<i>perforatum</i> L.	common S.
<i>punctatum</i> Lam.	spotted S.
<i>sphaerocarpum</i> Michx.	roundfruit S.
<i>impatiens</i> L.	snapweed
<i>biflora</i> Walt.	spotted s.
<i>nortoni</i> Rydb.	norton s.
<i>pallida</i> Nutt.	pale s.
<i>rodanthus pinnatifidus</i> (Michx.) Steud.	purplerocket
<i>tomoea</i> L.	morningglory
<i>batatas</i> Lam.	sweetpotato
<i>hederacea</i> (L.) Jacq.	ivy leaf m.
<i>lacunosa</i> L.	white m.
<i>leptophylla</i> Torr.	bush m.
<i>pandurata</i> (L.) G. F. W. Mey.	bigroot m.
<i>purpurea</i> (L.) Roth	common m.
<i>rodanthus brachiatus</i> (L.) BSP.	fluxweed
<i>isopyrum biternatum</i> (Raf.) T. & G.	Atlantic isopyrum
<i>spiza</i> L.	sumpweed
<i>ciliata</i> Willd.	seacoast s.
<i>xanthifolia</i> Nutt.	rag s.
<i>ussiaea repens</i> L. var. <i>glabrescens</i> Ktze. (<i>J. diffusa</i> of manuals, not Forsk.)	floating waterprimrose

<i>usticia americana</i> (L.) Vahl (<i>Dianthera a.</i> L.)	American dianthera
<i>allstroemia</i> Scop.	caltrop
<i>hirsutissima</i> Vail	hairy c.
<i>intermedia</i> Rydb.	intermediate c.
<i>ochia</i> Roth	kochia
<i>krameria lanceolata</i> Torr. (<i>K. secundiflora</i> of manuals, not DC.)	trailing krameria
<i>rigia</i> Schreb.	dwarfdandelion
<i>dandelion</i> (L.) Nutt. [<i>Cynthia d.</i> (L.) DC.]	tube d.
<i>occidentalis</i> Nutt. [<i>Cymbia o.</i> (Nutt.) Standl.]	western d.
<i>oppositifolia</i> Raf. [<i>Serinia o.</i> (Raf.) Ktze.]	common d.
<i>uhnia</i> L.	kuhnia
<i>eupatorioides</i> L. (<i>K. suaveolens</i> Fresen.; <i>K.</i> <i>hitchcockii</i> A. Nels.)	falseboneset
<i>actuca</i> L.	lettuce
<i>canadensis</i> L.	Canada l.
<i>floridana</i> (L.) Gaertn.	Florida l.
<i>ludoviciana</i> (Nutt.) DC.	Louisiana l.
<i>pulchella</i> (Pursh) DC.	chicory l.
<i>scariola</i> L. (<i>L. serriola</i> L.; <i>L. virosa</i> of manuals, not L.)	prickly l.
<i>amium amplexicaule</i> L.	henbit
<i>aportea canadensis</i> (L.) Gaud.	woodnettle
<i>appula</i> Moench	stickseed
<i>echinata</i> Gilib.	European s.
<i>redowskii</i> (Hornem.) Greene [<i>L. occidentalis</i> (S. Wats.) Greene]	flatspine s.
<i>texana</i> (Scheele) Britt. (<i>L. heterosperma</i> Greene)	cupseed s.
<i>echea tenuifolia</i> Michx.	pinweed
<i>eonurus cardiaca</i> L.	common motherwort
<i>epidium</i> L.	pepperweed

<i>campestre</i> (L.) R. Br.	field p.
<i>densiflorum</i> Schrad.	peppergrass
<i>perfoliatum</i> L.	clasping p.
<i>ramosissimum</i> Nels.	manybranch p.
<i>virginicum</i> L.	Virginia p.
<i>esquerella</i> S. Wats.	bladderpod
<i>gracilis</i> (Hook.) S. Wats. [including <i>L. repanda</i> (Nutt.) S. Wats.]	spreading b.
<i>ludoviciana</i> (Nutt.) S. Wats.	Louisiana b.
<i>ovalifolia</i> Rydb.	ovalleaf b.
<i>eucelene ericoides</i> (see <i>Aster arenosus</i>)	
<i>iatris</i> Schreb.	gayfeather
<i>angustifolia</i> (Bush) Gaiser	narrowleaf g.
<i>kansana</i> (Britt.) Rydb.	Kansas g.
<i>punctata</i> Hook.	dotted g.
<i>pycnostachya</i> Michx.	thickspike g.
<i>scariosa</i> (L.) Willd.	tall g.
<i>squarrosa</i> (L.) Michx.	scaly g.
<i>inaria</i> Mill.	toadflax
<i>canadensis</i> (L.) Dum. var. <i>canadensis</i>	oldfield t.
<i>canadensis</i> var. <i>texana</i> (Scheele) Pennell	Texas t.
<i>vulgaris</i> Hill	butter-and-eggs t.
<i>indernia</i> All.	falsepimpernel
<i>anagallidea</i> (Michx.) Pennell	clasping f.
<i>dubia</i> (L.) Pennell	yellowseed f.
<i>inum</i> L.	flax
<i>compactum</i> A. Nels.	
<i>lewisii</i> Pursh [<i>L. pratense</i> (Norton) Small]	lewis f.
<i>rigidum</i> Pursh	stiffstem f.
<i>sulcatum</i> Riddell	grooved f.
<i>usitatissimum</i> L.	common f.
<i>ippia</i> L.	lippia
<i>cuneifolia</i> (Torr.) Steud.	wedgeleaf fogfruit

<i>lanceolata</i> Michx. var. <i>recognita</i> Fern. & Grisc.	lanceleaf l.
<i>ithospermum</i> L.	gromwell
<i>arvense</i> L.	corn g.
<i>canescens</i> (Michx.) Lehm.	hoary g.
<i>incisum</i> Lehm. (<i>L. angustifolium</i> Michx., & <i>L. linearifolium</i> Goldie)	narrowleaf g.
<i>latifolium</i> Michx.	American g.
<i>obelia</i> L.	lobelia
<i>cardinalis</i> L.	cardinalflower
<i>siphilitica</i> ^[44] L.	bigblue l.
<i>spicata</i> Lam.	palespike l.
<i>splendens</i> Willd.	western cardinalflower
<i>omatium</i> Raf.	lomatium
<i>foeniculaceum</i> (Nutt.) C. & R. [including <i>L. daucifolium</i> (Nutt.) C. & R., & <i>L. villosum</i> Raf.]	carrotleaf l.
<i>orientale</i> C. & R.	eastern l.
<i>onicera</i> L.	honeysuckle
<i>udwigia</i> L.	seedbox
<i>alternifolia</i> L.	bushy s.
<i>palustris</i> (L.) Ell. var. <i>americana</i> (DC.) Fern. & Grisc.	marsh s.
<i>polycarpa</i> Short & Peter	manyseed s.
<i>ychnis alba</i> Mill.	white cockle
<i>ycopersicum esculentum</i> Mill.	tomato
<i>ycopus</i> L.	bugleweed
<i>americanus</i> Muhl.	American b.
<i>asper</i> Greene (<i>L. lucidus</i> Turcz.)	rough b.
<i>virginicus</i> L.	Virginia b.
<i>ygodesmia</i> D. Don	skeletonplant
<i>junceae</i> (Pursh) D. Don	rush s.
<i>rostrata</i> Gray	beaked s.

<i>ysimachia</i> L. (including <i>Steironema</i> Raf.)	loosestrife
<i>ciliata</i> L.	fringed l.
<i>nummularia</i> L.	moneywort
<i>ythrum alatum</i> Pursh	winged lythrum
<i>lachaerantha</i> Nees (see <i>Aster</i>)	
<i>lacuillamia</i> (see <i>Bacopa</i>)	
<i>lalacothrix sonchoides</i> (Nutt.) T. & G.	sowthistle malacothrix
<i>lalva</i> L.	mallow
<i>neglecta</i> Wallr.	common m.
<i>rotundifolia</i> L.	running m.
<i>sylvestris</i> L.	high m.
<i>verticillata</i> L.	cluster m.
<i>lamillaria</i> Haw. (<i>Neomamillaria</i> Britt.)	mamillaria
<i>missouriensis</i> Sweet (including <i>M. similis</i> Engelm.)	Missouri m.
<i>vivipara</i> (Nutt.) Haw. [including <i>Neomamillaria radiosa</i> (Engelm.) Rybd.]	
<i>larrubium vulgare</i> L.	common hoarhound
<i>lartynia</i> (see <i>Proboscidea</i>)	
<i>lelopodium cinereum</i> DC. (<i>M. leucanthum</i> T. & G.)	plains blackfoot
<i>lenispermum canadense</i> L.	common moonseed
<i>lenta arvensis</i> L.	field mint
<i>lentzelia</i> L.	mentzelia
<i>decapetala</i> (Pursh) Urban & Gilg	tenpetal m.
<i>nuda</i> (Pursh) T. & G. var. <i>stricta</i> (Osterh.) Harrington [<i>M. stricta</i> (Osterh.) Stevens ex Jeff. & Little]	bractless m.
<i>oligosperma</i> Nutt.	stickleaf m.
<i>licroseris cuspidata</i> (Pursh) Schultz-Bip. [<i>Agoseris c.</i> (Pursh) Raf.]	wavyleaf agoseris
<i>limulus</i> L.	monkeyflower
<i>alatus</i> Ait.	sharpwing m.
<i>glabratus</i> HBK.	roundleaf m.

<i>ringens</i> L.	Alleghany m.
<i>tirabilis</i> L. (including <i>Oxybaphus</i> L'Her., & <i>Allionia</i> Loefl.)	four-o'clock
<i>albida</i> (Walt.) Heimerl	white f.
<i>carletoni</i> (Standl.) Standl.	carleton f.
<i>hirsuta</i> (Pursh) MacM.	hairy f.
<i>linearis</i> (Pursh) Heimerl	narrowleaf f.
<i>nyctaginea</i> (Michx.) MacM.	prairie f.
<i>Tollugo verticillata</i> L.	carpetweed
<i>Tonarda</i> L.	beebalm
<i>citriodora</i> Cerv.	lemon b.
<i>clinopodioides</i> Gray	basil b.
<i>fistulosa</i> L. var. <i>menthaefolia</i> (Graham) Fern. (<i>M. menthaefolia</i> Graham)	mintleaf b.
<i>fistulosa</i> L. var. <i>mollis</i> (L.) Benth. (<i>M. mollis</i> L.)	wildbergamot b.
<i>punctata</i> L. subsp. <i>occidentalis</i> Epl. (<i>M. pectinata</i> Nutt.)	spotted b.
<i>Monolepis nuttalliana</i> (R. & S.) Greene	nuttall monolepis
<i>Iyosotis verna</i> . Nutt. (<i>M. virginica</i> of manuals)	Virginia forgetmenot
<i>Iyosurus minimus</i> L.	tiny mousetail
<i>Iyriophyllum</i> L.	parrotfeather
<i>heterophyllum</i> Michx.	changeleaf p.
<i>pinnatum</i> (Walt.) BSP.	green p.
<i>asturtium officinale</i> R. Br.	nasturtium
<i>elumbo lutea</i> (Willd.) Pers. [?N.	
<i>pentapetala</i> (Walt.) Fern.]	American lotus
<i>epeta</i> L. (see also <i>Glechoma</i>)	nepeta
<i>cataria</i> L.	catnip
<i>icotiana</i> L.	tobacco
<i>uphar advena</i> (Ait.) Ait. f.	spatterdock cowlily
<i>ymphaea odorata</i> Ait.	American waterlily
<i>ënothera</i> L.	eveningprimrose

<i>albicaulis</i> Pursh	pale e.
<i>biennis</i> L.	common e.
<i>biennis</i> L. var. <i>hirsutissima</i> Gray [<i>O. strigosa</i> (Rydb.) Mackenz. & Bush]	bristly-common e.
<i>canescens</i> Torr. & Frem.	beakpod e.
<i>coronopifolia</i> T. & G.	combleaf e.
<i>fremontii</i> S. Wats.	fremont e.
<i>hartwegii</i> Benth. var. <i>fendleri</i> Gray	fendler e.
<i>hookeri</i> T. & G.	hooker e.
<i>laciniata</i> Hill	cutleaf e.
<i>lavandulaefolia</i> T. & G.	lavenderleaf e.
<i>linifolia</i> Nutt.	narrowleaf e.
<i>missouriensis</i> Sims	Missouri e.
<i>rhombipetala</i> Nutt.	fourpoint e.
<i>serrulata</i> Nutt.	serrateleaf e.
<i>speciosa</i> Nutt.	white e.
<i>tetragona</i> Roth var. <i>latifolia</i> (Rydb.) Fern. (<i>Kneiffia latifolia</i> Rydb.)	broadleaf e.
<i>triloba</i> Nutt.	stemless e.
<i>Onosmodium</i> Michx.	marbleseed
<i>hispidissimum</i> Mackenz.	rough m.
<i>occidentale</i> Mackenz.	western m.
<i>Onopsis engelmannii</i> (see <i>Haplapappus</i>)	
<i>Puntia</i> Mill.	pricklypear; cholla
<i>arborescens</i> Engelm. [<i>O. imbricata</i> (Haw.) DC.]	walkingstick c.
<i>fragilis</i> (Nutt.) Haw.	brittle p.
<i>humifusa</i> Raf.	common p.
<i>macrorhiza</i> Engelm.	bigroot p.
<i>polyacantha</i> Haw.	plains p.
<i>tortispina</i> Engelm.	twistspine p.
<i>Reocarya</i> (see <i>Cryptantha</i>)	
<i>Robanche</i> L.	broomrape
<i>ludoviciana</i> Nutt.	Louisiana b.

<i>uniflora</i> L.	ghostpipe
<i>smorhiza longistylis</i> (Torr.) DC.	longstyle sweetroot
<i>othake</i> (see <i>Palafoxia</i>)	
<i>oxalis</i> L.	oxalis
<i>europaea</i> Jord.	European yellow o.
<i>stricta</i> L.	common yellow o.
<i>violacea</i> L.	violet woodsorrel o.
<i>oxybaphus</i> (included in <i>Mirabilis</i>)	
<i>alafoxia spacelata</i> (Nutt.) Cory [<i>Othake</i> s. (Nutt.) Rydb.]	othake
<i>arietaria pensylvanica</i> Muhl.	pellitory
<i>aronychia</i> Mill.	nailwort
<i>canadensis</i> (L.) Wood [<i>Anychia</i> c. (L.) BSP.]	Canada n.
<i>fastigiata</i> (Raf.) Fern. (<i>Anychia polygonoides</i> Raf.)	forked n.
<i>jamesii</i> T. & G.	james n.
<i>arthenium integrifolium</i> L.	parthenium
<i>astinaca sativa</i> L.	parsnip
<i>ectis angustifolia</i> Torr.	pectis
<i>edicularis canadensis</i> L.	pedicularis
<i>enstemon</i> Mitchell	penstemon
<i>albidus</i> Nutt.	white p.
<i>ambiguus</i> Torr.	gilia p.
<i>angustifolius</i> Nutt. ex Pursh, subsp. <i>caudatus</i> (Heller) Keck	narrowleaf p.
<i>buckleyi</i> Pennell	buckley p.
<i>cobaea</i> Nutt.	cobaea p.
<i>digitalis</i> Nutt.	smooth p.
<i>grandiflorus</i> Nutt.	shell-leaf p.
<i>pallidus</i> Small	pale p.
<i>tubaeflorus</i> Nutt.	tube p.
<i>enthorum sedoides</i> L.	penthorum
<i>erideridia americana</i> (Nutt.) Reichenb. (<i>Eulophus</i> a. Nutt.)	eulophus

erilla frutescens (L.) Britt.

hacelia Juss.

gilioides A. Brand (*P. hirsuta* of many SW
botanists, not Nutt.)

integrifolia Torr.

'*hellopterus* (see *Cymopterus*)

hlox L.

bifida Beck

divaricata L.

paniculata L.

pilosa L.

hryma leptostachya L.

hysalis L.

angulata L.

comata Rydb.

heterophylla Nees [including *P. ambigua*
(Gray) Rydb.]

ixocarpa Brotero

lanceolata Michx.

lobata Torr. [*Quincula* l. (Torr.) Raf.]

longifolia Nutt.

macrophysa Rydb.

missouriensis Mackenz. & Bush

pendula Rydb.

pruinosa L.

pubescens L.

pumila Nutt.

rotundata Rydb.

subglabrata Mackenz. & Bush

virginiana Mill.

hysostegia Benth.

intermedia (Nutt.) Engelm. & Gray

virginiana (L.) Benth.

hytolacca americana L. (*P. decandra* L.)

common perilla

phacelia

hairy p.

gyp p.

phlox

tenpoint p.

sweetwilliam p.

summer p.

prairie p.

lopseed

groundcherry

cutleaf g.

hillside g.

clammy g.

tomatillo g.

lanceleaf g.

chineselantern

spearleaf g.

bladder g.

Missouri g.

purplevein g.

hairy g.

downy g.

prairie g.

roundleaf g.

taperleaf g.

Virginia g.

lionsheart

intermediate l.

Virginia l.

common pokeberry

icradeniopsis (see *Bahia*)

ilea pumila (L.) A. Gray

lantago L.

aristata Michx.

lanceolata L.

purshii R. & S.

pusilla Nutt. (*P. elongata* of manuals, not Pursh)

rhodosperma Dcne.

rugelii Dcne.

spinulosa Dcne.

virginica L.

odophyllum peltatum L.

olanisia trachysperma T. & G.

olemonium reptans L.

olygala L.

alba Nutt.

incarnata L.

sanguinea L. (including *P. viridescens* L.)

verticillata L.

olygonum L. (see also *Tovara*)

aviculare L. (including *P. buxiforme* Small)

coccineum Muhl.

convolvulus L.

erectum L.

hydropiper L.

hydropiperoides Michx.

lapathifolium L. (including *P. tomentosum* of manuals)

longistylum Small

pensylvanicum L. (including *P. omissum* Greene)

clearweed

plantain

bottlebrush p.

buckhorn p. ^[45]

woolly p.

slender p.

redseed p.

blackseed p.

brittlebract p.

paleseed p.

common mayapple

roughseed

clammyweed

creeping polemonium

polygala

white p.

blood p.

whorled p.

knotweed; smartweed

prostrate k.

swamp s.

climbing-

buckwheat

erect k.

marshpepper s.

swamp s.

curltop s.

longstyle s.

Pennsylvania s.

<i>persicaria</i> L.	ladythumb s.
<i>persicarioides</i> HBK.	southwest s.
<i>punctatum</i> Ell.	dotted s.
<i>ramosissimum</i> Michx.	bushy k.
<i>tenua</i> Michx.	slim k.
<i>olytaenia nuttallii</i> DC.	polytaenia
<i>ortulaca</i> L.	portulaca; purslane
<i>oleracea</i> L.	common purslane
<i>parvula</i> Gray	slenderleaf purslane
<i>otentilla</i> L.	cinquefoil
<i>arguta</i> Pursh	clammy c.
<i>norvegica</i> L.	Norwegian c.
<i>paradoxa</i> Nutt.	bushy c.
<i>rivalis</i> Nutt.	brook c.
<i>simplex</i> Michx. (<i>P. canadensis</i> of manuals, not L.)	oldfield c.
<i>sulfurea</i> Lam.	
<i>renanthes aspera</i> Michx.	rough rattlesnakeroot
<i>'rionopsis ciliata</i> (see <i>Haplopappus ciliatus</i>)	
<i>roboscidea louisianica</i> (Mill.) Thell.	
(<i>Martynia l.</i> Mill.)	common devilsclaw
<i>runella vulgaris</i> L. var. <i>lanceolata</i> (Bart.) Fern.	common selfheal
<i>silostrophe villosa</i> Rydb.	paperflower
<i>tilimnium nuttallii</i> (DC.) Brit.	mockbishopweed
<i>'tiloria</i> (see <i>Stephanomeria</i>)	
<i>ycnanthemum</i> Michx.	mountainmint
<i>flexuosum</i> (Walt.) BSP.	slender m.
<i>pilosum</i> Nutt.	woods m.
<i>yrhopappus</i> DC.	falsedandelion
<i>carolinianus</i> (Walt.) DC.	Carolina f.
<i>scaposus</i> DC. (<i>P. grandiflorus</i> Nutt.)	tuber f.
<i>quincula</i> (see <i>Physalis</i>)	
<i>anunculus</i> L.	buttercup; crowfoot

<i>abortivus</i> L.	littleleaf b.
<i>acris</i> L.	tall b.
<i>cymbalaria</i> Pursh	shore b.
<i>fascicularis</i> Muhl.	tufted b.
<i>flabellaris</i> Raf.	threadleaf b.
<i>hispidus</i> Michx.	bristly b.
<i>longirostris</i> Godr.	longbeak b.
<i>sceleratus</i> L.	cursed c.
<i>aphanus</i> L.	radish
<i>atibida</i> Raf.	prairieconeflower
<i>columnifera</i> (Nutt.) Woot. & Standl.	upright p.
<i>pinnata</i> (Vent.) Barnh.	grayhead p.
<i>tagetes</i> (James) Barnh.	shortray p.
<i>heum</i> L.	rhubarb
<i>icinus communis</i> L.	castorbean
<i>orippa</i> Scop. (see also <i>Armoracia</i>)	yellowcress; marshcress
<i>islandica</i> (Oeder) Borbas [including <i>R. hispida</i>	bog y.
(DC.) Britt. & <i>R. palustris</i> (L.) Bess.]	stalkless y.
<i>sessiliflora</i> (Nutt.) Hitchc.	spreading y.
<i>sinuata</i> (Nutt.) Hitchc.	
<i>otala ramosior</i> (L.) Koehne var. <i>interior</i>	rotala
Fern. & Grisc.	coneflower
<i>udbeckia</i> L. (see also <i>Dracopis</i>)	rough c.
<i>grandiflora</i> (D. Don) Gmel.	blackeyedsusan
<i>hirta</i> L.	cutleaf c.
<i>laciniata</i> L.	sweet c.
<i>subtomentosa</i> Pursh	browneyedsusan
<i>triloba</i> L.	ruellia
<i>uellia</i> L.	
<i>humilis</i> Nutt. (<i>R. ciliosa</i> of manuals, in part;	fringeleaf r.
<i>R. caroliniensis</i> of manuals, in part)	limestone r.
<i>strepens</i> L.	dock; sorrel
<i>umex</i> L.	red s.
<i>acetosella</i> L.	

<i>altissimus</i> Wood	pale d.
<i>crispus</i> L.	curled d.
<i>hastatulus</i> Baldw.	heartwing s.
<i>maritimus</i> L. var. <i>fueginus</i> (Phil.) Dusen (<i>R. persicarioides</i> of manuals, not L.)	golden d.
<i>obtusifolius</i> L.	bitter d.
<i>patientia</i> L.	patience d.
<i>venosus</i> Pursh	veiny d.
<i>abatia</i> ^[46] <i>campestris</i> Nutt.	prairie rosegentian
<i>agina decumbens</i> (Ell.) T. & G.	trailing pearlwort
<i>alsola kali</i> L. (<i>S. pestifer</i> Nels.)	russianthistle
<i>alvia</i> L.	sage
<i>azurea</i> Lam. var. <i>grandiflora</i> Benth. (<i>S. pitcheri</i> Torr.)	pitcher s.
<i>officinalis</i> L.	garden s.
<i>reflexa</i> Hornem. (including <i>S. lanceolata</i> Willd., & <i>S. lanceafolia</i> of authors, not Poir.)	lanceleaf s.
<i>amulus parviflorus</i> Raf.	samolus
<i>anguinaria canadensis</i> L.	bloodroot
<i>anacula</i> L.	sanicle
<i>canadensis</i> L.	Canada s.
<i>gregaria</i> Bickn.	cluster s.
<i>marilandica</i> L.	black s.
<i>aponaria</i> L.	soapwort
<i>officinalis</i> L.	bouncingbet
<i>vaccaria</i> L. (<i>Vaccaria vulgaris</i> Host)	cow s.
<i>crophularia</i> L.	figwort
<i>lanceolata</i> Pursh	lanceleaf f.
<i>marilandica</i> L.	Maryland f.
<i>cutellaria</i> L.	skullcap
<i>incana</i> Biehler	hoary s.
<i>lateriflora</i> L.	sideflowering s.
<i>ovata</i> Hill	eggleaf s.

<i>parvula</i> Michx. var. <i>australis</i> Fassett [S. <i>australis</i> (Fassett) Epling]	southern-small s.
<i>parvula</i> Michx. var. <i>leonardi</i> (Epling) Fern. (S. <i>leonardi</i> Epling)	leonard-small s.
<i>parvula</i> Michx. var. <i>parvula</i>	small s.
<i>resinosa</i> Torr.	resinous s.
<i>edum</i> L.	stonecrop
<i>elenia aurea</i> Nutt.	golden selenia
<i>enecio</i> L.	groundsel
<i>aureus</i> L.	golden g.
<i>integerrimus</i> Nutt.	lambstongue g.
<i>obovatus</i> Muhl.	roundleaf g.
<i>plattensis</i> Nutt.	prairie g.
<i>riddellii</i> T. & G.	riddell g.
<i>tridenticulatus</i> Rydb.	
<i>esamum indicum</i> L.	sesame
<i>icyos angulatus</i> L.	burcucumber
<i>ida spinosa</i> L.	prickly sida
<i>ideranthus</i> (see <i>Haplopappus</i>)	
<i>ilene</i> L.	silene
<i>antirrhina</i> L.	sleepy s. (sleepy catchfly)
<i>cucubalus</i> Wibel [S. <i>latifolia</i> (Mill.) Britten & Rendle, S. <i>vulgaris</i> (Moench) Garcke, & S. <i>inflata</i> Sm.]	cowbell s.
<i>noctiflora</i> L.	nightflowering s.
<i>stellata</i> (L.) Ait. f.	starry s.
<i>ilphium</i> L.	rosinweed
<i>integrifolium</i> Michx. (including S. <i>speciosum</i> Nutt.)	wholeleaf r.
<i>laciniatum</i> L.	compassplant
<i>perfoliatum</i> L.	cup r.
<i>isymbrium</i> L.	sisymbrium
<i>altissimum</i> L.	tumblemustard

<i>officinale</i> (L.) Scop.	hedgemustard
<i>olanum</i> L.	nightshade
<i>carolinense</i> L.	horsenettle
<i>elaeagnifolium</i> Cav.	silverleaf n.
<i>nigrum</i> L.	black n.
<i>rostratum</i> Dunal	buffalobur n.
<i>torreyi</i> Gray	torrey n.
<i>triflorum</i> Nutt.	cutleaf n.
<i>tuberosum</i> L.	potato
<i>olidago</i> L.	goldenrod
<i>altissima</i> L. (including some Kansas specimens called <i>S. dumetorum</i> Lunell)	tall g.
<i>angusta</i> T. & G. (<i>S. lindheimeriana</i> Scheele)	
<i>canadensis</i> L.	Canada g.
<i>gigantea</i> Ait. (including <i>S. serotina</i> Ait.)	November g.
<i>graminifolia</i> (L.) Salisb. [<i>Euthamia g.</i> (L.) Nutt.]	grassleaf g.
<i>gymnospermoides</i> (Greene) Fern. (<i>Euthamia g.</i> Greene)	sticky g.
<i>missouriensis</i> Nutt. (including <i>S. glaberrima</i> Martens & <i>S. moritura</i> Steele)	Missouri g.
<i>mollis</i> Bartl.	ashy g.
<i>nemoralis</i> Ait.	dyersweed g.
<i>petiolaris</i> Ait.	downy g.
<i>pruinosa</i> Greene (including some Kansas specimens called <i>S. dumetorum</i> Lunell)	
<i>rigida</i> L.	stiff g.
<i>sparsiflora</i> Gray (<i>S. trinervata</i> Greene)	threenerve g.
<i>speciosa</i> Nutt. var. <i>rigidiuscula</i> T. & G. [<i>S.</i> <i>rigidiuscula</i> (T. & G.) Porter]	showywand g.
<i>speciosa</i> Nutt. var. <i>speciosa</i>	noble g.
<i>ulmifolia</i> Muhl.	elmleaf g.
<i>onchus</i> L.	sowthistle
<i>arvensis</i> L.	perennial s.

<i>asper</i> (L.) Hill	prickly s.
<i>oleraceus</i> L.	common s.
<i>pecularia</i> Fabricius	venuslookingglass
<i>biflora</i> (R. & P.) Fisch. & Mey.	small v.
<i>leptocarpa</i> (Nutt.) Gray	slimpod v.
<i>perfoliata</i> (L.) A. DC.	clasping v.
<i>permolepis</i> Raf.	spermolepis
<i>divaricata</i> (Walt) Britt.	forked s.
<i>inermis</i> (Nutt.) Math. & Const. [<i>S. patens</i> (Nutt.) Robins.]	spreading s.
<i>phaeralcea</i> St. Hil.	globemallow
<i>angusta</i> (Gray) Fern.	
<i>angustifolia</i> (Cav.) Don var. <i>cuspidata</i> Gray (<i>S.</i> <i>cuspidata</i> of manuals)	narrowleaf g.
<i>coccinea</i> (Pursh) Rydb.	scarlet g.
<i>tachys tenuifolia</i> Willd.	slenderleaf betony
<i>tanleya pinnata</i> (Pursh) Britt.	desert princesplume
<i>teironema</i> (included in <i>Lysimachia</i>)	
<i>tellaria media</i> (L.) Cyrillo	chickweed
<i>tenosiphon linifolius</i> (Nutt.) Britt.	stenosiphon
<i>tephanomeria pauciflora</i> (Torr.) A. Nels. [<i>Ptiloria</i> p. (Torr.) Raf.]	wirelettuce
<i>tillingia sylvatica</i> L. var. <i>salicifolia</i> Torr. [<i>S.</i> <i>salicifolia</i> (Torr.) Raf.]	stillingia
<i>triga lutea</i> Lour.	witchweed
<i>uaeda depressa</i> (Pursh) S. Wats. [including <i>S. erecta</i> (Wats.) A. Nels.]	pursh seepweed (seablite)
<i>taenidia integerrima</i> (L.) Drude	yellow taenidia
<i>alinum</i> Adans.	fameflower
<i>calycinum</i> Engelm.	rockpink f.
<i>parviflorum</i> Nutt.	prairie f.
<i>anacetum vulgare</i> L.	common tansy
<i>araxacum</i> Zinn	dandelion

<i>laevigatum</i> (Willd.) DC. (<i>T. erythrospermum</i> Andrz.)	smooth d.
<i>officinale</i> Weber (<i>T. vulgare</i> Lam.)	common d.
<i>leucurium</i> L.	germander
<i>canadense</i> L. var. <i>virginicum</i> (L.) Eat.	American g.
<i>laciniatum</i> Torr.	cutleaf g.
<i>occidentale</i> Gray	hairy g.
<i>halictrum dasycarpum</i> Fisch. & Lall.	purple meadowrue
<i>haspium</i> Nutt.	thaspium
<i>barbinode</i> (Michx.) Nutt.	hairyjoint t.
<i>trifoliatum</i> (L.) Gray	threeleaf t.
<i>helesperma</i> Less.	greenthread
<i>gracile</i> (Torr.) Gray	slender g.
<i>trifidum</i> (Poir.) Britt.	threecleft g.
<i>hlaspi arvense</i> L.	pennycress
<i>idestromia lanuginosa</i> (Nutt.) Standl.	woolly tidestromia
<i>ithymalus</i> (see <i>Euphorbia</i>)	
<i>omanthera</i> (see <i>Gerardia</i>)	
<i>ovara virginiana</i> (L.) Raf. (<i>Polygonum</i> v. L.)	Virginia tovara
<i>ownsendia sericea</i> Hook. [<i>T. exscapa</i> (Rich.) Porter]	stemless townsendia
<i>ragia urticifolia</i> Michx. (<i>T. nepetaefolia</i> of manuals, not Cav., including <i>T. ramosa</i> of manuals, not Torr.)	nettleleaf noseburn
<i>ragopogon</i> L.	salsify
<i>dubius</i> Scop. (<i>T. major</i> Jacq.)	western s.
<i>porrifolius</i> L.	vegetable-oyster s.
<i>pratensis</i> L.	meadow s.
<i>ribulus terrestris</i> L.	puncturevine
<i>riosteum</i> L.	horsegentian
<i>aurantiacum</i> Bickn.	orange h.
<i>perfoliatum</i> L.	common h.
<i>Urtica procera</i> Muhl.	tall nettle

<i>Utricularia vulgaris</i> L.	common bladderwort
<i>Vaccaria</i> (see <i>Saponaria</i>)	
<i>Valerianella radiata</i> (L.) Dufr.	cornsalad
<i>Verbascum</i> L.	mullein
<i>blattaria</i> L.	moth m.
<i>thapsus</i> L.	flannel m.
<i>Verbena</i> L.	verbena
<i>bipinnatifida</i> Nutt.	Dakota v.
<i>bracteata</i> Lag. & Rodr.	bigbract v.
<i>canadensis</i> (L.) Britt.	rose v.
<i>hastata</i> L.	blue v.
<i>simplex</i> Lehm.	narrowleaf v.
<i>stricta</i> Vent.	woolly v.
<i>urticifolia</i> L.	white v.
<i>Verbesina</i> L.	crownbeard
<i>alternifolia</i> (L.) Britt. [<i>Actinomeris a.</i> (L.) DC.]	wingstem
<i>encelioides</i> (Cav.) B. & H. (<i>Ximenesia e.</i> Cav.)	golden c.
<i>virginica</i> L.	white c.
<i>Vernonia</i> Schreb.	ironweed
<i>baldwini</i> Torr. var. <i>baldwini</i>	baldwin i.
<i>baldwini</i> Torr. var. <i>interior</i> (Small) Schub.	inland i.
<i>crinita</i> Raf.	bur i.
<i>marginata</i> (Torr.) Raf.	plains i.
<i>Veronica</i> L.	speedwell
<i>arvensis</i> L.	common s.
<i>peregrina</i> L.	purslane s.
<i>polita</i> Fries (<i>V. didyma</i> Ten.)	wayside s.
<i>salina</i> Schur. (<i>V. connata</i> of manuals)	cupleaf s.
<i>serpyllifolia</i> L.	thymeleaf s.
<i>Veronicastrum virginicum</i> (L.) Farw.	culversphysic
<i>Viola</i> L.	violet
<i>eriocarpa</i> Schw.	woolpod v.

<i>kitaibeliana</i> R. & S. var. <i>rafineskuii</i> (Greene)	
Fern. (<i>V. rafineskuii</i> Greene)	johnnyjumpup
<i>missouriensis</i> Greene	Missouri v.
<i>nuttallii</i> Pursh	nuttall v.
<i>papilionacea</i> Pursh	butterfly v.
<i>pedata</i> L.	birdsfoot v.
<i>pedatifida</i> G. Don	prairie v.
<i>sororia</i> Willd.	sister v.
<i>anthium strumarium</i> L. (including <i>X.</i>	
<i>chinense</i> Mill., <i>X. globosum</i> Shull, <i>X.</i>	
<i>italicum</i> Moretti, <i>X. pensylvanicum</i> Wallr.,	
and <i>X. speciosum</i> Kearney)	cocklebur
<i>imenesia</i> (see <i>Verbesina</i>)	
<i>innia grandiflora</i> Nutt.	Rocky Mountain zinnia
<i>izia aurea</i> (L.) W. D. J. Koch	golden zizia

FOOTNOTES:

[43] *Asclepiodora* is included in *Asclepias* in some manuals.

[44] From Gray: spelled *syphilitica* in some manuals.

[45] The word “plantain” may be omitted from the common name of this species, calling it simply “buckhorn.”

[46] From Gray: spelled *Sabbatia* in some manuals.

WOODY PLANTS

cer L.

negundo L.

nigrum Michx. f.

saccharinum L.

saccharum Marsh.

esculus L.

glabra Willd. var. *glabra*

glabra Willd. var. *sargentii* Rehd.

ilanthus altissima (Mill.) Swingle

melanchier arborea (Michx. f.) Fern. (A.
canadensis sensu Wieg., not Medic.)

morpha L.

canescens Pursh

fruticosa L.

nana Nutt.

mpelopsis cordata Michx.

rtemisia filifolia Torr.

simina triloba (L.) Dunal

triplew L.

argentea Nutt.

canescens (Pursh) Nutt.

patula L.

accharis L.

neglecta Britt.

salicina T. & G.

wrightii Gray

erberis L.

thunbergii DC.

maple

boxelder

black m.

silver m.

sugar m.

buckeye

Ohio b.

western b.

treeofheaven

serviceberry

amorpha

leadplant

indigobush a.

dwarfindigo a.

heartleaf falsegrape

sand sagebrush

pawpaw

saltbush

silverscale s.

fourwing s.

fat-hen s.

baccharis

landbank b.

willow b.

wright b.

barberry

Japanese b.

<i>vulgaris</i> L.	European b.
<i>etula nigra</i> L.	river birch
<i>umelia lanuginosa</i> (Michx.) Pers.	woollybucket bumelia
<i>ampsis</i> Lour.	trumpetcreeper
<i>grandiflora</i> (Thunb.) Laisel	Chinese t.
<i>radicans</i> (L.) Seem.	common t.
<i>aragana arborescens</i> Lam.	Siberian peashrub
<i>arya</i> Nutt.	hickory
<i>cordiformis</i> (Wang.) K. Koch	bitternut h.
<i>illinoensis</i> (Wang.) K. Koch [<i>C. pecan</i> (Marsh.)	
Engl. & Graebn.]	pecan
<i>laciniosa</i> (Michx. f.) Loud.	shellbark h.
<i>ovalis</i> (Wang.) Sarg.	red h.
<i>ovalis</i> var. <i>obovalis</i> (Marsh.) Sarg.	pignut h.
<i>ovata</i> (Mill.) K. Koch	shagbark h.
<i>tomentosa</i> Nutt.	mockernut h.
<i>villosa</i> Ashe	black h.
<i>atalpa</i> Scop.	catalpa
<i>eanothus</i> L.	ceanothus
<i>americanus</i> L.	jerseytea c.
<i>ovatus</i> Desf.	inland c.
<i>elastrus scandens</i> L.	American bittersweet
<i>eltis</i> L.	hackberry
<i>laevigata</i> Willd.	southern h.
<i>occidentalis</i> L. [<i>C. occidentalis</i> L. var.	
<i>crassifolia</i> (Lam.) Gray]	common h.
<i>reticulata</i> Torr. (including <i>C. rugulosa</i> Rydb.)	netleaf h.
<i>tenuifolia</i> Nutt. (<i>C. pumila</i> of most Amer.	
authors, not Pursh)	small h.
<i>ephalanthus occidentalis</i> L.	common buttonbush
<i>ercis canadensis</i> L.	eastern redbud
<i>hrysothamnus pulchellus</i> (Gray) Greene	southwest rabbitbrush
<i>ornus</i> L.	dogwood

<i>drummondi</i> Meyer (<i>C. asperifolia</i> of authors, not Michx.)	roughleaf d.
<i>obliqua</i> Raf.	pale d.
<i>orylus</i> L.	filbert ^[47]
<i>americana</i> Walt.	American f.
<i>cornuta</i> Marsh.	beaked f.
<i>rataegus</i> L.	hawthorn
<i>calpodendron</i> (Ehrh.) Medic.	pear h.
<i>collina</i> Chapm.	sandhill h.
<i>crus-galli</i> L.	cockspur h.
<i>mollis</i> (T. & G.) Scheele	downy h.
<i>succulenta</i> Link	fleshy h.
<i>viridis</i> L.	green h.
<i>ytisus</i> L.	broom
<i>iospyros virginiana</i> L.	common persimmon
<i>laeagnus angustifolia</i> L.	russianolive
<i>uonymus</i> L.	euonymus
<i>americanus</i> L.	brook e.
<i>atropurpureus</i> Jacq.	eastern wahoo
<i>urotia lanata</i> (Pursh) Moq.	winterfat
<i>raxinus</i> L.	ash
<i>americana</i> L.	white a.
<i>pennsylvanica</i> Marsh var. <i>pennsylvanica</i>	red a.
<i>pennsylvanica</i> Marsh var. <i>subintegerrima</i> (Vahl) Fern. [var. <i>lanceolata</i> (Borkh.) Sarg.]	green a.
<i>quadrangulata</i> Michx.	blue a.
<i>inkgo biloba</i> L.	ginkgo
<i>leditsia triacanthos</i> L.	common honeylocust
<i>utierrezia sarothrae</i> (Pursh) Britt. & Rusby (including <i>G. diversifolia</i> Greene, & <i>G.</i> <i>linearis</i> Rydb.)	broom snakeweed
<i>ymnocladus dioica</i> (L.) K. Koch	Kentucky coffeetree
<i>ex decidua</i> Walt.	holly
<i>uglans</i> L.	walnut

<i>cinerea</i> L.	butternut
<i>nigra</i> L.	black w.
<i>uniperus virginiana</i> L.	redcedar; juniper
<i>espedeza bicolor</i> Turcz.	shrub lespedeza
<i>onicera dioica</i> L. var. <i>glaucescens</i> (Rydb.) Butters (<i>L. glaucescens</i> Rydb.)	honeysuckle
<i>ycium halimifolium</i> Mill.	matrimonyvine
<i>laclura pomifera</i> (Rat) Schneid.	osageorange
<i>lahonia aquifolium</i> (Pursh) Nutt. (<i>Berberis</i> <i>a.</i> Pursh, <i>Odostemon a.</i> of manuals)	oregongrape
<i>alus</i> (see <i>Pyrus</i>)	
<i>lorus</i> L.	mulberry
<i>alba</i> L.	white m.
<i>nigra</i> L.	black m.
<i>rubra</i> L.	red m.
<i>odostemon</i> (see <i>Mahonia</i>)	
<i>ostrya virginiana</i> (Mill.) K. Koch	American hophornbeam
<i>arthenocissus</i> Planch.	creeper
<i>quinquefolia</i> (L.) Planch.	Virginia c.
<i>vitacea</i> (Knerr) Hitchc.	thicket c.
<i>latanus occidentalis</i> L.	sycamore
<i>opulus</i> L.	cottonwood; poplar
<i>alba</i> L.	white p.
<i>deltoides</i> Marsh.	eastern c.
<i>sargentii</i> Dode	plains c.
<i>rosopis juliflora</i> (Swartz) DC. (<i>P. chilensis</i> of manuals, including <i>P. glandulosa</i> Torr. & <i>P. velutina</i> Woot.)	mesquite
<i>runus</i> L.	plum; cherry
<i>americana</i> Marsh. var. <i>americana</i>	American p.
<i>americana</i> Marsh. var. <i>lanata</i> Sudw. (<i>P. lanata</i> Mackenz. & Bush)	inch p.
<i>angustifolia</i> Marsh.	chickasaw p.

<i>besseyi</i> Bailey	sand c.
<i>gracilis</i> Engelm. & Gray	Oklahoma p.
<i>hortulana</i> Bailey	hortulan p.
<i>mexicana</i> S. Wats.	Mexican p.
<i>munsoniana</i> Wight & Hedr.	wildgoose p.
<i>serotina</i> Ehrh.	black c.
<i>virginiana</i> L.	common
	chokecherry
<i>telea trifoliata</i> L.	common hoptree
<i>yrus</i> L. (including <i>Malus</i> Mill.)	apple; crabapple
<i>angustifolia</i> Ait.	southern c.
<i>communis</i> L.	pear
<i>coronaria</i> L.	wild sweet c.
<i>ioensis</i> (Wood) Bailey	prairie c.
<i>malus</i> L. (<i>Malus pumila</i> Mill.)	common a.
<i>quercus</i> L.	oak
<i>alba</i> L.	white o.
<i>imbricaria</i> Michx.	shingle o.
<i>macrocarpa</i> Michx.	bur o.
<i>marilandica</i> Muenchh.	blackjack o.
<i>muchlenbergii</i> Engelm. [<i>Q. prinoides</i> Willd.	
var. <i>acuminata</i> (Michx.) Gl.]	chinquapin o.
<i>palustris</i> Muenchh.	pin o.
<i>prinoides</i> Willd.	dwarf chinquapin o.
<i>rubra</i> L. var. <i>rubra</i> (<i>Q. borealis</i> Michx. f. var.	
<i>maxima</i> Ashe)	eastern red o.
<i>rubra</i> L. var. <i>borealis</i> (Michx. f.) Farw. (<i>Q.</i>	
<i>borealis</i> Michx. f.)	northern red o.
<i>shumardii</i> Buckl. var. <i>shumardii</i>	shumard o.
<i>shumardii</i> Buckl. var. <i>schneckii</i> (Britt.) Sarg.	schneck o.
<i>stellata</i> Wang.	post o.
<i>velutina</i> Lam.	black o.
<i>X hillii</i> Trel. (<i>Q. bicolor</i> Willd. X <i>Q.</i>	
<i>macrocarpa</i> Michx.)	hills o.

<i>hamnus lanceolata</i> Pursh	lanceleaf buckthorn
<i>hus</i> L.	sumac
<i>aromatica</i> Ait. (including <i>R. trilobata</i> Nutt.)	aromatic s.
<i>copallina</i> L.	flameleaf s.
<i>glabra</i> L.	smooth s.
<i>radicans</i> L. (<i>R. toxicodendron</i> of manuals, in part, not L.) ^[48]	poisonivy
<i>ibes</i> L.	gooseberry; currant
<i>missouriense</i> Nutt.	Missouri g.
<i>odoratum</i> Wendland f.	flowering c.
<i>obinia</i> L.	locust
<i>pseudo-acacia</i> L.	black l.
<i>viscosa</i> Vent.	clammy l.
<i>osa</i> L.	rose
<i>arkansana</i> Porter var. <i>suffulta</i> (Greene) Cockerell (<i>R. suffulta</i> Greene)	Arkansas r.
<i>blanda</i> Ait.	meadow r.
<i>carolina</i> L.	carolina r.
<i>multiflora</i> Thunb.	multiflora r.
<i>rubifolia</i> R. Br.	redleaf r.
<i>setigera</i> Michx.	prairie r.
<i>woodsii</i> Lindl.	woods r.
<i>ubus</i> L.	blackberry; dewberry;
<i>flagellaris</i> Willd.	raspberry
<i>laciniatus</i> Willd.	northern d.
<i>occidentalis</i> L.	cutleaf b.
<i>odoratus</i> L.	blackcap r.
<i>ostryifolius</i> Rydb.	fragrant
<i>alix</i> L.	thimbleberry
<i>amygdaloides</i> Anderss.	highbrush b.
<i>babylonica</i> L.	willow
	almondleaf w.
	weeping w.

<i>caroliniana</i> Michx. (<i>S. longipes</i> Shuttlew., <i>S. wardi</i> Bebb)	coastalplain w.
<i>discolor</i> Muhl.	pussy w.
<i>eriocephala</i> Michx. (<i>S. missouriensis</i> Bebb)	diamond w.
<i>exigua</i> Nutt.	coyote w.
<i>fragilis</i> L.	brittle w.
<i>humilis</i> Marsh. var. <i>microphylla</i> , (Anderss.) Fern. (<i>S. tristis</i> Ait.)	dwarf pussy w.
<i>humilis</i> Marsh. var. <i>humilis</i> , & var. <i>hyporhysa</i> Fern. [These two include var.] <i>rigidiuscula</i> (Anderss.) Robins. & Fern.	prairie w.
<i>interior</i> Rowlee	sandbar w.
<i>nigra</i> Marsh.	black w.
<i>rigida</i> Muhl. (<i>S. cordata</i> Muhl., not Michx.)	heartleaf w.
<i>ambucus canadensis</i> L.	American elderberry
<i>apindas drummondi</i> H. & A.	western soapberry
<i>arcobatus vermiculatus</i> (Hook.) Torr.	greasewood
<i>assafras albidum</i> (Nutt.) Nees	common sassafras
<i>orbis aucuparia</i> L.	European
	mountainash
<i>taphylea trifolia</i> L.	American bladdernut
<i>ymphoricarpos</i> Duham.	snowberry
<i>occidentalis</i> Hook.	western s.
<i>orbiculatus</i> Moench	buckbrush
<i>yringa vulgaris</i> L.	common lilac
<i>amarix</i> L.	tamarisk
<i>ilia</i> L.	linden; basswood ^[49]
<i>americana</i> L. (including <i>T. palmeri</i> Bush ex. F. C. Gates)	American l.
<i>europaea</i> L.	European l.
<i>platyphyllos</i> Scop.	bigleaf l.
<i>lmus</i> L.	elm
<i>alata</i> Michx.	winged e.
<i>americana</i> L.	American e.

carpinifolia Gleditsch.
parvifolia Jacq.
procera Salisb.
pumila L.
rubra Muhl. (*U. fulva* Michx.)
thomasi Sarg.
viburnum L.
prunifolium L.
rufidulum Raf.
vitis L.
Visteria macrostachya Nutt.
anthoxylum americanum Mill.
yucca glauca Nutt.

smoothleaf e.
Chinese e.
English e.
Siberian e.
slippery e.
rock e.
viburnum
blackhaw v.
rusty blackhaw v.
wild grape
wisteria
common pricklyash
small soapweed

FOOTNOTES:

[47] Hazel in many texts.

[48] *R. radicans* is an extremely variable species.

[49] Basswood, a lumber trade name.

LIST OF SPECIES NAMES IN COMMON USE AND THEIR ENGLISH MEANING

acaulis	stemless
acicularis	needle-like
acuminatus	long-pointed, tapering
aestivalis	summer
affinis	related to
agrostoides	similar to agrostis
airoides	sky-blue
alatus	winged
alba	white
albidus, albus	white
alopecuroides	foxtail
alternifolius	alternate-leaved
altissimus	very tall
amabilis	lovely
amplexicaulis	clasping the stem
anceps	two-headed or edged
angustifolius	narrow-leaved
apiculatus	tipped with a point
annua	yearly
arachnifera	spiderwebby
arborescens	tree-like
arenarius	of sandy places
arenicola	sand inhabitant
argenteus	silvery
argillaceus	of clay or clay-colored

argutus	sharp-toothed
arida	dry
aridus	arid
aristatus	bearded
arundinacea	reed-bearing
arundinaceous	reed-like
arvensis	of cultivated fields
asper	rough
asperifolia	rough leaves
atropurpureus	dark-purple
atrovirens	dark-green
aureus	golden
australis	southern
azureus	sky-blue
baccatus	berried
barbatus	barbed, bearded
barbinodis	barbed at nodes
barbulatum	bearded
basirnea	branches low; toward bottom
bicolor	two-colored
bidentata	two-toothed
bifidum	two-forked
bifidus	twice-cut
biflorus	two-flowered
borealis	northern
brachystachy	short-spiked
bulbifera	bulb-bearing
caeruleus	sky-blue, dark-blue
campanularia	bell-flowered
campestris	of the fields or plains
candidus	white, shining
canescens	gray-hairy

capillaris	hair-like
capitatus	headed
carinatus	keeled
catharticus	cathartic
caudatus	tailed
cernuus	drooping
chloranthus	green-flowered
ciliatifolium	hairy leaves
cilianensis	hairy
ciliaris, ciliatus	fringed
cinereus	ash-colored
circulare	round
clandestinus	concealed
coccineus	scarlet
colonum	cultivated
comatus	with hair
communis	gregarious
commutatus	changing
comosus	long-haired
compressa	compressed
compressus	compressed
confertus	crowded
confusus	confused, uncertain
contortus	contorted
contracta	narrowed
cordatus	heart-shaped
corniculatus	horned
crassifolius	thick-leaved
cristatus	crested
crus-galli	cockspur
cryptandrus	hidden stamens
cucullata	hooded pedicel

cuneatus	wedge-shaped
curtipedicellata	short pedicel
curtipendula	short pendula
cuspidata	sharp, pointed
dactyloides	finger-shaped
dactylon	finger
debilis	weak
decumbens	reclining
deflexus	bent downward
deltoides	triangular
depauperatum	stunted
dichotoma	forked in pairs
dichotomiflorum	flowering in twos
diffusa	loosely branching
dilatatum	dilated, expanded
discolor	different colors
distichum	2-rank; leaves or flowers in rank on opposites sides of stem
divaricata	spreading, widely divergent
donax	reed or cane
dubia	doubtful
dulcis	sweet
dumosus	bushy
echinatus	prickly
edulis	edible
elatior	taller
elatus	tall
elongata	lengthened
erectum	upright
eriopoda	having hairs at base
esculentus	edible
everta	expelled, turned out

extensa	spread out or stretched out
falcatus	sickle-shaped
fasciculatus	fascicled
filiformis	long, very slender, thread-like
fistulosus	hollow, cylindrical
flabellatus	fan-like parts
flavescens	yellowish
flavus	yellow
flexilis	pliant
flexuosa	alternately bent in different directions
floridanum	flowering or from Florida
fragilis	brittle, fragile
fragrans	fragrant, odorous
frondosus	leafy
frutescens	shrubby, bushy
furcatus	forked
geminatum	double
geniculata	bent more or less like a knee
geniculatus	jointed
glaber	smooth
glabriflorus	smooth flower
glomerata	dense or compact cluster or clusters
gracilis	slender
gramineus	grassy
hastatus	spear-shaped
heterolepsis	heterogeneous scales
heterophyllus	various-leaved; with leaves of more than one shape
hiemalis	pertaining to winter
hians	spread out
hirsuta	bristly or prickly
hirta	hairy
hispidus	bristly

hortensis	of or belonging to a garden
humilis	dwarf
hyemalis	of winter
hystrix	bristly
incanus	hoary
indentata	toothed, indented
indurata	hardened
inermis	unarmed
intermedium	intermediate
interruptis	not continuous, irregular
jubatum	crested, with a mane
junceus	rush-like
labiatus	lipped
laeve	left hand
laevigatus	smooth
laevis	smooth
lanatus	wooly
lanosa	wooly
lanuginosum	wooly, downy
lanuginosus	wooly
lasiocarpus	rough- or wooly-fruited
latifolia	broad leaf
latiglumis	wide glumes
laxa	loose
leucanthus	white-flowered
leucotricha	white hairs
linearifolium	long, slender leaves
longispica	long-spiked
longipes	long-footed
lutescens	yellowish or becoming yellow
macranthus	large-flowered
macrocarpus	large fruits

macrophyllus	large-leaved
macrus	large
maculatus	spotted
malacophyllum	soft leaves
maritimus	of the sea
micranthus	small-flowered
microcarpon	small-fruited
miliaceum	pertaining to millet
mirabilis	wonderful
mollis	soft
monspeliensis	lives in caves and mountains
montanus	of mountains
multiflorum	many-flowered
muralis	of walls
murinum	mouse-colored
mutabile	changeable
mutabilis	variable
mutica	curtailed
nanus	dwarf
natans	floating
neglectus	overlooked
nemoralis	of groves or woods
nitens	shining
nudicaulis	naked-stemmed
nutans	nodding
obtusata	blunt, rounded
obtusum	blunted, dull
occidentale	western
octoflora	8-flowered
officinalis	official
olignathus	few-flowered
orientalis	eastern

ornatus	adorned
ovinus	of sheep
palustris	marsh-loving
paniculatus	in panicles
parviflora	small-flowered
parvifolius	small-leaved
patens	spreading
patula	spreading
pauciflorus	few-flowered
pectinatus	comb-like
perennans	perennial
phleoides	resembling timothy
pilifera	bearing hairs
pilosa	with long hairs
polyanthes	many-flowered
polyanthus	many-flowered
pracocius	aggressive
pratense	of meadows
pubens	downy
pubescens	downy, covered with soft hairs
pubiflorum	downy-flowered
pulchellus	pretty, beautiful
pumila	dwarf
pumilus	dwarf
purpurascens	purplish
purpurea	purple
pusillum	very small
ramosissima	many-branched
ramosus	branched
repens	creeping
reptans	creeping
retroflexus	reflexed

regodoseta	stiff bristles
robustus	robust, stout
rupestris	rock-loving
rostratus	rostrate, beaked
rugosa	wrinkled
saccharinus	saccharine
saccaroides	sweet; like sugar
salinus	salty
sanguilalis	blood-colored
sanguineus	blood-red
sativa	cultivated
sativus	cultivated
scandens	climbing
sciurea	resembling squirrel's tail
scoparius	broom-like
secundiflora	one-sided
septentrionalis	northern
sericea	silken
serotinus	late-flowering
sessilispicata	without pedicel
setaceus	bristle-like
sobolifera	bearing creeping, rooting stems or shoots
speciosus	showy, good-looking
spectabilis	spectacular, worth seeing
sphaerocarpon	round-fruited
squarrosa	with parts spreading or recurved at ends
sterilis	sterile, infertile
stramineum	straw-colored
strictus	strict, upright, erect
tectorum	of roofs, or houses
temulentum	drunken
tenarum	slender, tender, soft

tenarius	slender
tener	slender
tenuiflora	slender flowers
tenuis	slender, thin
tinctorius	of dyes
tomentosus	densely wooly
trichodes	pilose
tridens	with 3 teeth
trifidus	three-parted
truncata	blunt
uncinatus	hooked
vaginaeflorus	flowers in sheath
vaginatus	sheathed
vernalis	vernal
vernix	of spring
versuta	versatile
verticellata	in whorls
villosa	hairy
villosissimum	hairy
villosus	hairy
virens	green
viridis	green
virgatus	twiggy
vulgaris	common

Transcriber's Note:

Footnotes were renumbered sequentially and were moved to the end of the section in which the anchor occurs. Footnotes [\[9\]](#), [\[11\]](#), [\[18\]](#), [\[19\]](#), [\[22\]](#), and [\[32\]](#) have multiple anchors. Obvious printing errors, such as backwards, upside down, or partially printed letters and punctuation, were corrected. Letters in reversed order and several italics mark-ups were corrected. Final stops missing at the end of abbreviations were added.

Words may have multiple spelling variations or inconsistent hyphenation in the text. These have been left unchanged unless indicated below. Obsolete and alternative spellings were left unchanged. Misspelled words were not corrected. In the lists of common names, names are often run together, as in climbingmilkweed and rattlesnakefern; these were not changed.

The following was changed: “small-loaved” to “[small-leaved.](#)”

*** END OF THE PROJECT GUTENBERG EBOOK COMMON
NAMES OF A SELECTED LIST OF PLANTS ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the

collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with

this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official

version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES

EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a)

distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact

links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.