

THE
KANSAS UNIVERSITY
SCIENCE BULLETIN.

Vol. I, No. 7—September 1902.

(Whole Series, Vol. XI, No. 7.)

CONTENTS:

COAL MEASURES FAUNAL STUDIES, II (Beede and Rogers)—FAUNA OF
THE SHAWNEE FORMATION (Haworth), THE WABAUNSEE FORMATION
(Prosser), and THE COTTONWOOD LIMESTONE, *J. W. Beede.*

PUBLISHED BY THE UNIVERSITY,

LAWRENCE, KAN.

Price of this number, 25 cents.

Entered at the post-office in Lawrence as second-class matter.

THE
KANSAS UNIVERSITY
SCIENCE BULLETIN.

Vol. I, No. 7—September 1902.

(Whole Series, Vol. XI, No. 7.)

CONTENTS:

COAL MEASURES FAUNAL STUDIES, II (Beede and Rogers)—FAUNA OF
THE SHAWNEE FORMATION (Haworth), THE WABAUNSEE FORMATION
(Prosser), and THE COTTONWOOD LIMESTONE, *J. W. Beede.*

PUBLISHED BY THE UNIVERSITY,

LAWRENCE, KAN.

Price of this number, 25 cents.

Entered at the post-office in Lawrence as second-class matter.

The Project Gutenberg eBook of The Kansas University science bulletin, Vol. I, No. 7, September 1902

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: The Kansas University science bulletin, Vol. I, No. 7, September 1902

Editor: Various

Release date: August 27, 2023 [eBook #71501]

Language: English

Original publication: Lawrence: Kansas University, 1902

Other information and formats: www.gutenberg.org/ebooks/71501

Credits: Richard Tonsing and the Online Distributed Proofreading Team at <https://www.pgdp.net> (This book was produced from images made available by the HathiTrust Digital Library.)

*** START OF THE PROJECT GUTENBERG EBOOK THE KANSAS
UNIVERSITY SCIENCE BULLETIN, VOL. I, NO. 7, SEPTEMBER 1902

Transcriber's Note:

New original cover art included with this eBook is granted to the public domain.

**THE
KANSAS UNIVERSITY
SCIENCE BULLETIN.**

Vol. I, No. 7—September 1902.

(Whole Series, Vol. XI, No. 7.)

CONTENTS:

COAL MEASURES FAUNAL STUDIES, II (Beede and Rogers)—FAUNA OF THE
SHAWNEE FORMATION (Haworth), THE WABAUNSEE FORMATION (Prosser), and
THE COTTONWOOD LIMESTONE, *J. W. Beede.*

PUBLISHED BY THE UNIVERSITY,

LAWRENCE, KAN.

Price of this number, 25 cents.

Entered at the post-office in Lawrence as second-class matter.

KANSAS UNIVERSITY SCIENCE BULLETIN.

VOL. I, No. 7.

SEPTEMBER, 1902.

{ WHOLE SERIES,
{ VOL. XI, No. 7.

COAL MEASURES FAUNAL STUDIES, II.

(BY J. W. BEEDE AND AUSTIN F. ROGERS.)

FAUNA OF THE SHAWNEE FORMATION (HAWORTH), THE WABAUNSEE FORMATION (PROSSER), THE COTTONWOOD LIMESTONE.

BY J. W. BEEDE.

Being a continuation of the foregoing lists of Rogers, published in this journal, vol. IX, No. 4, pp. 232–254.^[1]

The present paper deals with the fauna of the rocks, beginning at the base of what Haworth has called the “Shawnee formation”^[2] and continuing upward to the top of the Cottonwood limestone. The strata are treated in ascending order. It must be borne in mind that it is the object of these

papers to bring out the fauna of the rocks of the Kansas Coal Measures in sufficient detail to establish time divisions on a paleontological basis. These lists are, of course, incomplete for the horizons *in toto*, but it is hoped that they do give the characteristic fossils of the rocks of the Kansas river section in sufficient fulness to warrant some deductions of value. The fauna of the Lower Coal Measures still remains to be completed.

20. KANWAKA SHALES (Adams MSS., by permission U. S. Geological Survey). Bennett's description:^[3] "Above the last (Oread) limestone lies a heavy shale deposit, at least ninety-seven feet thick at Lecompton. The lower sixty-five feet of this is a clay shale, then sixteen feet of arenaceous shale, then five feet of sand rock, above which lies eleven feet of sandy buff shales." No fossils known from this horizon.

21. LECOMPTON LIMESTONE. Bennett's description: "Capping the hills around Lecompton is a five-foot limestone in two layers, which we will provisionally name the 'Fusulina' limestone; not that it alone bears that fossil, but because of the abundance of *Fusulina* in it. It is the lower of another triple system [formation] of limestones, the members of which are separated by a few feet of shale, and which retain this order as far as observed to the west. Above the 'Fusulina' stratum are five and one-half feet of clay shales, then one and one-fourth feet of blue limestone, which weathers dark buff, like all its associate strata. Above this are four feet of shales having a bituminous streak in the middle; then ten feet of light gray, easily disintegrated limestone. This group [formation] may be called the Lecompton limestone, on account of their outcropping being near Lecompton. At Spencer, six miles west of Lecompton, the upper part of the series [formation] finally disappears below the alluvial soils of the valley."

From near the horizon of the above formation, from a well in the road in the bed of Deer creek (the one emptying into Wakarusa creek), near the Shawnee-Douglas county line, the following species have been collected:

Fusulina secalica (Say).

Campophyllum torquium Owen.

Archæocidaris cf. *agassizi* Hall.

Fenestella limbata Foerste.

Fenestella limbata remota Foerste.

Pinnatopora sp.

Polypora distincta Ulrich?

Polypora elliptica Rogers? It is quite probable that this is a distinct species. It has fenestrules arranged in two intersecting series when viewed on the reverse side, and the branches are not striated. The fenestrules appear nearly square on account of their arrangement, but in reality they are subcircular. On the obverse side the nodes are very prominent and some of them appear to possess acanthopores.

Polypora cf. *nodocarinata* Ulrich.

Rhombopora lepidodendroides Meek.

Chonotes granulifer Owen.

Productus nebraskensis Owen.

Productus pertenuis Meek.

Reticularia perplexa (McChesney) Schuchert.

Seminula argentia (Shepard) Hall.

Spirifer cameratus Morton.

Aviculopecten carboniferus (Stevens) Meek.

Aviculopecten maccoyi Meek and Hayden.

Aviculopecten occidentalis (Shumard) White.

Limopteria gibbosa (Meek and Worthen).

22. TECUMSEH SHALES. A stratum of shales about seventy-five feet in thickness, nearly non-fossiliferous, of fine texture, containing abundant ferruginous concretions and occasional layers of soft shaly sandstone. According to Bennett, these may represent the Kanwaka shales.^[4]

23. DEER CREEK LIMESTONE.^[4] Three layers of limestone separated by layers of shale. The total thickness of the formation is fifteen to twenty-five feet. The principal stratum is the uppermost, which is from seven to twelve feet thick. Most of the fossils below are collected from this upper layer. It is a massive, light gray limestone, tinged with yellow. The texture often varies

much in a short distance, grading into inclusions or banks of blue argillaceous limestone in which the fossils are excellently preserved. It is best exposed at Calhoun's Bluffs, in the cut of the Union Pacific railroad three miles northeast of Topeka.

Fusulina secalica (Say).

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Archæocidaris agassizi Hall.

Oligoporus minutus Beede.

Crinoid stems.

Fenestella hexagonalis Rogers?

Fenestella sp.

Pinnatopora pyriformis Rogers.

Polypora distincta Ulrich? Probably a new species. It differs from this species in having fenestrules broader and shorter and slightly more slender branches. However, this may be due in a large part to the particular portion of the zoarium of which our specimens are fragments.

Polypora nodocarinata Ulrich.

Septopora pinnata Ulrich.

Ambocælia planoconvexa (Shumard) Hall and Clarke.

Chonetes granulifer Owen.

Crania modesta White?

Derbya crassa (Meek and Hayden) Waagen.

Derbya keokuk (Hall and Clarke).

Dielasma bovidens (Morton) White.

Enteleles hemiplicata (Hall) Hall and Clarke.

Meekella striaticostata (Cox) White and St. John.

Productus cora d'Orbigny.

Productus costatus Sowerby? de Koninck.

Productus longispinus Sowerby.

Productus nebraskensis Owen.

Productus pertenuis Meek.

Productus punctatus (Martin) Morton.

Productus semireticulatus (Martin) d'Orbigny.
Pugnax utah (Marcou) Hall and Clarke.
Reticularia perplexa (McChesney) Schuchert.
Seminula argintia (Shepard) Hall and Clarke.
Spirifer cameratus Morton.
Spiriferina cristata (Schlotheim) Dawson.
Allorisma granosum (Shumard) Keyes.
Allorisma subcuneatum Meek and Hayden.
Aviculopecten occidentalis (Shumard) Meek and Hayden.
Aviculopecten sp.
Entolium aviculatum (Swallow) Meek.
Myalina kansasensis Shumard?
Myalina swallowi McChesney.
Pinna peracuta Shumard.
Pinna subspatulata Worthen?
Bellerophon crassus Meek and Worthen.
Trachydomia wheeleri (Swallow) Keyes.
Pleurotomaria tabulata Hall.
Conularia crustula White? (Very large for this species.)

24. CALHOUN SHALES. This formation is fifty to sixty-five feet in thickness. The lower part is a layer of soft argillaceous sandstone from twelve to twenty feet thick. The upper portion of the formation is a bluish shale, arenaceous below, clayey above, and of comparatively fine texture. No fossils have been collected from this formation, except a few fragments of *Calamites* and *Cordaites* in a soft sandstone immediately beneath the Topeka limestone, in the eastern part of that city. The type exposure is at Calhoun's Bluffs, three miles northeast of Topeka.

25. HARTFORD (TOPEKA) LIMESTONE. (Adams's MSS., by permission of U. S. Geological Survey.) The following section of the rocks is about as given by Doctor Bennett when he first described them:

	ft.	in.
g. Limestone weathering buff	2	0
f. Drab shales	3	0
e. Limestone weathering buff	1	6
d. Buff calcareous shales with abundant fossils	2	0
c. Blue to brown limestone, always weathering to a brown buff, cherty near the top, fossiliferous	5	8
b. Blue shales	1	6
a. Blue limestone, weathering dark buff	6	0
	—	—
Total thickness of formation	21	8

Most of the fossils enumerated below were taken from layers *c* and *d*, though the entire set is more or less fossiliferous, with about the same species running through them.

Fusulina secalica (Say).

Amblysiphonella prosseri Clarke.

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Crinoid stems and plates, referred by Bennett to *Zeacrinus mucrospinus* and *Z. acanthophorus*.

Archæocidaris agassizi Hall.

Archæocidaris trudifer White.

Worm.

Fenestella shumardi Prout.

Fenestella remota Foerste.

Polypora elliptica Rogers.

Polypora submarginata Meek.

Rhombopora lepidodendroides Meek.

Septopora biserialis (Swallow) Foerste.

Septopora sp.

Ambocælia planoconvexa (Shumard) Hall and Clarke.

Chonetes granulifer Owen.

Derbya crassa (Meek and Hayden) Waagen.

Derbya keokuk (Hall) Hall and Clarke.
Dielasma bovidens (Morton) White.
Hustedia mormoni (Marcou) Hall and Clarke.
Meekella striaticostata (Cox) White and St. John.
Orbiculoidea missouriensis (Shumard) Hall and Clarke.
Productus cora d'Orbigny.
Productus costatus Sowerby? de Koninck.
Productus longispinus Sowerby?
Productus nebraskensis Owen.
Productus pertenuis Meek.
Productus punctatus (Martin) Morton.
Productus semireticulatus (Martin) d'Orbigny.
Reticularia perplexa (McChesney) Schuchert.
Seminula argentia (Shepard) Hall and Clarke.
Spirifer cameratus Morton.
Spiriferina cristata (Schlotheim) Dawson.
Allorisma granosum (Shumard) Keyes.
Allorisma subcuneatum Meek and Hayden.
Astartella vera Hall.
Aviculopecten occidentalis (Shumard) Meek and Hayden.
Entolium aviculatum (Swallow) Meek.
Limopteria marian (White) Beede?
Macrodon Cf. *tenuistriatus* Meek and Worthen.
Macrodon sp.
Myalina swallowi McChesney.
Pinna peracuta Shumard.
Schizodus curtus Meek and Worthen.
Schizodus curtiformis Wolcott.
Schizodus rossicus de Verneuil.
Aclisina swallowiana (Geinitz) Meek, and other gastropods too poorly preserved to be identified.

Bellerophon carbonarius Cox.

Orthoceras sp.

Griffithides scitula (Meek and Worthen) Vogdes.

26. SEVERY SHALES. These shales are blue below, varying through yellow to black in places above the coal. They are fifty to seventy-five feet in thickness. The texture varies, and in the upper part they contain the Osage coal, which is mined at Topeka, Burlingame, Osage City, and other places.

In correlating isolated sections the rocks between the Topeka limestone and the Barclay (= Burlingame = Wyckoff, etc.) limestone have been somewhat confused. Under the title, "Stratigraphy of the Kansas Coal Measures,"^[5] Haworth describes them as follows: "Above them (Topeka limestones) lies another shale bed fifty feet thick, at the top of which lies the Topeka coal, a seam about eleven inches thick, which has been mined in different places. The coal is immediately overlaid by two thin limestone beds, separated by less than three feet of shales. Above the limestone is the Osage City shale, more than 100 feet thick, at the top of which is the Osage coal, averaging eighteen or twenty inches thick.... Above the Osage coal is a thin limestone system [formation], superseded in turn by the Burlingame shales, a body about 150 feet thick in the vicinity of Burlingame, and possibly more in places. Both the Burlingame and Osage City shales extend for long distances to the southwest and northeast, and are important landmarks in stratigraphy." Bennett^[6] describes the succession at Topeka correctly, but supposes the coal above the Topeka coal corresponds to the Osage horizon, instead of to the one already indicated in this paper as its equivalent.

Haworth's statement in Vol. I, p. 162, of the Kansas Survey, is practically a repetition of the one just quoted, but he corrects the correlation of the coals in a foot-note at the bottom of page 161. In volume III of the same reports (p. 94) he uses the term "Osage shales" for all the shales between the Topeka limestone and the Barclay limestone. The section is correctly given by Hall in his "Section from Boicourt to Alma,"^[7] though it is not clear just what is meant by his "Osage City Shales, Coal, and Limestone."

From the foregoing, it will be seen that the terms "Osage City" and "Burlingame," when strictly applied, are proposed for one and the same set of rocks, namely, those above the Osage-Topeka coal, while the shales below the coal and above the Hartford limestone are not designated at all.

Later, in Vol. III of the University Survey (p. 66), in quoting Doctor Adams's notes, Professor Haworth gives the following: "*Severy Shales*. —'Above the Elk Falls limestone is a bed of shales averaging fifty to seventy-five feet in thickness, which, with the protected limestones above, forms a light escarpment that may be traced from a few miles below Eureka to Cedar valley, forming a line from two to five miles west of the Elk Falls escarpment. This shale bed is therefore sufficiently prominent to be recognized in the field, and to be of considerable local and stratigraphic importance. The town of Severy lies within it, and therefore it may be called the Severy shales.'" Dr. George I. Adams, of the United States Geological Survey, under whose direction the work of correlating the Coal Measures rocks of Kansas was done last summer, informs me that the names used in this paper and accredited to him have been passed upon by the committee on nomenclature, and he has kindly permitted me to use them in advance.

So far as known these shales are not fossiliferous, save for a few fragments of fern leaves, below the coal, but are very fossiliferous locally just above it.

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Ceriacrinus craigi (Worthen) Wachsmuth and Springer.

Ceriacrinus harshbarger Beede.

Ceriacrinus hemisphericus (Shumard) Wachsmuth and Springer. These three species of crinoids are from the dump, and may be from the shales between the two layers of the Howard limestone above.

Spirorbis sp.

Fenestella dentata Rogers.

Fenestella limbata Foerste.

Fenestella mimica Ulrich.

Pinnatopora elliptica Rogers.

Polypora whitei Foerste.

Ambocælia planoconvexa (Shumard) Hall and Clarke.

Chonetes glaber Geinitz.

Chonetes granulifer Owen.

Derbya crassa (Meek and Hayden) Waagen.

Dielasma bovidens (Morton) White.

Hustedia mormoni (Marcou) Hall and Clarke.

Lingula umbonata Cox. If this species is considered separate from *L. mytiloides*, the specimens here referred to would probably be classed with the latter.

Productus cora d'Orbigny.

Productus longispinus Sowerby.

Productus nebraskensis Owen.

Productus pertenuis Meek.

Productus semireticulatus (Martin) d'Orbigny.

Productus symmetricus McChesney.

Pugnax utah (Marcou) Hall and Clarke.

Reticularia perplexa (McChesney) Schuchert.

Seminula argentia (Shepard) Hall and Clarke.

Spirifer cameratus Morton.

Spiriferina cristata (Schlotheim) Dawson.

Astartella vera Hall.

Aviculopecten occidentalis (Shumard) Meek and Hayden.

? *Aviculopecten whitei* Meek?

Cardiomorpha missouriensis Shumard?

Edmondia sp.

? *Myalina exasperata* Beede.

Myalina perattenuata Meek and Hayden.

Myalina swallowi McChesney.

Nucula ventricosa Hall.

Pleurophorus tropidophorus Meek.

Schizodus curtus Meek and Worthen.

Schizodus sp.

Solenomya radiata Meek and Worthen.

Sedgwickia topekensis (Shumard) Meek and Hayden.

Bellerophon Cf. *bellus* Keyes.

Euomphalus subrugosus (Meek and Worthen) Meek.

Pleurotomaria perhumerosa Meek.

Pleurotomaria sphærulata Conrad.

Pleurotomaria subdecussata Geinitz.

Orthoceras cribosum Geinitz.

Griffithides scitula (Meek and Worthen) Vogdes.

27. HOWARD LIMESTONE. This consists of two thin layers of limestone separated by two to ten feet of shales. The lower of these is a hard, blue limestone from twenty inches to two feet in thickness, quite fossiliferous in places, and sometimes quite full of crinoid stems and of fish teeth. The upper layer is usually coarser and more shaly. The clay between them is often very fossiliferous.

From Doctor Adams's notes, published by Professor Haworth,^[8] it will be seen that the Howard limestone is the same as the rock over the Osage coal, and that his Severy shale is the same as the Osage City shales.

Some of the fossils here listed were collected from ballast near Lawrence, on the old Carbondale railroad, which was taken from this layer of rock at Carbondale. These references are marked with an asterisk.

* *Fusulina secalica* (Say).

* *Campophyllum torquium* Owen.

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

* *Lophophyllum westii* Beede.

Ceriacrinus monticulatus Beede.

Eriocrinus megalobrachius Beede.

Scaphiocrinus washburni Beede.

Spirorbis sp.

* *Chainodictyon laxum* Foerste.

Fenestella dentata Rogers.

Fenestella remota Foerste.

* *Fenestella shumardi* Prout.

Fistulipora nodulifera Meek.

Pinnatopora pyriformipora Rogers?

Pinnatopora tenuilineata (Meek) Ulrich.
Polypora aspera Rogers.
Polypora elliptica Rogers.
* *Polypora* sp.
Rhombopora lepidodendroides Meek.
Streblotrypa prisca Gabb and Horn.
Ambocælia planoconvexa (Shumard) Hall and Clarke.
Chonetes glaber Geinitz.
Chonetes granulifer Owen.
Derbya crassa (Meek and Hayden) Waagen.
Derbya keokuk (Hall) Hall and Clarke.
Dielasma bovidens (Morton) White.
Entelestes hemiplicata (Hall) Hall and Clarke.
Productus cora d'Orbigny.
Productus costatus Sowerby? de Koninck.
Productus longispinus Sowerby.
Productus nebraskensis Owen.
Productus pertenuis Meek.
Productus punctatus (Martin) Morton.
Productus semireticulatus (Martin) d'Orbigny.
Pugnax utah (Marcou) Hall and Clarke.
Seminula argentia (Shepard) Hall and Clarke.
Spirifer cameratus Morton.
Spiriferina cristata (Schlotheim) Dawson.
Allorisma costatum Meek and Worthen.
Allorisma geinitzi Meek.
Allorisma granosum (Shumard) Keyes.
Allorisma kansasensis Beede.
Aviculopecten carboniferus (Stevens) Meek.
Aviculopecten hertzeri Meek.
Aviculopecten maccoyi Meek and Hayden.

Aviculopinna americana Meek.

Edmondia aspenwallensis Meek.

Edmondia nebraskensis (Geinitz) Meek.

Entolium aviculatum (Swallow) Meek.

Lima retifera Shumard.

Limopteria gibbosa (Meek and Worthen).

Macrodon cf. *tenuistriata* (Geinitz) Meek and Worthen.

Modiola subelliptica Meek.

Myalina kansasensis Shumard.

Myalina swallowi McChesney.

Nucula? sp. (cast, very small).

Nuculana bellistriata attenuata Meek var.

Pinna lata Beede.

Placunopsis carbonaria Meek and Worthen.

? *Pseudomonotis hawni equistriata* Beede var.?

* *Pteria longa* (Geinitz).

Schizodus alpina (Hall) Keyes.

Schizodus circulus Worthen.

Schizodus wheeleri (Swallow) Meek.

Yoldia subscitula Meek and Hayden.

Bellerophon carbonaria Cox.

Bellerophon crassus Meek and Worthen.

Bellerophon montfortianus Norwood and Pratten.

* *Bellerophon percarinatus* Conrad.

Bulimorpha nitidula (Meek and Worthen) Keyes.

Capulus parvus Swallow.

Pleurotomaria illinoiensis Worthen? Differs from this species in being much smaller and in having a larger number of nodes to the whorl. The notch in the lip extends back some distance as a thin, almost linear slit.

Pleurotomaria tabulata Conrad.

Soleniscus sp.

Sphærodoma medialis (Meek and Worthen) Keyes.

Sphærodoma ponderosa (Swallow) Keyes?

Sphærodoma sp.

Strophostylus nana (Meek and Worthen) Keyes.

? *Glyphæoceras* sp. (Two specimens, very small and not so preserved as to be well identified.)

* *Goniatites subcavus* Miller and Gurley.

* *Metacoceras sangamonensis* (Meek and Worthen) Hyatt.

* *Nautilus planovolvis* Shumard.

Orthoceras Cf. *rushensis* McChesney. Pittings on part of the surface.

Solenocheilus Cf. *collectus* Hyatt.

Stearoceras gibbosum Hyatt? Perhaps a young specimen of this species, though it will probably prove to be different. The cast preserves a fine line down the center of the ventral surface which disappears before reaching the deep sinus. The sinus is somewhat shallower than that figured by Hyatt, and it may be an *Endolobus*.

Griffithides scitula (Meek and Worthen) Vogdes.

28. BURLINGAME SHALES. Olive shales, generally very argillaceous, though arenaceous in streaks, and in places even contain sandstone. These shales are 120 feet or more in thickness, and for the most part are not fossiliferous, though in places fossils are very abundant. In the upper part is the Dover-Silver Lake coal, and above it usually a layer of impure limestone.

Chonetes granulifer Owen.

Hustedia mormoni (Marcou) Hall and Clarke.

Lingula umbonata Cox. (See previous note to this species.)

Orbiculoidea missouriensis (Shumard) Hall and Clarke.

Productus nebraskensis Owen.

Seminula argentia (Shepard) Hall.

Aviculopecten occidentalis (Shumard) Meek and Hayden.

Aviculopecten whitei Meek?

Myalina congeneris Walcott?

Myalina perattenuata Meek and Hayden.

Myalina swallowi McChesney.
Nucula? sp.
Nuculana bellistriata attenuata Meek var.
Pinna peracuta Shumard.
Pleurophorus Cf. *angulatus* Meek and Worthen.
Pleurophorus tropidophorus Meek.
Pseudomonotis hawni Meek.
Sedgwickia topekensis (Shumard) Meek and Hayden.
Bellerophon carbonarius Cox.
Bellerophon marcouianus Geinitz.
Dentalium meekianum Geinitz.
Euomphalus subrugosus (Meek and Worthen) Meek.
Gastropod, minute, undetermined.
Pleurotomaria subdecussata Geinitz.
Ostracoda.

29. BARCLAY LIMESTONE. (Adams, MSS., by permission of U. S. Geological Survey.) Base of the Wabaunsee formation. For the present it seems best to group several strata in this formation.^[9] They cannot well be mapped on the scale of the U. S. folios, and they are also intimately connected faunally, and usually all assist in producing a high escarpment with the upper part retreating. The rocks aggregate about seventy feet in thickness. The following section will serve to give an idea of these rocks:

		ft.	in.
g.	Gray, argillaceous, fossiliferous limestone, from 1 foot to	2	0
f.	Bluish calcareous shales with <i>Enteleles</i> , <i>Myalina</i> , <i>Allorisma</i> and <i>Bellerophon</i> fauna, from 8 feet to	20	0
e.	Hard, shelly, bluish limestone	4	0
d.	Shales with thin limestones, varying from 21 feet to	40	0
c.	Hard gray limestone weathering light yellow, from 1½ feet to	1	0
b.	Thin layer of shale	0	6
a.	Massive yellowish-gray limestone, very hard, with but few fossils, from 4 to 7 feet thick, averaging about	6	0

Most all of the fossils listed below are from layers *e*, *f*, and *g*, by far the greater part ranging through all three.

Somphospongia multiformis Beede (from Robinson, Brown county).

Aulacorhynchus millepunctatus (Meek and Worthen) Hall and Clarke?

Derbya crassa (Meek and Hayden) Waagen.

Dielasma bovidens (Morton) White.

Enteleles hemiplicata (Hall) Hall and Clarke.

Meekella striaticostata (Cox) White and St. John.

Productus cora d'Orbigny.

Productus punctatus (Martin) Morton.

Seminula argentia (Shepard) Hall.

Allorisma costatum Meek and Worthen.

Allorisma geinitzi Meek.

Allorisma granosum (Shumard) Meek.

Allorisma subcuneatum Meek and Hayden.

Allorisma sp.

Aviculopecten occidentalis (Shumard) Meek and Hayden.

Edmondia aspenwallensis Meek.

Edmondia ovata Meek and Worthen.

Edmondia cf. *nebraskensis* Meek.

Macrodon sp.

Myalina perattenuata Meek and Hayden.

Myalina subquadrata Shumard.

Pinna peracuta Shumard.

Pleurophorus sp.

Pseudomonotis kansasensis Beede.

Pseudomonotis hawni Meek and Hayden.

Pseudomonotis cf. *robusta* Beede.

? *Sedgwickia altirostrata* Meek and Hayden.

Bellerophon carbonarius Cox.

Bellerophon marcouianus Geinitz.

Bellerophon cf. *montfortianus* Norwood and Pratten.

Bellerophon percarinatus Conrad.

Bulimorpha nitidula (Meek and Worthen) Keyes.

Capulus sp.

Soleniscus paludinæformis (Hall) White.

Sphærodoma texana (Shumard) Keyes.

Orthoceras sp.

Tainoceras occidentalis (Swallow) Hyatt?

30. WILLARD SHALES. These shales are fifty-five feet thick in their thinnest exposure, and are thicker in some places. Bennett gives their thickness at Willard at from seventy-five to eighty-five feet, including a thin stratum of limestone.^[10] The Bennett collection contains the following specimens taken from this thin limestone:

Fusulina secatica (Say) Fischer.

Meekella striaticostata (Cox) White and St. John.

Productus semireticulatus (Martin) d'Orbigny.

Bellerophon sp.

31. CHOCOLATE LIMESTONE. This name, as well as the one preceding and the one following, are used merely for convenience here, as they have been used before for the designation of these rocks, knowing that with further study and careful tracing they will be found to be the equivalents of similar rocks on the Neosho river section. This limestone is buff brown in color, varying from seven to ten feet in thickness, composed principally of two layers of massive stone, the upper of which is composed largely of the large variety of *Fusulina secatica*. In the Kansas river region it always forms high escarpments with rocky edges. It is not rich in any fossils except the *Fusulinas*.

Fusulina secatica (Say).

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Chonetes granulifer Owen.

Enteleles hemiplicata (Hall) Hall and Clarke.

Meekella striaticostata (Cox) White and St. John.

Productus cora d'Orbigny.

Productus nebraskensis Owen.

Seminula argentia (Shepard) Hall.

32. Shales and sandstones shown near Dover, eighty-five feet in thickness, varying from light yellow to brownish red.

33. DOVER LIMESTONE. A limestone about four feet in thickness and of grayish color.

34. Somewhere from forty to seventy feet of shales, with occasional thin limestones with *Myalina perattenuata*.

35. Ten to twelve inches of very fossiliferous limestone in thin layers. Numbers 32 to 35 are as exposed on Mission creek and its tributaries near Dover. Number 35 is shown in ravines southwest of Dover, in the high region east and south of Mission creek.

Fenestella sp.

Productus nebraskensis Owen.

Aviculopecten maccoyi Meek and Hayden.

Aviculopecten occidentalis (Shumard) Meek and Hayden.

Edmondia sp.

Limopteria marian (White) Beede.

Myalina perattenuata Meek and Hayden.

Myalina swallowi McChesney.

Pseudomonotis hawni Meek and Hayden.

Pseudomonotis cf. *kansasensis* Beede.

Schizodus sp.

Schizodus sp.

Gastropod cast.

Loxonema sp.

Pleurotomaria perhumerosa Meek.

36. Owing to lack of detailed study of the rocks from the last described to the Cottonwood limestone, it will be necessary to combine the less important strata into groups and mention only the more important. It is a matter of regret that the rocks of this part of the Kansas river section cannot be referred with certainty to the corresponding rocks of the Neosho river and Cottonwood river sections, which have been studied by various

geologists. As near as I am able to judge, No. 13 of Bennett's Buffalo Mound section^[11] corresponds to the Americus limestone near Emporia.^[12] All the rocks between No. 35 and No. 13 of Bennett's Buffalo Mound section are put under No. 36. They consist of an alternation of thin limestones and shales. These shales form a part, at least, of the "Olpe" shales of Dr. Geo. I. Adams (by permission, from his MSS.)

37. No. 13 of Bennett's Buffalo Mound section. Probably is the equivalent of the Americus limestone before mentioned.

38. ELMDALE FORMATION. Prosser and Beede, MSS. Shales with occasional thin limestones, quite fossiliferous in the lower portion. This is probably the same horizon as No. 2 and No. 3, except the limestone at the top, of Prosser's Manhattan section.^[13] It is also, in all probability, the same horizon as No. 8 of my section on the South Fork of the Black Vermillion river.^[14] However, the fossils from the latter place are given in a separate list. The thickness of these shales on the Kansas river and Mill creek are from 111 to 118 feet. Grouping the Mill creek and the Manhattan equivalents, we have the fossils of this horizon as follows:

Fusulina secatica (Say).

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Chætetes? sp.

Crinoid stems and plates.

Archæocidaris sp.

Archæocidaris sp.

Dichotrypa subramosa Rogers, MSS.

Fistulipora nodulifera Meek.

Rhombopora lepidodendroides Meek.

Septopora biserialis (Swallow) Foerste.

Ambocælia planoconvexa (Shumard) Hall and Clarke.

Chonetes glaber Geinitz.

Chonetes granulifer Owen.

Crania modesta White?

Derbya crassa (Meek and Hayden) Waagen.

Dielasma bovidens (Morton) White.

Enteleutes hemiplicata (Hall) Hall and Clarke.
Hustedia mormoni (Marcou) Hall and Clarke.
Lingula umbonata Cox.
Meekella striaticostata (Cox) White and St. John.
Orbiculoidea manhattanensis (Meek and Hayden) Hall and Clarke.
Productus cora d'Orbigny.
Productus longispinus Sowerby.
Productus nebraskensis Owen.
Productus semireticulatus (Martin) d'Orbigny.
Productus symmetricus McChesney.
Pugnax utah (Marcou) Hall and Clarke.
Rhipidomella pecosi (Marcou) Hall and Clarke.
Seminula argentia (Shepard) Hall and Clarke.
Spirifer cameratus Morton.
Spiriferina cristata (Schlotheim) Dawson.
Allorisma subcuneatum Meek and Hayden.
Aviculopecten occidentalis (Swallow) Meek and Hayden.
Nuculana bellistriata attenuata Meek var.
Dawsonella meeki Brady? (Prosser's identification.)
Griffithides sp.

From about the same horizon on the South Fork of the Black Vermillion:

Fusulina secatica (Say).
Lophophyllum profundum (Milne-Edwards and Haime) Foerste.
Dichotrypa subramosa Rogers, MSS.
Fenestella limbata Foerste.
Fistulipora nodulifera Meek.
Septopora sp.
Thamniscus octonarius Ulrich.
Crinoid stems.

Archæocidaris sp.

Archæocidaris sp.

Ambocælia planoconvexa (Shumard) Hall and Clarke.

Chonetes granulifer Owen.

Derbya crassa (Meek and Hayden) Waagen.

Hustedia mormoni (Marcou) Hall and Clarke.

Meekella striaticostata (Cox) White and St. John.

Productus cora d'Orbigny.

Productus longispinus Sowerby.

Productus nebraskensis Owen.

Productus semireticulatus (Martin) d'Orbigny.

Pugnax utah (Marcou) Hall and Clarke.

Rhipidomella pecosi (Marcou) Hall and Clarke.

Spirifer cameratus Morton.

Allorisma subcuneata Meek and Hayden.

Aviculopecten occidentalis (Shumard) Meek and Hayden.

Chænomya sp.

Pleurophorus whitei Beede.

? *Sedgwickia altirostrata* Meek and Hayden.

Euomphalus subrugosus (Meek and Worthen) Meek.

Griffithides scitula (Meek and Hayden) Vogdes.

39. NEVA LIMESTONE. Prosser and Beede, MSS. This is the “dry bone” limestone of Swallow.^[15] It is a gray limestone six or eight feet in thickness, in two layers, separated by a layer of shale. It weathers very rough, from which fact Swallow called it the “dry bone” limestone.

40. ESKRIDGE SHALES. Prosser, MSS. About thirty feet of shales between the above and the base of the Cottonwood limestone.

41. COTTONWOOD LIMESTONE. Six feet of light buff-gray limestone, in two layers, the upper usually somewhat cherty, and filled with a small form of *Fusulina secalica* (Say). An excellent dimension stone, of wide distribution. Fossils rare.

Fusulina secalica (Say).

Lophophyllum profundum (Milne-Edwards and Haime) Foerste.

Archæocidaris sp.

Cystodictia inequimarginata Rogers.

Fenestella limbata Foerste.

Fenestella remota Foerste.

Fistulipora nodulifera Meek.

Pinnatopora sp.

Rhabdomeson americanus Rogers.

Rhombopora lepidodendroides Meek.

Septopora biserialis (Swallow) Foerste.

Streblotrypa prisca Gabb and Horn.

Chonetes granulifer Owen.

Pinna sp.

Griffithides scitula (Meek and Hayden) Vogdes.

GEOLOGICAL LABORATORY, INDIANA UNIVERSITY,
JUNE 14, 1902.

[1.](#) In justice to Mr. Rogers, it should be stated that he did not see the proof of the first article and is not to blame for the very bad errors which it contains.

[2.](#) Univ. Geol. Surv. Kans., III, pp. 93, 94, 1898.

[3.](#) Univ. Geol. Surv. Kans., I, p. 116, 1896.

[4.](#) "Deer Creek Limestone," Univ. Geol. Surv. Kans., II, p. 117.

[5.](#) Kans. Univ. Quart., III, p. 278, 1895.

[6.](#) Univ. Geol. Surv. Kans., I, pp. 118, 119, 1896.

[7.](#) Ibid., p. 394.

[8.](#) Ibid., pp. 66, 67.

[9.](#) For a more detailed description of these rocks, see Trans. Kans. Acad. Sci., XV, p. 30.

[10.](#) Univ. Geol. Surv. Kans., I, pp. 119, 120, 1896.

- [11.](#) Ibid., p. 120.
- [12.](#) Ibid., p. 80. See, also, Smith, Bull. Geol. Lyon Co. (Kans.), Emporia, 1901.
- [13.](#) Bull. Geol. Soc. Amer., VI, p. 33.
- [14.](#) Kans. Univ. Quart., IX, p. 193, 1901. (For July, 1900.)
- [15.](#) See discussion in Bull. Geol. Soc. Amer., VI, p. 33 and p. 36.

TRANSCRIBER'S NOTES

1. Silently corrected obvious typographical errors and variations in spelling.
2. Retained archaic, non-standard, and uncertain spellings as printed.

*** END OF THE PROJECT GUTENBERG EBOOK THE KANSAS
UNIVERSITY SCIENCE BULLETIN, VOL. I, NO. 7, SEPTEMBER 1902

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the

collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with

this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official

version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES

EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a)

distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact

links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.