

GIMP BRAIDING PROJECTS

LANYARDS
LEASHES


BELTS
BRACELETS



GIMP BRAIDING PROJECTS

LANYARDS
LEASHES

BELTS
BRACELETS



The Project Gutenberg eBook of Gimp Braiding Projects

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Gimp Braiding Projects

Author: Charles E. White

Release date: February 1, 2020 [eBook #61293]

Most recently updated: October 17, 2024

Language: English

Other information and formats: www.gutenberg.org/ebooks/61293

Credits: Produced by Stephen Hutcheson, Lisa Corcoran and the Online Distributed Proofreading Team at <http://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK GIMP
BRAIDING PROJECTS ***

GIMP BRAIDING PROJECTS
--

LANYARDS • LEASHES • BELTS • BRACELETS

Copyright, 1940

by

FELLOWCRAFTERS, INC.

Boston, Massachusetts

PRINTED IN THE UNITED STATES OF AMERICA

1

GIMP BRAIDING PROJECTS

Written and Illustrated by Charles E. White, Jr.

For the convenience of craftsmen, we have assembled in this booklet the directions for many of the popular gimp projects, with suggestions for a multitude of patterns which can be made with any desired color combination. These directions have been completely illustrated in color, so that every step can readily be understood, since the true simplicity of braiding has often been obscured by complicated instructions and illustrations.

The material itself is a special coated tape made in various colors and shapes. Standard gimp and Titan lacing are flat and $\frac{3}{32}$ " wide. The special $\frac{1}{4}$ " wide gimp also is flat. Round or cord gimp is available in either $\frac{3}{64}$ " or $\frac{5}{64}$ " diameters. These various types of gimp can be purchased by the yard, though they are much less expensive when secured by the spool. Leather lacings may be used in place of gimp where particular effects are desired.

General Directions

Standard and wide gimps have a seam on one face. Always start braiding with this seam next to the core and be careful at the edge of the braid to fold each strand so that the seam remains inside or on the back of the work. Titan lacing is seamless, and therefore can be used with either surface on the outside of the braid. A well-made article, however, should have no twisted strands, whether made of standard gimp, or of seamless Titan lacing.

In all work with gimp it is essential to keep all the strands pulled tight, and to adjust every row of stitches, in order to ensure that the braid will be uniform.

Long working strands may be tied in coils to keep them from snarling. If it is necessary to splice a strand, slice away half the thickness of the gimp on both of the ends to be joined. Overlap the two ends and lead them through several stitches, then trim off the extra material. ([Fig. 1.](#)) If it is necessary to set the braid aside before it is finished, use ordinary paper clips or knot the strands to keep them in place.

Steel Bracelet Cores

The type of core most widely used for bracelet making is formed from a strip of spring steel either $\frac{1}{2}$ " or $\frac{1}{4}$ " wide. Make a narrow V-shaped slit half the width of the band at about $\frac{1}{2}$ " from one end. ([Fig. 2A.](#)) Mark off beyond this cut the circumference of your bracelet (usually 8-9 inches) and make another slit half way through from the opposite side. Clip off the metal about $\frac{1}{2}$ " beyond this second slit. Connect the band as shown, with the ends on the inside of the bracelet. (Figs. [3](#) and [4.](#)) Set the band on a solid surface and pound with a mallet or hammer until the edges fit smoothly.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Basket-Weave Bracelets



The recently developed basket-weave bracelets are among the easiest and most popular projects for flat gimp. This is in part due to the fact that they offer so many possibilities for originality of design. The standard gimp types, for instance, may be made with from one to seven colors, so it is possible to match them with any color schemes of belts or leashes, or to make them harmonize with any costume.

Wide Gimp Basket-Weave Bracelet

Materials required:

- 3 strands of wide gimp, 12" each
- 1 strand of wide gimp, 60"
- $\frac{3}{4}$ " steel bracelet core

Fasten the ends of the short strands to the band with a paper clip in the position shown in [figure 5](#). Leaving one half inch or so free at the start, weave the long strand under one—over one—under one. ([Fig. 6](#).) Bring it

around through the band and weave the next row of stitches over one—under on—over one. ([Fig. 7.](#)) Pull the strands tight.




Fig. 5



Fig. 6



Fig. 7

Continue alternating these two steps all the way around the band. If the pattern does not come out even, rip out the last few stitches and weave them again closer together to gain space for the extra stitch. Then remove the paper clip and weave each short strand back loosely through the first two

stitches at the beginning. ([Fig. 8.](#)) Cut off the beginning end of the weaving strand at the edge of the bracelet. ([Fig. 9.](#))




Fig. 8




Fig. 9

Finish off by braiding along the start of the weaving strand ([Fig. 10](#)), around the outside of the band. This makes the last weaving row under one—over one—under one. Pull all the ends tight and clip them off close to the braid.








Fig. 10

The pattern shown above is made with three colors according to the direction illustrations. Checkerboard patterns are made by using one color on the band and a second color for weaving. Four more two-color patterns are made by placing the lighter color at the center of the band or at the edge, and by using a dark or a light weaving strand. Three-color patterns have six additional possibilities for variation on the same principle.





Standard Gimp Basket-Weave Bracelet

Materials required:

5 strands of narrow gimp, 12" each

1 strand of narrow gimp, 3¼ yds.

¾" steel bracelet core

Fasten the five short strands to the band as shown in [figure 12](#). Then weave across the band in any of the ways shown [below](#), bringing the strand through the center after each row. ([Fig. 13](#).) Several two-color combinations of these stitches are suggested here, but do not let these limit your originality, as there are very many possible patterns. Finish off the bracelet as described on [page 2](#).




Fig. 12



Fig. 13

Wood Core Basket-Weave Bracelet

Materials required:

5 strands of standard gimp, 12" each


1 strand of standard gimp, 5 yds.

1 standard wood core

Made in exactly the same way as the preceding. The beginning strands may be tied in place or fastened with adhesive tape.


Additional Projects

The directions already given apply equally well to all of the following projects. Six-strand standard gimp bracelets are made like five-strand bracelets with an additional 12" strand on the core. Wood core napkin rings like that shown above require three, four, or five 8" core strands and a 3 yd. weaving strand. Napkin rings made on shortened $\frac{1}{4}$ " bands (6" between the notches) require either five or six 8" standard gimp core strands and a $2\frac{1}{4}$ yd. weaving strand. Narrow band bracelets of the type shown at [the top of the page](#) can be made of standard gimp with three or four 12" core strands and a $2\frac{1}{4}$ yd. weaving strand. Narrow band napkin rings require three or four 8" core strands and a $1\frac{3}{4}$ yd. weaving strand.



{Two-color combinations}

Leashes and Lanyards



Standard Dog Leash

Materials required:

- 4 strands of standard gimp, 3½ yds. each
- 1 strand of core material, 1 yd. 30"
- 1 standard or French leash snap
- soft wire for binding, 5"

The stout core necessary for a dog leash may be made of standard core braid or of extra heavy twine. Fold one end back to make a loop 7" long. Bind the end with wire. Put the other end through the eye of the snap, then bend it back and bind it with wire to make a loop 1½" long. ([Fig. 14.](#))




Fig. 14

Tie the center of the strands to the center of the core with one end of a piece of cord. Tie the other end of the cord to any firm object so that you can keep the leash pulled tight while you are braiding. Arrange the strands as in [figure 15](#).



Fig. 15

Braid toward one end as follows: Bring the upper right strand around the back, forward between the left strands, and across the core to lie parallel to the other right strand. In successive steps, merely take the uppermost strand—left or right as the case may be—around the back, between the strands of the opposite side, and across the front. Keep the stitches pushed tightly together to achieve a uniform result. (Figs. [16](#) and [17](#).)



Fig. 16



Fig. 17

Continue around the loop until you come back to the main braid. Then make a square as follows: Holding the braid as in [figure 18](#), cross the two rear strands. ([Fig. 19](#).) Bring the rear right strand down over the forward right strand. ([Fig. 20](#).) Loop the latter over the first strand and bring it down between the other two strands. ([Fig. 21](#).) Loop the third strand similarly over all the strands and bring it down in back. ([Fig. 22](#).) Bring the fourth strand over the third and through the loop of the first. ([Fig. 23](#).) Pull the strands tight ([Fig. 24](#)) so that the top appears as a square.



Fig. 18



Fig. 19



Fig. 20



Fig. 21



Fig. 22



Fig. 23



Fig. 24

Then make a square braid. Fold one strand back on itself. ([Fig. 25.](#)) Fold the next strand ([Fig. 26](#)) back on itself over the first one. Fold the third strand over the second. ([Fig. 27.](#)) Fold the last strand over the third and through the loop of the first. ([Fig. 28.](#))

5



Fig. 25



Fig. 26



Fig. 27



Fig. 28

Complete the stitch by drawing all the strands tight. Continue making squares in this way until the strands are only about 2½" long. The spiral braiding described on [page 6](#) may be used in place of this square braiding or in combination with it.

End the braid with a lock knot by looping each strand under the loose end of the overlying strand and through the top stitch as shown in figures 29-32. Pull the ends tight, making certain as you do so that none of the strands appear twisted. Then clip off the ends of the strands. ([Fig. 33.](#))



Fig. 29



Fig. 30



Fig. 31



Fig. 32



Fig. 33

Follow the same steps in making the other half of the leash.

Suggested Variations

Spiral braiding may be substituted after the first square. This is made in exactly the same way as square braiding except that each strand is bent over

the top of the braid on the opposite side of the core, rather than back along itself. (Figs. [34-38](#).)



Fig. 34



Fig. 35



Fig. 36



Fig. 37



Fig. 38

After completing the loops at the ends, many craftsmen prefer to make several more ordinary stitches before starting the squares.

Six-Strand Leash

Materials required:

- 6 strands of standard gimp. 3½ yds. each
- 1 strand of core braid, 1 yd. 30"
- 1 standard or French snap

Six-strand round braiding can also be used for leashes. It is made in much the same way, except that the top strand is brought around the back, then forward below the first strand, over the second strand, and under the third strand. ([Fig. 39.](#)) When in doubt about the order of the strands, remember to weave the top strand so that it passes over the *front* strand on the opposite side. You can see this clearly in [figure 39.](#)




Fig. 39

When making the square braiding, lay an opposite pair of strands along the core and weave the remaining four as described above. The strands on the core may be clipped with the others after making the lock knot.



Standard Lanyard



Materials required:

2 strands of standard gimp, 3½ yds. each

1 snap

Lanyards are made in much the same way as leashes, but without the core. The snap is fastened securely so that the work can be pulled against it. Then both strands are run half way through the ring to give four equal braiding strands. Cross the strands on the ring in exactly the way shown in [figure 40](#). This arrangement corresponds to the starting position of the leash. The braiding is done in the same way as that described for the leash, beginning with the upper right strand. ([Fig. 16.](#))

When only one foot of lacing is left, form the loop of the lanyard by folding the braid back as in [figure 41](#). Cross the two lower strands behind the main braid ([Fig. 42](#)), and finish with the square or spiral braid and the lock knot as described for the leash. If you wish the square braid to slip along the lanyard, braid it loosely.

The alternative pattern shown is made by arranging the strands at the start as in [figure 43](#).




Fig. 40



Fig. 41



Fig. 42




Fig. 43

Six-Strand Lanyard

Materials required:

- 3 strands of small round gimp, 3½ yds. each
- 1 snap

This is made in the same way as the six-strand leash by starting as follows: The rear left strand is brought around its forward part and bent to the right. ([Fig. 44.](#)) Both parts of the middle strand are brought to the right. ([Fig. 45.](#)) The forward part of the right strand is woven to the left over one—under one—over one, and the rear part of the same strand is woven over two—under one. Start braiding with the upper right strand.



Fig. 44



Fig. 45

Other Types of Leashes and Lanyards

Unusual and very attractive results can be obtained by utilizing round gimp in making these projects. Leashes and lanyards, for instance, of either the six- or four-strand type are very smart when made with small round gimp. The larger cord gimp is suitable for four- or six-strand leashes and for four-strand lanyards. Some of these possibilities are illustrated on [this page](#). The amount of material required is the same as for the standard gimp projects and the method of working is identical. It is advisable, however, to use picture wire as a core for the leashes. When making articles of large round gimp, it will also be found more satisfactory to use spiral braiding in place of the square braiding.

Heavy leashes for large dogs can be made of wide gimp braided over a stout rope core.

Braided Bracelets



These illustrated bracelets need no introduction, since they are standard as braiding projects. They are ordinarily made with from one to four colors, but can be made with as many as eight colors, so there is a wide range of possibilities for bright patterns. The braid itself is an eight strand variation of the braiding used for leashes and lanyards.

Standard Flat-Weave Bracelet

Materials required:

4 strands of standard gimp, 2¼ yds. each

1 steel band, ¾" wide

Hold the center of all four strands against the inside of the band about ½" beyond the joint. ([Fig. 46.](#)) If standard gimp is used, be sure to have the seams next to the metal. Fold the strands on the left diagonally down across the band, holding them with the thumb and forefinger of the left hand. ([Fig. 47.](#))



Fig. 46



Fig. 47

Weave the top right strand across the band under the first, over the second, under the third, and over the fourth strands. ([Fig. 48.](#)) Weave the next strand over the first, under the second, over the third, and under the fourth strands. ([Fig. 49.](#)) Weave the third strand under one—over one—under one—over one, and weave the last strand under two—over one—under one. Make certain that none of the strands are twisted, then tighten the braid on the band until the gimp lies flat without bulging. ([Fig. 50.](#))



Fig. 48



Fig. 49



Fig. 50

Pass the top right strand through the bracelet. Bring it forward between the two middle strands at the left. Then fold it back across the band over the third strand and under the fourth. ([Fig. 51](#).) Pull it tight. Next do the same with the upper left strand ([Fig. 52](#)), and continue alternately weaving the

top left and right strands in this way. The last strand woven shows as the lowest on the inside, so you can always tell which strand to weave next.



Fig. 51



Fig. 52

If the pattern does not come out even when you have woven the entire distance around the bracelet, ease the braid back around the band to gain whatever additional space you need in order to complete the design.

Clip the ends of the strands to make them pointed. Then weave the lower right strand under the beginning strand on the same side. ([Fig. 53.](#)) Weave the lower left strand over the first and under the second beginning strands on the left. ([Fig. 54.](#)) Then weave the free strand on the left over one—under one, thus completing the face of the braid with all the strands woven to the edge. ([Fig. 55.](#))



Fig. 53



Fig. 54



Fig. 55

To finish off, work inside the bracelet. Weave the upper left strand under the first two slanting strands on the right. ([Fig. 56.](#)) Weave the upper right strand under the two opposite strands. ([Fig. 57.](#))



Fig. 56



Fig. 57

Weave the rest of the strands in the same way ([Fig. 58](#)), then draw the work tight and trim off the ends.

Many additional patterns can be made by varying the position of the strands at the start. The strands may simply be crossed on the inside ([Fig. 59](#)), to make one series of patterns. They may be looped to bring both ends of the same strand on the same side for another group of patterns. Titan lacing may be looped flat as in [figure 60](#), but standard gimp should have the strands arranged as in [figure 61](#) so that the seam sides will be toward the band. Combinations of straight, crossed, and looped strands offer further possibilities for patterns.



Fig. 58



Fig. 59



Fig. 60

Eight separate strands 4 ft. long may be started as shown in [figure 62](#). An ordinary paper clip is sufficient to hold the braid in place. Weaving with eight strands extends the possibilities for unusual patterns, but care must be exercised to keep the designs simple.



Fig. 61



Fig. 62

Wood-Core Flat-Weave Bracelet

Materials required:

- 4 strands of standard gimp, 2¾ yds. each
- 1 standard wood core

The stunning bracelets of the type shown here are made in exactly the same way as the standard bracelets.

Narrow Flat-Weave Bracelet

Materials required:

4 strands of standard gimp, 1½ yds. each
1 steel band, ½" wide

These, also, are made in the same way as the standard bracelets, offering the same opportunities for patterns.

Six-Strand Flat-Weave Bracelets

The preceding bracelets can be made equally well with three long strands instead of four. The only difference in the braiding is that the strand which is carried around the back should be brought forward between the first two strands and woven across the band over one—under one. ([Fig. 63.](#)) The lengths of the strands required are as follows:

Wide-band bracelet—3 strands, 2 yds. each

Narrow-band bracelet—3 strands, 1½ yds. each

Wood-core bracelet—3 strands, 2½ yds. each



Fig. 63

Napkin Rings

Any of the above can be made as napkin rings. If the core used is 6" in circumference (in metal bands, 6" between the notches), use three-fourths as much material as is required for the corresponding bracelet.



Round Gimp Bracelets



These bracelets are typical of the colorful possibilities of the new round gimp. Both are made entirely of gimp without any special accessories, and require very little time for the braiding.

Square-Knotted Bracelet

Materials required:

2 strands of small cord gimp, $1\frac{3}{4}$ yds. each

1 strand of wide gimp, 18"

Make a double coil of wide gimp of whatever diameter is desired. Cut both ends on the same slant, so that there will always be only two thicknesses of material in the finished core. ([Fig. 64.](#))




Fig. 64

Tie the two strands of cord gimp together at one end, leaving about 1" beyond the knot to use later for finishing. Place the knot at the left side of the core. Select the color which is to show on the band and lead it across the outside of the core. ([Fig. 65.](#)) Lead the other strand through the core, cross it over the top strand ([Fig. 66](#)), lead it back under the core and up through the loop at the left side. ([Fig. 67.](#)) This process makes half a square knot.



Fig. 65



Fig. 66



Fig. 67

In all succeeding knots, merely choose the color which is to show on the band and lead it across in front. ([Fig. 68.](#)) Then loop the other strand over it, around the back, and forward through the loop on the opposite side. ([Fig. 69.](#))



Fig. 68



Fig. 69

When you have gone completely around the bracelet, untie the starting knot and tuck in the loose ends.

All the patterns shown [above](#) are made in exactly this way. The core may either be of the same color as one of the working strands, or of a third color to add little decorative touches between the stitches.

Spiral Bracelet

Materials required:

2 strands of heavy round gimp, 2½ yds. each

1 strand of heavy round gimp, 10"

Cross the strands at their midpoints. ([Fig. 70.](#)) Bring the right under strand around over the next two strands and down behind. ([Fig. 71.](#)) Do the same with the second strand. ([Fig. 72.](#)) Bring the third strand around and down through the loop of the first. ([Fig. 73.](#)) Bring the last strand around and down through both the first and second loops. ([Fig. 74.](#)) Insert the core through the middle so that about 1" is beyond the knot. Then pull all the strands tight. ([Fig. 75.](#))



Fig. 70



Fig. 71



Fig. 72



Fig. 73



Fig. 74



Fig. 75

Continue braiding for about 8" in this same way. Then fit the braid around your wrist to find the bracelet size needed. Cut the long end of the core so that it just touches the beginning of the braid. ([Fig. 76.](#)) Overlap the two ends of the core, and complete the braid over the doubled strand. Tuck the loose ends through the beginning stitches and trim them off close to the braid.



Fig. 76

Braided Belts

Belts to match bracelets and leashes or to harmonize with various costumes are favorite gimp projects. They may be made from any type of gimp. The popular twelve-strand braids can have as many as six colors, if so desired.

The choice of the buckle is quite important. Standard buckles with tongues are the most widely used. Special decorative effects can be achieved with tongueless buckles. Other attractive results can be produced by covering the buckle with gimp, using half hitches ([Fig. 77](#)) or basket stitches as shown in [figure 78](#).




Fig. 77



Fig. 78

12-Strand Belt

Materials required:

- 6 strands of standard gimp or Titan lacing, $3\frac{1}{4}$ yds. each
- 3 strands of standard gimp or Titan lacing, 6" each
- 1 buckle for $\frac{3}{4}$ " or 1" belt width

Fasten the buckle securely so that you can pull against it to keep the braiding tight. Hang three strands of gimp on each side of the tongue, so that you have twelve strands of equal length. Since the order of the strands determines the pattern, arrange the strands on the buckle as indicated for any of the patterns on [page 11](#).

Bring the back part of the left strand forward and bend it across the other section of the same strand right side up. ([Fig. 79](#).) Bring the lower part of the second strand forward and weave it over the front portion and under the forward part of the left strand. ([Fig. 80](#).) In the same way bring each strand around to the front and weave it to the left over one—under one—over one—etc. When the work appears as in [figure 81](#), check the strands to see that they are all right side up before beginning to braid.



Fig. 79



Fig. 80



Fig. 81

Take the upper right strand and weave it across over one—under one—etc. ([Fig. 82](#).) Then weave the upper left strand under one—over one—under one—etc. ([Fig. 83](#)) Bend the strands at the edge as in [figure 84](#). If Titan lacing is used, the strands may be folded at the edge instead as in [figure 85](#). Continue weaving the right and left strands in this way.



Fig. 82



Fig. 83



Fig. 84



Fig. 85

When you have woven the full length you need for the belt, make the last row from left to right and fasten the strands with a paper clip as shown in [figure 86](#). Turn the belt around and weave each strand loosely back along itself. (Figs. [87](#) and [88](#).) Pull the strands tight, then trim the ends close to the braid.



Fig. 86



Fig. 87



Fig. 88


Make the loop of simple three strand braiding sewed at the ends and sewed to the belt 1" below the buckle.

Little need be said of the color patterns shown on [page 11](#). At one end of each we have indicated the positions of the strands on the buckle.

Other Types of Braided Belts

These same directions can be followed for belts with any number of strands looped through a buckle. One of the most effective of these variations can

be made with wide gimp. This belt, as made ten strands wide and a yard long calls for a $1\frac{3}{4}$ " buckle and five weaving strands, $3\frac{1}{2}$ yds. each.



Materials and Supplies

Although there are several qualities of gimp lacing on the market, only the highest grade is fit for use in craft work. The gimp we carry is made to order under our own strict specifications. It is waterproof, and therefore washable. It has unusual tensile strength and will withstand much abuse. The large amount we now sell makes it possible to offer this improved gimp at lower prices.



GL-1 STANDARD GIMP— $\frac{3}{32}$ " wide. Flat, seamless, lustrous, washable. Colors: gold, silver, white, red, orange, yellow, blue, tan, brown, black, and green.

yd. **\$.02**; 50 yds. \$.85; 100 yds. **\$1.50**

500 or more yds. **\$1.35** per 100 yds.

GL-3 TITAN LACING— $\frac{3}{32}$ " wide. Colors: red, orange, yellow, green, blue, tan, brown, black, white, gold, and silver. Extra strong. Has half-oval cross-section.

yd. **\$.02**; 50 yds. **\$.85**; 100 yds. **\$1.50**

LL-1 GOAT LEATHER LACING— $\frac{3}{32}$ " wide. Colors: natural, red, green, blue, brown, and black.

yd. **\$.06**; 50 yds. **\$2.50**; 100 yds. **\$4.75**

LL-3 SPECIAL GOAT LACING— $\frac{5}{64}$ " wide—tan only.

yd. **\$.04**; 50 yds. **\$1.75**; 100 yds. **\$3.00**

GL-4 WIDE GIMP— $\frac{1}{4}$ " wide. Colors: red, green, navy blue, brown, white, and black.

yd. **\$.05**; 100 yds. **\$3.75**

Gold or silver yd. **\$.10**; 100 yds. **\$7.50**

GL-5 ROUND GIMP No. 3—Colors: red, orange, yellow, green, light and medium blue, black, brown, white, gold, gray, and silver

yd. **\$.02**; 50 yds. **\$.85**; 100 yds. **\$1.50**

GL-6 EXTRA HEAVY ROUND GIMP No. 5—Colors: red, yellow, green, blue, brown, white, gray, and black

yd. **\$.035**; 50 yds. **\$1.60**; 100 yds. **\$3.00**

CORE BRAID—for leashes

yd. **\$.03**; 50 yds. **\$1.35**; 100 yds. **\$2.25**

WIRE CORE—for leashes

yd. **\$.02**; 50 yds. **\$.85**

STEEL BRACELET BANDS—These steel bands are tempered to the proper hardness to have an excellent springiness.

½" wide ea. **\$.04**; doz. **\$.40**

¾" wide ea. **\$.05**; doz. **\$.50**

WOODEN BRACELET CORES—light blanks made of hard wood, attractively rounded on the outer surface.


ea. **\$.15**; doz. **\$1.50**

WOODEN NAPKIN RING CORES

ea. **\$.10**; doz. **\$1.00**

CENTRAL BAR NICKEL BUCKLES

ea. **\$.10**; doz. **\$1.10**



STANDARD BELT BUCKLES—brass or nickel finish for belt widths of 1" (the size recommended for the standard 12-strand belt). 1¼", and

1½"

ea. **\$.07**; doz. **\$.77**

SMALL BUCKLES—assorted sizes and shapes

ea. **\$.05**; doz. **\$.55**

GT-16 FID

\$.35

LANYARD OR WATCH-GUARD SNAPS—bright brass nickel finish

ea. **\$.05**; doz. **\$.50**

ea. **\$.06**; doz. **\$.60**

DOG LEASH SNAPS—standard type with swivel

ea. **\$.06**; doz. **\$.66**

FRENCH DOG LEASH SNAPS

ea. **\$.15**; doz. **\$1.65**

DOG COLLAR BUCKLE AND “D”

ea. **\$.15**; doz. **\$1.65**

HOW TO ORDER GIMP FOR PROJECTS DESCRIBED IN THIS BOOK

At the head of the instructions for each type of project will be found a list of necessary materials. Many of these lists prescribe lengths of gimp in fractions of yards.

In ordering, order to the *nearest full yard*, as we do not fill orders for fractional yards of gimp.

Great savings are effected by purchasing gimp in 50 or 100 yard spools and cutting for yourself the required lengths for gimp projects.

BRAIDING AND KNOTTING by C. A. Belash—This Beacon Handicraft Series text book is proving very popular. It gives explicit directions for all types of braiding and knotting with both gimp and cord, and it contains complete directions for making many attractive articles. Clothbound, with about 200 illustrations grouped on more than 50 plates

\$1.00

SQUARE KNOTTING by P. C. Herwig—These illustrated booklets contain full instructions and suggestions for popular projects

No. 1 **\$1.15**; No. 2 **\$1.25**; No. 3 **\$1.00**

Shipping charges are to be paid by the buyer. All prices subject to change without notice.

Materials and suggestions for other crafts are contained in our sixth catalogue. This catalogue will be sent to you on receipt of 25c (rebatable).

Crafts for all ages

LEATHERCRAFT • GLOVE MAKING • BIRCHCRAFT • PERMATEX •
GIMP BRAIDING • KNOTTING • FIBRE CRAFT • WEAVING •
BEADCRAFT • AMBEROLCRAFT • METALCRAFT • METAL
EMBOSSING • METAL SCROLLWORK • METAL ETCHING • BLOCK
PRINTING • PLYWOOD CARVING • CHIP CARVING • WOOD
CARVING • WOODWORKING • BANTAM WEIGHT BOATS • MODEL
AIRPLANES • MODEL YACHTS • GLASS ETCHING • ART
VENEERCRAFT • POTTERY

Send 25c (rebatable) for our catalogue of suggestions, materials, supplies,
and tools for craft groups and individual craftsmen.

Fellowcrafters

Incorporated

General Office

Mail Order Department

Retail Store

64 STANHOPE STREET, BOSTON, MASS.

Transcriber's Notes

- Modified references to pages and illustrations, so as to be meaningful in an eBook.
- Silently corrected a few typos.
- Retained publication information from the printed edition: this eBook is public-domain in the country of publication.
- In the text versions only, text in italics is delimited by _underscores_.

*** END OF THE PROJECT GUTENBERG EBOOK GIMP BRAIDING
PROJECTS ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.