

Additions to the List of the Birds of Louisiana

Jr. George H. Lowery

A decorative background pattern consisting of various geometric shapes in shades of purple and magenta, including diamonds, triangles, squares, and semi-circles, arranged in a complex, overlapping design.

Project Gutenberg

Additions to the List of the Birds of Louisiana

Jr. George H. Lowery



Project Gutenberg

The Project Gutenberg eBook of Additions to the List of the Birds of Louisiana

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Additions to the List of the Birds of Louisiana

Author: Jr. George H. Lowery

Release date: December 2, 2010 [eBook #34546]

Language: English

Other information and formats: www.gutenberg.org/ebooks/34546

Credits: Produced by Chris Curnow, Joseph Cooper and the Online Distributed Proofreading Team at <http://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK ADDITIONS TO
THE LIST OF THE BIRDS OF LOUISIANA ***

Additions to the List of the Birds of Louisiana

BY

GEORGE H. LOWERY, JR.

**University of Kansas Publications
Museum of Natural History**

**Volume 1, No. 9, pp. 177-192
November 7, 1947**

**UNIVERSITY OF KANSAS
LAWRENCE
1947**

UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL HISTORY

**Editors: E. Raymond Hall, Chairman, H. H. Lane,
Edward H. Taylor**

**Volume 1, No. 9, pp. 177-192
Published November 7, 1947**

**UNIVERSITY OF KANSAS
Lawrence, Kansas**

**PRINTED BY
FERD VOILAND, JR., STATE PRINTER
TOPEKA, KANSAS
1947**

21-6959

Additions to the List of the Birds of Louisiana

By

GEORGE H. LOWERY, JR.

Oberholser's "Bird Life of Louisiana" (La. Dept. Conserv. Bull. 28, 1938), was a notable contribution to the ornithology of the Gulf Coast region and the lower Mississippi Valley, for it gave not only a complete distributional synopsis of every species and subspecies of bird then known to occur in Louisiana but also nearly every record of a Louisiana bird up to 1938. However, at the time of the appearance of this publication, one of the most active periods in Louisiana ornithology was just then beginning. The bird collection in the Louisiana State University Museum of Zoölogy had been started only the year before, and the first comprehensive field work since the time of Beyer, Kohn, Kopman, and Allison, two decades before, was still in its initial stage. Since 1938 the Museum of Zoölogy has acquired more specimens of birds from Louisiana than were collected there in all of the years prior to that time. Many parts of the state have been studied where no previous work at all had been done. Also in the last eight years some capable ornithologists have visited the state as students at Louisiana State University, and each has contributed greatly to the mass of new data now available. Despite the excellence of Oberholser's compilation of records, it is, therefore, not surprising that even at this early date twenty-four additions can be made to the list of birds known from Louisiana. Furthermore, this recently acquired information permits the emendation of the recorded status of scores of species, each previously ascribed to the state on the basis of comparatively meager data.

The plan is to publish eventually a revision of the birds of Louisiana which will incorporate all of the new information, but the projected scope of this work is such that many years may elapse before it is finished. The present paper is intended to record only the more pertinent additions, particularly records that may be significant in connection with the preparation of the

fifth edition of the American Ornithologists' Union's "Check-list of North American Birds." There are numerous species for which Oberholser cited only a few records, but of which we now have many records and large series of specimens. If, in such instances, the treatment given in the fourth edition of the American Ornithologists' Union's Check-list would not be materially affected, I have omitted mention of the new material in this paper.

I am indebted to a number of ornithologists who have presented their notes on Louisiana birds to the Museum of Zoölogy and who have done much to supplement its collections. Outstanding among these are Thomas R. Howell, Robert J. Newman, Sam M. Ray, Robert E. Tucker, Harold E. Wallace, and the late Austin W. Burdick. Their efforts in behalf of the Museum have been untiring. I am grateful also to Thomas D. Burleigh and Jas. Hy. Bruns, both of whom have played an integral part in our field activities in recent years and without whose help much less would have been accomplished. John S. Campbell, Ambrose Daigre, James Nelson Gowanloch, Sara Elizabeth Hewes, E. A. McIlhenny, Edouard Morgan, and George L. Tiebout, Jr., have generously contributed notes and specimens which are duly attributed in the following text. For assistance in taxonomic problems, or for the loan of comparative material, I wish to thank John W. Aldrich, Herbert Friedmann, Howard K. Gloyd, Alden H. Miller, Harry C. Oberholser, James L. Peters, Karl P. Schmidt, George M. Sutton, J. Van Tyne, and Alexander Wetmore.

***Sula sula sula* (Linnaeus), Red-footed Booby**

An immature individual of this species came aboard a boat of the Louisiana Department of Conservation near the mouth of Bayou Scofield, 7 miles below Buras, Plaquemines Parish, on November 1, 1940. It was captured by J. N. McConnell, who delivered it to James Nelson Gowanloch of the Department of Wildlife and Fisheries. The bird was then turned over to me in the flesh for preparation and deposit in the Louisiana State University Museum of Zoölogy. It has since been examined by James L. Peters and Alexander Wetmore, who confirmed the identification. This is the first specimen of the species obtained in the United States. The only other record of its occurrence in this country is that of individuals observed near Micco, Brevard County, Florida, on February 12, 1895 (Bangs, Auk, 19, 1902: 395-

396). To eliminate possible confusion in the literature, attention is called here to the fact that the above-listed specimen was erroneously recorded by an anonymous writer (La. Conserv. Rev., 10, Fall Issue, 1940: 12) as a Gannet, *Morus bassanus* (Linnaeus).

Butorides virescens virescens (Linnaeus), Eastern Green Heron

No winter records for the occurrence of this species were available to Oberholser in 1938, the latest date cited by him being October 27. Recently, however, it has been noted several times in winter on the coast of Louisiana. Kilby and Croker (Aud. Mag., 42, 1940: 117) observed it at the mouth of the Mississippi River, near Pilot Town, on December 25, 1939, and Burleigh and I each obtained a specimen at Cameron on December 13, 1940. Another was shot by me at the same place on February 2, 1946. The species is therefore of casual occurrence in the state in winter.

Dichromanassa rufescens (Gmelin), Reddish Egret

Although previously reported only as a casual summer visitor along the coast, the Reddish Egret is known now to occur regularly in small numbers during the winter. Since Oberholser (*op. cit.*, 56) cited only one specific record of occurrence in the state, all additional records are listed here. On East Timbalier Island, one to three were seen daily, August 16-19, 1940, and two to five were seen daily, November 15-17, 1940. In Cameron Parish, the species has been noted as follows (Lowery, *et al.*): two on December 14, 1940; one on January 3, 1943; three on September 3 and two on November 4, 1944; one on April 29, 1945. Several specimens were collected.

Plegadis falcinellus falcinellus (Linnaeus), Eastern Glossy Ibis

Plegadis mexicana (Gmelin), White-faced Glossy Ibis

Considerable confusion exists concerning the specific identity of the glossy ibises inhabiting Louisiana. The fourth edition of the A. O. U. Check-list (1931: 33) stated that *falcinellus* "breeds rarely and locally in central Florida and probably in Louisiana." In 1932, Holt visited the marshes of Cameron Parish in southwestern Louisiana where he studied the ibises nesting in a large rookery. Later he definitely stated (Auk, 50, 1933: 351-352) that the birds seen by him were Eastern Glossy Ibises (*Plegadis falcinellus*). It was doubtless Holt's identification that influenced Oberholser

to list *falcinellus* as a fairly common local resident in the state (*op. cit.*, 78). This, however, is contrary to the evidence at my disposal. My associates and I have studied thousands of glossy ibises in the marshes of southwestern Louisiana in the past ten years. These observations include numerous field trips into the region where ibises are plentiful throughout the year, especially during the breeding season. I have also visited a large nesting rookery in Cameron Parish, the only one in the state known to me, and the one which I have every reason to believe is the same colony visited by Holt in 1932. Although Holt identified as *falcinellus* the birds seen by him at a nesting rookery in Cameron Parish, I have never seen that species anywhere in Louisiana except at Grand Isle, 150 miles east of Cameron, as henceforth noted.

In winter when the White-faced Glossy Ibis lacks the white on its face, some difficulty might be encountered in differentiating that species from the Eastern Glossy Ibis. The perplexing thing, however, is that Holt made his observations in the nesting season when no possible confusion should exist; also he was in the middle of a nesting rookery with birds close at hand on all sides. This fact notwithstanding, the ibis nesting in the Cameron Parish rookery (known locally as "The Burn") on May 28, 1942, was the white-faced species (*Plegadis mexicana*), as evidenced by moving pictures taken by J. Harvey Roberts and by specimens of varying ages collected at the same time by me. In all, the Louisiana State University Museum of Zoölogy has 19 specimens of *mexicana* taken in Cameron Parish in April, May, November, December, and January. Field records are available also for the months of February, March, July, and September.

Aside from Holt's statement, Oberholser had only five other records for *falcinellus* in Louisiana, one being a market specimen with incomplete data and therefore of questionable scientific value. The remaining four specimens were taken by E. R. Pike near the mouth of the Mississippi River on November 13 and 17, 1930, and are now on deposit in the Chicago Academy of Sciences. Recently I borrowed these specimens for reexamination with the following results. The three taken on November 17, 1930, are *mexicana* and not *falcinellus* as labeled and so reported by Oberholser. The single specimen taken on November 13 is, however, correctly identified as *falcinellus*. Alexander Wetmore kindly examined the material for me and confirmed my identifications. The occurrence of

falcinellus in Louisiana thus hinged on Holt's statement and one preserved specimen. However, on July 23, 1944, in the marshes on Grand Isle, Jefferson Parish, Louisiana, I encountered a flock of 12 immature ibises that impressed me by their blackness in contrast to the color of glossy ibises with which I was familiar in Cameron Parish. Two specimens were collected and both proved to be *falcinellus*.

Holt's published observations cannot be positively refuted, for we cannot be sure that a colony of *falcinellus* did not exist in Cameron Parish in 1932, nor that the portion of the rookery under his observation did not consist of a segregated population of that species. However, ten years of field observations by other ornithologists have failed to disclose the species which Holt considered a common nesting bird in an area where we now know that only the White-faced Glossy Ibis occurs. The fact that Holt specifically stated that he failed to find the white-faced bird at any time in his stay in Cameron Parish is difficult to explain, but this much is certain—the present known status of *falcinellus* in Louisiana is that of only a rare and casual visitor.

***Branta canadensis hutchinsii* (Richardson), Hutchins Goose**

Oberholser (*op. cit.*, 89) cited only one Louisiana record for this goose. The bird in question was shot but apparently not preserved. Consequently, the status of the race on the Louisiana list was subject to question. Recently, however, two typical specimens of *hutchinsii* were obtained in the state, one by Edouard Morgan, near Lake Catherine, on November 7, 1942, and the other by Herman Deutsch, four miles above the mouth of the Mermentau River, on November 2, 1944. The former is displayed in the Louisiana Wildlife and Fisheries Exhibit in the Louisiana State Museum, and the latter is now in the Louisiana State University Museum of Zoölogy.

***Oxyura dominica* (Linnaeus), Masked Duck**

A mounted specimen of this species was found by T. D. Burleigh and myself in a sporting goods store in Lake Charles, Louisiana. Through the kindness of Mr. Jack Gunn, owner, it was donated to the Louisiana State University Museum Collection. The bird was shot approximately 25 miles southeast of Lake Charles at Sweet Lake, Cameron Parish, on December 23, 1933, by R. T. Newton. This is the first recorded occurrence of the

species in Louisiana, as well as one of the very few instances of its appearance anywhere in the United States.

Buteo lineatus texanus Bishop, Texas Red-shouldered Hawk

Although this race has been recorded previously only from Texas and northeastern Mexico, it appears to be of regular occurrence in southern Louisiana in the fall and winter. The six specimens in the Louisiana State University Collection, identified by Herbert Friedmann as *texanus*, are as follows: Westover, November 25, 1937; Baton Rouge, October 20, 1936, November 1, 1938, and September 3, 1940; University, November 14, 1942; Hoo-shoo-too, October 12, 1941 (Lowery, Tiebout, and Wallace). Another specimen, taken at Baton Rouge on September 17, 1940 (Ray), was acquired by Louis B. Bishop, who identified it as *texanus*.

Numenius americanus americanus Bechstein, Long-billed Curlew

Numenius americanus parvus Bishop, Northern Long-billed Curlew

Thirteen specimens of this species in the Louisiana State University Museum have been identified subspecifically (in part by J. Van Tyne) as follows: *N. a. americanus*—4 ♀, Cameron, November 21 and 22, 1940, and December 5, 1942. *N. a. parvus*—4 ♂, 1 ♀, Cameron, November 21 and 23, 1940, and April 11 and October 31, 1942; 1 ♀, East Timbalier Island, August 18, 1940. Three are intermediate in size and therefore not identifiable with certainty. Contrary to published accounts, the Long-billed Curlew is a fairly common migrant in certain parts of southern Louisiana. About seventy-five were counted on the beach near Cameron on November 1, 1941, and twenty-five were noted at the same place on December 6, 1942. Almost invariably a few are present there during every month of the year.

Charadrius alexandrinus nivosus (Cassin), Western Snowy Plover

Charadrius alexandrinus tenuirostris (Lawrence), Cuban Snowy Plover

Oberholser (*op. cit.*, 216-217) listed the Cuban Snowy Plover as a rare transient in Louisiana, and cited only four definite records based on three specimens. Our recent studies, however, have yielded twelve additional specimens and a number of sight records, all of which indicate that the

species is a regular and sometimes common migrant in spring and fall. Eleven specimens in the series are identifiable with certainty as examples of *nivosus* and therefore constitute an addition to the state list. They were taken at East Timbalier Island on November 15 and 16, 1940 (Burleigh, Lowery, and Ray), at Grand Isle on March 27, 1943 (Burleigh), and near Cameron on November 20 and 21, 1941, April 3 and October 17, 1942, and September 3, 1944 (Burdick, Howell, and Lowery). On April 29, 1945, Tucker saw twenty on the beach near Cameron, but he did not obtain a specimen. A single adult male in our series, taken on East Timbalier Island, on November 15, 1940 (Ray), is referable to *tenuirostris*.

Charadrius hiaticula semipalmatus Bonaparte, Semipalmated Plover

Oberholser (*op. cit.*, 218) made special mention of the absence of definite winter records for this species, but, in recent years, it has been noted on numerous occasions in Louisiana in that season. For example, ten were seen at Cameron on December 13, 1940, and the same number was noted there on January 22 and 23, 1941 (Lowery, *et al.*). A specimen was shot at Cameron on December 5, 1942 (Lowery).

Charadrius wilsonia wilsonia Ord, Wilson Plover

Oberholser's single winter record for this species (*op. cit.*, 220) has now been supplemented by two others—fifteen birds seen and three collected at Cameron on January 22, 1941 (Burleigh, Wallace, and Ray); one taken at the same place on December 5, 1942 (Burdick).

Pluvialis dominica dominica (Müller), American Golden Plover

The presence of the Golden Plover on the northern Gulf coast in winter already has been reported by Burleigh ("Bird Life of the Gulf Coast Region of Mississippi," *Occas. Papers Mus. Zoöl. La. State Univ.*, 20, 1944: 367), but since there are no published instances of its occurrence in Louisiana at that season, the following four specimens are noteworthy: two collected near Creole by Lowery and Ray on November 21, 1940; two others shot at the same place by Burdick and Tucker on December 6, 1942; and one seen, but not taken, near Cameron on November 22, 1941 (Lowery, *et al.*).

Erolia bairdii (Coues), Baird Sandpiper

Since there is only one previous definite record of the occurrence of this species in the state, the following records are significant. A male was obtained by Burdick at University, 3 miles south, on October 25, 1942. I saw three at the same place on October 29 and shot a male there on November 9. The only spring record is that of a bird seen by me at University, 1 mile south, on May 16, 1945.

Steganopus tricolor Vieillot, Wilson Phalarope

Apparently the first definite record of this species in the state is that of an adult female, in breeding plumage, shot by E. A. McIlhenny at Avery Island, Louisiana, on May 10, 1939, and later sent to the Louisiana State University Museum of Zoölogy. A second specimen, a male in winter plumage, was taken by Burdick 5 miles south of the University on September 12, 1943.

Limosa fedoa (Linnaeus), Marbled Godwit

This species was listed by Oberholser (*op. cit.*, 271) as a very rare winter resident along the Gulf coast region of southern Louisiana and he cited only two records of occurrence in the state. The following additional records should clarify its present-day status. In 1940 two were seen on East Timbalier Island on August 19, eight on November 15, and seventy-five on both November 16 and 17. Three were seen near Cameron on November 21, 1941. In 1942, two were seen near Cameron on April 4, five on April 5, three on April 11, two on April 22, and one on April 23. Another was noted near Cameron on October 7, 1943 (Lowery, *et al.*). A small series of specimens was taken from the birds mentioned above. In connection with this species, it may be of interest to note that the Hudsonian Godwit (*Limosa haemastica*) has not been observed in Louisiana by me or my associates.

Geococcyx californianus (Lesson), Road-runner

The Road-runner inhabits the northwestern part of the state where it has been reported for many years by local residents. However, since confirmation of its occurrence was lacking, previous publications on the birds of the state have not listed, it. The first definite record is that of a bird killed near Shreveport, on May 1, 1938, by an unspecified collector.

Another was shot four miles north of Keatchie, De Soto Parish, on July 9, 1943, by Delmer B. Johnson, at that time field biologist with the Louisiana Department of Wildlife and Fisheries. Both specimens are in the Louisiana State University Museum. Johnson states that he has seen the species on a number of occasions, specific records being in April and May, 1943, twelve miles east of Mansfield, and two miles east of Logansport. Various reports of nests have been received, but as yet no completely satisfactory breeding record for the state has been obtained.

***Columbigallina passerina pallescens* (Baird), Mexican Ground Dove**

The Louisiana State University Museum of Zoölogy now has a series of 21 specimens of *Columbigallina passerina* collected in Louisiana since the publication of Oberholser's book, in which only a few records for *C. p. passerina* alone are cited. Examination of the new material reveals that eleven specimens are clearly referable to *pallescens*, providing, therefore, an addition to the avifauna of the state. As might be expected, *pallescens* prevails in the western part of the state, although, at least occasionally, it migrates farther east. The specimens identifiable as *pallescens* are as follows: 7 ♂, 1 ♀, Cameron, April 3, 1938 (Lowery); December 15, 1940 (Wallace); November 1 and 20, 1941 (Burdick and Lowery); October 31, 1942 (Burdick and Tucker). Two females were taken at White Castle on January 18, 1938 (Hewes), and another was shot at Carville on January 15, 1941 (Lowery). No Louisiana breeding record for the species is yet available, but in 1939 I saw a pair in the last week of May at Baton Rouge, another near Plaquemine on May 17, 1946, and George M. Sutton and I noted a pair almost daily at Cameron between April 22 and 30, 1942. If the bird breeds in Cameron Parish, the nesting race may prove to be *pallescens*, since a bird taken there on April 3, as listed above, belongs to that subspecies.

***Chordeiles minor minor* (Forster), Eastern Nighthawk**

Since the one previous record (Oberholser, *op. cit.*, 348) of the occurrence of this subspecies in the state now proves to be an example of *C. m. howelli*, the following specimens, all taken after the publication of Oberholser's book, constitute the only Louisiana records: 4 ♂, 1 ♀, University, October 3, 5, 12, 23, 1941 (Burdick, Howell, Ray, and Lowery); 4 ♂, 1 ♀,

University, May 15, 18, 22, 30, 1942 (Burdick and Lowery); 1 ♂, Creole, September 2, 1944 (Burdick).

Chordeiles minor howelli Oberholser, Howell Nighthawk

The only state records known, all previously unpublished, are as follows: 1 ♀, Colfax, May 15, 1937 (Lowery); 2 ♂, 1 ♀, University, May 23 and 24 and October 3, 1941 (Ray and Lowery); 3 ♂, University, May 22 and 25, 1942 (Burdick); 1 ♂, Chloe, 10 miles south, April 28, 1945; 1 ♂, Creole, 2 miles west, April 30, 1945 (Tucker).

Chordeiles minor aserriensis Cherrie, Cherrie Nighthawk

Three specimens, one male and two females, taken from flocks of migrating nighthawks at University on September 29 and October 3 and 9, 1941 (Ray and Lowery), are the only records of the occurrence of this race in the state.

Chordeiles minor sennetti Coues, Sennett Nighthawk

A female taken at University on September 29, 1941 (Burdick), and a male shot at the same place on May 22, 1942 (Lowery), constitute the basis for the addition of this subspecies to the Louisiana list.

Chordeiles acutipennis texensis Lawrence, Texas Nighthawk

At dusk on April 10, 1942, in company with Burdick and Ray, I encountered a small flock of nighthawks feeding over the marsh near the beach a few miles from Cameron. Darkness came before more than two could be collected, but both of these proved to be the Texas Nighthawk, a species not heretofore recorded from Louisiana. On the following day a nighthawk was found perched in a tree near the marsh where the birds had been seen the previous evening. It was collected and likewise proved to be *texensis*.

Muscivora forficata (Gmelin), Scissor-tailed Flycatcher

The nesting of this species in northwestern Louisiana has been indicated for some time, especially after Wallace noted it at Lucas, in Caddo Parish, on June 16 and July 21, 1942. However, the first authentic breeding record for the state was furnished by a freshly built nest found by Edgar W. Fullilove and myself several miles below Bossier, on July 3, 1945. At least two pairs

were found there in a large cotton field in which an occasional pecan tree had been left standing. The nest was in one of these trees, about 25 feet from the ground and far out on the end of a limb. Fullilove informed me that to his knowledge the species had nested in this field for at least ten years and that on numerous previous occasions he had seen both nests and young.

Myiarchus cinerascens cinerascens (Lawrence), Ash-throated Flycatcher

The first record of the occurrence of this species in Louisiana is that of a male collected by Howell at University, on March 20, 1943. On December 23, 1945, I shot a second specimen, a female, on the bank of False River opposite New Roads. When found, both birds were actively pursuing insects and on being skinned, both were found to be very fat.

Empidonax flaviventris (Baird and Baird), Yellow-bellied Flycatcher

Oberholser (*op. cit.*, 394) listed this species as a rare autumn transient, citing one definite Louisiana record for that season. On the contrary, the species is quite regular in fall. Six specimens have been collected at University, one each on September 12, 17, 18, and 28, 1940, October 22, 1942, and September 26, 1943 (Lowery and Wallace). Two others have been taken at Cameron, on October 7, 1943 (Burleigh), and September 2, 1944 (Lowery). There are numerous sight records, but since the species cannot be distinguished with certainty in the field from extremely yellow-plumaged Acadian Flycatchers, none of these is recorded.

Empidonax traillii traillii (Audubon), Alder Flycatcher

This species long has been regarded as an uncommon transient in Louisiana in both spring and fall. However, recent field work has shown the bird to occur regularly and sometimes abundantly in autumnal migration. Forty-one specimens have been collected at University on dates ranging from August 17 to October 5 (Lowery, *et al.*). Specimens taken by Burleigh at New Orleans on September 27, 1941, and August 23, 1943, are in the Louisiana State University Museum.

Empidonax minimus (Baird and Baird), Least Flycatcher

Oberholser (*op. cit.*, 397) listed this species as an uncommon transient since he had only a few sight records at hand. Since field identification of all eastern empidonaces in fall is open to question, our recent data, based on collected material, are significant. Six specimens have been taken at University on dates ranging from September 15 to October 5, and five at Cameron between July 25 and October 17 inclusive (Lowery, *et al.*). Another specimen in the collection is that of a bird taken by Burleigh at New Orleans on October 1, 1942. There is, as yet, no unquestionable spring record for Louisiana.

Pyrocephalus rubinus mexicanus Sclater, Vermilion Flycatcher

Oberholser (*op. cit.*, 401) listed only one record for this species, a male observed by H. E. Wallace at University, on February 6, 1938, and shot the next day by me. Since 1938, however, it has been found regularly and frequently at numerous localities in southern Louisiana in winter. At Baton Rouge, for example, an adult male was noted almost daily between October 19, 1941, and January 7, 1942, at a small pond on the University campus. An immature male was seen there also on November 25, 1941, but not thereafter. In the following autumn another adult male appeared at the same place on October 23, and was observed regularly until January 15, 1943. Again, an adult male returned to the same area on November 10, 1943, and remained until the middle of January, 1944. W. C. Abbott informs me that for several years one or two individuals have spent the winter at a small willow-bordered pond at his home near Hopeville, Iberville Parish. Like the individuals noted at Baton Rouge, Abbott's birds arrived in October or November and remained until the following January or February. H. B. Chase, Jr., noted two individuals at City Park Lake in New Orleans in the winter of 1944-45, and three at the same place in the winter of 1945-46. I have seen the species frequently in Cameron Parish, in southwestern Louisiana, where six specimens have been collected on dates ranging from November 4 to January 22. Atwood (*Auk*, 60, 1943: 453) has also recorded its presence near the Laccasine Refuge in Cameron Parish. An immature male was obtained at False River, near Lakeland, in Pointe Coupee Parish, on November 8, 1942 (Burdick). E. A. McIlhenny writes me that he has seen the species many times at Avery Island and recently he sent me a skin of an adult female which he collected there on October 25, 1945 (also *cf.*

McIlhenny, Auk, 52, 1935: 187). From these data it is evident that the Vermilion Flycatcher is now a regular winter visitor to southern Louisiana.

Troglodytes troglodytes pullus (Burleigh), Southern Winter Wren

A rather large series of Winter Wrens, all taken later than the date of publication of Oberholser's book, includes three specimens of this race and provides an addition to the state list. Two of the specimens are males collected at Baton Rouge on November 23 and December 21, 1943 (Burleigh), and the other is a male shot at the same place on January 23, 1944 (Burdick). Several additional specimens in the series are noticeably darker than the average *hiemalis* and may have migrated from a zone of intergradation.

Turdus migratorius nigrideus Aldrich and Nutt, Newfoundland Robin

The only two records for the occurrence of this race in Louisiana are those of specimens taken at Baton Rouge on February 1, 1937, and February 9, 1946 (Lowery).

Hylocichla ustulata swainsoni (Tschudi), Eastern Olive-backed Thrush

Hylocichla ustulata almae Oberholser, Alma Olive-backed Thrush

Only four Louisiana specimens of the Olive-backed Thrush were available to Oberholser in 1938. He identified two as *swainsoni* and two as *almae*. We have since collected twenty-five specimens in the state, seven of which are definitely *almae*. Of the remaining, all are clearly *swainsoni* with the exception of a few that appear intermediate in color. The specimens of *almae* were collected at Cameron, Baton Rouge, and Baines on dates ranging from April 26 to May 16 and from September 29 to October 6. The specimens of *swainsoni* were taken at New Orleans, Port Hudson, Baton Rouge, and Baines between April 20 and May 16 and between September 12 and October 28.

Hylocichla fuscescens salicicola Ridgway, Willow Thrush

Oberholser (*op. cit.*, 474) recorded this race as a rare spring transient on the basis of two records. However, eleven out of twenty-three recently taken specimens are referable to *salicicola*, indicating that *salicicola* and

fuscescens possibly occur in approximately equal numbers, in both spring and fall. The dates on which *salicicola* have been collected range from April 22 to May 16, and from September 14 to 27. They were taken at Cameron, Port Hudson, Baton Rouge, University, and Baines.

***Anthus spinoletta pacificus* Todd, Western Pipit**

The only Louisiana record for this far western race is that of a female taken by me at Jennings, on January 3, 1943. The specimen was sent to Alden H. Miller, who compared it with material in the Museum of Vertebrate Zoölogy and verified the identification. As a rule, I scrutinize closely with binoculars all flocks of pipits, and as a result, on several occasions have detected pale individuals that stood out from the remainder of the flock. However, the above-mentioned specimen is the only individual so detected that I succeeded in shooting.

***Vireo solitarius alticola* Brewster, Mountain Vireo**

Four specimens out of a series of twenty-eight Blue-headed Vireos taken in Louisiana since 1938 are referable to this race. It has not been recorded previously from the state. The specimens consist of a male and a female collected at Bogalusa on February 9, 1939, a male taken at Tunica on March 30, 1939, and a female at Erwinville on March 11, 1941 (Lowery).

***Helmitheros vermivorus* (Gmelin), Worm-eating Warbler**

Although there are no published nesting records of this species in Louisiana, it is now known to be a common summer resident in the beech-magnolia forests of the Bayou Sara-Tunica Hills section north of St. Francisville. Jas. Hy. Bruns has supplied me with copious data on the birds seen in the nesting season at Baines, and the two of us have spent a great deal of time searching for a nest, without success. However, Bruns obtained a juvenile female, just out of a nest, on June 28, 1942.

***Seiurus aurocapillus furvior* Batchelder, Newfoundland Oven-bird**

***Seiurus aurocapillus cinereus* A. H. Miller, Gray Oven-bird**

Four specimens in our series of Oven-birds are identifiable without question as examples of *furvior*. Two were collected by me at University on

September 15 and 25, 1940, and Tucker shot one there on September 27, 1942, and another at Cameron on April 29, 1945. There are also two specimens in the series referable to *cinereus*, as well as several that are intermediate between *cinereus* and *S. a. aurocapillus*. Burdick shot one of the typical examples of *cinereus* at University on September 24, 1942, and I shot the other at the same place on May 16, 1945.

Seiurus noveboracensis noveboracensis (Gmelin), Northern Water-thrush

Seiurus noveboracensis limnaeus McCabe and Miller, British Columbia
Water-thrush

A. H. Miller has recently examined our large series of migrant Water-thrushes and identified three as good examples of *limnaeus*, and six as *noveboracensis*, neither one of which has been recorded previously from the state. The specimens of *limnaeus* were taken at or near University on October 2, 1942 (Howell), October 12, 1943, and May 11, 1945 (Burleigh). The specimens of *noveboracensis* were collected at University on September 14, 1941 (Lowery); at Baines on September 4, 1943, August 20, 1944, and May 6, 1945 (Bruns); at New Orleans on October 20, 1941 (Burleigh); and at Cameron on April 26, 1942 (Lowery).

Geothlypis trichas occidentalis Brewster, Western Yellow-throat

I have found it impracticable to determine subspecifically every specimen in our series of 104 Yellow-throats from Louisiana. However, two female specimens taken by me, one at Cameron on December 4, 1938, and the other on False River at Lakeland on February 11, 1941, are without doubt representatives of the race now known as *occidentalis*, a subspecies not previously recorded from this state. Several additional specimens in the series are probably also of that race, but I am deferring, for the time, recording them as such.

Icteria virens virens (Linnaeus), Yellow-breasted Chat

The only winter record for Louisiana is that of a female taken by me at Hackberry on January 24, 1941.

Wilsonia pusilla pusilla (Wilson), Wilson Warbler

The only winter record for the state is that of a female shot by T. D. Burleigh on December 20, 1944, in a thicket along the Mississippi River at University. He first found the bird at this place in November, and he saw it several times in December before he succeeded in obtaining it. Since Oberholser cited so few Louisiana records, it might be well to mention in this connection that the species is after all a fairly common fall migrant in southern Louisiana. At Baton Rouge it occurs regularly between September 11 and October 24, and at Cameron it has been noted between October 17 and November 21. There are still no spring records for southern Louisiana.

Sturnella neglecta Audubon, Western Meadowlark

In 1938 Oberholser cited only two Louisiana records, both from the northwestern part of the state. However, recently the species has been found in the south-central region. Two were collected at Churchill on February 11, 1941 (Lowery and Wallace), and another was shot at University on December 9, 1942 (Burdick). There are in addition several sight records, all of birds in song.

Cassidix mexicanus prosopidicola Lowery, Mesquite Great-tailed Grackle

I am indebted to E. A. McIlhenny for material that now permits the definite recording of this subspecies from Louisiana. On occasions during the winters of 1938, 1939, and 1940, McIlhenny sent me specimens of grackles in the flesh which he had removed from his bird-banding traps at Avery Island. Selection was based primarily on eye-color; individuals with clear yellow irises proved invariably to be examples of *prosopidicola*, whereas those with brown or yellow-brown irises were always *major*. The final basis for sub-specific identification was, however, size and plumage color. The series provided by McIlhenny consists of six females taken on November 24 and December 20, 1938, December 18, 1939, January 22 and March 5, 1940. Since the range in Texas of typical *prosopidicola* extends eastward to within thirty miles of the Louisiana line, it is not surprising that occasional individuals or flocks wander into Louisiana in winter.

Passerculus sandwichensis mediogriseus Aldrich, Southeastern Savannah Sparrow

Passerculus sandwichensis labradorius Howe, Labrador Savannah
Sparrow

Passerculus sandwichensis nevadensis Grinnell, Nevada Savannah
Sparrow

Our series of 107 Savannah Sparrows, collected in Louisiana almost entirely since the publication of Oberholser's book, includes representatives of five geographical races, as follows: 37 *savanna*, 24 *oblitus*, 12 *mediogriseus*, 8 *labradorius*, and 7 *nevadensis*. The remaining 19 specimens show various combinations of characters and appear to be intergrades, and so have not been assigned definitely to any one race. I am indebted to James L. Peters for the identification of most of our specimens. Since *mediogriseus* and *labradorius* have not been reported previously from Louisiana, and since there is only one Louisiana record of *nevadensis* (Miles, Auk, 60, 1943: 606-607), actual dates and localities of occurrence for these races are listed here. *P. s. mediogriseus* (specimens by Burdick, Howell, Lowery, Ray, Tucker, and Wallace)—University, January 31, 1939; February 11 and 29, April 29, November 28, and December 16, 1940; December 6 and 7, 1941; October 10 and 25, 1942; April 14, 1943. Erwinville, March 11, 1941. *P. s. labradorius* (specimens by Burleigh, Lowery, McIlhenny, Ray and Wallace)—University, February 15 and November 8, 1940; January 1, 1941; December 11, 1943. 2 mi. NE Baton Rouge, January 1, 1941. Burtville, December 8, 1939. Avery Island, May 3, 1939. Lake Charles, November 20, 1940. *P. s. nevadensis* (specimens by Burdick, Lowery, and Wallace)—Iowa Station, January 23 and 24, 1940. University, February 10 and March 10, 1940. University, December 7, 1941, and November 15, 1942. Cameron, December 6, 1942. There are at present no *bona fide* records of *P. s. anthinus* in Louisiana, since the one recorded example of that race (Oberholser, *op. cit.*, 647) appears, on reëxamination, to be referable to *savanna* (*fide* J. L. Peters).

Ammodramus savannarum pratensis Vieillot, Eastern Grasshopper
Sparrow

Eight specimens of the Grasshopper Sparrow taken recently in Louisiana are without exception referable to *pratensis*. Our one remaining specimen, a male collected at Pride on December 19, 1937, is an example of *perpallidus*

as recorded by Oberholser (*op. cit.*, 648). Although the present series is inadequate for determining the prevailing form in the state in the winter, it would appear that *pratensis* is more common, rather than *perpallidus* as indicated by Oberholser.

Chondestes grammacus strigatus Swainson, Western Lark Sparrow

Oberholser cited only one Louisiana record for this race. The following additional records are now available: a specimen was taken by Howell at Cameron on October 31, 1942, and one was obtained by me at University on April 13, 1945. The species is a transient in both localities. A supplementary winter record for the Lark Sparrow in Louisiana is that of an individual seen at Port Hudson on December 23, 1945, by Howell and Newman. The bird was shot, but unfortunately, it was not retrieved.

Junco hyemalis cismontanus Dwight, Cassiar Junco

The only specimen in our series of Slate-colored Juncos that is a clear-cut example of this race is a male taken by Ambrose Daigre at Catahoula Lake on November 29, 1939. A. H. Miller has confirmed the identification.

Calcarius lapponicus alascensis Ridgway, Alaska Longspur

Oberholser listed this species as a casual winter visitor in northern Louisiana, which was possibly no more than was indicated by records then available to him. Since 1938, however, the species has been observed in large flocks at various localities in the southern part of the state, notably in January, 1941, when the whole state was blanketed with snow. Nevertheless, snow is apparently not prerequisite to the appearance of the species this far south, for on January 1 and 3, 1943, a flock of approximately a thousand individuals was seen a few miles north of Jennings. Again, on February 14, 1943, about half of what may have been the original flock was observed there. In neither instance was there snow anywhere in Louisiana. Of the thirty specimens in the Louisiana State University Collection, eleven have been identified by Alexander Wetmore as somewhat intermediate between *alascensis* and *lapponicus*, but closer to the former. Only *lapponicus* has been previously recorded from Louisiana. The specimens of *alascensis* were taken at Baton Rouge on January 25 and 28, 1940; Cornor, January 27, 1940; Lottie, January 27, 1940; and 10 miles

north of Jennings, January 1 and February 14, 1943 (Burdick, Campbell, Hewes, Lowery, and Wallace).

Transmitted February 1, 1947.

21-6959

*** END OF THE PROJECT GUTENBERG EBOOK ADDITIONS TO
THE LIST OF THE BIRDS OF LOUISIANA ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.