


Index to University of Kansas Publications, Museum of Natural History, Volume 1

University of Kansas et al.

An abstract geometric pattern composed of various shapes including triangles, squares, circles, and lines, arranged in a complex, overlapping manner. The colors used are red, green, and blue, set against a black background.

Project Gutenberg

Index to University of Kansas Publications, Museum of Natural History, Volume 1

University of Kansas et al.

Project Gutenberg

The Project Gutenberg eBook of Index to University of Kansas Publications, Museum of Natural History, Volume 1

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Index to University of Kansas Publications, Museum of Natural History, Volume 1

Author: University of Kansas

Editor: Donald S. Farner
E. Raymond Hall
Donald Frederick Hoffmeister
Henry Higgins Lane
A. Byron Leonard
Edward Harrison Taylor
Robert W. Wilson

Release date: August 28, 2011 [eBook #37228]
Most recently updated: January 8, 2021

Language: English

Other information and formats: www.gutenberg.org/ebooks/37228

Credits: Produced by Chris Curnow, Tom Cosmas, Joseph Cooper and the Online Distributed Proofreading Team at <https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK INDEX TO
UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL
HISTORY, VOLUME 1 ***

**UNIVERSITY OF KANSAS PUBLICATIONS
MUSEUM OF NATURAL HISTORY**

VOLUME 1

1946-1950

EDITORS

E. RAYMOND HALL

DONALD S. FARNER

A. BYRON

LEONARD

DONALD F.
HOFFMEISTER

EDWARD H.
TAYLOR

H. H. LANE

ROBERT W. WILSON

MUSEUM OF NATURAL HISTORY
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS
1950

MUSEUM OF NATURAL HISTORY
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS

PRINTED BY
FERD VOILAND, JR., STATE PRINTER
TOPEKA, KANSAS
1950



23-2413

CONTENTS

1. The pocket gophers (genus *Thomomys*) of Utah. By Stephen D. Durrant. Pp. 1-82, 1 figure in text. August 15, 1946.
2. The systematic status of *Eumeces pluvialis* Cope, and noteworthy records of other amphibians and reptiles from Kansas and Oklahoma. By Hobart M. Smith. Pp. 85-89. August 15, 1946.
3. The tadpoles of *Bufo cognatus* Say. By Hobart M. Smith. Pp. 93-96, 1 figure in text. August 15, 1946.
4. Hybridization between two species of garter snakes. By Hobart M. Smith. Pp. 97-100. August 15, 1946.
5. Selected records of reptiles and amphibians from Kansas. By John Breukelman and Hobart M. Smith. Pp. 101-112. August 15, 1946.
6. Kyphosis and other variations in soft-shelled turtles. By Hobart M. Smith. Pp. 117-124, 3 figures. July 7, 1947.
7. Natural history of the prairie vole (Mammalian genus *Microtus*). By E. W. Jameson, Jr. Pp. 125-151, 4 figures in text. October 6, 1947.
8. The postnatal development of two broods of great horned owls (*Bubo virginianus*). By Donald F. Hoffmeister and Henry W. Setzer. Pp. 157-173, 5 figures in text. October 6, 1947.
9. Additions to the list of the birds of Louisiana. By George H. Lowery, Jr. Pp. 177-192. November 7, 1947.
10. A check-list of the birds of Idaho. By M. Dale Arvey. Pp. 193-216. November 29, 1947.

11. Subspeciation in pocket gophers of Kansas. By Bernardo Villa R. and E. Raymond Hall. Pp. 217-236, 2 figures in text. November 29, 1947.
12. A new bat (Genus *Myotis*) from Mexico. By Walter W. Dalquest and E. Raymond Hall. Pp. 237-244, 6 figures in text. December 10, 1947.
13. *Tadarida femorosacca* (Merriam) in Tamaulipas, Mexico. By Walter W. Dalquest and E. Raymond Hall. Pp. 245-248, 1 figure in text. December 10, 1947.
14. A new pocket gopher (*Thomomys*) and a new spiny pocket mouse (*Liomys*) from Michoacán, México. By E. Raymond Hall and Bernardo Villa-R. Pp. 249-256, 6 figures in text. July 26, 1948.
15. A new hyloid frog from eastern Mexico. By Edward H. Taylor. Pp. 257-264, 1 figure in text. August 16, 1948.
16. A new extinct emydid turtle from the Lower Pliocene of Oklahoma. By Edwin C. Galbreath. Pp. 265-280, 1 plate. August 16, 1948.
17. Pliocene and Pleistocene records of fossil turtles from western Kansas and Oklahoma. By Edwin C. Galbreath. Pp. 281-284, 1 figure in text. August 16, 1948.
18. A new species of heteromyid rodent from the Middle Oligocene of northeast Colorado with remarks on the skull. By Edwin C. Galbreath. Pp. 285-300, 2 plates. August 16, 1948.
19. Speciation in the Brazilian spiny rats (Genus *Proechimys*, Family Echimyidae). By João Moojen. Pp. 301-406, 140 figures in text. December 10, 1948.
20. Three new beavers from Utah. By Stephen D. Durrant and Harold S. Crane. Pp. 407-417, 7 figures in text. December 24, 1948.
21. Two new meadow mice from Michoacán, México. By E. Raymond Hall. Pp. 423-427, 6 figures in text. December 24, 1948.
22. An annotated check list of the mammals of Michoacán, México. By E. Raymond Hall and Bernardo Villa-R. Pp. 431-472, 2 plates, 1 figure in text. December 27, 1949.
23. Subspeciation in the kangaroo rat, *Dipodomys ordii*. By Henry W. Setzer. Pp. 423-573, 27 figures in text, 7 tables. December 27, 1949.
24. Geographic range of hooded skunk, *Mephitis macroura*, with description of a new subspecies from Mexico. By E. Raymond Hall and Walter W. Dalquest. Pp. 575-580, 1 figure in text. January 20, 1950.

25. *Pipistrellus cinnamomeus* Miller 1902 referred to the genus *Myotis*. By E. Raymond Hall and Walter W. Dalquest. Pp. 581-590, 5 figures in text. January 20, 1950.
26. A synopsis of the American bats of the genus *Pipistrellus*. By E. Raymond Hall and Walter W. Dalquest. Pp. 591-602, 1 figure in text. January 20, 1950.
- Index pp. 605-638.

INDEX TO VOLUME 1

New systematic names are in **boldface** type

Quick Jump Menu

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#)

[N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [Y](#) [Z](#)

A

absonus, *Thomomys bottae*,
71

acadicus, *Aegolius*, 204

Acanthis flammea flammea,
211

acanthopus, *Hoplopleura*,
141

Accipiter,

cooperi, 198

gentilis, 198

striatulus, 198

albispinus,

Echimys, 388

Proechimys, 390

albociliatus, *Phalacrocorax*

auritus, 196

albolarvatus, *Dendrocopos*,
205

Alcántar, Roberto, 435

Alcorn, J. R., 435

alcyon, *Megaceryle*, 204

alder flycatcher, 187

Alexander, Annie M., 435

striatus, 198
 velox, 198
Acris crepitans, 104
Actitis macularia, 201
acuta, *Anas*, 197
acutipennis, *Chordeiles*, 186
acutus, *Liomys irroratus*,
 253, 455
adocetus, *Citellus adocetus*,
 450
Aechmophorus occidentalis,
 196
aëdon, *Troglodytes*, 207
Aegolius,
 acadicus, 204
 funereus, 203
 richardsoni, 203
aegypticus, *Trionyx*, 122
Aëronautes saxatalis
saxatalis, 204
affinis, *Aythya*, 198
Agelaius phoeniceus, 168
agilis,
 Dipodomys, 477
 Dipodops, 477
Agkistrodon mokeson, 111
agrestis, *Microtus*, 142
Agropyron repens, 133
Aix sponsa, 197
alascensis, *Calcarius*
lapponicus, 191, 212
 Alaska,
 hermit thrush, 208
 longspur, 191, 212
 three-toed woodpecker,
 205
alba,
 alexandrae, *Thomomys bottae*,
 72
 alexandri, *Archilochus*, 204
 alexandrinus,
 Charadrius, 183
 Rattus rattus, 468
 alfalfa, 133
 algodonera, *rata*,
 leonada, 465
 setosa, 465
 alleni, *Liomys irroratus*, 253,
 455
 almae, *Hylocichla ustulata*,
 188, 208
 alpestris, *Eremophila*, 205
 alpine three-toed woodpecker,
 205
 alticola,
 Melospiza lincolnnii, 212
 Vireo solitarius, 188
 altipetens, *Lagopus leucurus*,
 200
 amátze, 446
 Ambrosia,
 artemisiifolia, 136
 trifida, 134
 Ambystoma,
 mavortium, 103
 texanum, 103
 tigrinum, 103
 American,
 bittern, 196
 coot, 200
 golden-eye, 198
 hawk owl, 203
 magpie, 206
 merganser, 198

Melilotus, 133
Tyto, 263
albeola, Glaucionetta, 198
albescens, Myotis, 239
albicaudatus, Thomomys
bottae, 37
albicollis, Zonotrichia, 212
albifrons,
 Anser, 197
 Petrochelidon pyrronota,
 206
albipes, Sciurus, 450
albispinosus, Echimys, 390

americanus,
 Bufo, 103
 Coccyzus, 202
 Mergus merganser, 198
 Numenius, 183, 201
Ammodramus,
 pratensis, 191
 savannarum, 168, 191
amoena,
 Carphophis, 107
 Passerina, 210
amoenissima, Polioptila
caerulea, 208
amphichoricus, Proechimys,
344
Amphispiza,
 belli, 212
 nevadensis, 212
Amyda,
 cartilagineus, 122
 ferox, 120
 mutica, 112, 119
 sinensis, 119

pintail, 197
raven, 206
redstart, 210
rough-legged hawk, 199
americana,
 Aythya, 197
 Fulica, 168, 200
 Glaucionetta, 198
 Mareca, 197
 Recurvirostra, 201

arabupu, Proechimys, 369
arborea, Spizella, 212
arboricola, ardilla, 450, 451
Archilochus alexandri, 204
arctic,
 horned owl, 203
 three-toed woodpecker, 205
 towhee, 211
arcticus,
 Picoïdes, 205
 Pipilo maculatus, 211
Ardea,
 herodias, 196
 treganzai, 196
ardilla,
 arboricola, 450, 451
 de pedregal, 449
arescens, Proechimys, 366
argentatus,
 Larus, 202
 Myotis, 239
Aristada oligantha, 132
arizonae, Spizella passerina,

spinifera, 112, 119
 steindacheneri, 119
 analogous,
 Baiomys taylori, 460
 Peromyscus taylori, 460
Anas,
 acuta, 197
 carolinensis, 197
 cyanoptera, 197
 discors, 168, 197
 platyrynchos, 197
 strepera, 197
 tzitzihua, 197
anatum, *Falco peregrinus*,
 199
Andropogon furcatus, 132
angustifrons, *Spilogale*
angustifrons, 447
angustirostris,
 Cratogeomys, 452
 Platygeomys, 452
annectens, *Cyanocitta*
stelleri, 206
annua, *Poa*, 133
Anser albifrons, 197
anthracinus, *Eumeces*, 87
Anthus,
 pacificus, 188, 208
 spinoletta, 188, 208
angulatus, *Tayassu*, 469
aparine, *Galium*, 133
apásr, 447
apatze, 446
apatzee, 447
Aphelocoma,
 coerulescens, 206
 woodhousei, 206
 212
armadillo, 470
arnyi, *Diadophis punctatus*,
 107
arrocera,
 pigmea, *rata*, 465
 tropical, *rata*, 464
artemisiae, *Molothrus ater*, 210
artemisiifolia, *Ambrosia*, 136
Articholaelaps,
 glasgowi, 142
 sigmodoni, 142
Artibeus,
 hirsutus, 442
 planirostris planirostris, 442
artichoke, Jerusalem, 135
arvensis, *Sonchus*, 136
Arvey, M. Dale, a check-list of
 birds of Idaho, 195
Ascoschöngastia brevipes, 143
aserriensis, *Chordeiles minor*,
 186
ash-throated flycatcher, 186,
 205
Asio,
 flammeus, 203
 otus, 203
 wilsonianus, 203
asio, *Otus*, 203
astutus, *Bassariscus*, 447
Asyndesmus lewis, 204
Atalapha mexicanus, 444
ater, *Molothrus*, 210
atrata, *Leucosticte*, 211
atratus, *Sigmodon hispidus*,
 466
atricapillus, *Parus*, 206

Apodemus sylvaticus, 142
apus, *Pipistrellus hesperus*,
597
aquaticus, *Scalopus*, 137
Aquila,
 canadensis, 199
 chrysaëtos, 199

auduboni,
 Dendroica, 209
 Hylocichla guttata, 208
aura, *Cathartes*, 198
aureiventris, *Thomomys*
bottae, 28
aureus, *Thomomys bottae*,
61
auritus,
 Colymbus, 196
 Phalacrocorax, 196
aurocapillus, *Seiurus*, 189
australis, *Pipistrellus*
hesperus, 597
avocet, 201
Aythya,
 affinis, 198
 americana, 197
 collaris, 197
 marila, 198
 valisineria, 197

B

baileyi, *Myotis*, 587
Baiomys,
 analogus, 460
 musculus, 460
 taylori, 460
Baird sandpiper, 184
bairdii, *Erolia*, 184

attenuatus, *Dipodomys ordii*,
553

Audubon,
 hermit thrush, 208
 warbler, 209

Beals, Ralph L., 435
belli, *Amphispiza*, 212
bellii, *Chrysemys picta*, 112
Bendire crossbill, 211
bendirei,
 Falco columbarius, 199
 Loxia curvirostra, 211
Bent crossbill, 211
benti, *Loxia curvirostra*, 211
bernicla, *Branta*, 197
bicolor,
 Iridoprocne, 206
 Perisoreus canadensis, 206
big,
 brown bat, 444
 leaf-nosed bat, 442
birdseyi, *Thomomys bottae*, 63
bistincta, *Hyla*, 261
bittern, *American*, 196
black,
 rat, 468
 snake, 108
 tern, 202
black-billed cuckoo, 202
black-bellied plover, 200
black-capped chickadee, 206
black-chinned hummingbird,
204
black-eared,

Balantiopteryx plicata, 440
bald eagle, 199
baldpate, 197
baileyi, Castor canadensis,
410
banderanus, Peromyscus
banderanus, 463
band-tailed pigeon, 202
bank swallow, 206
barn,
 owl, 203
 swallow, 206
Barrow golden-eye, 198
bassanus, Morus, 180
Bassariscus,
 astutus, 447
 consitus, 447
bat,
 big brown, 444
 big leaf-nosed, 442
 brown, big, 444
 cave, 443
 free-tailed, Mexican, 445
 hoary, 445
 long-eared, 445
 long-tongued, 440, 441
 leaf-nosed, 441, 442
 mastiff, 445
 new from Mexico, 239
 red, 444
 sac-winged, 440
 vampire, 443
 Yuma, 443
Batchelder woodpecker, 205

bombifrons, Scaphiopus, 103
Bombycilla,

 deer mouse, 464
 nuthatch, 207
black-headed,
 jay, 206
 snake, 110
black-necked stilt, 201
black-throated gray warbler,
209
blackbird,
 Brewer, 210
 yellow-headed, 210
blackish mouse, 463
Blarina,
 brevicauda, 137
 pergracilis, 440
blue,
 grouse, 199
 heron, 196
 racer, 107
blue-winged teal, 168
bluebird,
 mountain, 208
 western, 208
bluegrass, 132
bluejoint, 132
bob-white, Texas, 200
bobcat, 449
bobolink, 210
Bohemian waxwing, 208
boimensis, Proechimys, 350
bolivianus, Proechimys, 316
bonafidei, Proechimys, 378
Bonaparte gull, 202

brooksi, Hesperiphona
 vespertina, 210

cedrorum, 208
garrulus, 208
pallidiceps, 208
Bonasa,
 incanus, 200
 phaia, 199
 umbelloides, 199
 umbellus, 199
bonnevillei, Thomomys
bottae, 41
booby, red-footed, 180
Borbolla, Prof. Daniel Rubin
F. de la, 435
borealis,
 Lasiurus, 444
 Nuttallornis, 205
Botaurus lentiginosus, 196
bottae, Thomomys, 28
box turtle, 111
boylei, Peromyscus, 461
boylii, Peromyscus, 461
brachycephala, Rana pipiens,
104
brachyrynchos, Corvus, 206
Branta,
 bernicla, 197
 canadensis, 196
 canadensis hutchinsii, 182
 hutchinsii, 182, 197
 leucopareia, 197
 moffitti, 196
 nigricans, 197
 occidentalis, 196
Brazilian spiny rats, 303
breñero, ratón, 461
Breukeleman, John and
 Hobart M. Smith, selected
brown,
 bat, big, 444
 thrasher, 168
 brunnescens, Lophortyx
 californica, 200
brush mouse, 461
Bubo,
 lagophonus, 203
 occidentalis, 203
 pacificus, 166
 virginianus, 159, 203
 wapacuthu, 203
buccinator, Cygnus, 196
Buenrostro, Sr. Efrain, 435
buffle-head, 198
Bufo,
 americanus, 103
 cognatus, 95, 104
 compactilis, 96
 woodhousii, 104
bulbivorus, Thomomys
talpoides, 3
bull snake, 108
bullfrog, 104
Bullock oriole, 210
bullocki, Icterus, 210
bunting,
 eastern snow, 213
 lark, 211
 lazuli, 210
 snow, 213
burrowing owl, 203
burrus, Proechimys, 316
bursarius, Geomys, 222
bush-tit, lead-colored, 207
Buteo,
 calurus, 198

records of reptiles and
amphibians from Kansas,
103
brevicauda,
 Blarina, 137
 Proechimys, 349
breviceps, Geomys, 219
brevipes, Ascoschönagastia,
143
Brewer,
 blackbird, 210
 sparrow, 212
breweri, Spizella, 212
Brewster,
 egret, 196
 screech owl, 203
brewsteri,
 Leucophoyx thula, 196
 Otus asio, 203
broad-tailed hummingbird,
204
broad-winged hawk, 198
brome, smooth, 133
Bromus,
 carinatus, 133
 inermis, 133
bronzed grackle, 168

calendula, Regulus, 208
calidior, Proechimys, 316
California,
 cuckoo, 202
 gull, 202
 murciélago, 444
 myotis, 444
 pygmy owl, 203
 shrike, 209

jamaicensis, 198
lagopus, 199
lineatus texanus, 183
platypterus, 198
regalis, 199
s[ancti].-johannis, 199
swainsoni, 199
texanus, 183

C

cacomixtle, 447
caerulea, Polioptila, 208
Cafer,
 cafer, 204
 canescens, 204
 collaris, 204
cafer, Colaptes, 204
cagottis,
 Canis latrans, 449
 Lyciscus, 449
cajennensis, Echinomys, 387
Calamospiza melanocorys, 211
Calaveras warbler, 209
Calcarius,
 alascensis, 191, 212
 lapponicus, 191, 212

Carpodacus,
 cassinii, 210
 mexicanus, 210
 solitudinis, 210
Carpophis,
 amoena, 107
 vermis, 107
cartilagineus, Amyda, 122
casero, ratón, 468

californica, Lophortyx, 200
 californicum, Glaucidium
 gnoma, 203
 californicus,
 Colymbus nigricollis, 196
 Geococcyx, 184
 Larus, 202
 Microtus, 142
 Myotis, 444
 calligaster, Lampropeltis,
 108
 calliope,
 hummingbird, 204
 Stellula, 204
 callotis, Lepus, 469
 calurus, Buteo jamaicensis,
 198
 Canachites franklinii, 199
 Canada goose, 196
 canadensis,
 Aquila chrysaëtos, 199
 Branta, 182, 196
 Castor, 409
 Grus, 200
 Perisoreus, 206
 Sitta, 207
 canescens,
 Cafer cafer, 204
 Didelphis (Micoureus), 439
 Marmosa, 439
 caniceps, Junco, 212
 canicollis, Proechimys, 315
 Canis,
 cagottis, 449
 latrans, 449
 cantabrigensis, Rana
 sylvatica, 104
 caspia, Hydroprogne, 202
 Caspian tern, 202
 Cassiar junco, 191
 Cassidix,
 mexicanus, 190
 prosopidicola, 190
 Cassin,
 purple finch, 210
 vireo, 209
 cassinii,
 Carpodacus, 210
 Vireo solitarius, 209
 Castor,
 baileyi, 410
 canadensis, 409
 concolor, 410
 duchesnei, 413
 frondator, 409
 pallidus, 409
 rostralis, 411
 taylori, 410
 repentinus, 409
 cat, ring-tailed, 447
 catbird, western, 207
 catenatus, Sistrurus, 111
 catenifer, Pituophis, 108
 catesbeiana, Rana, 104
 Cathartes aura teter, 198
 Catherpes,
 griseus, 207
 mexicanus, 207
 Catoptrophorus,
 inornatus, 201
 semipalmatus, 201
 caurina,
 Certhia familiaris, 2-7
 Megaceryle alcyon, 204

canvas-back, 197
canyon wren, northern, 207
caparoch, *Surnia ulula*, 203
Capella,
 delicata, 201
 gallinago, 201
Cardenas, General Lazaro,
435
carilargo, *murciélargo*, 441
carinatus, *Bromus*, 133
carissima, *Myotis lucifugus*,
585
carolina, Porzana, 168, 200
carolinense, *Solanum*, 135
carolinensis,
 Anas, 197
 Dumetella, 207
 Pandion haliaetus, 199
 Sitta, 207
 Vesperugo, 599

Certhia,
 caurina, 207
 familiaris, 207
Chaetura, *vauxi*, 204
chaparral, *ratón de*, 461
chapmani,
 Cricetodipus, 536
 Dipodomys ordii, 536
 Perodipus, 536
Charadrius,
 alexandrinus, 183
 hiaticula, 183
 nivosus, 183
 semipalmatus, 183
 tenuirostris, 183
 vociferus, 200

caurinus, *Turdus migratorius*,
208
cave bat, 443
cayennensis,
 Echimys, 351
 Proechimys, 314
cedar waxwing, 208
cedrorum, *Bombycilla*, 208
celata, *Vermivora*, 209
celeripes, *Dipodomys ordii*,
549
centralis,
 Proechimys, 316
 Thomomys bottae, 44
Centrocercus urophasianus,
200
Cercomys, 321

Cinclus,
 mexicanus, 207
 unicolor, 207
cinderensis, *Dipodomys ordii*,
540
cineraceus,
 Dipodomys ordii, 550
 Regulus calendula, 208
cinereoargenteus, *Urocyon*,
448
cinereus, *Lasiurus cinereus*,
445
cinnamomea, *Tringa solitaria*,
201
cinnamomeus,
 Mus, 392

wilsonia, 184
chat,
 long-tailed, 209
 yellow-breasted, 189
Chelonia, 284
Chelydra, 284
 serpentina, 111
Chen,
 hyperborea, 197
 rossi, 197
Cherrie nighthawk, 186
cherriei, Proechimys, 316
chestnut-backed chickadee,
207
chickadee,
 black-capped, 206
 chestnut-backed, 207
Columbian black-capped,
206
chipping sparrow, 212
chiriquinus, Proechimys, 316
Chlidonias,
 nigra, 202
 surinamensis, 202
Chlorura chlorura, 211
chlorura, Chlorura, 211
Choeronycteris mexicanus,
441
Chondestes,
 grammacus, 191, 211
 strigatus, 191, 211
Chordeiles,
 acutipennis, 186
 aserriensis, 186
 hesperis, 204
 howelli, 185
 minor, 185, 186, 204

Myotis, 585
Pipistrellus, 593
Pipistrellus, referred to the
 genus Myotis, 583
Vespertilio, 585
Circus,
 cyaneus, 199
 hudsonius, 199
cismontanus, Junco hyemalis,
191, 212
Citellus,
 adocetus, 450
 tridecimlineatus, 143
 variegatus, 449
clangula, Glaucionetta, 198
Clark nutcracker, 206
cleavers, 133
Clethrionomys glareolus, 142
cliff swallow, 164, 206
clover, 132
clusius, Thomomys, 17
clypeata, Spatula, 197
Cnemidophorus sexlineatus,
106
coachwhip, 108
coati, 446
Coccyzus,
 americanus, 202
 erythrophthalmus, 202
 occidentalis, 202
coerulescens, Aphelocoma,
206
cognatus, Bufo, 95, 104
cola blanca, venado, 470
colchicus, Phasianus, 200
colimensis, Urocyon

sennetti, 186
texensis, 186
chrysaëolus, Proechimys, 316
chrysaëtos, Aquila, 199
Chrysemys,
 bellii, 112
 limnodytes, 269
 picta, 112, 270
 timida, 272
chrysopsis,
Reithrodontomys, 459
cinarascens, Myiarchus, 186, 205

coludo, murciélago, 445
Columba,
 fasciata, 202
 livia, 168
columbarius, Falco, 199
Columbian,
 black-capped chickadee, 206
 sharp-tailed grouse, 200
columbiana, Nucifraga, 206
columbianus,
 Cygnus columbianus, 196
 Cricetodipus ordii, 544
 Dipodomys ordii, 544
 Pedioecetes phasianellus, 200
 Perodipus ordii, 544
Columbigallina passerina
pallescens, 185
Colymbus,

cinereoargenteus, 448
Colinus,
 texanus, 200
 virginianus, 200
colirugosa, murciélago, 444
collared,
 lizard, 105
 peccary, 469
collaris,
 Aythya, 197
 Cafer cafer, 204
 Crotaphytus, 105
colombianus, Proechimys, 316
Coluber,
 constrictor, 107
 flaviventris, 107

Corvus,
 brachyrhynchos, 206
 corax, 206
 hesperis, 206
 sinuatus, 206
Corynorhinus,
 macrotis, 445
 megalotis, 445
 mexicanus, 445
 pallescens, 445
 rafinesquii, 445
cotton rat,
 fulvous, 465
 hispid, 465
cottontail,
 Florida, 468
 Mexican, 469
couesi, Oryzomys, 464
cowbird, Nevada, 210

auritus, 196
 californicus, 196
 grisegena, 196
 holbollii, 196
 nigricollis, 196
 comadreja, 447
 common,
 redpoll, 211
 rock wren, 207
 tern, 202
 comosa, Falcata, 135
 compactilis, Bufo, 96
 compactus,
 Dipodomys ordii, 515
 Cricetodops, 515
 Perodipus, 515
 concisor, Castor canadensis,
 410
 conejo,
 de Florida, 468
 México, 469
 Conepatus,
 mesoleucus, 448
 nelsoni, 448
 tropicalis, 577
 confinis, Poecetes
 gramineus, 211
 consitus, Bassariscus astutus,
 447
 constrictor, Coluber, 107
 Contopus richardsonii
 richardsonii, 205
 contortrix, Heterodon, 107
contractus, Thomomys
 bottae, 50
 convexus, Thomomys bottae,
 47
 coyote, 449
 crabgrass, 132
 Crane, Harold S., Stephen D.
 Durrant and, Three new
 beavers from Utah, 409
 crane, sandhill, 200
 Cratogeomys, 219
 angustirostris, 452
 gymnurus, 252, 452
 imparilis, 452
 varius, 453
 creeper, northwestern, 207
 crepitans, Acris, 104
 Cricetodipus,
 chapmani, 536
 columbianus, 544
 compactus, 515
 longipes, 556
 ordii, 530
 palmeri, 562
 sennetti, 517
 Crocethia, 201
 alba, 201
 crossbill,
 Bendire, 211
 Bent, 211
 white-winged, 211
 red, 211
 Crotalus,
 horridus, 111
 viridus, 111
 Crotaphytus collaris collaris,
 105
 crow, western, 206
 crucifer, Hyla, 88
 crusgalli, Echinochloa, 134
 Cryptotis,

Convolvulus sepium, 135
Cooper hawk, 198
cooperi, Synaptomys, 130
cooperii, Accipiter, 198
coot, 168
 American, 200
copperhead, 111
corax, Corvus, 206
cormorant, Farallon, 196
cornutum, Phrynosoma, 106
coromandelicus, Trionyx,
122
Corrodopsylla hamiltoni, 140

cuckoo,
 black-billed, 202
 California, 202
cuitziqui, 448
cumihuatz, 448
cúmu, 451, 452, 453
cuiniqui, 450
cunicularia, Speotyto, 203
cupidineus, Dipodomys
ordii, 561
Cupidinimus, 480
 nebraskensis, 483
curlew,
 long-billed, 183, 201
 northern, 201
 northern long-billed, 183
currucoides, Sialia, 208
curtatus, Pipilo maculatus,
211
curvirostra, Loxia, 211
cyaneus, Circus, 199
cyanocephalus,

 parva, 137
 pergracilis pergracilis, 440
Ctenophthalmus pseudagyrtis,
140
cuatralvo, ratón, 461
Cuban snowy plover, 183
cúchjerámba, 469

Dendragapus,
 obscurus, 199
 pallidus, 199
 richardsonii, 199

Dendroica,
 auduboni, 209
 petechia, 209
 morcomi, 209
 nigrescens, 209
 townsendi, 209

denigratus, Proechimys, 381
densiflorum, Lepidium, 133
Dermacentor variabilis, 143
desert house finch, 210
deserti, Dipodomys deserti, 65
Desmodus,
 murinus, 443
 rotundus, 443
Diadophis,
 arnyi, 107
 punctatus, 107
Dichromanassa rufescens, 181
Didelphis,

Euphagus, 210
Gymnorhinus, 206

Cyanocitta,
 annectens, 206
 stelleri, 206
cyanoptera, Anas, 197
Cygnus,
 buccinator, 196
 columbianus, 196

D

Dalquest, Walter W., 259
Dalquest, Walter W., and E.
 Raymond Hall, A new bat
 (genus *Myotis*) from
 Mexico, 237
A synopsis of the American
 bats of the genus
 Pipistrellus, 591
Geographic range of the
 hooded skunk, *Mephitis*
 macroura, with
 description of a new
 subspecies from
 Mexico, 575
Pipistrellus cinnamomeus
 Miller 1902 referred to
 the genus *Myotis*, 581
Tadarida femorosacca
 (Merriam) in
 Tamaulipas, Mexico,
 245
dandelion, 134
dasycnemus, *Doratopsylla*,
140
Dasypus novemcinctus, 470
 mexicanus, 470

canescens, 439
 mesamericana, 439
 pigra, 439
 texensis, 439
 virginiana, 439
Digitaria ischaemum, 132
dimidiatus,
 Echimys, 371
 Proechimys, 371
dioica, *Gymnocladus*, 134
Dipodomys, 480
Dipodomys,
 agilis, 477
 attenuatus, 553
 celeripes, 549
 chapmani, 536
 cinaraceus, 550
 cinderensis, 540
 cleomophila, 556
 columbianus, 544
 compactus, 515
 cupidineus, 561
 deserti, 65, 496
 elator, 496
 elephantinus, 496
 evexus, 518
 extractus, 534
 fetusus, 541
 fremonti, 524
 fuscus, 555
 gidleyi, 482
 heermanni, 496
 idoneus, 546
 inaquosus, 552
 ingens, 496
 insularis, 496
 kansensis, 481

decumans, *Proechimys*, 316
deer, white-tailed, 470
deermouse, 461
delawarensis, *Larus*, 202
delicata, *Capella gallinago*,
201
Dendrocopos,
 albolarvatus, 205
 leucurus, 205
 monticola, 204
 pubescens, 205
 villosus, 204

Dipodomys—*Concluded*

longipes, 556
 luteolus, 533
 margaritae, 496
 marshalli, 551
 medius, 519
 merriami, 496
 microps, 477
 minor, 482
 mittchelli, 496
 mohavensis, 489
 monoensis, 528
 morroensis, 489, 496
 nelsoni, 496
 nexilis, 559
 nitratoides, 496
 obscurus, 521
 oklahomae, 514
 ordii, 530
 ornatus, 496
 pallidus, 558
 palmeri, 562
 panamintinus, 496
 panguitchensis, 496

levipes, 489

duchesnei, *Castor canadensis*,
 413

duck,
 lesser scaup, 198
 greater scaup, 198
 harlequin, 198
 hawk, 199
 masked, 182
 ring-necked, 197
 ruddy, 198
 scaup, 198
 western harlequin, 198
 wood, 197

Dumetella,
 carolinensis, 207
 ruficrissa, 207

Durrant, Stephen D.,
 The pocket gophers (genus
 Thomomys) of Utah, 3
 Three new beavers from
 Utah, 409

dusky horned lark, 205
dutcheri, *Geomys breviceps*,
224

perotensis, 496
perplexus, 489
phillipsi, 496
platycephalus, 496
priscus, 547
richardsoni, 511
sanrafaeli, 526
santiluciaae, 489
sennetti, 517
spectabilis, 496
stephensi, 496
terrosus, 523
utahensis, 543
venustus, 496
Dipodops,
 agilis, 477
 ordii, 530
dipper, 207
Diprionomys, 482
discors, Anas, 168, 197
dispersal of kangaroo rats,
498
dissimilis, Thomomys bottae,
60
Dolichonyx oryzivorus, 210
domesticus, Passer, 210
dominica,
 Oxyura, 182
 Pluvialis, 184, 200
dorado, ratón, 459
Doratopsylla dasycnemus,
140
dorsalis, Picoïdes tridactylus,
205
dove,
 ground, 185
 Mexican ground, 185

dwarf wood rat, 467

E

eagle,
 bald, 199
 golden, 164, 199
 northern bald, 199
eared grebe, 196
eastern,
 kingbird, 205
 nighthawk, 185
 snow bunting, 213
 sparrow hawk, 199
Echimyidae, 303
Echimys,
 albispinosus, 390
 albispinus, 369
 brevicauda, 349
 cayennensis, 351
 dimidiatus, 371
 elegans, 387
 macrourus, 315
 myosuros, 351
 setosus, 385
 trinitatis, 333
Echinochloa crusgalli, 134
Echinomys,
 cajennensis, 387
 fuliginosus, 385, 390
 leptosoma, 392
 myosuros, 392
Ectopistes migratorius, 202
egret,
 Brewster, 196
 reddish, 181
Elaphe,
 laeta, 108
 obsoleta, 108

mourning, 168, 202
rock, 168
western mourning, 202
dowitcher, long-billed, 201

elegans—*Concluded*
Proechimys, 387
Pseudemys scripta, 112
Emory rat snake, 108
emoryi, Amyda, 119
Empidonax,
brewsteri, 205
flaviventris, 186
griseus, 205
hammondi, 205
minimus, 187
traillii, 187
wrighti, 205
emydid turtle, extinct from
lower Pliocene of Oklahoma,
269
English sparrow, 210
enucleator, Pinicola, 210
episcopa, Sonora, 109
Epitedia wenmanni, 140
Eptesicus,
fuscus, 444
miradorensis, 444
Ereunetes mauri, 201
Erolia,
bairdii, 184
melanotos, 201
minutilla, 201
erythrodactylus, Vespertilio,
599
erythrogaster,
Hirundo rustica, 206

elasson, Gavia immer, 195
elegans,
Echimys, 387
Loncheres, 351

mexicanus, 199
peregrinus, 199
sparverius, 199
falcon, prairie, 199
fallax, Melospiza melodia, 212
familiaris, Certhia, 207
Farallon cormorant, 196
fasciata, Columba, 202
fasciatus,
Eumeces, 106
Nosopsyllus, 140
Picoïdes tridactylus, 205
fedoa, Limosa, 184, 201
femorosacca, Tadarida, range
of, 247
ferox, Amyda, 120
ferruginea, Neotoma, 467
ferruginosa, rata, 467
ferruginous wood rat, 467
fetus, Dipodomys ordii, 541
finch,
black rosy, 211
Cassin purple, 210
desert house, 210
gray-crowned rosy, 211
Hepburn rosy, 211
house, 210
purple, 210
rosy, 211
fisheri, Thomomys quadratus,
6
five-lined skink, 106

Natrix, 109
erythroptalmus, Coccyzus, 202
erythrorhynchos, Pelecanus, 196
escuinapae, Lynx rufus, 449
espinoso, ratón, 454
Eulaelaps stabularis, 142
Eumeces,
 anthracinus, 87
 fasciatus, 106
 obsoletus, 106
 pluvialis, 87
 septentrionalis, 106
Eumops,
 underwoodi, 445
 sonoriensis, 446
Euphagus cyanocephalus, 210
European partridge, 200
Eurycea,
 longicauda, 88
 lucifuga, 88
 melanopleura, 88
evening grosbeak, 210
evexus, Dipodomys ordii, 518
evides, Peromyscus boylii, 461
excubitor, Lanius, 209
eximius, Mephitis macroura, 579
extractus, Dipodomys ordii, 534

F

Falcata comosa, 135
Falco,

flagellum, Masticophis, 108
flammea, Acanthis, 211
flammeolus, Otus, 203
flammeus, Asio, 203
Flammulated screech owl, 203
flavescens, Kinosternum, 111
flavipes, Totanus, 201
flaviventris,
 Coluber constrictor, 107
 Empidonax, 186
flicker, red-shafted, 204
Florentiamys, 289
Florida,
 conejo, 468
 cottontail, 468
floridana, Pseudemys, 112
floridanus, Sylvilagus, 168, 468
flycatcher,
 alder, 187
 ash-throated, 186, 205
 gray, 205
 Hammond, 205
 least, 187
 little, 205
 olive-sided, 205
 scissor-tailed, 186
 vermillion, 187
 Wright, 205
 yellow-bellied, 186
forficata, Muscivora, 186
formicorum, Mookomys, 481

- anatum, 199
 - bendirei, 199
 - columbarius, 199
- Forster tern, 202
- forsteri, *Sterna*, 202
- fortidens, *Myotis*, 585, 586
- fortis, *Agelaius phoeniceus*, 210
- fortuitus, *Parus atricapillus*, 206
- fossor, *Thomomys talpoides*, 21
- fox,
- squirrel, 168
 - sparrow, slate-colored, 212
- foxtail, 132
- Franklin,
- grouse, 199
 - gull, 202
- franklinii, *Canachites*, 199
- fraterna, *Rectofrontia*, 140
- free-tailed bat, Mexican, 445
- fremonti, *Dipodomys ordii*, 524
- frenata, *Mustela*, 447
- frenatus, *Putorius*, 447
- frentuda, *rata montera*, 467
- fringe-tailed myotis, 444
- frog,
- bull, 104
 - cricket, 104
 - leopard, 104
 - northern cricket, 104
 - wood, 104
- frondator, *Castor canadensis*, 409
- Pliocene and Pleistocene records of fossil turtles from Western Kansas and Oklahoma, 283
- Galium aparinae*, 133
- gallinago, *Capella*, 201
- Gambel sparrow, 212
- gambeli,
- Lanius ludovicianus*, 209
 - Parus*, 206
 - Zonotrichia leucophrys*, 212
- garmani, *Sceloporus undulatus*, 106
- garrulus, *Bombycilla*, 208
- garter snake, 110
- garter snakes, hybridization, 99
- gato del monte, 449
- Gavia,
- elasson, 195
 - immer, 195
 - stellata, 195
- gentilis,
- Accipiter*, 198
 - Lampropeltis triangulum*, 109
- Geococcyx californicus*, 184
- Geomys,
- breviceps, 219
 - bursarius, 222
 - dutcheri, 224
 - hylaeus, 234
 - illinoensis, 224

Fulica americana, 168, 200
fulcarius, *Phalaropus*, 202
fuliginosus,
 Echinomys, 385, 390
 Proechimys, 308
fulva, *Pluvialis dominica*,
 200
fulvescens,
 Oryzomys, 465
 Reithrodontomys, 457
fulviventris, *Microtus*
mexicanus, 425
fulvus,
 cotton rat, 465
 rice rat, 465
fulvus, *Thomomys*, 61
fundatus, *Microtus*
mexicanus, 425, 467
funereus, *Aegolius*, 203
furcatus, *Andropogon*, 132
furvior, *Seiurus aurocapillus*,
 189
fusca, *Melanitta*, 198
fuscescens, *Hylocichla*, 188,
 208
fusco, *murciélago*, 444
fuscus, *Dipodomys ordii*,
 555
fuscus, *Eptesicus*, 444
 Eptesicus, 444

G

gadwall, 197
 Galbreath, Edwin C.,
 A new extinct emydid
 turtle from the lower
 Pliocene of Oklahoma,
 269

industrius, 226
jugossicularis, 226
llanensis, 234
levisagittalis, 234
lutescens, 222
major, 229
majusculus, 223
vinaceus, 234
georgianus, *Scotophilus*, 599
getulus, *Lampropeltis*, 109
 giant ragweed, 134
glareolus, *Clethrionomys*, 142
glasgowi, *Articholaelaps*, 142
 glass-snake lizard, 106
Glaucidium,
 californicum, 203
 gnoma, 203
Glaucionetta,
 albeola, 198
 americana, 198
 clangula, 198
 islandica, 198
Glossophaga,
 leachii, 440
 soricina, 440
 glossy ibis, 181, 196
 gnatcatcher, western, 208
gnoma, *Glaucidium*, 203

A new species of
heteromyid rodent from
the middle Oligocene of
northeast Colorado with
remarks on the skull,
289

godwit
Hudsonian, 201
marbled, 184, 201
goeldi, *Proechimys*, 338
golden,
eagle, 164, 199
plover, Pacific, 200
golden-crowned kinglet, 208
golden-eye,
American, 198
Barrow, 198
goldfinch, pale, 211
goldmani,
Nelsonia, 467
Proechimys, 316
goose,
cackling, 197
Canada, 196
Great Basin Canada, 196
Hutchins cackling, 182,
197
lesser Canada, 197
lesser snow, 197
Ross, 197
snow, lesser, 197
white-cheeked, 196
white-fronted, 197
gopher, pocket, 451, 452,
453
Gopherus, 184

horned, 196
pied-billed, 196
western, 196
green-tailed towhee, 211
gregoryi, *Heliscomys*, 481
Grinnell, 207
chickadee, 207
water-thrush, 209
grinnelli, *Parus gambeli*, 207
gris, zorro, 448
grisegena, *Colymbus*, 196
griseus,
Catherpes mexicanus, 207
Limnodromus, 201
Parus inornatus, 207
Grisson, 437
grosbeak,
evening, 210
pine, 210
Rocky Mountain, 210
western evening, 210
ground snake, 109
grouse,
blue, 199
Columbian, 200
dusky, 199
Franklin, 199
gray ruffed, 199
hoary ruffed, 199
Idaho ruffed, 199

gorgonae, *Proechimys*, 316
 goshawk, western, 198
 gracilis,
 Tantilla, 110
 Thomomys talpoides, 6
 grackle,
 bronzed, 168
 Mesquite great-tailed, 190
 grahami, *Natrix*, 109
 gramineus, *Pooecetes*, 211
 granosa, *Trionys*, 122
 grasshopper sparrow, 168,
 191
gratiosus, *Proechimys*, 379
 gratus, *Peromyscus truei*,
 462
 gray,
 fox, 448
 oven-bird, 189
 owl, 203
 titmouse, 207
 gray-headed junco, 212
 Great Salt Lake horned lark,
 206
 great,
 blue heron, 196
 gray owl, 203
 horned owl, 203
 horned owl, postnatal
 development of, 159
 scaup duck, 198
 great-tailed grackle, 190
 greater yellow-legs, 201
 grebe,
 eared, 196
 Holboell, 196

Oregon dusky, 199
 Richardson, 199
 ruffed, 199
 sage, 200
 sharp-tailed, 200
 Grus,
 canadensis, 200
 tabida, 200
 guairae, *Proechimys*, 316
 gularis, *Proechimys*, 316
 gull,
 Bonaparte, 202
 California, 202
 Franklin, 202
 ring-billed, 202
 Thayer, 202
 guttata, *Hylocichla*, 208
 guyannensis, *Proechimys*, 355
Gymnocladus dioica, 134
Gymnorhinus cyanocephalus,
 206
 gymnurus,
 Cratogeomys, 252, 452
 Platygeomys, 452

H

haemastica, *Limosa*, 201
 hairy woodpecker, 204
Haldea striatula, 110
Haliaeetus,
 leucocephalus, 199
 washingtoniensis, 199
 haliaetus, *Pandion*, 199

- Hall, E. Raymond, Two new meadow mice from Michoacán, Mexico, 425
- Hall, E. Raymond and Bernardo Villa R., A new pocket gopher (*Thomomys*) and a new spiny pocket mouse (*Liomys*) from Michoacán, 249
- An annotated check list of the mammals of Michoacán, México, 431
- Subspeciation in pocket gophers of Kansas, 219
- Hall, E. Raymond and Walter W. Dalquest, A new bat (genus *Myotis*) from Mexico, 239
- A synopsis of the American bats of the genus *Pipistrellus*, 591
- Geographic range of the hooded skunk, *Mephitis macroura*, with description of a new subspecies from Mexico, 575
- Pipistrellus cinnamomeus* Miller 1902 referred to the genus *Myotis*, 581
- Tadarida femorosacca* (Merriam) in Tamaulipas, Mexico, 245
- Hall, ***tenuiceps***, 289
- vetus*, 293
- Helmitheros vermivorus*, 189
- hendeei*, *Proechimys*, 315
- hermit thrush, 208
- hernandezii*, *Procyon lotor*, 446
- herodias*, *Ardea*, 196
- heron, black-crowned night, 196
- blue, 196
- great blue, 196
- night, 196
- hesperis*, *Corvus brachyrhynchos*, 206
- hesperomydis*, *Hoplopleura*, 141
- Hesperiphona*, *brooksi*, 210
- vespertina*, 210
- hesperus*, *Pipistrellus*, 596
- Scotophilus*, 596
- Vesperugo*, 596
- Heterodon*, *contortrix*, 107
- nasicus*, 107
- heteromyid rodent, new species from Oligocene of Colorado, 289
- Heteromyidae*, defined, 480
- Heteromys*, 289
- hiaticula*, *Charadrius*, 183
- hilda*, *Proechimys*, 316
- Himantopus mexicanus*, 201
- himantopus*, *Micropalama*, 201
- hirsuta*, *Hoplopleura*, 141

Benjamin D., 435
 E. Raymond, 425
 Hubert H., 435
 Mary F., 435
 William Joel, 435
hamiltoni, *Corrodopsylla*, 140
 harlequin duck, 198
 Harris sparrow, 212
 Hatt, Robert T., 436
 hawk,
 American rough-legged, 199
 broad-winged, 198
 Cooper, 198
 duck, 199
 eastern sparrow, 199
 marsh, 199
 owl, 203
 pigeon, 199
 red-tailed, 163, 198
 rough-legged, 199
 sharp-shinned, 198
 sparrow, 163, 199
 Swainson, 198
 Texas red-shouldered, 183
 western pigeon, 199
 western red-tailed, 198
Helianthus, *tuberosus*, 135
Heliscomys, 481
 gregoryi, 291, 481
 hatcheri, 291
 senex, 293
hirsutus, *Artibeus*, 442
Hirundo,
 erythrogaster, 206
 rustica, 206
hirundo, *Sterna*, 202
 hispid cotton rat, 465
hispidus, *Sigmodon*, 137, 138, 465
Histrionicus,
 histrionicus, 198
 pacificus, 198
histrionicus, *Histrionicus*, 198
hoactli, *Nycticorax nycticorax*, 196
 hoary bat, 445
 Hoffmeister, D. F. and Henry W. Setzer,
 The postnatal development of two broods of great horned owls (*Bubo virginianus*), 157
 hog-nosed snake, 107
 Holboell grebe, 196
holbollii, *Colymbus grisegena*, 196
holbrooki, *Lampropeltis getulus*, 109
Holbrookia maculata maculata, 105
 honeysuckle, 132
 hooded skunk, 448
 geographic range of, with description of a new subspecies, 577
hoplomyoides, *Proechimys*, 315

Hoplopleura,
 acanthopus, 141
 hesperomydis, 141
 hirsuta, 141
horned,
 grebe, 196
 lark, 205
 lizard, 106
horridus, *Crotalus*, 111
horse nettle, 134
house,
 finch, 210
 mouse, 468
 wren, western, 207
howardi, *Orchopeas*, 140
Howell nighthawk, 185
howelli,
 Chordeiles minor, 185
 Thomomys bottae, 57
hoysi, *Pseudemys floridana*,
112
hudsonia, *Pica pica*, 206
Hudsonian godwit, 201
hudsonius, *Circus cyaneus*,
199
humeralis, *Tayassu*
angulatus, 469
hummingbird,
 black-chinned, 204
 broad-tailed, 204
 calliope, 204
 rufous, 204
Hutchins goose, 182
hutchinsii,
 Branta, 197
 Branta canadensis, 182

Icteria,
 auricollis, 209
 virens, 189, 209
Icterus bullockii, 210
Idaho,
 a check-list of birds of, 195
 jay, 206
idoneus, *Dipodomys ordii*,
546
ignotus, *Proechimys*, 316
iheringi, *Proechimys*, 373
iliaca, *Passerella*, 212
illinoensis, *Geomys bursarius*,
224
immer, *Gavia*, 195
imparilis,
 Cratogeomys gymnurus, 452
 Platygeomys gymnurus, 452
inaquosus, *Dipodomys ordii*,
552
incanus, *Bonasa umbellus*, 200
industrius, *Geomys bursarius*,
226
inexpectatus,
Reithrodontomys fulvescens,
458
inornatus,
 Catoptrophorus
 semipalmatus, 201
 Parus, 207
inermis, *Bromus*, 133
invictus, *Lanius excubitor*, 209
Inyo, 207
 chickadee, 207
 nuthatch, 207
inyoensis, *Parus gambeli*, 207
Iridoprocne bicolor, 206

Hutton vireo, 209
Hydroprogne caspia, 202
 hyemalis, Junco, 191, 212
Hyla,
 bistincta, 261
 crucifer, 104
 proboscidea, 261
 versicolor, 88
hylaeus, Geomys bursarius,
234
Hylatomus,
 picinus, 204
 pileatus, 204
hyleae, Proechimys, 361
hylocetes, Peromyscus, 462
Hylocichla,
 almae, 188, 209
 auduboni, 208
 fuscescens, 188, 208
 guttata, 208
 salicicola, 188, 208
 swainsoni, 188
 ustulata, 188, 208
hyerborea, Chen, 197
hypugaea, Speotyto
 cunicularia, 203
I
ibis,
 eastern glossy, 181
 white-faced glossy, 181,
 196

juáteanapu, 469
jugossicularis, Geomys
 bursarius, 226
Junco,
 caniceps, 212

irroratus, Liomys, 253, 454
ischaemum, Digitalis, 132
isingu, 470
islandica, Glaucionetta, 198
Ixodes sculptus, 143
Ixoreus,
 naevius, 208
 meruloides, 208
J
jabalinde collar, 469
Jackson, H. H. T., 440
jaeger, Pomarine, 202
jaliscensis, Liomys irroratus,
 253, 454
Jamaicensis,
 Buteo, 198
 Oxyura, 198
Jameson, E. W., Jr.,
 Natural history of the prairie
 vole (mammalian genus
 Microtus), 125
Japanese honeysuckle, 132
japonica, Lonicera, 132
jay,
 black-headed, 206
 Idaho, 206
 piñon, 206
 Woodhouse, 206
Jerusalem artichoke, 135
jeyaquiuhira, 464
jihuáitz, 449

Lanius,
 excubitor, 209
 gambeli, 209
 invictus, 209
 ludovicianus, 209

cismontanus, 191
hyemalis, 191, 212
mearnsi, 212
montanus, 212
oreganus, 212
junco,
 Cassiar, 191
 gray-headed, 212
 Montana, 212
 Oregon, 212
 pink-sided, 212
 slate-colored, 212
K
kaibabensis, *Thomomys*
 talpoides, 23
kangaroo rat, subspeciation
 in *Dipodomys ordii*, 475
Kansas,
 amphibians and reptiles
 from, 87
 reptiles and amphibians,
 103
Kentucky coffee tree, 134
kermiti, *Proechimys*, 345
killdeer, 200
king snake, 108
kingbird, eastern, 205
kingfisher,
 belted, 204
 western belted, 204
kinglet,
 golden-crowned, 208
 ruby-crowned, 208
Kinosternon, 283
 flavescens, 111
kochi, *Laelaps*, 142
kuaráki, 449, 450

lapponicus, *Calcarius*, 191,
212
lark,
 bunting, 211
 dusky horned, 205
 Great Salt Lake horned, 206
 horned, 205
 Oregon horned, 205
 sparrow, 191, 211
Larus,
 argentatus, 202
 californicus, 202
 delawarensis, 202
 philadelphia, 202
 pipixcan, 202
 thayeri, 202
Lasionycteris, *noctivagus*,
241
Lasiurus,
 borealis, 444
 cinereus, 445
 mexicanus, 444
laterale, *Leiopisma*, 106
latifrons, *Neotoma*, 467
latrans, *Canis*, 449
lazuli bunting, 210
leachii, *Glossophaga soricina*,
440
lead-colored bush-tit, 207
leaf-nosed bat, 441
least,
 flycatcher, 187
 sandpiper, 201
Leiopisma laterale, 106
leioprimna, *Proechimys*, 364
lenis,
 Oryzomys fulvescens, 465

kyphosis, 119

L

labecula, *Peromyscus*
 maniculatus, 461

labradorius, *Passerculus*
 sandwichensis, 190

Lactuca scariola, 133

Ladino clover, 132

laelaps kochi, 142

laeta, *Elaphe*, 108

lagophonus, *Bubo*
virginianus, 203

Lagopus,
 altipetens, 200
 leucurus, 200

lagopus, *Buteo*, 199

lamprochroma, *Eremophila*
 alpestris, 205

Lampropeltis,
 calligaster, 108
 holbrooki, 109
 gentilis, 109
 getulus, 109
 sypila, 109
 triangulum, 109

leucoparia,
 Mustela frenata, 447
 Putorius frenatus, 447
leucophrys, *Zonotrichia*, 212
Leucophoyx,
 brewsteri, 196
 thula, 196
leucoptera, *Loxia*, 211
leucopus,
 Peromyscus, 137, 140
 Orchopeas, 140

Thomomys bottae, 53

lentiginosus, *Botaurus*, 196

leonada, *rata algodonera*, 465

lepida, *Tachycineta thalassina*,
206

Lepidium densiflorum, 133

Leptonycteris,
 nivalis, 441
 yerbabuenae, 441

leptosoma, *Mus*, 392

Lepus callotis, 469

lesser,
 Canada goose, 197
 loon, 195
 scaup duck, 198
 snow goose, 197
 yellow-legs, 201

lettuce, wild, 133

leucocephalus, *Haliaeetus*, 199

leucomystax, *Proechimys*, 352

leucopareia, *Branta*
canadensis, 197

plains, 106
 Texas horned, 106

llanensis, *Geomys bursarius*,
234

Lobipes lobatus, 202

lobatus, *Lobipes*, 202

Loncheres,
 elegans, 387
 myosuros, 351

long-billed,
 curlew, 201

Leucosticte,
 atrata, 211
 littoralis, 211
 tephrocotis, 211
 leucurus,
 Dendrocopos pubescens,
 205
 Lagopus, 200
 levidensis, Thomomys
 bottae, 54
 levipes, Peromyscus boylii,
 462
 levis, Thomomys talpoides,
 24
 levisagittalis, Geomys
 bursarius, 234
 Lewis woodpecker, 204
 lewis, Asyndesmus, 204
 Liatrus, 135
 liebre, 469
 limicola, Rallus, 200
liminalis, Proechimys, 343
 limnaeus, Seiurus
 noveboracensis, 189
 Limnodromus,
 griseus, 201
 scolopaceus, 201
limnodytes, Chrysemys, 269
 Limosa,
 fedoa, 184, 201
 haemastica, 201
 Lincoln sparrow, 212
 lincolnii, Melospiza, 212
 lineatum, Tropiclonion,
 110
 lined snake, 110
 dowitcher, 201
 marsh wren, 207
 long-eared,
 bat, 445
 owl, 203
 long-tailed, 206
 chickadee, 206
 long-tongued bat, 440, 441
 longicauda, Eurycea, 88
 longicaudatus, Proechimys,
 351
 longipes,
 Cricetodipus, 556
 Dipodomys ordii, 556
 Dipodops, 556
 Perodipus, 556
 longspur, Alaskan, 191, 212
 Lonicera japonica, 132
 loon,
 lesser, 195
 red-throated, 195
 Lophortyx,
 brunnescens, 200
 californica, 200
 lotor, Procyon, 446
 Louisiana, birds of, 179
 louisianensis, Triturus
 viridescens, 103
 Lowery, George H., Jr.,
 Additions to the list of the
 birds of Louisiana, 179
 Loxia,
 bendirei, 211
 benti, 211
 curvirostra, 211
 leucoptera, 211

Liponyssus occidentalis, 142

Liomys,

acutus, 253, 455

alleni, 253, 455

irroratus, 253

jalicensis, 454

jaliscensis, 253, 455

parviceps, 454

pictus, 289, 454

plantinarenensis, 454

Lissemys, 122

Listrophorus, 143

little flycatcher, 205

littoralis, Leucosticte

tephrocotis, 211

livia, Columba, 168

lizard,

collared, 105

earless, 105

horned, 106

northern plains, 106

Lynx,

escuinapae, 449

rufus, 449

ruffus, 449

M

M. Dale Arvey, A check list
of the birds of Idaho, 195

MacFarlane screech owl, 203

macfarlanei, Otus asio, 203

Macgillivray warbler, 209

macrodis, Corynorhinus, 445

macroura,

Mephitis, 577

Mephitis macroura, 448

Zenaidura, 168, 202

lucifuga, Eurycea, 88

lucifugus, Myotis, 583

ludoviciana, Piranga, 210

ludovicianus,

Lanius, 209

Microtus, 129

Luna, P., 440

luteolus,

Dipodomys ordii, 533

Perodipus ordii, 533

lutescens,

Geomys bursarius, 222

Setaria, 132

lutosus, Myotis yumanensis,
443

Lutra, 437

megalotis,

Reithrodontomys, 137, 455

Corynorhinus, 445

Melanitta,

fusca, 198

perspicillata, 198

melanocephalus, Pheucticus,
210

melanocorys, Calamospiza,
211

melanoleucus, Totanus, 201

melanophrys, Peromyscus, 463

melanopleura, Eurycea

longicauda, 88

melanotis,

macularia, *Actitis*, 201
 maculata, *Holbrookia*, 105
 maculatus, *Pipilo*, 211
 magpie, American, 206
 mallard, 197
 major, *Geomys bursarius*, 229
 majusculus, *Geomys bursarius*, 223
 manchado, zorillo, 447
 maniculatus, *Peromyscus*, 137, 461
 mapache, 446
 marbled godwit, 184, 201
 marchiana, *Thamnophis*, 99
 morcomi, *Dendroica petechia*, 209
Mareca americana, 197
 marginella, *Zenaidura macroura*, 202
 marila, *Aythya*, 198
Marmosa canescens canescens, 439
 marsh,
 hawk, 199
 mouse, 461
 wren, western long-billed, 207
 marshalli, *Dipodomys ordii*, 551
 mascotensis, *Sigmodon hispidus*, 465
 masked duck, 182
 massasauga, 111
 Masticophis,
 flagellum, 108
 testaceous, 108
 Sigmodon, 465
 Sitta pygmaea, 207
 Peromyscus, 464
 melanotos, *Erolia*, 201
Melilotus alba, 133
 melodia, *Melospiza*, 212
Melospiza,
 alticola, 212
 fallax, 212
 lincolni, 212
 melodia, 212
 merrilli, 212
 Mephitis,
 eximius, 579
 macroura, 577
 macroura macroura, 448
 mephitis, 578
 milleri, 578
 vittata, 578
 mephitis, *Mephitis*, 577
 merganser,
 American, 198
 Mergus, 198
 red-breasted, 198
 merriami,
 Pipistrellus hesperus, 597
 Vesperugo, 597
 Merrill song sparrow, 212
 merrilli,
 Eremophila alpestris, 205
 Melospiza melodia, 212
 meruloides, *Ixoreus naevius*, 208
 mesamericana, *Didelphis*, 438
 mesoleucus, *Conepatus*, 448
 mesquite great-tailed grackle, 190

mastin, murciélago, 445
mastiff bat, 445
mauri, Ereunetes, 201
mavortium, Ambystoma
 tigrinum, 103
maximus, Pipistrellus
 hesperus, 598
meadow mouse, 168
 Mexican, 467
meadowlark, 158
 western, 190, 210
mearnsi, Junco oreganus,
212
Medicago sativa, 133
mediogriseus, Passerculus
sandwichensis 190
medius, Dipodomys ordii,
519
Megaceryle,
 alcyon, 204
 caurina, 204

mexicanus—*Concluded*
 Cinclus, 207
 Corynorhinus megalotis,
 445
 Corynorhinus rafinesquii,
 445
 Dasypus novemcinctus,
 470
 Falco, 199
 Himantopus, 201
 Lasiurus borealis, 444
 Microtus, 425, 467
 Molossus, 445
 Myotis californicus, 444
 Oryzomys couesi, 465

metorito, 467
Mexican,
 cottontail, 469
 free-tailed bat, 445
 meadow mouse, 467
mexicana,
 Choeronycteris, 441
 Tadarida, 445
Mexicano, conejo, 469
mexicanus,
 Atalapha, 444
 Carpodacus, 210
 Cassidix, 190
 Catherpes, 207

monoensis,
 Dipodomys ordii, 528
 Perodipus, 528
Montana,
 horned owl, 203
 junco, 212
montane, Lincoln sparrow, 212
montana, Pinicola enucleator,
210
montanus,
 Dipodomys ordii, 538
 Junco oreganus, 212
 Oreoscoptes, 208
 Perodipus, 538

Sialia, 208
Microdipodops, 480
Micropalama himantopus,
201
Microtus,
 agrestis, 141
 californicus, 142
 fulviventer, 425
 fundatus, 425, 467
 ludovicianus, 129
 mexicanus, 425, 467
 ochrogaster, 128, 168
 pennsylvanicus, 128
 phaeus, 426, 468
 salvus, 426, 467
Michoacán,
 Mexico, an annotated
 check list of the
 mammals of, 435
 squirrel, 450
Microhyla olivacea, 105
migratorius,
 Ectopistes, 202
 Turdus, 168, 188, 208
milk snake, 109
milleri, Mephitis macroura,
578
millet, wild, 134
Mimus polyglottos, 168
mincae, Proechimys, 315
minimus,
 Empidonax, 187
 Psaltiriparus, 207
 Thomomys bottae, 32
minor, Chordeiles, 185, 186,
204
minúscula, rata montera, 467

monticola, Dendrocopos
 villosus, 204
montera, rata,
 frentuda, 467
 minúscula, 467
Moojen, João, Speciation in
 the Brazilian spiny rats
 (genus Proechimys, family
 Echimyidae), 301
Mookomys formicorum, 481
moorei, Thomomys talpoides,
19
Mountain vireo, 188
mountain, 206
 bluebird, 208
 chickadee, 206
 song sparrow, 212
montañero, ratón, 464
moreno, ratón, 457
morning glory, wild, 135
Morus bassanus, 180
mourning dove, 168, 202
mouse,
 black-eared, 464
 blackish, 463
 brush, 461
 deer, 461
 fulvous harvest, 457
 harvest, 455
 house, 468
 marsh, 461
 meadow, 168, 467
 Mexican meadow, 467
 northern pigmy, 460
 northern spiny pocket, 454
 piñon, 462
 pygmy, 460

minutilla, *Erolia*, 201
miradorensis,
 Eptesicus, *fuscus*, 444
 Scotophilus, 444
misíc pápu, 449
mockingbird, 168
mofeta rayada, 448
moffitti, *Branta canadensis*,
196
mohavensis, *Dipodomys*
panamintinus, 489
mokeson, *Agkistrodon*, 111
molaris, *Nasua narica*, 446
Molossus mexicanus, 445
Molothrus,
 artemisiae, 210
 ater, 210

murciélago—*Concluded*
 mastin, 445
 narigudo, 445
 pardo, 445
 rojizo, 440
 sacoptero, 440
 siricotéro, 440
 vespertino, 443
 Yuma, 444
 zapotero, 442
murine opossum, 439
murinus, *Desmodus*
rotundus, 443
Mus,
 alexandrinus, 468
 cinnamoneus, 392
 leptosoma, 392
 musculus, 468
musaraña, 439

spiny pocket, 454
Tarascan, 463
tropical pygmy, 460
volcano harvest, 459
western harvest, 455
western spiny pocket, 454
woods, 462
mud turtle, 111
murciélago,
 California, 444
 carilargo, 441
 colirugosa, 444
 coludo, 445
 fusco, 444
 lenguilarga, 441

narigudo, murciélago, 445
nasicus, *Heterodon*, 107
Nasua,
 molaris, 446
 narica, 446
Natrix,
 erythrogaster, 109
 grahamii, 109
 rhombifera, 109
 sipedon, 109
 transversa, 109
Navy, United States, 479
nebraskensis, *Cupidinimus*,
483
nebulosa, *Strix*, 203
neglecta, *Sturnella*, 190, 210
negra, *rata*, 468
nelsoni,
 Conepatus mesoleucus, 448

colicorta, 440
 Muscivora forficata, 186
 musculus,
 Baiomys, 460
 Mus, 468
 Peromyscus, 460
 Sitomys, 460
 musk turtle, 111
 Mustela,
 frenata, 447
 leucoparia, 447
 mutica, Amyda, 112, 119
 Myadestes townsendi, 208
 Myiarchus cinerascens
 cinerascens, 186, 205
 Myocoptes, 143
 myosuros,
 Echimys, 351
 Echinomys, 392
 Loncheres, 351
 Proechimys, 392
 Myotis,
 albescens, 239
 argentatus, 239
 baileyi, 587
 californicus, 444
 carissima, 585
 cinnamomeus, 585
 fortidens, 585, 586
 lucifugus, 583
 lutosus, 443
 mexicanus, 444
 occultus, 587
 ruber, 585
 thysanodes, 444
 velifer, 443, 588
 yumanensis, 443
 Reithrodontomys fulvescens, 457
 Nelsonia goldmani, 467
 nemoralis, 450
 Pitymys, 128
 Neotoma,
 ferruginea, 467
 latifrons, 467
 tenuicauda, 467
nesiotes, Proechimys, 363
 nesophilus, Thomomys bottae, 34
 nettle, horse, 134
 Nevada,
 cowbird, 210
 red-wing, 210
 savannah sparrow, 211
 sparrow, 211
 towhee, 211
 nevadensis,
 Agelaius phoeniceus, 210
 Amphispiza belli, 212
 Parus atricapillus, 206
 Passerculus sandwichensis, 190, 211
 Newfoundland,
 oven-bird, 189
 robin, 188
 newt, 103
 nexilis, Dipodomys ordii, 559
 nicholi, Thomomys bottae, 66
 niger, Sciurus, 168
 nighthawk,
 Cherrie, 186
 eastern, 185
 Howell, 185
 Pacific, 204

myotis,
California, 444
fringe-tailed, 444
Yuma, 443

N

naevius, *Ixoreus*, 208
narica, *Nasua*, 446

nivalis,
 Leptonycteris nivalis, 441
 Plectrophenax, 213
nivosus, *Charadrius*
 alexandrinus, 183
noctivagans, *Lasionycteris*,
241
norteño, ratón, 454
 pigmeo, 460
northern,
 bald eagle, 199
 canyon wren, 207
 cliff swallow, 206
 curlew, 201
 pileolated warbler, 210
 phalarope, 202
 pygmy mouse, 460
 sage sparrow, 212
 spiny pocket mouse, 454
 varied thrush, 208
 white-headed woodpecker,
 205
northwestern,
 creeper, 207
 horned owl, 203

 Sennett, 186
nigra, *Chlidonias*, 202
nigrescens, *Dendroica*, 209
nigricans, *Branta bernicla*, 197
nigriceps, *Tantilla*, 110
nigricollis, *Colymbus*, 196
nigrideus, *Turdus migratorius*,
188
nigrita, *Pseudacris*, 104
nigrofulvus, *Proechimys*, 316

occidentalis,
 Aechmophorus, 196
 Branta canadensis, 196
 Bubo virginianus, 203
 Coccyzus americanus, 202
 Geothlypis, 189, 209
 Liponyssus, 142
 Sialia mexicanus, 208
occultus, 587
ocelot, 449
ochracea, *Spizella arborea*, 212
ochraceus, *Proechimys*, 316
ochrogaster, *Microtus*, 128,
168
ocius, *Thomomys talpoides*, 17
ocotero, ratón, 462
Odocoileus,
 sinaloae, 470
 virginianus, 470
odoratus, *Sternotherus*, 111
officinale, *Taraxacum*, 134
Oklahoma, amphibians and
 reptiles from, 87
oklahomae, *Dipodomys ordii*,
514
oligantha, *Aristada*, 132

long-billed marsh wren,
 207
 marsh wren, 207
 shrike, 209
norvegicus, *Rattus*, 168
 Norway rat, 168
Nosopsyllus fasciatus, 140
notabilis, *Seiurus*
 noveboracensis, 209
noveboracensis, *Seiurus*,
 189, 209
novemcinctus, *Dasypus*, 470
nuchalis, *Sphyrapicus varius*,
 2-4
Nucifraga columbiana, 206
Numenius,
 americanus, 183, 201
 parvus, 183, 201
 nutcracker, Clark, 206
 nuthatch,
 black-eared, 207
 Inyo, 207
 red-breasted, 207
 Nuttall poorwill, 204
nuttallii, *Phalaenoptilus*, 204
Nuttallornis borealis, 205
Nyctea scandiaca, 203
Nycticorax,
 hoactli, 196
 nycticorax, 196
nycticorax, *Nycticorax*, 196
O
o'connelli, *Proechimys*, 316
obscurus, *ratón*, 463
obscurus,
 Dendragapus, 199
 Dipodomys ordii, 521

olivacea, *Microhyla*, 105
olivaceus, *Regulus satrapa*,
 208
 olive-backed,
 thrush, 188
 thrush, western, 208
 olive-sided flycatcher, 205
oquirrhensis, *Thomomys*
 talpoides, 11
Ophisaurus ventralis, 106
Oporornis, 209
 opossum, 438
 murine, 439
 orange-crowned warbler, 209
Orchopeas,
 howardi, 140
 leucopus, 140
 wickhami, 140
ordi, *Perodipus*, 530
ordii,
 Cricetodipus, 530
 Dipodomys ordii, 530
 Dipodops, 530
 Perodipus, 530
oreganus, *Junco*, 212
 Oregon,
 horned lark, 205
 junco, 212
orejudo, *ratón*, 455
Oreoscoptes montanus, 208
Oreortyx picta picta, 200
orestera, *Vermivora celata*, 209
 oriole, Bullock, 210
oris, *Proechimys*, 365
ornata, *Terrapene*, 111
oryzivorus, *Dolichonyx*, 210
Oryzomys,

Perodipus, 521
Pipistrellus subflavus, 600
obsoleta, Elaphe, 108
obsoletus,
 Eumeces, 106
 Salpinctes, 207
occidental, ratón espinoso,
454

Oryzomys—*Concluded*
 lenis, 465
 mexicanus, 465
 regillus, 464
osgoodi, Thomomys bottae,
56
osprey, 199
Otus,
 asio, 203
 brewsteri, 203
 flammeolus, 203
 macfarlanei, 203
otus, Asio, 203
oven-bird,
 gray, 189
 Newfoundland, 189
owl,
 American hawk, 203
 Arctic horned, 203
 barn, 163, 203
 Brewster screech, 203
 burrowing, 203
 California pygmy, 203
 Flammulated screech, 203
 gray, 203
 great horned, 159, 203
 great gray, 203
 hawk, 203

couesi, 464
fulvescens, 465

pallidus, Dendragapus
obscurus, 199
 Dipodomys ordii, 558
 Spinus tristis, 211
palmeri,
 Cricetodipus ordii, 562
 Dipodomys ordii, 562
 Perodipus ordii, 562
palustris, Telmatodytes, 207
panamensis, Proechimys, 316
Pandion,
 carolinensis, 199
 haliaetus, 199
panema, Proechimys, 380
panguitchensis, Dipodomys
 ordii, 527
paratus, Proechimys, 382
pardo, murciélago, 445
parietalis, Thamnophis sirtalis,
110
parkmanii, Troglodytes aëdon,
207
parowanensis, Thomomys
 talpoides, 22
partridge, European, 200
Parus,
 atricapillus, 206
 fortuitus, 206

horned, great, 159, 203
 long-eared, 164, 203
 MacFarlane screech, 203
 Montana horned, 203
 northwestern horned, 203
 pygmy, 203
 Richardson, 203
 saw-whet, 204
 screech, 164, 203
 short-eared, 203
 snowy, 203
 western burrowing, 203
 Oxyura,
 dominica, 182
 jamaicensis, 198
 rubida, 198
P
 pachita, Proechimys, 316
 Pacific,
 golden plover, 200
 nighthawk, 204
 pacificus,
 Anthus spinoletta, 208
 Histrionicus histrionicus,
 198
 Troglodytes troglodytes,
 207
 painted turtle, 112
 pale goldfinch, 211
 paleontology of kangaroo
 rats, 480
 pallescens,
 Columbigallina passerina,
 185
 Corynorhinus pallescens,
 445
 pallid black-capped, 206
 gambeli, 206
 grinnelli, 207
 griseus, 207
 inornatus, 207
 inyoensis, 207
 nevadensis, 206
 rufescens, 207
 septentrionalis, 206
 parva, Cryptotis, 137
 parviceps, Liomys pictus, 454
 parvissima, Rana, 105
 parvus, Numenius americanus,
 183, 201
 passenger pigeon, 202
 Passer domesticus, 210
 Passerculus,
 labradorius, 190
 mediogriseus, 190
 nevadensis, 190, 211
 sandwichensis, 190, 211
 Passerella,
 iliaca, 212
 schistacea, 212
 Passerina amoena, 210
 passerina,
 Columbigallina, 185
 Spizella, 212
 pavidus, Peromyscus, 462
 peccary, collared, 469
 pectoral sandpiper, 201
 Pedioecetes,
 columbianus, 200
 phasianellus, 200
 Pelecanus erythrorhynchos,
 196
 pelican, white, 196
 pennsylvanicus, Microtus, 128

chickadee, 206
pallidiceps, Bombycilla
garrulus, 208
pallidus, Castor canadensis,
409

peppergrass, 133
Perdix perdix perdix, 200
perdix, Perdix, 200
peregrinus, Falco, 199
perfulvus, Peromyscus, 461
pergracilis,
 Blarina, 440
 Cryptotis, 440
Perisoreus,
 bicolor, 206
 canadensis, 206
Perodipus,
 chapmani, 536
 columbianus, 544
 compactus, 515
 longipes, 525
 luteolus, 533
 monoensis, 528
 montanus, 518
 obscurus, 521
 ordi, 530
 ordii, 556
 palmeri, 562
 richardsoni, 518
 sennetti, 517
 utahensis, 543
Perognathinae, 480
Peromyscopsylla scotti, 140
Peromyscus,
 banderanus, 463
 boylei, 461

phaia, Bonasa umbellus, 199
Phalacrocorax,
 auritus, 196
 albociliatus, 196
Phalaenoptilus nuttallii
nuttallii, 204
phalarope,
 northern, 202
 red, 202
 Wilson, 184, 202
Phalaropus fulicarius, 202
phasianellus, Pedioecetes, 200
Phasianus colchicus, 200
Pheucticus melanocephalus,
210
philadelphia, Larus, 202
phoebe, Say, 205
phoeniceus, Agelaius, 168, 210
Phrynosoma cornutum, 106
Phyllomys, 310
phylogeny of kangaroo rats,
484
Pica,
 hudsonica, 206
 pica, 206
pica, Pica, 206
picinus, Hylatomus pileatus,
204
Picoïdes,
 arcticus, 205
 dorsalis, 205

boylii, 461
 evides, 461
 gratus, 462
 hylocetes, 462
 labecula, 461
 leucopus, 137
 levipes, 462
 maniculatus, 137, 461
 melanophrys, 463
 melanotis, 464
 pavidus, 462
 perfulvus, 13
 sagax, 462
 sonoriensis, 461
 spicilegus, 461
 truei, 462
 vicinior, 463
 zamorae, 463
 zelotes, 462
 perpallidus, Thomomys, 28
 perplexis, Dipodomys agilis, 489
 perspicillata, 198
 petechia, Dendroica, 209
 Petrochelidon,
 albifrons, 206
 pyrronota, 206
 pewee, western wood, 205
 pheasant, ring-necked, 200
 phaeus, Microtus mexicanus, 425, 467
 fasciatus, 205
 tridactylus, 205
 picta,
 Chrysemys, 112, 270
 Oreortyx, 200
 pictus, Liomys, 289, 454
 pied-billed grebe, 196
 pigeon,
 band-tailed, 202
 hawk, 199
 passenger, 202
 pigmea, rata arroceras, 465
 pigmeo norteño, ratón, 460
 pigra, Didelphis virginiana, 439
 pileated woodpecker, western, 204
 pileatus, Hylatomus, 204
 pileolata, 210
 pileolated warbler, 210
 pillus, Thomomys umbrinus, 251
 pilot black snake, 108
 pine,
 grosbeak, Rocky Mountain, 210
 siskin, western, 211
 pinetorum, Pitymys, 128
 Pinicola,
 enucleator, 210
 montana, 210
 pink-sided junco, 212
 piñon mouse, 462
 piñonero, ratón, 462
 pintail, American, 197
 pinus, Spinus, 211
 pipiens, Rana, 104

Pipilo,
 arcticus, 211
 curtatus, 211
 maculatus, 211
 Pipistrellus,
 apus, 597
 australis, 597
 cinnamomeus, 583, 593
 hesperus, 596
 maximus, 598
 merriami, 597
 obscurus, 600
 santarosae, 598
 subflavus, 584, 599
 synopsis of the American
 bats of the genus, 593
 veracruzis, 601
 pipit, western, 188, 208
 pipixcan, Larus, 202
 Piranga ludoviciana, 210
 Pituophis,
 catenifer, 108
 sayi, 108
 Pitymys,
 nemoralis, 128
 pinetorum, 128
 pizote, 446
 planirostre, Phyllostoma, 442
 planirostris,
 Artibeus, 442
 Thomomys bottae, 66
 plantinarenensis, Liomys
 pictus, 454
 platycephalus, Selasphorus,
 204
 Platygeomys,
 Pluvialis,
 dominica, 184, 200
 fulva, 200
 pluvialis, Eumeces, 85
 Poa,
 annua, 133
 pratensis, 132
 pocket gopher,
 Michoacán, 453
 new from Mexico, 251
 plains, 452
 southern, 451
 pocket gophers of,
 Kansas, 219
 Utah, 3
 pocket mouse,
 northern spiny, 454
 spiny, 454
 western spiny, 454
 podiceps, Podilymbus, 196
 Podilymbus podiceps, 196
 poliopus, 451
 Proechimys, 316
 Polioptila,
 amoenissima, 208
 caerulea, 208
 polyglottos, Mimus, 168
 Pomarine jaeger, 202
 pomarinus, Stercorarius, 202
 Pooecetes,
 confinis, 211
 gramineus, 211
 poorwill, Nuttall, 204
 Porzana carolina, 168, 200
 postnatal development, horned
 owl, 159

angustirostris, 452
gymnurus, 452
imparilis, 452
tylorhinus, 452
varius, 453
Platypeltis, 121
platypterus, Buteo, 198
platyrhynchos, Anas, 197
Plectrophenax, 213
plegadis,
 falcinellus, 181
 mexicana, 181
plicata, Balantiopteryx, 440
plover,
 American golden, 184
 black-bellied, 200
 Cuban snowy, 183
 golden, 184, 200
 Pacific, golden, 200
 semipalmated, 183
 snowy, 183
 western snowy, 183
 Wilson, 184
plumbeus, Psaltriparus
 minimus, 207
plumed quail, 200

Proechimys—*Concluded*
 brevicauda, 349
 burrus, 316
 calidior, 316
 canicollis, 315
 cayennensis, 314
 centralis, 316
 cherriei, 316
 chiriquinus, 316
 chrysaеolus, 316

Potos, 437
prairie,
 falcon, 199
 threeawn, 132
pratincola, Tyto alba, 203
pratensis,
 Ammodramus savannarum,
 191
 Poa, 132
priscus, Dipodomys ordii, 547
proboscidea, Hyla, 259
Procyon,
 hernandezii, 446
 lotor, 446
Prodipodomys, 480
 kansensis, 481
 minor, 484
Proechimys,
 albispinus, 388
 amphichoricus, 344
 arabupu, 369
 arescens, 366
 boimensis, 350
 bolivianus, 316
 bonafidei, 378

 villicauda, 355
 warreni, 316
propinquus, Turdus
 migratorius, 208
prosopidicola, Cassidix
 mexicanus, 190
proximus, Thamnophis
 sauritus, 110
Pseudacris,
 nigrita, 104

colombianus, 316
decumanus, 316
denigratus, 381
dimidiatus, 371
elegans, 387
fuliginosus, 308
goeldi, 338
goldmani, 316
gorgonae, 316
gratiosus, 379
guairae, 316
gularis, 316
guyannensis, 355
hendeei, 315
hilda, 316
hoplomyoides, 315
hyleae, 361
ignotus, 316
iheringi, 373
kermiti, 345
leioprimna, 364
leucomystax, 352
liminalis, 343
longicaudatus, 351
mincae, 315
myosuros, 392
nesiotes, 363
nigrofulvus, 316
ochraceus, 316
o'connelli, 316
oris, 365
pachita, 316
panamensis, 316
panema, 380
paratus, 382
poliopus, 316
rattinus, 316

triseriata, 104
pseudagyrtes, Ctenophthalmus,
140
Pseudemys, 270, 283
 elegans, 112
 floridana, 112
 hoyi, 112
 scripta, 112, 270
ptarmigan, white-tailed, 200
pubescens, Dendrocopos, 205
pullus, Thomomys umbrinus,
251, 451
 Troglodytes troglodytes, 188
pulverius, Telmatodytes
 palustris, 207
punctatus, Diadophis, 107
purple finch, Cassin, 210
pusilla, Wilsonia, 190, 210
pygmaeus, Thomomys
 talpoides, 14
pygmy owl, 203
pygmy mouse,
 northern, 460
 tropical, 460
Pyrocephalus,
 mexicanus, 187
 rubinus, 187
pyrronota, Petrochelidon, 206

Q

quadratus, Thomomys, 6
quail,
 plumed, 200
 California, 200
querula, Zonotrichia, 212
Quiscalus versicolor, 168

R

rabbit,

- ribeiroi**, 361
- riparum**, 367
- roberti, 353
- rosa, 316
- rubellus, 316
- securus, 316
- semispinosus, 342
- sertonius, 391
- setosus, 385
- simonsi, 316
- steerei, 338
- trinitatis, 316
- urichi, 316
- vacillator, 316
- jack, 469
 - white-sided jack, 469
- raccoon, 446
- racer, blue, 107
- radix, *Thamnophis*, 99, 110
- rafinesquii, *Corynorhinus*, 445
- ragweed, giant, 134
- rail, Virginia, 200
- Rallus limicola*, 200
- Rana*,
 - brachycephala*, 104
 - cantabrigensis*, 104
 - catesbeiana*, 104
 - parvissima*, 104
 - sylvatica*, 104
- rat,
 - black, 468
 - dwarf wood, 467
 - ferruginous wood, 467
 - fulvous cotton, 465
 - fulvous rice, 465
 - hispid cotton, 465
- rat—*Concluded*
 - kangaroo, subspeciation in, 475
 - Norway, 168
 - rice, 464
 - snake, 108
 - tropical rice, 464
 - white-throated wood, 467
 - wood, 467
- rata,
 - algodonera*, 465
 - arroceratropical*, 464
 - leonada*, *algodonera*, 465
 - minuscule*, *montera*, 467
- red-wing, 168, 210
 - Nevada, 210
 - thick-billed, 210
- reddish egret, 181
- redhead, 197
- redpoll, common, 211
- redstart, American, 210
- regalis*, *Buteo*, 199
- regillus*, *Oryzomys couesi*, 464
- Regulus*,
 - calendula*, 208
 - cineraceus*, 208
 - olivaceus*, 208
 - satrapa*, 208

montera, 467
 negra, 468
 pigmea, arroceras, 465
 setosa, algodонера, 465
 tropical, arroceras, 464
 ratón
 breñero, 461
 chaparral, de, 461
 cuatralvo, 461
 dorado, 459
 montañero, 464
 moreno, 457
 norteño, 454
 norteño pigmeo, 460
 oscuro, 463
 ocotero, 462
 occidental espinoso, 454
 orejudo, 455
 pigmeo, 460
 piñonero, 462
 Tarasco, 463
 tlacuache, 439
 tropical pigmeo, 460
 volcanes, 466
 rats, spiny, 303
 rattinus, *Proechimys*, 316
 rattlesnake, 111
 prairie, 111
 timber, 111
 Rattus,
 alexandrinus, 468
 norvegicus, 168
 rattus, 468
 rattus, *Rattus*, 468
 raven, American, 206
ravus, *Thomomys talpoides*,
 15
Reithrodontomys,
 chrysopsis chrysopsis, 459
 fulvescens, 457
 inexpectatus, 458
 megalotis, 137, 455
 nelsoni, 457
 saturatus, 455
 seclusus, 459
 tenuis, 457
 toltecus, 458
 zacatecae, 456
 repens, *Agropyron*, 133
 repentinus, *Castor canadensis*,
 409
 restrictus, *Sylvilagus*
 floridanus, 469
 rhombifera, *Natrix*, 109
 ribbon snake, 110
ribeiroi, *Proechimys*, 361
 rice rat,
 fulvous, 465
 tropical, 464
 Richardson owl, 203
 richardsoni,
 Aegolius funereus, 203
 Dipodomys ordii, 511
 Perodipus montanus, 518
 richardsonii,
 Contopus, 205
 Dendragapus obscurus, 199
 ridgwayi, *Vermivora*
 ruficapilla, 209
 ring-billed gull, 202
 ring-necked
 duck, 197
 pheasant, 200
 snake, 107

Recurvirostra americana, 201
red, 211
 bat, 444
 phalarope, 202
red-breasted,
 merganser, 198
 nuthatch, 207
red-eyed vireo, 209
red-naped sapsucker, 204
red-shouldered hawk, 183
red-tailed hawk, 198
red-throated loon, 195

Rocky Mountain,
 grosbeak, 210
 hairy woodpecker, 204
 orange-crowned warbler,
 209
 pine grosbeak, 210
 yellow warbler, 209
rojizo, murciélagos, 444
rosa, Proechimys, 316
Ross goose, 197
rossi, Chen, 197
rostralis, Castor canadensis,
 411
rosy finch, 211
 black, 211
 gray-crowned, 211
 Hepburn, 211
rotundus, Desmodus, 443
rough-leg, ferruginous, 199
rough-legged hawk, 199
rough-winged swallow, 206

ring-tailed cat, 447
riggsi, Testudo, 284
Riparia riparia, 206
riparia, Riparia, 206
riparum, Proechimys, 367
road-runner, 184
roberti, Proechimys, 353
robin, 168, 188, 208
robustus, Thomomys bottae,
 30
rock,
 dove, 168
 squirrel, 449
 wren, 207

 pectoral, 201
 solitary, 201
 spotted, 201
 stilt, 201
 western, 201
 western solitary, 201
sandwichensis, Passerculus,
 190, 211
sanrafaeli, Dipodomys ordii,
 526
santarosae, Pipistrellus
 hesperus, 598
sapsucker,
 red-naped, 204
 Williamson, 204
sarisi, 464
sauritus, Thamnophis, 110
sativa, Medicago, 133
satrapa, Regulus, 208
saturatus, Reithrodontomys
 megalotis, 455

rubellus, *Proechimys*, 316
ruber, *Myotis*, 585
rubida, *Oxyura jamaicensis*,
198
ruby-crowned kinglet, 208
ruddy duck, 198
rufescens,
 Dichromanassa, 181
 Parus, 207
 Thomomys, 3
ruffed grouse, 199
ruffus, *Lynx*, 449
ruficapilla, *Vermivora*, 209
ruficollis, *Stelgidopteryx*,
206
ruficrissa, *Dumetella*
 carolinensis, 207
rufous hummingbird, 204
rufum, *Toxostoma*, 168
rufus,
 Lynx, 449
 Selasphorus, 204
rustica, *Hirundo*, 206
ruticilla, *Setophaga*, 210
S
sac-winged bat, 440
sacoptero, *murciélago*, 440
sagax, *Peromyscus*, 462
sage,
 grouse, 200
 sparrow, 212
 thrasher, 208
salamander,
 narrow-mouthed, 103
 Tiger, 103
salicicola, *Hylocichla*
 fuscescens, 188, 208

Saussure shrew, 439
saussurei, *Sorex*, 439
savannah sparrow, 190, 211
savannarum, *Ammodramus*,
168, 191
saw-whet owl, 204
saxatalis, *Aëronautes*, 204
Say phoebe, 205
saya, *Sayornis*, 205
sayi, *Pituophis catenifer*, 108
Sayornis saya, 205
scandiaca, *Nyctea*, 203
Scalopus aquaticus, 137
Scaphiopus, *bombifrons*, 103
scariola, *Lactuca*, 133
scaup,
 greater, 198
 lesser, 198
Sceloporus,
 garmani, 106
 undulatus, 106
Scirpus, 132
scissor-tailed flycatcher, 186
schistacea, *Passerella iliaca*,
212
Sciurus,
 albipes, 450
 nemoralis, 450
 niger, 168
 poliopus, 450
 senex, 451
 variegatus, 449
scolopaceus, *Limnodromus*
 griseus, 201
scoter,
 surf, 198
 white-winged, 198

Salpinctes obsoletus
 obsoletus, 207
salvus, Microtus mexicanus,
 426, 467
s[ancti].-johannis, Buteo
 lagopus, 199
sanctiluciae, Dipodomys
 venustus, 489
sanderling, 201
sandhill crane, 200
sandpiper,
 Baird, 184
 least, 201

sculptus, Ixodes, 143
seclusus, Reithrodontomys
 chrysopsis, 459
securus, Proechimys, 316
Seiurus,
 cinereus, 189
 furvior, 189
 limnaeus, 189
 notabilis, 209
 noveboracensis, 189, 209
Selasphorus,
 platycephalus, 204
 rufus, 204
semipalmated plover, 183
semipalmatus,
 Catoptrophorus, 201
 Charadrius hiaticula, 183
semispinosus, Proechimys,
 342
senex, 451
Sennett nighthawk, 186
sennetti,
 Chordeiles minor, 186

Scotophilus,
 georgianus, 599
 hesperus, 596
 miradorensis, 444
scotti, Peromyscopsylla, 140
screech owl, 203
scripta, Pseudemys, 112, 270

Sialia,
 currucoides, 208
 mexicanus, 208
 occidentalis, 208
Sigmodon,
 atratus, 466
 hispidus, 137, 138, 465
 mascotensis, 465
 melanotis, 465
sigmodoni, Articholaelaps, 142
simonsi, Proechimys, 316
sinaloae, Odocoileus
virginianus, 470
sinensis, Amyda, 119
sinuatus, Corvus corax, 206
sipedon, Natrix, 109
siricotéro, murciélago, 440
sirtalis, Thamnophis, 110
siskin, western pine, 211
Sitta,
 canadensis, 207
 carolinensis, 207
 caurina, 207

- Cricetodipus, 517
- Dipodomys ordii, 517
- Perodipus, 517
- sepium, Convolvulus, 135
- septentrionalis,
 - Eumeces, 106
 - Parus atricapillus, 206
- serpentina, Chelydra, 111
- serrana, tuza, 451
- serrator, Mergus, 198
- serripennis, Stelgidopteryx
 - ruficollis, 206
- sertonius, Proechimys, 391
- Setaria,
 - lutescens, 132
 - viridis, 132
- Setophaga ruticilla, 210
- setosa, rata algodonera, 465
- setosus,
 - Echimys, 385
 - Proechimys, 385
- Setzer, Henry W.,
 - Subspeciation in the kangaroo rat,
 - Dipodomys ordii, 475
 - The postnatal development of two broods of great horned owls (*Bubo virginianus*), 159
- sevieri**, *Thomomys bottae*, 45
- sexlineatus, *Cnemidophorus*, 106
- sharp-shinned hawk, 198
- sharp-tailed grouse, 200
- short-eared owl, 203
- melanotis, 207
- pygmaea, 207
- tenuissimus, 207
- skink,
 - common five-lined, 106
 - five-lined, 106
 - Sonoran, 106
- skunk,
 - hooded, 448
 - spotted, 447
- slate-colored,
 - fox sparrow, 212
 - junco, 212
- Smith, Hobart M.,
 - Hybridization between two species of garter snakes, 99
 - Kyphosis and other variations in soft-shelled turtles, 119
 - The systematic status of *Eumeces pluvialis* Cope, and noteworthy records of other amphibians and reptiles from Kansas and Oklahoma, 87
 - The tadpoles of *Bufo cognatus* Say, 95
- Smith, Hobart M., John Breukelman and, Selected records of reptiles and amphibians from Kansas, 103
- smooth brome, 133
- snake,
 - black, 108
 - black-headed, 110

shoveller, 197
shrew,
 Saussure, 439
 short-tailed, 440
shrike,
 California, 209
 northwestern, 209

snake—*Concluded*
 ground, 110
 Great Plains black-headed,
 110
 hog-nosed, 107
 king, 108
 lined, 110
 milk, 109
 pilot black, 108
 plains garter, 110
 prairie ring-necked, 107
 rat, 108
 rattle, 111
 red milk, 109
 red-sided garter, 110
 ribbon, 110
 ring-necked, 107
 southern ground, 110
 speckled king, 109
 water, 109
 western milk, 109
 western ribbon, 110
 western worm, 107
 worm, 107
 yellow-bellied king, 108
 yellow-bellied water, 109
snapping turtle, 111
snipe, Wilson, 201

bull, 108
 common bull, 108
 common water, 109
 diamond-backed water, 109
Emory rat, 108
garter, 110
Graham, 109

lark, 211
Lincoln, 212
Merrill song, 212
montane Lincoln, 212
mountain song, 212
Nevada savannah, 211
northern sage, 212
sage, 212
savannah, 211
slate-colored fox, 212
song, 212
tree, 212
vesper, 211
western chipping, 212
white-crowned, 212
white-throated, 212
sparrow hawk, 199
sparrow hawks, 164
sparverius, Falco, 199
Spatula clypeata, 197
speargrass, 133
speckled king snake, 109
Speotyto,
 cunicularia, 203
 hypugaea, 203
Sphyrapicus,
 nuchalis, 204
 thyroideus, 204
 varius, 204

snow bunting, eastern, 213
snowy,
 owl, 203
 plover, 183
soft-shelled turtle, 112, 119
Solanum carolinense, 135
solitaire, Townsend, 208
solitaria, *Tringa*, 201
solitarius, *Vireo*, 188, 209
solitary sandpiper, 201
solitudinis, *Carpodacus*
 mexicanus, 210
Sonchus arvensis, 136
Song sparrow, 212
 Merrill, 212
 Mountain, 212
Sonora episcopa, 109
Sonoran skink, 106
sonoriensis,
 Eumops, 446
 Peromyscus, 461
sora, 168, 200
Sorex saussurei, 439
soricina, *Glossophaga*, 440
southern pocket gopher, 451
spadefoot, 103
sparrow,
 Brewer, 212
 chipping, 212
 English, 210
 fox, 212
 Gambel, 212
 grasshopper, 168
 Harris, 212

stansburyi, *Thomomys*
 bottae, 36

spicilegus, *Peromyscus*, 461
spike-flower, 135
Spilogale,
 angustifrons, 447
 gracilis, 447
spinifera, *Amyda*, 112, 119
Spinus,
 pallidus, 211
 pinus vagrans, 211
 tristis pallidus, 211
 vagrans, 211
spinoletta, *Anthus*, 208
spiny pocket mouse, 454
Spizella,
 arborea ochracea, 212
 arizonae, 212
 breweri, 212
 ochracea, 212
 passerina, 212
sponsa, *Aix*, 197
spotted,
 sandpiper, 201
 skunk, 447
 towhee, 211
Squatarola squatarola, 200
squatarola, *Squatarola*, 200
squirrel,
 fox, 168
 ground, 450
 lesser tropical ground, 450
 rock, 449
 tropical ground, 450
stabularis, *Eulaelaps*, 142

sylvaticus, *Apodemus*, 142
Sylvilagus,

starling, 168, 209
 steerei, *Proechimys*, 316
Steganopus tricolor, 184, 202
steindachneri, *Amyda*, 119
Stelgidopteryx,
 ruficollis, 206
 serripennis, 206
stellata, *Gavia*, 195
stelleri, *Cyanocitta*, 206
Stercorarius pomarinus, 202
Sterna,
 forsteri, 202
 hirundo, 202
Sternotherus odoratus, 111
 stilt, black-necked, 201
 stilt sandpiper, 201
strepera, *Anas*, 197
striatula, *Haldea*, 110
striatulus, *Accipiter gentilis*,
 198
striatus, *Accipiter*, 198
Strix nebulosa nebulosa, 203
Sturnella, 168
 neglecta, 190, 210
Sturnus vulgaris, 168, 209
subcinctus, *Sylvilagus*
 floridanus, 468
subflavus,
 Pipistrellus, 584
 Pipistrellus hispidus, 599
 vespertilio, 599
 subspeciation,
 in kangaroo rat,
 Dipodomys ordii, 475
 in pocket gophers of
 Kansas, 219

cunicularis, 469
 floridanus, 168, 468
 restrictus, 469
 subcinctus, 468

Synaptomys cooperi, 130
sypila, *Lampropeltis*
 triangulum, 109

T

tabida, *Grus canadensis*, 200

Tachycineta,
 lepida, 206
 thalassina, 206

Tadarida,
 femorosacca, range of, 247
 mexicana, 445

tadpoles of *Bufo cognatus*, 95

talpoides, *Thomomys*, 6, 138

tanager, western, 210

Tantilla,
 gracilis, 110
 nigriceps, 110

tantilla, 110

Tarascan,
 Empire, 435
 mouse, 463

tarascensis, *Zygogeomys*
 trichopus, 453

Trasco, *ratón*, 463

Taraxacum officinale, 134

Taxidea, 447

Tayassu,
 angulatus, 469
 humeralis, 469

Taylor, Edward H., A new
 hylid frog from eastern
 Mexico, 259

taylori,

Sula sula, 180
sula, *Sula*, 180
supernus, *Thomomys bottae*, 251
surinamensis, *Chlidonias nigra*, 202
Surnia,
 caparoch, 203
 ulula, 203
Swainson hawk, 198
swainsoni,
 Buteo, 198
 Hylocichla ustulata, 188
swallow,
 bank, 206
 barn, 206
 cliff, 164, 206
 northern cliff, 206
 rough-winged, 206
 tree, 206
 violet-green, 206
swan,
 trumpeter, 196
 whistling, 196
sweet clover, 133
swift,
 Vaux, 204
 white-throated, 204
sylvatica, *Rana*, 104

Terrapene,
 ornata, 111
 triunguis, 112
terrosus, *Dipodomys ordii*, 523
testaceous, *Masticophis flagellum*, 108

Baiomys, 460
Castor canadensis, 410
Peromyscus, 460
Tayra, 437
teal,
 blue-winged, 168, 197
 cinnamon, 197
 green-winged, 197
Telmatodytes,
 palustris, 207
 pulverius, 207
tenuicauda, *Neotoma ferruginea*, 467
tenuiceps, *Heliscomys*, 289
tenuirostris, *Charadrius alexandrinus*, 183
tenuis, *Reithrodontomys fulvescens*, 457
tenuissima, *Sitta carolinensis*, 207
tephrocotis, *Leucosticte*, 211
tergeminus, *Sistrurus catenatus*, 111
tern,
 black, 202
 Caspian, 202
 common, 202
 Forster, 202

ravus, 15
robustus, 30
rufescens, 3
sevieri, 45
stansburyi, 36
supernus, 251
talpoides, 6, 138

teter, *Cathartes aura*, 198
Testudo riggsi, 284
texanum, *Ambystoma*, 103
texanus, *Colinus virginianus*, 200
 Texas bob-white, 200
texensis,
 Chordeiles acutipennis, 186
 Didelphis mesamericana, 439
thalassina, *Tachycineta*, 206
Thamnophis,
 marciana, 99
 parietalis, 110
 proximus, 110
 radix, 99, 110
 sauritus, 110
 sirtalis, 110
 Thayer gull, 202
thayeri, *Larus argentatus*, 202
 thick-billed red-wing, 210
Thomomys,
 absonus, 71
 albicaudatus, 37
 alexandrae, 72
 aureus, 61
 aureiventris, 28
 birdseyei, 63
 bonnevillei, 41
 bottae, 28
 bulbivorus, 3
 centralis, 44
 clusius, 17
 contractus, 50
 convexus, 47
 tivius, 49
 tolucae, 252
 trumbullensis, 65
 uinta, 13
 umbrinus, 3, 251, 451
 umbrinus, new from Mexico, 251
 virgineus, 64
 wahwahensis, 58
 wasatchensis, 8
 thrasher,
 brown, 168
 sage, 208
 threeawn, 132
 three-toed woodpecker,
 Alaska, 205
 alpine, 205
 arctic, 205
 thrush,
 Alaska hermit, 208
 Audubon hermit, 208
 hermit, 208
 northern varied, 208
 olive-backed, 208
 varied, 208
 western olive-backed, 208
 willow, 188, 208
 thula, *Leucophoyx*, 196
thyroideus, *Sphyrapicus*, 204
thysanodes, *Myotis*
thysanodes, 444
tigrinum, *Ambystoma*, 103
timida, *Chrysemys*, 272
 titmouse, gray, 207
tivius, *Thomomys bottae*, 49
 tlacuache, 438
 ratón, 439

- dissimilis, 60
 - fisheri, 60
 - fossor, 21
 - fulvus, 61
 - gracilis, 6
 - howelli, 57
 - kaibabensis, 23
 - lenis, 53
 - levidensis, 54
 - levis, 24
 - minimus, 32
 - moorei, 19
 - nesophilus, 34
 - nicholi, 66
 - ocius, 17
 - of Utah, 3
 - osgoodi, 56
 - oquirrhensis, 11
 - parowanensis, 22
 - perpallidus, 28
 - planirostris, 66
 - pullus**, 251, 451
 - pygmaeus, 14
 - quadratus, 6
-
- Townsend,
 - solitaire, 208
 - warbler, 209
 - Toxostoma rufum, 168
 - traillii, Empidonax, 187, 205
 - transversa, Natrix
 - erythrogaster, 109
 - tree sparrow, western, 212
 - tree swallow, 206
 - treganzai, Ardea herodias, 196
 - triangulum, Lampropeltis,
 - common snapping, 111
 - extinct emydid from Lower Pliocene of Oklahoma, 269
 - mud, 111
 - musk, 111
 - ornate box, 111
 - painted, 112
 - scribe, 112
 - snapping, 111
 - soft-shelled, 112, 119
 - spineless soft-shelled, 112
-
- toad,
 - American, 103
 - common tree, 104
 - Great Plains, 104
 - narrow-mouthed, 105
 - Rocky Mountain, 104
 - tolmiei, Oporornis, 209
 - toltecus, Reithrodontomys
 - fulvescens, 458
 - tolucae, Thomomys umbrinus, 252
 - toothed turtle, 112
 - towhee,
 - arctic, 211
 - green-tailed, 211
 - Nevada, 211
 - spotted, 211
 - townsendi,
 - Dendroica, 209
 - Myadestes, 208

109
 trichas, *Geothlypis*, 189, 209
 trichopus, *Zygogeomys*, 453
 tricolor, *Steganopus*, 184, 202
 tridactylus, *Picoïdes*, 205
 tridecimlineatus, *Citellus*, 143
 trifida, *Ambrosia*, 134
 Trifolium, 136
 Trifolius, 132
 trinitatis,
 Echimys, 333
 Proechimys, 316
 Tringa,
 cinnamomea, 201
 solitaria, 201
 Trionyx, 122
 triseriata, *Pseudacris nigrita*, 104
 tristis, *Spinus*, 211
 Triturus,
 louisianensis, 103
 viridescens, 103
 triunguis,
 Amyda, 122
 Terrapene, 112
 Troglodytes,
 aëdon, 207
 pacificus, 207
 parkmanii, 207
 pullus, 188
 troglydytes, 188, 207
 troglodytes, *Troglodytes*, 188, 207
 tropical,
 arrocera, *rata*, 464
 spiny soft-shelled, 112
 toothed, 112
 yellow mud, 111
 turtles, fossil from Kansas and Oklahoma, 283
 tuza,
 de Michoacán, 452
 llanera, 452
 serrana, 451
 tylorhinus, *Platygeomys*, 452
 Tyrannus tyrannus, 205
 tyrannus, *Tyrannus*, 205
 tzitzihoa, *Anas acuta*, 197
U
 uakuí, 450, 451
 Uikúri, 438
 uinta, *Thomomys talpoides*, 13
 ulula, *Surnia*, 203
 umbelloides, *Bonasa umbellus*, 199
 umbellus, *Bonasa*, 199
 umbrinus,
 Thomomys, 251, 451
 Thomomys talpoides, 3
 underwoodi, *Eumops*, 445
 undulatus, *Sceloporus*, 106
 unicolor, *Cinclus mexicanus*, 207
 United States Navy, office of research and invention, 479
 urichi, *Proechimys*, 316
 Urocyon,
 cinereoargenteus, 448
 colimensis, 448
 urophasianus, *Centrocerus*, 200
 ustulata, *Hylocichla*, 188, 208

pigmeo ratón, 460
pigmy mouse, 460
rice rat, 464
tropicalis, *Conepatus*, 577
Tropidoclonion lineatum,
110
truei, *Peromyscus*, 462
trumbullensis, *Thomomys*
 bottae, 65
tuberosus, *Helianthus*, 135
tularemia, 479
Turdus,
 caurinus, 208
 migratorius, 168, 188, 208
 nigrideus, 188
 propinquus, 208
turkey vulture, 198
turtle,
 box, 111
 Carolina, 112
 common musk, 111

varius,
 Cartogeomys, 453
 Platygeomys, 453
 Sphyrapicus, 204
Vaux swift, 204
vauxi, *Chaetura*, 204
velifer, *Myotis*, 443, 588
velox, *Accipiter striatus*, 198
venado cola blanca, 470
ventralis, *Ophisaurus*, 106
veracruzis,
 Pipistrellus subflavus, 601
 Vesperugo, 601
vermis, *Carphophis amoena*,
107

Utah, The pocket gophers
 (genus *Thomomys*) of, 1
utahensis,
 Dipodomys ordii, 525, 543
 Eremophila alpestris, 206
 Perodipus montanus, 538
 Perodipus ordii, 543
V
vacillator, *Proechimys*, 316
vagrans, *Spinus pinus*, 211
valisineria, *Aythya*, 197
vampire bat, 443
vampiro, 443
variabilis, *Dermacentor*, 143
varied thrush, northern, 208
variegatus,
 Citellus variegatus, 449
 Sciurus, 449

virginiana, *Didelphis*, 439
virginianus,
 Bubo, 159, 203
 Colinus, 200
 Odocoileus, 470
viridescens, *Triturus*, 103
viridis, *Setaria*, 132
viridus, *Crotalus*, 111
vittata, *Mephitis macroura*,
578
vociferus, *Charadrius*, 200
volcanes, ratón los, 466
vulgaris, *Sturnus*, 168, 209
vulture,
 turkey, 198

Vermivora,
 celata, 209
 orestera, 209
 ridgwayi, 209
 ruficapilla, 209
vermivorus, Helmitheros,
189
versicolor,
 Hyla, 104
 Quiscalus, 168
vesper sparrow, 211
Vespertilio cinnamomeus,
585
vespertina, Hesperiphona,
210
vespertino, murciélago, 443
Vesperugo,
 carolinensis, 599
 erythrodactylus, 599
 hesperus, 596
 merriami, 597
 subflavus, 599
 veracruzis, 601
vicinior, Peromyscus
 banderanus, 463
Villa R., Bernardo, 219, 251
Villa R., Bernardo and E.
 Raymond Hall, 435
villicauda, Proechimys, 355
villosus, Dendrocopos, 204
vinaceus, Geomys bursarius,
234
violet-green swallow, 206
virens, Icteria, 189, 209
Vireo,
 alticola, 188
 cassinii, 209

western turkey, 198

W

wahwahensis, Thomomys
 bottae, 58
wapacuthu, Bubo virginianus,
203
warbler,
 Audubon, 209
 Black-throated gray, 209
 Calaveras, 209
 Macgillivray, 209
 northern pileolated, 210
 orange-crowned, 209
 pileolated, 210
 Rocky Mountain orange-
 crowned, 209
 Townsend, 209
 yellow, 209
warbling vireo, 209
warreni, Proechimys, 316
wasatchensis, Thomomys
 talpoides, 8
washingtoniensis, Haliaeetus
 leucocephalus, 199
water snake, 109
water-thrush,
 British Columbia, 189
 Grinnell, 209
 northern, 189
waxwing,
 Bohemian, 208
 cedar, 208
weasel, 447
western,
 belted kingfisher, 204
 bluebird, 208
 burrowing owl, 203

gilvus, 209
huttoni, 209
olivaceus, 209
solitarius, 188, 209
swainsonii, 209
vireo,
 Cassin, 209
 Hutton, 209
 mountain, 188
 red-eyed, 209
 warbling, 209
 western warbling, 209
virgineus, Thomomys bottae,
64
Virginia rail, 200

western—*Concluded*
 meadowlark, 190, 210
 mourning dove, 202
 olive-backed thrush, 208
 pigeon hawk, 199
 pileated woodpecker, 204
 pine siskin, 211
 pipit, 188, 208
 red-tailed hawk, 198
 ruby-crowned kinglet, 208
 sandpiper, 201
 solitary, 201
 spiny pocket mouse, 454
 tanager, 210
 tree sparrow, 212
 turkey vulture, 198
 vesper sparrow, 211
 warbling vireo, 209
wenmanni, Epitedia, 140
white pelican, 196
white-cheeked goose, 196

catbird, 207
chipping sparrow, 212
crow, 206
gnatcatcher, 208
golden-crowned kinglet, 208
goshawk, 198
grebe, 196
grosbeak, 210
harlequin duck, 198
house wren, 207
lark sparrow, 211

Woodhouse jay, 206
woodhousei, Aphelocoma
coerulescens, 206
woodhousii, Bufo, 104
woodpecker,
 Alaska three-toed, 205
 alpine three-toed, 205
 arctic three-toed, 205
 Batchelder, 205
 hairy, 204
 Lewis, 204
 northern white-headed, 205
 pileated, 204
 Rocky Mountain hairy, 204
 three-toed, 205
 western pileated, 204
 white-headed, 204
wood mouse, 462
worm-eating warbler, 189
worm snake, 107
wren,

white-crowned sparrow, 212
white-faced glossy ibis, 196
white-headed woodpecker,
205
white-sided jack rabbit, 469
white-tailed,
 deer, 470
 ptarmigan, 200
white-throated,
 sparrow, 212
 swift, 204
 wood rat, 467
white-winged crossbill, 211
wild,
 lettuce, 133
 millet, 134
 morning glory, 135
willet, western, 201
Williamson sapsucker, 204
willow thrush, 188, 208
Wilson,
 phalarope, 184, 202
 plover, 184
 snipe, 201
 warbler, 190
Wilsonia,
 pileolata, 210
 pusilla, 190, 210
wilsonia, Charadrius, 184
wilsonianus, Asio otus, 203
winter wren, 207
wood duck, 197
wood pewee, 205
wood rat,
 dwarf, 467
 ferruginous, 467
 white-throated, 467

canyon, 207
common rock, 207
house, 207
long-billed, 207
northern canyon, 207
northwestern long-billed,
 207
rock, 207
southern winter, 188
western house, 207
western winter, 207
winter, 188, 207

Y

yellow warbler, 209
yellow-bellied,
 flycatcher, 186
 king snake, 108
yellow-breasted chat, 189
yellow-headed blackbird, 210
yellow-legs,
 greater, 201
 lesser, 201
yellow-throat, western, 189,
209
yerbabuenae, Leptonycteris
 nivalis, 441
Yuma,
 murciélago, 443
 myotis, 443
yumanensis, Myotis, 443

Z

zacatecae, Reithrodontomys
 megalotis, 456
zamora, Peromyscus
 melanophrys, 463
zapotero, murciélago, 442

zelotes, *Peromyscus*, 462

Zenaidura,

macroura, 168, 202

marginella, 202

Zonotrichia,

albicollis, 212

gambeli, 212

leucophrys, 212

querula, 212

zorillo, 448

manchado, 447

real, 448

zorro gris, 448

Zygogeomys,

tarascensis, 453

trichopus, 453



23-2413

Transcriber's Notes

To facilitate locating entries, a "jump" list was created and each section where a new letter of the alphabet begins was labeled and a link back to the list was added to the left column. In transcribing this publication, the following errors were corrected. Seven misplaced entries were moved to their correct alphabetical location. Five other typographical errors were corrected (as listed below).

Reodered Entries

Page Text Moved

616 gray, titmouse
618 inexpectatus, Reithrodontomys
fulvescens
622 mexicanus, Cassidix
630 sanctiluciae, Dipodomys venustus
631 Sitta, pygmaea
632 sparrow, English
632 sparrow, vesper

Typographical Corrections

Page Correction

i	Missing period in E. Raymond Hall added
612	Raymon ⇒ Raymond
625	sandwichensis not indented
628	repeated "pullus" removed
633	restricuts ⇒ restrictus

*** END OF THE PROJECT GUTENBERG EBOOK INDEX TO
UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL
HISTORY, VOLUME 1 ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the

collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with

this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official

version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES

EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a)

distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact

links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.