



OWNER'S MANUAL

MODEL 633



OWNER'S MANUAL

MODEL 633

The Project Gutenberg eBook of Delco Radio Owner's Manual Model 633; Delcotron Generator Installation

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Delco Radio Owner's Manual Model 633; Delcotron Generator Installation

Author: Delco-Remy Corporation

Release date: February 26, 2010 [eBook #31407]

Most recently updated: January 6, 2021

Language: English

Other information and formats: www.gutenberg.org/ebooks/31407

Credits: Produced by Gerard Arthus, Meredith Bach, and the Online Distributed Proofreading Team at <https://www.pgdp.net>

***** START OF THE PROJECT GUTENBERG EBOOK DELCO RADIO
OWNER'S MANUAL MODEL 633; DELCOTRON GENERATOR
INSTALLATION *****

Transcriber's Note

This ebook contains two manuals by Delco: Delco Radio Owner's Manual Model 633 and Delcotron Generator Installation. They are separated by a divider.

In the list on pages 10 and 11 of Delco Radio Owner's Manual Model 633, the second station line for Tulsa (which is CFRB 690) has been removed, as it is believed to be an accidental reprinting of the following station line. Redundant headers and (foot)notes on these pages have also been removed.



INSTALLATION AND OPERATING INSTRUCTIONS

This model of the Delco Radio is a six-tube super-heterodyne receiver designed for operation with a HEADER type speaker. It comprises the best in automotive radio engineering, featuring Syncro-Tuning—the newest, most efficient antenna circuit yet developed, and Sensitivity Control.

The speaker and remote control unit are supplied in separate packages and are available in a wide variety of types and styles, depending upon the make and model of car the unit is to be used on.

The package contains:

	<i>Part No.</i>
1 Receiver Unit, complete with tubes	
1 Speaker Unit (less Adapter)	1210934
1 Combined Drilling Template and Radio—Dash Spacer	
2 Chassis Mounting studs, $\frac{1}{4}$	1207562
—20 x 2½	
2 Chassis Mounting Shakeproof Washers	1208565

2 Chassis	
Mounting Nuts, ¼	120375
—20	
1 Antenna Lead	1209622
1 Distributor	1207818
Suppressor	
1 Generator	1849014
Condenser	
1 Ammeter	1209333
Condenser	

INSTALLATION

Antenna—

See Instructions in antenna package.

Chassis—

This receiver may be installed on any car with Positive or Negative ground without any changes of wiring.

When possible, locate the chassis on the driver's side of the dash, over the steering column, with the removable cover plate facing the floor. This position places the control shafts on the end of the case facing the center of the car.

Locate the position of the mounting holes by means of the template included in the package. Drill the holes, using a 3/8" drill, and scrape the paint from around the holes on the engine side of the dash to insure a good ground connection as there is no other ground connection for this receiver.

Make sure that all tubes and the vibrator are pushed well down in their sockets and that all the grid clips are properly in place on the top caps of their respective tubes.

If a six-volt storage battery is available, check the receiver for normal operation before permanently installing it on the car. The antenna lead and control unit may be temporarily connected for this test.

Insert the two receiver mounting studs in the back of the receiver case with the "burred" threads nearest the receiver to make sure that these studs do not enter the case far enough to cause damage to the receiver parts.

Install the receiver, using the drilling template as a spacer between the dash and the receiver case. Install the two shakeproof washers over the chassis mounting studs. Then tighten the mounting nuts to insure that the receiver case shall be thoroughly grounded to the dash.

Antenna Lead—

Attach the black antenna lead to the car antenna and plug the connector on the antenna lead into the receiver chassis as shown in the Installation Diagrams. Ground the pigtail of the antenna lead shield to a convenient body bolt. Keep antenna lead out of engine compartment to avoid possibility of ignition interference being picked up by the lead-in.

Speaker—

See Instructions in speaker package.

Remote Control Unit—

See Instructions in remote control package.

CONTROL UNIT ADJUSTMENT

The volume control and station selector shafts are AUTOMATICALLY adjusted as follows:

1. Insert control cables in their respective bushings on the case (volume control is upper bushing when receiver is installed in the car), until they seat themselves and then tighten the set screws.
2. Turn the station selector knob to the right (clockwise) until it stops—then turn the knob counter-clockwise until it stops. The dial is now logged.

3. Turn the volume control knob clockwise until the knob turns hard. The volume control is now on full.

Eliminating Motor Interference—

Connect the ammeter condenser to the spring clip at the end of the wire containing the fuse holder by means of the self-threading screw on the side of the spring clip. Ground the other terminal of the condenser at any convenient point.

Install the generator condenser on the generator side of the generator cut-out as shown in the Diagram of Connections. DO NOT connect the flexible lead to the field terminal of the generator.

Remove the center distributor lead and insert the distributor suppressor in its place. Then plug the distributor lead into the suppressor.

Adjusting Delco Syncro-Tuning—

Turn the receiver on.

Tune-in a radio station which logs between 55 and 65 on the dial and gives the radio a signal BARELY AUDIBLE in the speaker WITH the VOLUME control FULL ON. A small snap button cap is located in the end of the receiver case beside the antenna lead connection. Remove the snap button cap by prying with a small screw driver.

By means of a small screw driver inserted in the hole which was covered by the small cap, adjust the Delco Syncro-Tuning condenser unit for maximum output in the speaker. Remaining on same station, readjust station selector for maximum volume and readjust the Delco Syncro-Tuning Condenser unit for maximum output. No further adjustment of this unit will be necessary as the receiver is now adjusted for best operation with your car antenna. Replace the snap button cap.

OPERATION

To Turn On Receiver—

Some control units have a small knob located below the center of the dial. If your receiver is equipped with this type of control push this small knob in as far as it will go. Other control units have a combination on-off switch and volume control knob. To turn on this type of control turn the knob clockwise until the switch clicks and the dial is illuminated.


Volume Control—

Turning the volume control knob toward the right increases the output of the receiver and turning it toward the left reduces the output.

How To Tune The Receiver—

Turn the volume control knob approximately half way to the right. Rotate the station selector knob slowly until a station is heard. Tune this station in until the minimum amount of background noise is heard. Increase or decrease the volume to the desired level by adjusting the volume control knob. Careful tuning will result in better tone quality from all stations.

If the program being received is from a powerful local station local interference may be practically eliminated by turning the sensitivity control to the LOCAL position. You then will get the best possible reproduction of that station's program.



Sensitivity Control—

The sensitivity control is located on the lower, left front corner of the receiver case and when turned to the LOCAL position it decreases the sensitivity of the receiver sufficiently to greatly reduce interference from street cars, electric signs, X-Ray machines, electrical machinery, power lines, etc. It will also eliminate interference from weak stations.

When the control is turned to the DISTANCE position the receiver is allowed to operate at maximum sensitivity.

Tone Control—

The tone control is located on the lower, right front corner of the receiver case. This control is to be adjusted at the operator's will. However, most

experienced operators prefer to set it for maximum treble response when the car is operated at high speeds.

To Turn Off The Receiver—


If the control head has a key knob in the center pull the knob out until it clicks into the off position and the receiver ceases to operate. If you wish to lock the receiver, pull the knob all the way out of the control unit and carry it with you.

If you are using the type of control unit which has a combination on-off switch and volume control knob turn the knob to the left until the receiver ceases to operate.



SERVICE

Should your receiver fail to operate, first check the fuse located in the fuse holder in the ammeter cable. If you wish to remove your tubes and vibrator for test purposes, their location is indicated below.



Any further service work on your receiver should be referred to a competent radio service station.

When at home call your local

DEALER.....

AT.....

TELEPHONE.....

DATE RADIO INSTALLED.....

PRINCIPAL BROADCAST STATIONS^[A]

ARRANGED ALPHABETICALLY BY CITIES

Abilene, Kans.

KFBI	1050
------	------

Albuquerque, N. M.

KOB	1180
-----	------

Alexandria, Va.

WJSV	1460
------	------

Amarillo, Tex.

KGRS	1410
------	------

WDAG	1410
------	------

Ames, Iowa

WOI	640
-----	-----

Asheville, N. C.

WWNC	570
------	-----

Atlanta, Ga.

WSB	740
-----	-----

Atlantic City, N. J.

WPG	1100
-----	------

Baltimore, Md.

WBAL	1060
------	------

Belle Plaine (Moose Jaw), Sask.

CJRM	540
------	-----

Billings, Mont.

KGHL	950
------	-----

Birmingham, Ala.

WAPI	1140
------	------

Bismarck, N. D.	
KFYR	550
Boise, Idaho	
KIDO	1350
Boston, Mass.	
WBZ	990
WBZA	990
WEEI	590
WHDH	830
WNAC	1230
Brookings, S. D.	
KFDY	550
Brooklyn, N. Y.	
WBBR	1300
Buffalo, N. Y.	
WBEN	900
WGR	550
WKWB	1480
Chattanooga, Tenn.	
WDOD	1280
Chicago, Ill.	
WBBM	770
WCFL	970
WENR	870
WGN	720
WJJD	1130
WLS	870
WMAQ	670
WMBI	1080
KYW	1020
Charlotte, N. C.	
WBT	1080
Cincinnati, Ohio	
WLW	700

Clay Center, Nebr.	
KMMJ	740
Cleveland, Ohio	
WHK	1390
WTAM	1070
Colorado Springs, Col.	
KVOR	1270
Council Bluffs, Ia.	
KOIL	1260
Covington, Ky.	
WCKY	1490
Dallas, Tex.	
KRLD	1040
WFAA	800
Denver, Colo.	
KLZ	560
KOA	830
Des Moines, Ia.	
WOC	1000
Detroit, Mich.	
WWJ	920
WJR	750
WXYZ	1240
Eau Claire, Wis.	
WTAQ	1330
Edmonton, Alta.	
CJCA	730
Elmira, N. Y.	
WESG	1040
Fargo, N. D.	
WDAY	940
Fayetteville, Ark.	
KUOA	1260
Fort Wayne, Ind.	

WOWO	1160
Fort Worth, Tex.	
KTAT	1240
WBAP	800
Gainesville, Fla.	
WRUF	830
Gary, Ind.	
WIND	560
Great Falls, Mont.	
KFBB	1280
Harrisburg, Pa.	
WBAK	1430
Hartford, Conn.	
WDRC	1330
WTIC	1060
Havana, Cuba	
CMCQ	780
CMK	730
CMW	590
CMX	890
Hollywood, Cal.	
KFWB	950
Honolulu, Hawaii	
KGU	750
Hot Springs National Park, Ark.	
KTHS	1040
Houston, Tex.	
KPRC	920
Indianapolis, Ind.	
WFBM	1230
Jackson, Miss.	
WJDX	1270
Jacksonville, Fla.	
WJAX	900

Kalamazoo, Mich.	
WKZO	590
Kansas City, Mo.	
KMBC	950
WDAF	610
WOQ	1300
Knoxville, Tenn.	
WNOX	560
La Crosse, Wis.	
WKBH	1380
La Prairie (Montreal), Que.	
CRCM	910
Lawrence, Kans.	
WREN	1220
Lansing, Mich.	
WKAR	1040
Lincoln, Nebr.	
KFAB	770
Little Rock, Ark.	
KLRA	1390
Long Beach, Cal.	
KFOX	1250
KGER	1360
Los Angeles, Cal.	
KECA	1430
KFAC	1300
KFI	640
KHJ	900
KNX	1050
Louisville, Ky.	
WAVE	940
WHAS	820
Lulu Island (Vancouver Island), B. C.	
CRCV	1100

Madison, Wis.

WHA 940

Mexico City, Mexico

XEB 1030

XEN 711

XEW 910

XFG 638

XFI 818

XEFO 940

XETR 610

Miami Beach, Fla.

WMBF 1300

Miami, Fla.

WIOD 1300

WQAM 560

Milwaukee, Wis.

WTMJ 620

Minneapolis, Minn.

WCCO 810

WDGY 1180

WLB 1250

WRHM 1250

Montreal, Que.

CKAC 730

Nashville, Tenn.

WLAC 1470

WSM 650

Newark, N. J.

WAAM 1250

WNEW 1250

WOR 710

New Orleans, La.

WDSU 1250

WWL 850

New York, N. Y.

WABC	860
WEAF	660
WFAB	1300
WJZ	760
WLWL	1100
WOV	1130

Norfolk, Nebr.

WJAG	1060
------	------

Northfield, Minn.

WCAL	1250
------	------

Oakland, Cal.

KLX	880
-----	-----

Oklahoma, Okla.

WKY	900
KOMA	1480

Omaha, Nebr.

WOW	590
-----	-----

Ottawa, Ont.

CRCO	880
------	-----

Philadelphia, Pa.

WCAU	1170
------	------

Piedras Negras, Coahuila

XEPN	585
------	-----

Pittsburgh, Pa.

KDKA	980
WCAE	1220
WJAS	1290

Portland, Me.

WCSH	940
------	-----

Portland, Ore.

KEX	1180
KGW	620
KOIN	940

Pullman, Wash.	
KWSC	1220
Raleigh, N. C.	
WFTF	680
Reading, Pa.	
WEEU	830
Reynosa, Tamaulipas	
XEAW	956
Richmond, Va.	
WRVA	1110
Rochester, N. Y.	
WHAM	1150
Salt Lake City, Utah	
KDYL	1290
KSL	1130
San Antonio, Tex.	
KTSA	1290
WOAI	1190
San Diego, Cal.	
KFSD	600
KGB	1330
San Francisco, Cal.	
KFRC	610
KGO	790
KPO	680
KTAB	560
KYA	1230
San Juan, Puerto Rico	
WKAQ	1240
Schenectady, N. Y.	
WGY	790
Seattle, Wash.	
KJR	970
KOL	1270

KOMO	920
KTW	1220
Shreveport, La.	
KTBS	1450
KWKH	850
Sioux City, Iowa	
KSCJ	1330
Sioux Falls, S. D.	
KSOO	1110
Spokane, Wash.	
KFPY	1340
KGA	1470
KHQ	590
Stevens Point, Wis.	
WLBL	900
St. Joseph, Mo.	
KFEQ	680
St. Louis, Mo.	
KMOX	1090
KWK	1350
WEW	760
St. Paul, Minn.	
KSTP	1460
Strathmore (Calgary), Alta.	
CFCN	1030
Superior, Wis.	
WEBC	1290
Syracuse, N. Y.	
WFBL	1360
Tallmadge, Ohio	
WADC	1320
Tampa, Fla.	
WDAE	1220
Toledo, Ohio	

WSPD	1340
Topeka, Kans.	
WIBW	580
Toronto, Ont.	
CRCT	960
Tulsa, Okla.	
KVOO	1140
Twp. of Kingston (Toronto), Ont.	
CFRB	690
Villa Acuna, Coahuila	
XER	735
Wheeling, W. Va.	
WWVA	1160
Wichita, Kans.	
KFH	1300
Windsor, Ont.	
CKLW	840
Winnipeg, Man.	
CKY	910
Yankton, S. D.	
WNAX	570
York, Pa.	
WORK	1000
Zion, Ill.	
WCBD	1080

[\[A\]](#) Stations listed include only those of 1000 watts power (or higher).

NOTE: Numbers following call letters indicate approximate dial setting.

WARRANTY

(This Warranty not applicable outside U.S.A.)

Your Delco Radio Carries the Same Guarantee As Your Car

"The manufacturer warrants each new radio receiving set manufactured by it to be free from defects in material and workmanship under normal use and service, its obligation under this warranty being limited to making good at its factory or designated Branches any part or parts thereof which shall within ninety (90) days or 4,000 miles whichever expires first, after installation of such auto radio receiving set for the original purchaser, be returned to it with transportation charges prepaid and which its examination shall disclose to its satisfaction to have been thus defective; this warranty being expressly in lieu of all other warranties expressed or implied and of all other obligations or liabilities on its part, and the manufacturer neither assumes nor authorizes any other person to assume for it any other liability in connection with the sale of its products."

"This warranty shall not apply to any radio receiving set which shall have been repaired or altered outside manufacturer's authorized Service Stations in any way so as in the judgment of the manufacturer to affect its stability, or on parts not made or authorized by the manufacturer have been used for replacement or other purposes, nor which has been subject to misuse, negligence, or accident."

**UNITED MOTORS SERVICE, INC.
DETROIT, MICH.**

Form No. 2095

Printed in U. S. A.



Delco

Rebuilt	1 55-D
Delcotron	1845985
Generator	

**Rebuilt by Delco-Remy. Division of
General Motors, Anderson, Indiana,
46011**

Made in	275829	Printed in
U.S.A.		U.S.A.

INSTALLING SERVICE DELCOTRON® GENERATOR

1. **DISCONNECT GROUNDED CABLE FROM BATTERY.**
2. If it is necessary to rotate the slip ring end frame to match the unit being replaced, remove the thru bolts, separate frames just far enough to rotate to desired position and replace thru bolts.

CAUTION: Separating the end frame too far causes the brushes to drop on to the greased shaft. If this happens, remove end frame completely, clean brushes with clean cloth, reassemble springs and brushes retaining them in position with a pin (toothpick). Remove pin after frames are reassembled.



WHEN INSTALLING DELCOTRON® GENERATOR WITH INTEGRAL REGULATOR, THE SLIP RING END FRAME MOUNTING BRACKET IS NOT NEEDED.

3. When reusing the original fan, pulley and collar, tighten shaft nut to 40 to 60 lb. ft. If torque wrench is not available, insert a $\frac{5}{16}$ " hex wrench in end of shaft and tighten nut until the spring washer is just flattened.
4. Install Delcotron® Generator and check belt tension, mounting bolt tightness and make sure all electrical connections are clean and secure.

IMPORTANT: Never operate the Delcotron® Generator without being connected to the battery. Never attempt to polarize the Delcotron® Generator.

DELCO-REMY Division of General Motors Anderson, Indiana



12-17-71

DR-7086

INSTALLING
GENERATOR

SERVICE

DELCOTRON®

1. DISCONNECT GROUNDED CABLE FROM BATTERY.

2. If it is necessary to rotate the slip ring end frame to match the unit being replaced, remove the thru bolts, separate frames just far enough to rotate to desired position and replace thru bolts.

CAUTION: Separating the end frame too far causes the brushes to drop on to the greased shaft. If this happens, remove end frame completely, clean brushes with clean cloth, reassemble springs and brushes retaining them in position with a pin (toothpick). Remove pin after frames are reassembled.

WHEN INSTALLING DELCOTRON® GENERATOR WITH INTEGRAL REGULATOR, THE SLIP RING END FRAME MOUNTING BRACKET IS NOT NEEDED.

3. When reusing the original fan, pulley and collar, tighten shaft nut to 40 to 60 lb. ft. If torque wrench is not available, insert a 5/16" hex wrench in end of shaft and tighten nut until the spring washer is just flattened.

4. Install Delcotron® Generator and check belt tension, mounting bolt tightness and make sure all electrical connections are clean and secure.

IMPORTANT: Never operate the Delcotron® Generator without being connected to the battery. Never attempt to polarize the Delcotron® Generator.

**DELCO-REMY Division of General Motors Anderson,
Indiana BPI**

*** END OF THE PROJECT GUTENBERG EBOOK DELCO RADIO
OWNER'S MANUAL MODEL 633; DELCOTRON GENERATOR
INSTALLATION ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG™ LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are

located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg™ License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project

Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to

you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the

efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg's goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 41 Watchung Plaza #516, Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment

including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.


Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a

copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility:
www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.

INSTALLATION DIAGRAMS



[back](#)