



CORWIL ARCHITECTS
4210 LAGUNA ST. CORAL GABLES FL 33146
LIC. NO. AA-C002151 T.305.448.7383

PROJECT:



10951 SW 84th ST,
MIAMI-DADE, FLORIDA 33173

OWNER:



161 NW 6th ST, Ste. 1020
Miami, Florida 33136

PHASE:

PERMIT SET

FHA UNIT A3 FLOOR PLAN &
DETAILS

UNIT PLAN - WALL & SYMBOL LEGEND

	REINF. CMU WALL W/O FURRING		WINDOW TYPE. REFER TO WINDOW SCHEDULE
	REINF. CMU WALL W/O FURRING (2 HOUR RATED)		DENOTES QUANTITY
	REINF. CMU WALL W/O FURRING (3 HOUR RATED)		DOOR NUMBER. REFER TO DOOR SCHEDULE
	REINF. SHEAR WALL (2 HOUR RATED)		STOREFRONT TYPE / LOUVER TYPE
	LOW PARAPET WALL @ 42" MIN.		LOUVER TYPE. REFER TO SERIES A-10.00
	TYP. METAL STUD PARTITION WALL		WALL TYPE. SEE SHEET A-8.01
	TYP. 1 HOUR TENANT SEPARATION/SMOKE BARRIER METAL STUD PARTITION WALL		JUNCTION BOX (ELECT.) RECESS IN SLAB ABOVE / SCONCE ON WALL
	2 HOUR UL RATED SHAFT WALL		ELECTRICAL PANEL (COORDINATE WITH ELECTRICAL DRAWINGS)
	CENTER LINE		

UNIT NOTES

- UNLESS OTHERWISE INDICATED, INTERIOR PARTITIONS, SHOULD BE WALL TYPE: #29 & #31. REFER TO WALL TYPE SCHEDULE SHEET A-8.01A.
- TYPICAL DIMENSIONS ARE TO FINISHED SURFACES. DIMENSIONS TO STRUCTURAL ELEMENTS ARE TO FACE OF CORE. THICKNESS OF BATHROOM TILE FINISHES ARE NOT INCLUDED IN WALL ASSEMBLY AND THEREFORE NOT INCLUDED IN FINISHED DIMENSIONS.
- REFER TO OVERALL FLOOR PLAN FOR OVERALL DIMENSION OF UNITS. OVERALL DIMENSION OF UNITS MAY VARY, BUT NO MORE THAN 6". DISCREPANCIES SHALL BE NOTIFIED TO ARCHITECT.
- FLOOR SHALL MEET AN IIC OF 50 AND STC OF 50.
- DEMISING WALLS SHALL MEET A STC OF 50.
- FOR WINDOW TYPE AND LOCATION PLEASE REFER TO OVERALL FLOOR PLANS.
- ALL DOORS INTO ROOMS AND CLOSETS SHALL HAVE A CLEAR PASSAGE WIDTH OF 32" MIN. UNLESS NOTED
- INSTALLATION OF HIGH SPEED INTERNET SHALL BE PROVIDED.
- NOTE: SEE SHEETS A-6.05A - A-6.06 FOR BATHROOM FIXTURE LEGEND
- FOR UNIT TYPE LIGHTING AND VENTILATION CALCULATIONS, SEE SHEET 8.00B.

CEILING LEGEND

	GYPSUM BOARD CEILING		6" RECESSED HI-HAT LIGHT FIXTURE - VAPOR PROOF @ SHOWER/TUB
	FAN - B.O. FAN SHALL BE 7" MIN. CLR. A.F.F.		SURFACE MOUNT LIGHT FIXTURE
	JUNCTION BOX		WALL MOUNTED LIGHT FIXTURE
			PENDANT LIGHT

CEILING NOTES

- COORDINATE ALL CEILING FIXTURES SHOWN ON REFLECTED CEILING PLAN WITH ELECTRICAL DRAWINGS. ALL FIXTURES IN FIRST FLOOR SLAB SHALL BE ONE HOUR FIRE RATED OR HAVE A FIRE RATED JUNCTION BOX INSTALLED TO MAINTAIN 1 HOUR SLAB RATING. ALL DISCREPANCIES SHALL BE BROUGHT TO THE ARCHITECT'S ATTENTION BEFORE PROCEEDING WITH THE WORK.
- ALL ELEVATIONS SHOWN ON PLAN TO BE ABOVE FINISH FLOOR SLAB (TYP. U.O.N.).
- FOR FIXTURE TYPE AND SPECIFICATIONS, SEE ELECTRICAL DRAWINGS. SUBMIT ALL SHOP DRAWINGS FOR APPROVAL PRIOR TO PROCUREMENT.
- FIXTURES SHALL NOT BE SPACED LESS THAN 4'-0" FROM OTHERS FIXTURES & SHALL BE EQUALLY SPACED WITHIN A ROOM OR SPACE, UNLESS OTHERWISE SHOWN - COORDINATE WITH FIRE ALARM DRAWINGS.
- COORDINATE WITH MECHANICAL AND FIRE PROTECTION DRAWINGS FOR LOCATION OF DUCT, DIFFUSER & SPRINKLER.
- ALL FIXTURES SHALL BE NEW & INSTALLED AS PER MANUFACTURER'S RECOMMENDATION.
- MINIMUM OF 7'-10" SHALL BE THE TYP. CEILING HEIGHT UNLESS OTHERWISE NOTED.
- ALL AUDIOVISUAL EMERGENCY EQUIPMENT SHALL BE AS PER CODE REQUIREMENTS AND GUIDELINES. CONTRACTOR SHALL REFER TO ELECTRICAL DRAWINGS AND CONSULT OWNER DURING AND AFTER BID PROCESS.
- VERIFY ALL SOFFIT SIZE AS REQ'D FOR RUNNING DUCTS.
- ALLOWANCE FOR ADDITIONAL SOFFITS SHALL BE PROVIDED FOR FIELD CONTINGENCY CONDITIONS.

NOTES:

WINDOW TREATMENT:
PROVIDE WINDOW TREATMENT BY HUNTER DOUGLAS OR APPROVED EQUAL. WINDOW TREATMENTS SHALL COMPLY WITH WDMA A-100.1 AND NFPA 701. PRODUCT SHALL BE MANUFACTURED FREE OF TOXIC OR HAZARDOUS MATERIALS. OPERABLE PARTS SHALL COMPLY WITH ADA REQUIREMENTS AND BE INSTALLED AT 48" MAX. AFF.


UNIT KEYNOTE LEGEND

Rev #	Revision Description	Date
1	COUNTY COMMENTS	11/20/20
2	COUNTY COMMENTS	01/08/21
3	COUNTY COMMENTS	04/03/23
4	COUNTY COMMENTS	05/03/24
5	COUNTY COMMENTS	05/29/24
6	COUNTY COMMENTS	07/19/24
7	COUNTY COMMENTS	09/20/24
8	COUNTY COMMENTS	
9	COUNTY COMMENTS	
10	COUNTY COMMENTS	

THIS DRAWING IS THE PROPERTY OF CORWIL ARCHITECTS INC. UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS AGREED TO BY THE ARCHITECT/ENGINEERS.

DATE: 5-18-2020
JOB No.: 2019-20
DRAWN BY: MA,CM,JM,JW,FG
APPR BY: AMC
PRINTED: 11/25/2024


SEAL:



THIS DRAWING IS THE PROPERTY OF CORWIL ARCHITECTS INC. UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS AGREED TO BY THE ARCHITECT/ENGINEERS.


DATE: 5-18-2020
JOB No.: 2019-20
DRAWN BY: MA,CM,JM,JW,FG
APPR BY: AMC
PRINTED: 11/25/2024

A-6.02




UNIT A3 TYP. FLOOR PLAN

SCALE: 1/4" = 1'-0"




UNIT A3 TYP. RCP

SCALE: 1/4" = 1'-0"





UNIT A3 KITCHEN EL.

SCALE: 1/2" = 1'-0"




UNIT A3 KITCHEN EL.

SCALE: 1/2" = 1'-0"




UNIT A3 BATHROOM PLAN

SCALE: 1/2" = 1'-0"



UNIT A3 BATHROOM EL.

SCALE: 1/2" = 1'-0"



UNIT A3 BATHROOM EL.

SCALE: 1/2" = 1'-0"