

Two-tier App migration on Azure Container: Lab Guide

Overview

This guide will help you in migrating On-premises two-tier WebApp with database to Windows Container and PaaS database on Azure.

Conditions and Terms of Use

This course package is proprietary and confidential. Duplicating, reselling and/or distribution of course materials in their entirety or in part is not permitted without the expressed prior written consent of Spektra Systems, LLC.

Content

Two-tier App migration on Azure Container: Lab Guide	1
Overview	1
Lab 1: Getting Started with Azure.....	2
Lab Overview	2
Prerequisites.....	2
Time Estimate.....	2
Exercise 1: Deploy Pre-requisite ON-premises template.....	2
Exercise 2: Verify the DB and WebApp	3
Lab 2: Two-tier WebApp migration to Container on Azure.....	9
Lab Overview	9
Prerequisites.....	9
Time Estimate.....	9
Exercise 1: Deploy Azure SQL DB for migration.....	9
Exercise 2: Deploy Windows 2016 Server with Docker	14
Exercise 3: Install DMA in On-premises VM and migrate database	21
Exercise 4: Migrate WebApp to Container	30

Lab 1: Getting Started with Azure

Lab Overview

In this lab you will be deploying pre-requisite infrastructure which is simulation of on-premises two-tier webapp with MS SQL database.

Prerequisites

- Windows or a Mac machine with HTML5 supported browser such as Microsoft Edge, Internet Explorer, Chrome or Firefox


Time Estimate

20 minutes

Exercise 1: Deploy Pre-requisite ON-premises template

In this exercise, you will log into the Azure Portal using your Azure credentials.

1. **Launch** a browser and **Navigate** to <https://portal.azure.com>. Provide you Azure login credentials and click on **Sign In**.




Microsoft Azure

Work or school, or personal Microsoft account

☐ Keep me signed in

[Can't access your account?](#)

2. Now, you will be directed to the Azure Dashboard




3. Open github url (<https://github.com/wmhussain/two-tier-app-migration-containers>) and click on deploy to azure to create pre-requisite simulation of on-premises two tier infrastructure.
- a. *ResourceGroup:* **OnPremisesRG** (any valid name)
 - b. *Location:* **East US**(any location)
 - c. *Virtual Machine Name:* **WebDbServer** (Any valid name)
 - d. *Admin User:* **demouser** (any username of your choice)
 - e. *Admin Password:* **< Valid Password >**

Accepts terms and conditions and click on **Purchase** button.


Exercise 2: Verify the DB and WebApp

In this exercise, we will login to VM which is pre-deployed as a part of lab. Login to VM with the credentials provided in mail.


1. In Azure portal, click on Resource Group which contains the pre-deployed on-premises infrastructure then click on Overview tab and finally on VM.




2. In overview section, click on Connect button. It will download an RDP file. Click on the same to connect the VM.




3. Click on **Connect** button in **Remote Desktop Connection** Wizard.




4. Enter the credentials provided in the mail to connect to VM.




5. Click on **Yes** button.




6. Once you are logged in the Windows OS, click on start button and search for '**Microsoft SQL Server management Studio**' and click on that as shown below.




7. In the Connect to Server wizard, verify that Server name is set to *VM's name* and Authentication is **Windows Authentication**. Click **Connect** button to connect to database.




8. Once you are connected to database, you can verify that database named **crudbdb** exists. Minimise the the studio.




9. Click on **Start** button and search for *Internet Information Manager* and open the application.



10. In IIS Manager, expand the server and then Sites, you will see a site named as **crud**. Click on that site. And then click on browse site as shown below.



11. A web application will get open in IE. Create some record in that application as shown below.



12. This completes the verification of our on-premises two-tier web application. You can also verify the records in SQL database manually (Optional).

Lab 2: Two-tier WebApp migration to Container on Azure.

Lab Overview

In this lab, you will

- Verify the prerequisite Environment which is simulating the on-premises two-tier webapp.
- Verify the database and web-application.

Prerequisites

- Windows or a Mac machine with HTML5 supported browser such as Microsoft Edge, Internet Explorer, Chrome or Firefox.
- Lab 1 must be completed.


Time Estimate

20 minutes


Exercise 1: Deploy Azure SQL DB for migration

In this exercise, we will deploy Azure SQL database which is required for migration of on-premises database to Azure.


1. Open Azure portal, click on Resource group icon on the left, create a resource group.
 - a. Resource Group Name : **two-tier-container-trainee-1**(any valid name)
 - b. Location: **East US**(any valid location)
2. Now, select that resource group. Under the **Overview** section click on **Add** button.



3. Search for *SQL Database* and select **SQL Database**



4. Click on **Create** button.



5. Populate the below parameters as shown below. Check for the unique value for server name (f) in Server creation wizard.

6. Select the size of database to be **Basic**. Click on **Apply**.

7. Leave the collation as default and click on **Create** button.

SQL Database [Close]

* Database name
crudPaaSdb ✓

* Subscription
[Dropdown]

* Resource group ⓘ
☐ Create new ☒ Use existing
two-tier-container-trainee-1 [Dropdown]

* Select source ⓘ
Blank database [Dropdown]

* Server
crudpaasdbserver (South Cent...) >

Want to use SQL elastic pool? ⓘ
☐ Yes ☒ Not now

* Pricing tier ⓘ
Basic: 5 DTU, 2 GB >

* Collation ⓘ
SQL_Latin1_General_CP1_CI_AS

☐ Pin to dashboard

Create Automation options

8. It will be validate and then deployment will start.

[Icons: Bell, Back, Settings, Smile, Question Mark, Profile]


Notifications [Close]

Dismiss: Informational Completed All


■ ■ ■ **Deployment in progress...** Running

Deployment to resource group 'two-tier-container-trainee-1' is in progress.


9. After deployment gets completed, click on Go to resource to verify that resource is successfully deployed.



10. You will see that database is created. Note down the server name to be used later.




11. Click on **Show Database Connection Strings** as shown below.



12. Copy the connection string in notepad to be used in database migration and modify the you're {your_username} and {your_password} with actual values you used while creating database in Lab2→ Exercise 1 → Step 4.


```
Server=tcp:cs2df6508fc98d4362.database.windows.net,1433;Initial
Catalog=cruddb;Persist Security Info=False;User
ID={your_username};Password={your_password};MultipleActiveResultSets=False;E
ncrypt=True;TrustServerCertificate=False;Connection Timeout=30;
```




Exercise 2: Deploy Windows 2016 Server with Docker

In this exercise, we will create Windows server with Docker to migrate WebApp on container.


1. Click on resource group , click on **Add** button under **Overview** section.



2. Search for *Windows Container* and then select **Windows Server 2016 Datacenter – with Container**.



3. Click on **Create** button in the **Windows Server 2016 Datacenter – with Container** blade.



4. In **Basics** section, populate the parameters as shown below and clicn **OK**

Create virtual machine × **Basics** □ ×

1 Basics
Configure basic settings >

2 Size
Choose virtual machine size >

3 Settings
Configure optional features >

4 Purchase
Windows Server 2016 Datacent... >

* Name
ContainerHost ✓

VM disk type ⓘ
HDD ▼

* User name
demouser ✓

* Password
..... ✓

* Confirm password
..... ✓


Subscription
..... ▼

* Resource group
☐ Create new ☒ Use existing
two-tier-container-trainee-1 ▼


* Location
East US ▼

OK


5. Select the size of the VM as **D1_V2 Standard** and click **Select**.




6. In **Settings** Blade, continue with defaults and click on **OK** button.




7. In Purchase Blade, click on **Create** button.




8. A notification will get raise for submitting the deployment and then deployment will get started.



9. Once deployment is successful, below notification will be raised. Click on **Go to resource** to validate the resource.




10. Windows VM with container is successfully installed.




Exercise 3: Install DMA in On-premises VM and migrate database

In this exercise, we will login to on-premises VM and install database migration assistant.


1. Login to On-premises VM if not already logged-in, follow Lab1 → Exercise 2 → step-1 to step-5.
2. Open Internet Explorer and download the DMA from [Url](#). Click on **Run** when prompted.




3. Click on **Next** when DMS setup wizard pops-up.




4. Check the **Accept License Agreement** and click **Next**.




5. Check the **I agree to the privacy policy**, and click on **Install**.



6. Once installation completes, check the **Launch Microsoft Data Migration Assistant** and click on **Finish**.




7. When Data Migration Assistant application launches, click on + button on the left to create a new project.



8. Populate the New Project with values provided below and click on **Create** button

- a. *Project Type:* **Migration**
- b. *Project Name:* **<any name>**
- c. *Source server type:* **SQL Server**
- d. *Target Server Type:* **Azure SQL Database**
- e. *Migration Scope:* **Schema and data**



9. In the **Select Source**, populate below parameter and click **Connect** which will list down the database to be migrated, click **Next**
- Server name:* **localhost** (as tool is installed on same server where database is installed)
 - Authentication type:* **Windows Authentication** (logged in user does have rights on database)

Data Migration Assistant

dbmigration

1 Select source 2 Select target 3 Select objects 4 Script & deploy sch 5 Select tables 6 Migrate data

Connect to source server

Server name: localhost

Authentication type: Windows Authentication

Connection properties

☒ Encrypt connection

☒ Trust server certificate

Source SQL Server permissions

Credentials used to connect to source SQL Server instance must have CONTROL SERVER permission.

Connect a

Select a single database from your source server to migrate to Azure SQL Database.

Name	Compatibility Level
cruddb	130

b

Next

10. In the **Select target**, populate the below parameter and click **Connect** which will list down the database at destination. Select the database and click **Next**
- Server Name: <<Exercise 2→ Step 9>
 - Authentication type: **SQL Server Authentication**
 - Username: <Lab2→ Exercise 1→ Step 4 → g>
 - Password: < Lab2→ Exercise 1→ Step 4 → h >

Data Migration Assistant

dbmigration

1 Select source ✓ 2 **Select target** 3 Select objects 4 Script & deploy sch 5 Select tables 6 Migrate data

[Create a new Azure SQL Database...](#)

Server name
dpasdbserver.database.windows.net

Authentication type
SQL Server Authentication

SQL Authentication credentials

Username
demouser

Password
.....

Connection properties

☒ Encrypt connection
☐ Trust server certificate

Target Azure SQL Database permissions
The principal used to connect must have CONTROL DATABASE permission on the target database.

Connect **a**


Select a single target database from your target Azure SQL Database server. If you intend to migrate Windows users, make :

Target external user domain name
e.g. microsoft.com or contoso.com


Name	Compatibility Level
<input checked="" type="radio"/> crudpaasdb	140

Back **Next** **b**


11. In **Select objects**, you will be provided with the tables which are in source database, here you can select/deselect table which you want to migrate to Azure PaaS database. Keep the default and click on **Generate SQL Script**.




12. You will see an SQL script which will be used to create schema at destination database. Click on **Deploy schema** button.




13. You will see the execution of script is done successfully completed in **Deployment results**. Click on **Migrate Data**.



14. In Select tables, you can choose which all table data to be migrated. Leave it default and click on **Start data migration**.



15. In **Migrate data**, You can see the final status of data migration.




Now we have successfully migrated SQL database to Azure SQL database. Next, we will move on to migrate webapp to containers.


Exercise 4: Migrate WebApp to Container

In this exercise, we will login to VM which we created in Exercise 2 and migrate WebApp to container.


1. Click on resource group icon in Azure portal and select the resource group in which you have create DockerHost in Exercise 2. Under overview section, click on Container Host VM.




2. In overview section, click on Connect button. It will download an RDP file. Click on the same to connect the VM.




3. Click on Connect button in Remote Desktop Connection Wizard.




4. Enter the credentials provided in the mail to connect to VM.




5. Click on Yes button.




6. Once you are logged into server, you will see Server Manager dashboard. Click on **Local Server**.




7. Click on **On** against IE Enhanced Security Configuration.




8. In IE Enhanced Security Configuration, select **Off** for **Administrators** and click on **OK**




9. Download the package which contains the WebApp deployment package as well as Docker file from this [url](#) using IE browser and when prompted, click on **Open**.




10. Copy the package folder and paste the same on desktop.






11. Open that folder and edit the **DotnetAppSqlDb.SetParamters** file in notepad as shown below.



12. You need to change the keyword **CHANGEME** with the database conneciton string you copied in Exercise 2 → step 11.




13. Open powershell, click **Window Key + r** , type powershell and click **OK**



14. Change the directory to the package folder you copied to desktop by running below command

```
cd .\Desktop\crud
```



15. Run below command to read the content of Docker file.


```
gc .\Dockerfile
```

Content of file shown below:

```
FROM microsoft/windowsservercore
RUN dism /online /enable-feature /all /featurename:iis-webserver /NoRestart
RUN dism /online /enable-feature /all /featurename:IIS-ASPNET45
RUN mkdir c:\install
ADD WebDeploy_2_10_amd64_en-US.msi /install/WebDeploy_2_10_amd64_en-US.msi
WORKDIR /install
RUN powershell start-Process msixexec.exe -ArgumentList '/i
c:\install\WebDeploy_2_10_amd64_en-US.msi /qn' -Wait
ADD createsite.ps1 ./createsite.ps1
RUN powershell ./createsite.ps1
RUN mkdir c:\webapplication
WORKDIR /webapplication
ADD DotNetAppSqlDb.zip /webapplication/DotNetAppSqlDb.zip
ADD DotNetAppSqlDb.deploy.cmd /webapplication/DotNetAppSqlDb.deploy.cmd
ADD DotNetAppSqlDb.SetParameters.xml
/webapplication/DotNetAppSqlDb.SetParameters.xml
RUN DotNetAppSqlDb.deploy.cmd, /Y
EXPOSE 80
```

Note:Explanation of Dockerfile

1. It is using windows server core container as base image.
2. Installed IIS-WebServer feature and IIS-ASPNET feature.
3. Installed MS WebDeploy software to deploy Website which is supplied as WebPackage from Visual Studio. Same package is used to deploy app in On-premises VM also.
4. Createsite.ps1 is script is used to create website in IIS.
5. DotNetAppSqlDb.deploy.cmd uses MS webdeploy to deploy application in IIS.

A screenshot of a Windows PowerShell terminal window titled "Administrator: Windows PowerShell". The command prompt shows the user running 'gc .\Dockerfile', which outputs the entire content of the Dockerfile shown in the previous block. The terminal text is as follows:

```
PS C:\Users\demouser\Desktop\crud> gc .\Dockerfile
FROM microsoft/windowsservercore
RUN dism /online /enable-feature /all /featurename:iis-webserver /NoRestart
RUN dism /online /enable-feature /all /featurename:IIS-ASPNET45
RUN mkdir c:\install
ADD WebDeploy_2_10_amd64_en-US.msi /install/WebDeploy_2_10_amd64_en-US.msi
WORKDIR /install
RUN powershell start-Process msixexec.exe -ArgumentList '/i c:\install\WebDeploy_2_10_amd64_en-US.msi /qn' -Wait
ADD createsite.ps1 ./createsite.ps1
RUN powershell ./createsite.ps1
RUN mkdir c:\webapplication
WORKDIR /webapplication
ADD DotNetAppSqlDb.zip /webapplication/DotNetAppSqlDb.zip
ADD DotNetAppSqlDb.deploy.cmd /webapplication/DotNetAppSqlDb.deploy.cmd
ADD DotNetAppSqlDb.SetParameters.xml /webapplication/DotNetAppSqlDb.SetParameters.xml
RUN DotNetAppSqlDb.deploy.cmd, /Y
EXPOSE 80
PS C:\Users\demouser\Desktop\crud>
```

16. Run below command to list down the images which are already present in Docker Host.

```
docker images
```

```
Administrator: Windows PowerShell
PS C:\Users\demouser\Desktop\crud> docker images
REPOSITORY              TAG                IMAGE ID           CREATED            SIZE
microsoft/windowsservercore latest            2cddde20d95d      5 weeks ago       10.3GB
microsoft/nanoserver     latest            00f2c6e8b100      5 weeks ago       1.08GB
PS C:\Users\demouser\Desktop\crud>
```

17. Run below command to build the image using the given Docker file.

```
docker build -t crudweb .
```

```
Administrator: Windows PowerShell
PS C:\Users\demouser\Desktop\crud> docker build -t crudweb .
Sending build context to Docker daemon 15.96MB
Step 1/16 : FROM microsoft/windowsservercore
--> 2cddde20d95d
Step 2/16 : RUN dism /online /enable-feature /all /featurename:iis-webserver /NoRestart
--> Running in 7d12d9ba9c1c
PS C:\Users\demouser\Desktop\crud>
```

18. Above step will take 8 to 10 minutes for successful completion.

```
Total changes: 102 (102 added, 0 deleted, 0 updated, 0 parameters changed, 28049181 bytes copied)
--> 2174ab1735f1
Removing intermediate container 18deff463abe
Step 16/16 : EXPOSE 80
--> Running in 08d03b99db05
--> a238427aa8ad
Removing intermediate container 08d03b99db05
Successfully built a238427aa8ad
Successfully tagged crudweb:latest
PS C:\Users\demouser\Desktop\crud>
```

19. Run the below command again to see the list of images which will show newly created image.

```
docker images
```

```
PS C:\Users\demouser\Desktop\crud> docker images
REPOSITORY              TAG                IMAGE ID           CREATED            SIZE
crudweb                  latest            c2b46ecb177a      57 seconds ago    11.1GB
microsoft/windowsservercore latest            2cddde20d95d      5 weeks ago       10.3GB
microsoft/nanoserver     latest            00f2c6e8b100      5 weeks ago       1.08GB
PS C:\Users\demouser\Desktop\crud>
```

20. Run the below command to launch the container using the image which you created in above step.

```
docker run -it crudweb powershell.exe
```

Once container is launched, run below command in Container Powershell to get the ip address.

```
ipconfig
```




```
Administrator: Windows PowerShell
Successfully built c2b46ecb177a
Successfully tagged crudweb:latest
Windows PowerShell
PS C:\webapplication> ipconfig

Windows IP Configuration

Ethernet adapter vEthernet (Container NIC 50f9ed3a):

Connection-specific DNS Suffix . : r2q54jxtg02e3nffwrn110h0dh.bx.internal.cloudapp.net
Link-local IPv6 Address . . . . . : fe80::d11:c010:3be9:91a3%19
Pv4 Address. . . . . : 172.27.238.17
Subnet Mask . . . . . : 255.255.240.0
Default Gateway . . . . . : 172.27.224.1
PS C:\webapplication>
```

21. Open the IP address from above step in browser inside docker host VM and verify that it does have the records which you created in your on-premises VM before migration.



*** This ends the lab.***